

Francisco JosÃ© LÃ³pez-HernÃ¡ndez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1330796/publications.pdf>

Version: 2024-02-01

75
papers

3,113
citations

304743

22
h-index

175258

52
g-index

77
all docs

77
docs citations

77
times ranked

4592
citing authors

#	ARTICLE	IF	CITATIONS
1	Protective Effect of Quercetin 3-O-Glucuronide against Cisplatin Cytotoxicity in Renal Tubular Cells. <i>Molecules</i> , 2022, 27, 1319.	3.8	7
2	The Urinary Level of Injury Biomarkers Is Not Univocally Reflective of the Extent of Toxic Renal Tubular Injury in Rats. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3494.	4.1	2
3	Neural Network-Based Calculator for Rat Glomerular Filtration Rate. <i>Biomedicines</i> , 2022, 10, 610.	3.2	6
4	Determining risk factors for triple whammy acute kidney injury. <i>Mathematical Biosciences</i> , 2022, 347, 108809.	1.9	7
5	Urinary KIM-1 Correlates with the Subclinical Sequelae of Tubular Damage Persisting after the Apparent Functional Recovery from Intrinsic Acute Kidney Injury. <i>Biomedicines</i> , 2022, 10, 1106.	3.2	4
6	The furosemide stress test and computational modeling identify renal damage sites associated with predisposition to acute kidney injury in rats. <i>Translational Research</i> , 2021, 231, 76-91.	5.0	6
7	A Micellar Formulation of Quercetin Prevents Cisplatin Nephrotoxicity. <i>International Journal of Molecular Sciences</i> , 2021, 22, 729.	4.1	20
8	Regression Modeling of the Antioxidant-to-Nephroprotective Relation Shows the Pivotal Role of Oxidative Stress in Cisplatin Nephrotoxicity. <i>Antioxidants</i> , 2021, 10, 1355.	5.1	8
9	Urinary Plasminogen Activator Inhibitor-1: A Biomarker of Acute Tubular Injury. <i>American Journal of Nephrology</i> , 2021, 52, 714-724.	3.1	2
10	Haemodynamic frailty â€“ A risk factor for acute kidney injury in the elderly. <i>Ageing Research Reviews</i> , 2021, 70, 101408.	10.9	12
11	Biomarkers of persistent renal vulnerability after acute kidney injury recovery. <i>Scientific Reports</i> , 2021, 11, 21183.	3.3	5
12	Are Antioxidants Useful in Preventing the Progression of Chronic Kidney Disease?. <i>Antioxidants</i> , 2021, 10, 1669.	5.1	6
13	The furosemide stress test: Perspectives for acute kidney injury diagnosis. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2021, , .	0.9	3
14	Albuminuria Pre-Emptively Identifies Cardiac Patients at Risk of Contrast-Induced Nephropathy. <i>Journal of Clinical Medicine</i> , 2021, 10, 4942.	2.4	6
15	Systematic review and meta-analysis of the efficacy of clinically tested protectants of cisplatin nephrotoxicity. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 23-33.	1.9	35
16	Urinary transferrin pre-emptively identifies the risk of renal damage posed by subclinical tubular alterations. <i>Biomedicine and Pharmacotherapy</i> , 2020, 121, 109684.	5.6	22
17	Urinary TCP1-eta: A Cortical Damage Marker for the Pathophysiological Diagnosis and Prognosis of Acute Kidney Injury. <i>Toxicological Sciences</i> , 2020, 174, 3-15.	3.1	8
18	Combined use of GM2AP and TCP1-eta urinary levels predicts recovery from intrinsic acute kidney injury. <i>Scientific Reports</i> , 2020, 10, 11599.	3.3	11

#	ARTICLE	IF	CITATIONS
19	Association of Alk1 and Endoglin Polymorphisms with Cardiovascular Damage. <i>Scientific Reports</i> , 2020, 10, 9383.	3.3	4
20	A meta-analysis of preclinical studies using antioxidants for the prevention of cisplatin nephrotoxicity: implications for clinical application. <i>Critical Reviews in Toxicology</i> , 2020, 50, 780-800.	3.9	11
21	Pathophysiological mechanisms underlying a rat model of triple whammy acute kidney injury. <i>Laboratory Investigation</i> , 2020, 100, 1455-1464.	3.7	6
22	Metabolic Surgery to Treat Obesity in Diabetic Kidney Disease, Chronic Kidney Disease, and End-Stage Kidney Disease; What Are the Unanswered Questions?. <i>Frontiers in Endocrinology</i> , 2020, 11, 289.	3.5	28
23	Impaired Tubular Reabsorption Is the Main Mechanism Explaining Increases in Urinary NGAL Excretion Following Acute Kidney Injury in Rats. <i>Toxicological Sciences</i> , 2020, 175, 75-86.	3.1	14
24	Quercetin, a Promising Clinical Candidate for The Prevention of Contrast-Induced Nephropathy. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4961.	4.1	15
25	Preventive Effect of Cardiotrophin-1 Administration before DSS-Induced Ulcerative Colitis in Mice. <i>Journal of Clinical Medicine</i> , 2019, 8, 2086.	2.4	6
26	Cardiotrophin-1 opposes renal fibrosis in mice: Potential prevention of chronic kidney disease. <i>Acta Physiologica</i> , 2019, 226, e13247.	3.8	11
27	N-acetylcysteine transforms necrosis into apoptosis and affords tailored protection from cisplatin cytotoxicity. <i>Toxicology and Applied Pharmacology</i> , 2018, 349, 83-93.	2.8	23
28	Cardiotrophin-1 attenuates experimental colitis in mice. <i>Clinical Science</i> , 2018, 132, 985-1001.	4.3	5
29	Cardiotrophin-1 Improves Kidney Preservation, Graft Function, and Survival in Transplanted Rats. <i>Transplantation</i> , 2018, 102, e404-e412.	1.0	4
30	Acute tubular necrosis: An old term in search for a new meaning within the evolving concept of acute kidney injury. <i>European Journal of Molecular and Clinical Medicine</i> , 2017, 2, 110.	0.1	1
31	Deferasirox-induced iron depletion promotes BclxL downregulation and death of proximal tubular cells. <i>Scientific Reports</i> , 2017, 7, 41510.	3.3	27
32	Association of VAV2 and VAV3 polymorphisms with cardiovascular risk factors. <i>Scientific Reports</i> , 2017, 7, 41875.	3.3	14
33	A systematic meta-analysis on the efficacy of pre-clinically tested nephroprotectants at preventing aminoglycoside nephrotoxicity. <i>Toxicology</i> , 2017, 377, 14-24.	4.2	17
34	Differential effect of quercetin on cisplatin-induced toxicity in kidney and tumor tissues. <i>Food and Chemical Toxicology</i> , 2017, 107, 226-236.	3.6	63
35	Key role of oxidative stress in animal models of aminoglycoside nephrotoxicity revealed by a systematic analysis of the antioxidant-to-nephroprotective correlation. <i>Toxicology</i> , 2017, 385, 10-17.	4.2	22
36	Cardiotrophin-1 therapy prevents gentamicin-induced nephrotoxicity in rats. <i>Pharmacological Research</i> , 2016, 107, 137-146.	7.1	20

#	ARTICLE	IF	CITATIONS
37	Mechanisms of triple whammy acute kidney injury. , 2016, 167, 132-145.		38
38	Identification of bone morphogenetic protein 9 (BMP9) as a novel profibrotic factor in vitro. Cellular Signalling, 2016, 28, 1252-1261.	3.6	21
39	Lamin A is involved in the development of vascular calcification induced by chronic kidney failure and phosphorus load. Bone, 2016, 84, 160-168.	2.9	18
40	Activation of the ALK-5 Pathway is not per se Sufficient for the Antiproliferative Effect of TGF- β 21 on Renal Tubule Epithelial Cells. Cellular Physiology and Biochemistry, 2015, 37, 1231-1239.	1.6	4
41	Urinary proteomics in renal pathophysiology: Impact of proteinuria. Proteomics - Clinical Applications, 2015, 9, 636-640.	1.6	3
42	Increased Klk9 Urinary Excretion Is Associated to Hypertension-Induced Cardiovascular Damage and Renal Alterations. Medicine (United States), 2015, 94, e1617.	1.0	4
43	Sub-nephrotoxic cisplatin sensitizes rats to acute renal failure and increases urinary excretion of fumarylacetoacetase. Toxicology Letters, 2015, 234, 99-109.	0.8	18
44	Pathophysiological role of different tubular epithelial cell death modes in acute kidney injury. CKJ: Clinical Kidney Journal, 2015, 8, 548-559.	2.9	84
45	Hypertension and Hyperglycemia Synergize to Cause Incipient Renal Tubular Alterations Resulting in Increased NGAL Urinary Excretion in Rats. PLoS ONE, 2014, 9, e105988.	2.5	8
46	Interferon- γ ; Reduces the Proliferation of Primed Human Renal Tubular Cells. Nephron Extra, 2014, 4, 1-7.	1.1	8
47	Increased urinary excretion of albumin, hemopexin, transferrin and VDBP correlates with chronic sensitization to gentamicin nephrotoxicity in rats. Toxicology, 2013, 304, 83-91.	4.2	23
48	Cardiotrophin-1 Administration Prevents the Renal Toxicity of Iodinated Contrast Media in Rats. Toxicological Sciences, 2013, 132, 493-501.	3.1	24
49	Subcellular targets of cisplatin cytotoxicity: An integrated view. , 2012, 136, 35-55.		148
50	Role of TGF- β 2 in chronic kidney disease: an integration of tubular, glomerular and vascular effects. Cell and Tissue Research, 2012, 347, 141-154.	2.9	250
51	Effects of deferasirox on renal function and renal epithelial cell death. Toxicology Letters, 2011, 203, 154-161.	0.8	31
52	New insights into the mechanism of aminoglycoside nephrotoxicity: an integrative point of view. Kidney International, 2011, 79, 33-45.	5.2	497
53	An integrative view of the pathophysiological events leading to cisplatin nephrotoxicity. Critical Reviews in Toxicology, 2011, 41, 803-821.	3.9	199
54	An Integrative Overview on the Mechanisms Underlying the Renal Tubular Cytotoxicity of Gentamicin. Toxicological Sciences, 2011, 119, 245-256.	3.1	205

#	ARTICLE	IF	CITATIONS
55	Quercetin reduces cisplatin nephrotoxicity in rats without compromising its anti-tumour activity. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3484-3495.	0.7	131
56	Urinary levels of regenerating islet-derived protein III ^β and gelsolin differentiate gentamicin from cisplatin-induced acute kidney injury in rats. <i>Kidney International</i> , 2011, 79, 518-528.	5.2	33
57	Necrotic Concentrations of Cisplatin Activate the Apoptotic Machinery but Inhibit Effector Caspases and Interfere with the Execution of Apoptosis. <i>Toxicological Sciences</i> , 2011, 122, 73-85.	3.1	60
58	Common pathophysiological mechanisms of chronic kidney disease: Therapeutic perspectives. , 2010, 128, 61-81.		128
59	Nephrotoxicity of Uranium: Pathophysiological, Diagnostic and Therapeutic Perspectives. <i>Toxicological Sciences</i> , 2010, 118, 324-347.	3.1	119
60	Sub-nephrotoxic doses of gentamicin predispose animals to developing acute kidney injury and to excrete ganglioside M2 activator protein. <i>Kidney International</i> , 2010, 78, 1006-1015.	5.2	38
61	An integrative view on the role of TGF-β ¹ in the progressive tubular deletion associated with chronic kidney disease. <i>Kidney International</i> , 2010, 77, 950-955.	5.2	131
62	Potential utility of PPAR α activation in the prevention of ischemic and drug-induced acute renal damage. <i>Kidney International</i> , 2009, 76, 1022-1024.	5.2	20
63	Glomerular nephrotoxicity of aminoglycosides. <i>Toxicology and Applied Pharmacology</i> , 2007, 223, 86-98.	2.8	208
64	The extrinsic and intrinsic apoptotic pathways are differentially affected by temperature upstream of mitochondrial damage. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2006, 11, 1339-1347.	4.9	15
65	The lord of the ring: Mandatory role of the kidney in drug therapy of hypertension. , 2006, 111, 53-80.		7
66	The Retinoid Antagonist MX781 Induces Clusterin Expression in Prostate Cancer Cells via Heat Shock Factor-1 and Activator Protein-1 Transcription Factors. <i>Cancer Research</i> , 2004, 64, 5905-5912.	0.9	16
67	Reduced concentrations of serum enhance the antiproliferative activity of retinoid-related molecules and accelerate the onset of apoptosis. <i>Biochemical Pharmacology</i> , 2003, 65, 2021-2030.	4.4	6
68	Inhibition of I κ B Kinase by a New Class of Retinoid-Related Anticancer Agents That Induce Apoptosis. <i>Molecular and Cellular Biology</i> , 2003, 23, 1061-1074.	2.3	67
69	Z-FA-fmk inhibits effector caspases but not initiator caspases 8 and 10, and demonstrates that novel anticancer retinoid-related molecules induce apoptosis via the intrinsic pathway. <i>Molecular Cancer Therapeutics</i> , 2003, 2, 255-63.	4.1	33
70	Retinoids in combination therapies for the treatment of cancer: mechanisms and perspectives. <i>Drug Resistance Updates</i> , 2002, 5, 162-175.	14.4	41
71	Beneficial Effects of Trandolapril in Uninephrectomized Spontaneously Hypertensive Rats: Role of Cyclooxygenase Pathway. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2002, 91, 90-96.	0.0	1
72	Mesenteric cyclooxygenase products after combined antihypertensive treatment in uninephrectomized SHR. <i>Cardiovascular Drugs and Therapy</i> , 2000, 14, 41-48.	2.6	1

#	ARTICLE	IF	CITATIONS
73	Antihypertensive Effect of Trandolapril and Verapamil in Rats with Induced Hypertension. Journal of Cardiovascular Pharmacology, 1999, 33, 748-755.	1.9	3
74	Antihypertensive Action of Trandolapril and Verapamil in Spontaneously Hypertensive Rats After Unilateral Nephrectomy. Journal of Cardiovascular Pharmacology, 1998, 32, 284-290.	1.9	8
75	Endothelial Activin Receptor-Like Kinase 1 (ALK1) Regulates Myofibroblast Emergence and Peritubular Capillary Stability in the Early Stages of Kidney Fibrosis. Frontiers in Pharmacology, 0, 13, .	3.5	3