

Brenda W J H Penninx

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1331362/publications.pdf>

Version: 2024-02-01

786
papers

85,254
citations

336

137
h-index

834

245
g-index

842
all docs

842
docs citations

842
times ranked

78304
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolomics dissection of depression heterogeneity and related cardiometabolic risk. <i>Psychological Medicine</i> , 2023, 53, 248-257.	4.5	10
2	Psychotherapy for comorbid depression and somatic disorders: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2023, 53, 2503-2513.	4.5	6
3	Dissection of depression heterogeneity using proteomic clusters. <i>Psychological Medicine</i> , 2023, 53, 2904-2912.	4.5	10
4	Effect of disease related biases on the subjective assessment of social functioning in Alzheimer's disease and schizophrenia patients. <i>Journal of Psychiatric Research</i> , 2022, 145, 302-308.	3.1	9
5	Predicting the naturalistic course in anxiety disorders using clinical and biological markers: a machine learning approach. <i>Psychological Medicine</i> , 2022, 52, 57-67.	4.5	14
6	Familial risk for depressive and anxiety disorders: associations with genetic, clinical, and psychosocial vulnerabilities. <i>Psychological Medicine</i> , 2022, 52, 696-706.	4.5	7
7	Associations of carotid intima media thickness with gene expression in whole blood and genetically predicted gene expression across 48 tissues. <i>Human Molecular Genetics</i> , 2022, 31, 1171-1182.	2.9	4
8	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	1.3	61
9	Education and Income Show Heterogeneous Relationships to Lifespan Brain and Cognitive Differences Across European and US Cohorts. <i>Cerebral Cortex</i> , 2022, 32, 839-854.	2.9	25
10	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 115-126.	2.2	31
11	Social dysfunction is transdiagnostically associated with default mode network dysconnectivity in schizophrenia and Alzheimer's disease. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 264-277.	2.6	8
12	Identifying mismatch and match between clinical needs and mental healthcare use trajectories in people with anxiety and depression: Results of a longitudinal study. <i>Journal of Affective Disorders</i> , 2022, 297, 657-670.	4.1	5
13	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	1.3	114
14	The role of depressive symptoms and symptom dimensions in actigraphy-assessed sleep, circadian rhythm, and physical activity. <i>Psychological Medicine</i> , 2022, 52, 2760-2766.	4.5	9
15	Inflammation and depression in young people: a systematic review and proposed inflammatory pathways. <i>Molecular Psychiatry</i> , 2022, 27, 315-327.	7.9	35
16	Relationships between social withdrawal and facial emotion recognition in neuropsychiatric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110463.	4.8	10
17	Fifteen years of the Netherlands study of depression and anxiety: An introduction to the special issue. <i>Journal of Affective Disorders</i> , 2022, 298, 355-356.	4.1	1
18	Dual methylation and hydroxymethylation study of alcohol use disorder. <i>Addiction Biology</i> , 2022, 27, e13114.	2.6	12

#	ARTICLE	IF	CITATIONS
19	Fat metabolism is associated with telomere length in six population-based studies. <i>Human Molecular Genetics</i> , 2022, 31, 1159-1170.	2.9	7
20	The Association Between Home Stay and Symptom Severity in Major Depressive Disorder: Preliminary Findings From a Multicenter Observational Study Using Geolocation Data From Smartphones. <i>JMIR MHealth and UHealth</i> , 2022, 10, e28095.	3.7	19
21	Charting brain growth and aging at high spatial precision. <i>ELife</i> , 2022, 11, .	6.0	61
22	A research agenda for post-COVID-19 fatigue. <i>Journal of Psychosomatic Research</i> , 2022, 154, 110726.	2.6	16
23	Genome-wide analysis of 102,084 migraine cases identifies 123 risk loci and subtype-specific risk alleles. <i>Nature Genetics</i> , 2022, 54, 152-160.	21.4	135
24	Metabolomic and inflammatory signatures of symptom dimensions in major depression. <i>Brain, Behavior, and Immunity</i> , 2022, 102, 42-52.	4.1	33
25	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials. <i>Molecular Psychiatry</i> , 2022, 27, 1286-1299.	7.9	68
26	Elucidating the relationship between migraine risk and brain structure using genetic data. <i>Brain</i> , 2022, 145, 3214-3224.	7.6	7
27	Remote Assessment of Disease and Relapse in Major Depressive Disorder (RADAR-MDD): recruitment, retention, and data availability in a longitudinal remote measurement study. <i>BMC Psychiatry</i> , 2022, 22, 136.	2.6	42
28	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals. <i>Nature Genetics</i> , 2022, 54, 437-449.	21.4	215
29	Attitudes towards COVID-19 vaccination: A comparison between persons with different chronicity of pre-pandemic depressive, anxiety or obsessive-compulsive disorders. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 412-415.	4.5	7
30	Time for united action on depression: a Lancet World Psychiatric Association Commission. <i>Lancet, The</i> , 2022, 399, 957-1022.	13.7	292
31	Longitudinal Relationships Between Depressive Symptom Severity and Phone-Measured Mobility: Dynamic Structural Equation Modeling Study. <i>JMIR Mental Health</i> , 2022, 9, e34898.	3.3	26
32	Genetic variants associated with longitudinal changes in brain structure across the lifespan. <i>Nature Neuroscience</i> , 2022, 25, 421-432.	14.8	75
33	Mental health and perceived impact during the first Covid-19 pandemic year: A longitudinal study in Dutch case-control cohorts of persons with and without depressive, anxiety, and obsessive-compulsive disorders. <i>Journal of Affective Disorders</i> , 2022, 305, 85-93.	4.1	30
34	Associations of three major physiological stress systems with suicidal ideation and suicide attempts in patients with a depressive and/or anxiety disorder. <i>Brain, Behavior, and Immunity</i> , 2022, 102, 195-205.	4.1	9
35	Genomics-based identification of a potential causal role for acylcarnitine metabolism in depression. <i>Journal of Affective Disorders</i> , 2022, 307, 254-263.	4.1	10
36	Cross-disorder and disorder-specific deficits in social functioning among schizophrenia and alzheimer's disease patients. <i>PLoS ONE</i> , 2022, 17, e0263769.	2.5	3

#	ARTICLE	IF	CITATIONS
37	Childhood trauma and its impact on depressive and anxiety symptomatology in adulthood: A 6-year longitudinal study. <i>Journal of Affective Disorders</i> , 2022, 312, 322-330.	4.1	16
38	Differential and shared genetic effects on kidney function between diabetic and non-diabetic individuals. <i>Communications Biology</i> , 2022, 5, .	4.4	17
39	The association between clinical and biological characteristics of depression and structural brain alterations. <i>Journal of Affective Disorders</i> , 2022, 312, 268-274.	4.1	6
40	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. <i>Molecular Psychiatry</i> , 2021, 26, 4179-4190.	7.9	58
41	Cortical thickness and resting-state cardiac function across the lifespan: A cross-sectional pooled mega-analysis. <i>Psychophysiology</i> , 2021, 58, e13688.	2.4	33
42	It is a family affair: individual experiences and sibling exposure to emotional, physical and sexual abuse and the impact on adult depressive symptoms. <i>Psychological Medicine</i> , 2021, 51, 2063-2073.	4.5	9
43	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021, 26, 5124-5139.	7.9	136
44	Brain structural abnormalities in obesity: relation to age, genetic risk, and common psychiatric disorders. <i>Molecular Psychiatry</i> , 2021, 26, 4839-4852.	7.9	76
45	Associations between depressive symptom profiles and immunometabolic characteristics in individuals with depression and their siblings. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 128-138.	2.6	6
46	Suicidal ideation and suicide attempts: associations with sleep duration, insomnia, and inflammation. <i>Psychological Medicine</i> , 2021, 51, 2094-2103.	4.5	47
47	Physical Exercise Interventions Targeting Cognitive Functioning and the Cognitive Domains in Nondementia Samples: A Systematic Review of Meta-Analyses. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021, 34, 91-101.	2.3	10
48	Genome-wide association study identifies 48 common genetic variants associated with handedness. <i>Nature Human Behaviour</i> , 2021, 5, 59-70.	12.0	79
49	Sleep characteristics across the lifespan in 1.1 million people from the Netherlands, United Kingdom and United States: a systematic review and meta-analysis. <i>Nature Human Behaviour</i> , 2021, 5, 113-122.	12.0	193
50	The mental health impact of the COVID-19 pandemic on people with and without depressive, anxiety, or obsessive-compulsive disorders: a longitudinal study of three Dutch case-control cohorts. <i>Lancet Psychiatry</i> , 2021, 8, 121-129.	7.4	423
51	Why some siblings thrive whereas others struggle: A within-family study on recollections of childhood parental bonding and current adult depressive and anxiety symptoms. <i>Journal of Affective Disorders</i> , 2021, 281, 413-421.	4.1	3
52	Digital phenotyping and the COVID-19 pandemic: Capturing behavioral change in patients with psychiatric disorders. <i>European Neuropsychopharmacology</i> , 2021, 42, 115-120.	0.7	26
53	A comparison of depressive symptom profiles between current major depressive disorder and schizophrenia spectrum disorder. <i>Journal of Psychiatric Research</i> , 2021, 135, 143-151.	3.1	9
54	Anxiety disorders. <i>Lancet, The</i> , 2021, 397, 914-927.	13.7	210

#	ARTICLE	IF	CITATIONS
55	Multi-ancestry genome-wide association study accounting for gene-psychosocial factor interactions identifies novel loci for blood pressure traits. <i>Human Genetics and Genomics Advances</i> , 2021, 2, 100013.	1.7	2
56	Duration of anxiety disorder and its associated risk indicators: Results of a longitudinal study of the general population. <i>Depression and Anxiety</i> , 2021, 38, 328-336.	4.1	11
57	Meta-analysis uncovers genome-wide significant variants for rapid kidney function decline. <i>Kidney International</i> , 2021, 99, 926-939.	5.2	42
58	Suicide ideation versus suicide attempt: Examining overlapping and differential determinants in a large cohort of patients with depression and/or anxiety. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 167-179.	2.3	33
59	Identifying causative mechanisms linking early-life stress to psycho-cardio-metabolic multi-morbidity: The EarlyCause project. <i>PLoS ONE</i> , 2021, 16, e0245475.	2.5	9
60	Prevention programmes for children of parents with a mood/anxiety disorder: Systematic review of existing programmes and meta-analysis of their efficacy. <i>British Journal of Clinical Psychology</i> , 2021, 60, 212-251.	3.5	21
61	Genome-wide association study of circulating interleukin 6 levels identifies novel loci. <i>Human Molecular Genetics</i> , 2021, 30, 393-409.	2.9	32
62	Anger and cluster B personality traits and the conversion from unipolar depression to bipolar disorder. <i>Depression and Anxiety</i> , 2021, 38, 671-681.	4.1	6
63	An integrative study of five biological clocks in somatic and mental health. <i>ELife</i> , 2021, 10, .	6.0	52
64	Plasma androgens and the presence and course of depression in a large cohort of women. <i>Translational Psychiatry</i> , 2021, 11, 124.	4.8	7
65	<i>Toxoplasma gondii</i> seropositivity in patients with depressive and anxiety disorders. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 11, 100197.	2.5	3
66	Obesity and atypical depression symptoms: findings from Mendelian randomization in two European cohorts. <i>Translational Psychiatry</i> , 2021, 11, 96.	4.8	31
67	Sociodemographic, Health and Lifestyle, Sampling, and Mental Health Determinants of 24-Hour Motor Activity Patterns: Observational Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e20700.	4.3	11
68	A network perspective on suicidal behavior: Understanding suicidality as a complex system. <i>Suicide and Life-Threatening Behavior</i> , 2021, 51, 115-126.	1.9	32
69	Changes in peripheral blood compounds following psychopharmacological treatment in drug-naïve first-episode patients with either schizophrenia or major depressive disorder: a meta-analysis. <i>Psychological Medicine</i> , 2021, 51, 538-549.	4.5	17
70	The day-to-day bidirectional longitudinal association between objective and self-reported sleep and affect: An ambulatory assessment study. <i>Journal of Affective Disorders</i> , 2021, 283, 165-171.	4.1	11
71	Diet, Obesity, and Depression: A Systematic Review. <i>Journal of Personalized Medicine</i> , 2021, 11, 176.	2.5	46
72	Childhood Trauma in Adult Depressive and Anxiety Disorders: An Integrated Review on Psychological and Biological Mechanisms in the NESDA Cohort. <i>Journal of Affective Disorders</i> , 2021, 283, 179-191.	4.1	58

#	ARTICLE	IF	CITATIONS
73	Prevalence, course, and determinants of suicide ideation and attempts in patients with a depressive and/or anxiety disorder: A review of NESDA findings. <i>Journal of Affective Disorders</i> , 2021, 283, 267-277.	4.1	39
74	An integrated approach to understand biological stress system dysregulation across depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2021, 283, 139-146.	4.1	36
75	Investigating the relationships between unfavourable habitual sleep and metabolomic traits: evidence from multi-cohort multivariable regression and Mendelian randomization analyses. <i>BMC Medicine</i> , 2021, 19, 69.	5.5	14
76	Dissecting Depression Biological and Clinical Heterogeneityâ€”The Importance of Symptom Assessment Resolution. <i>JAMA Psychiatry</i> , 2021, 78, 341.	11.0	14
77	Multi-ancestry genome-wide geneâ€“sleep interactions identify novel loci for blood pressure. <i>Molecular Psychiatry</i> , 2021, 26, 6293-6304.	7.9	13
78	Evaluating a dimensional approach to treatment resistance in anxiety disorders: A two-year follow-up study. <i>Journal of Affective Disorders Reports</i> , 2021, 4, 100139.	1.7	1
79	Relationship Between Major Depression Symptom Severity and Sleep Collected Using a Wristband Wearable Device: Multicenter Longitudinal Observational Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e24604.	3.7	35
80	Predicting Depressive Symptom Severity Through Individualsâ€™ Nearby Bluetooth Device Count Data Collected by Mobile Phones: Preliminary Longitudinal Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e29840.	3.7	26
81	Effects of dietary interventions on depressive symptom profiles: results from the MoodFOOD depression prevention study. <i>Psychological Medicine</i> , 2021, , 1-10.	4.5	5
82	Overweight and obese individuals with depressive symptoms from the MoodFOOD prevention trial: Role of sociodemographic, somatic health, and weight related factors. <i>Journal of Affective Disorders Reports</i> , 2021, 4, 100126.	1.7	0
83	The long-lasting impact of childhood trauma on adult chronic physical disorders. <i>Journal of Psychiatric Research</i> , 2021, 136, 87-94.	3.1	9
84	Educational attainment does not influence brain aging. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	49
85	How childhood trauma and recent adverse events are related to hair cortisol levels in a large adult cohort. <i>Psychoneuroendocrinology</i> , 2021, 126, 105150.	2.7	9
86	Brain-immune crosstalk in the treatment of major depressive disorder. <i>European Neuropsychopharmacology</i> , 2021, 45, 89-107.	0.7	41
87	Depressive and anxiety disorders in concertâ€”A synthesis of findings on comorbidity in the NESDA study. <i>Journal of Affective Disorders</i> , 2021, 284, 85-97.	4.1	43
88	Genetic underpinnings of sociability in the general population. <i>Neuropsychopharmacology</i> , 2021, 46, 1627-1634.	5.4	18
89	Hair Cortisol, Obesity and the Immune System: Results From a 3 Year Longitudinal Study. <i>Journal of the Endocrine Society</i> , 2021, 5, A14-A14.	0.2	0
90	Metabolomic profiles discriminating anxiety from depression. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 178-193.	4.5	21

#	ARTICLE	IF	CITATIONS
91	Associations between depression, lifestyle and brain structure: A longitudinal MRI study. <i>NeuroImage</i> , 2021, 231, 117834.	4.2	23
92	Cohort profile of the longitudinal Netherlands Study of Depression and Anxiety (NESDA) on etiology, course and consequences of depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2021, 287, 69-77.	4.1	36
93	Using the Power of a Giant Wisely: Confirming Inflammation in Depression. <i>American Journal of Psychiatry</i> , 2021, 178, 480-482.	7.2	3
94	Association of inflammation with depression and anxiety: evidence for symptom-specificity and potential causality from UK Biobank and NESDA cohorts. <i>Molecular Psychiatry</i> , 2021, 26, 7393-7402.	7.9	107
95	Temporal relationships between happiness and psychiatric disorders and their symptom severity in a large cohort study: the Netherlands Study of Depression and Anxiety (NESDA). <i>BMC Psychiatry</i> , 2021, 21, 344.	2.6	1
96	Contributing factors to advanced brain aging in depression and anxiety disorders. <i>Translational Psychiatry</i> , 2021, 11, 402.	4.8	31
97	Benzodiazepines for the long-term treatment of anxiety disorders? "Authors' reply. <i>Lancet</i> , The, 2021, 398, 120.	13.7	5
98	Plasma androgens and the presence and course of depression in a large cohort of men. <i>Psychoneuroendocrinology</i> , 2021, 130, 105278.	2.7	4
99	Transcriptome-based polygenic score links depression-related corticolimbic gene expression changes to sex-specific brain morphology and depression risk. <i>Neuropsychopharmacology</i> , 2021, 46, 2304-2311.	5.4	5
100	Psychiatric symptoms and cognitive impairment in "Long COVID": the relevance of immunopsychiatry. <i>World Psychiatry</i> , 2021, 20, 357-358.	10.4	38
101	Psychosocial factors and cancer incidence (PSY&CA): Protocol for individual participant data meta&analyses. <i>Brain and Behavior</i> , 2021, 11, e2340.	2.2	8
102	Examining sex differences in neurodevelopmental and psychiatric genetic risk in anxiety and depression. <i>PLoS ONE</i> , 2021, 16, e0248254.	2.5	4
103	Hair cortisol, obesity and the immune system: Results from a 3 year longitudinal study. <i>Psychoneuroendocrinology</i> , 2021, 134, 105422.	2.7	7
104	The Genetic Architecture of Depression in Individuals of East Asian Ancestry. <i>JAMA Psychiatry</i> , 2021, 78, 1258.	11.0	88
105	Investigating the impact of COVID-19 lockdown on adults with a recent history of recurrent major depressive disorder: a multi-Centre study using remote measurement technology. <i>BMC Psychiatry</i> , 2021, 21, 435.	2.6	16
106	Major Depressive Disorder and Lifestyle: Correlated Genetic Effects in Extended Twin Pedigrees. <i>Genes</i> , 2021, 12, 1509.	2.4	12
107	Large-scale cis- and trans-eQTL analyses identify thousands of genetic loci and polygenic scores that regulate blood gene expression. <i>Nature Genetics</i> , 2021, 53, 1300-1310.	21.4	590
108	Common and specific determinants of 9-year depression and anxiety course-trajectories: A machine-learning investigation in the Netherlands Study of Depression and Anxiety (NESDA).. <i>Journal of Affective Disorders</i> , 2021, 293, 295-304.	4.1	7

#	ARTICLE	IF	CITATIONS
109	Incident Major Depressive Disorder Predicted by Three Measures of Insulin Resistance: A Dutch Cohort Study. <i>American Journal of Psychiatry</i> , 2021, 178, 914-920.	7.2	43
110	The association between plasma tryptophan catabolites and depression: The role of symptom profiles and inflammation. <i>Brain, Behavior, and Immunity</i> , 2021, 97, 167-175.	4.1	38
111	Familial resemblance in mental health symptoms, social and cognitive vulnerability, and personality: A study of patients with depressive and anxiety disorders and their siblings. <i>Journal of Affective Disorders</i> , 2021, 294, 420-429.	4.1	8
112	Basal and LPS-stimulated inflammatory markers and the course of anxiety symptoms. <i>Brain, Behavior, and Immunity</i> , 2021, 98, 378-387.	4.1	13
113	A tangled start: The link between childhood maltreatment, psychopathology, and relationships in adulthood. <i>Child Abuse and Neglect</i> , 2021, 121, 105228.	2.6	11
114	The 9-year clinical course of depressive and anxiety disorders: New NESDA findings. <i>Journal of Affective Disorders</i> , 2021, 295, 1269-1279.	4.1	20
115	Higher thyrotropin leads to unfavorable lipid profile and somewhat higher cardiovascular disease risk: evidence from multi-cohort Mendelian randomization and metabolomic profiling. <i>BMC Medicine</i> , 2021, 19, 266.	5.5	11
116	Potential Genetic Overlap Between Insomnia and Sleep Symptoms in Major Depressive Disorder: A Polygenic Risk Score Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 734077.	2.6	2
117	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021, 600, 675-679.	27.8	353
118	Dose response of the 16p11.2 distal copy number variant on intracranial volume and basal ganglia. <i>Molecular Psychiatry</i> , 2020, 25, 584-602.	7.9	49
119	Methylome-wide association findings for major depressive disorder overlap in blood and brain and replicate in independent brain samples. <i>Molecular Psychiatry</i> , 2020, 25, 1344-1354.	7.9	61
120	Interactive impact of childhood maltreatment, depression, and age on cortical brain structure: mega-analytic findings from a large multi-site cohort. <i>Psychological Medicine</i> , 2020, 50, 1020-1031.	4.5	59
121	Association of food groups with depression and anxiety disorders. <i>European Journal of Nutrition</i> , 2020, 59, 767-778.	3.9	66
122	Effect of food-related behavioral activation therapy on food intake and the environmental impact of the diet: results from the MoodFOOD prevention trial. <i>European Journal of Nutrition</i> , 2020, 59, 2579-2591.	3.9	15
123	Association of <i>a priori</i> dietary patterns with depressive symptoms: a harmonised meta-analysis of observational studies. <i>Psychological Medicine</i> , 2020, 50, 1872-1883.	4.5	51
124	A methylation study of long-term depression risk. <i>Molecular Psychiatry</i> , 2020, 25, 1334-1343.	7.9	56
125	Temporal stability of symptoms of affective disorders, cognitive vulnerability and personality over time. <i>Journal of Affective Disorders</i> , 2020, 260, 77-83.	4.1	18
126	White matter disturbances in major depressive disorder: a coordinated analysis across 20 international cohorts in the ENIGMA MDD working group. <i>Molecular Psychiatry</i> , 2020, 25, 1511-1525.	7.9	218

#	ARTICLE	IF	CITATIONS
127	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020, 87, 419-430.	1.3	27
128	Metabolomics Profile in Depression: A Pooled Analysis of 230 Metabolic Markers in 5283 Cases With Depression and 10,145 Controls. <i>Biological Psychiatry</i> , 2020, 87, 409-418.	1.3	129
129	Cell Type-Specific Methylome-wide Association Studies Implicate Neurotrophin and Innate Immune Signaling in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2020, 87, 431-442.	1.3	35
130	Are People Ready for Personalized Brain Health? Perspectives of Research Participants in the Lifebrain Consortium. <i>Gerontologist</i> , The, 2020, 60, 1050-1059.	3.9	11
131	Response to the International Society for Nutritional Psychiatry Research Practice Guidelines for Omega-3 Fatty Acids in the Treatment of Major Depressive Disorder by Guu et al. (2019). <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 48-48.	8.8	6
132	A clinical staging approach to improving diagnostics in anxiety disorders: Is it the way to go?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 173-184.	2.3	15
133	Social dysfunction in mood disorders and schizophrenia: Clinical modulators in four independent samples. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 99, 109835.	4.8	32
134	A characterization of cis- and trans-heritability of RNA-Seq-based gene expression. <i>European Journal of Human Genetics</i> , 2020, 28, 253-263.	2.8	29
135	The predictive performance of the bipolarity index in a Dutch epidemiological sample manuscript. <i>Journal of Affective Disorders</i> , 2020, 262, 373-380.	4.1	5
136	Network outcome analysis identifies difficulty initiating sleep as a primary target for prevention of depression: a 6-year prospective study. <i>Sleep</i> , 2020, 43, .	1.1	49
137	Comorbidity between depression and anxiety: assessing the role of bridge mental states in dynamic psychological networks. <i>BMC Medicine</i> , 2020, 18, 308.	5.5	78
138	Childhood trauma and dysregulation of multiple biological stress systems in adulthood: Results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Psychoneuroendocrinology</i> , 2020, 121, 104835.	2.7	33
139	Non-alcoholic fatty liver disease (NAFLD) as a neglected metabolic companion of psychiatric disorders: common pathways and future approaches. <i>BMC Medicine</i> , 2020, 18, 261.	5.5	66
140	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , the, 2020, 7, 1032-1045.	7.4	200
141	Basal and LPS-stimulated inflammatory markers and the course of individual symptoms of depression. <i>Translational Psychiatry</i> , 2020, 10, 235.	4.8	48
142	The associations between childhood trauma and work functioning in adult workers with and without depressive and anxiety disorders. <i>European Psychiatry</i> , 2020, 63, e76.	0.2	5
143	Genetic comorbidity between major depression and cardio-metabolic traits, stratified by age at onset of major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 309-330.	1.7	33
144	A framework for assessing neuropsychiatric phenotypes by using smartphone-based location data. <i>Translational Psychiatry</i> , 2020, 10, 211.	4.8	27

#	ARTICLE	IF	CITATIONS
145	Novel neuronal surface autoantibodies in plasma of patients with depression and anxiety. <i>Translational Psychiatry</i> , 2020, 10, 404.	4.8	10
146	Authors' reply. <i>British Journal of Psychiatry</i> , 2020, 216, 235-235.	2.8	0
147	Effects of food-related behavioral activation therapy on eating styles, diet quality and body weight change: Results from the MoodFOOD Randomized Clinical Trial. <i>Journal of Psychosomatic Research</i> , 2020, 137, 110206.	2.6	10
148	Acceptability and feasibility of two interventions in the MoodFOOD Trial: a food-related depression prevention randomised controlled trial in overweight adults with subsyndromal symptoms of depression. <i>BMJ Open</i> , 2020, 10, e034025.	1.9	4
149	Metabolic Age Based on the BBMRI-NL ¹ H-NMR Metabolomics Repository as Biomarker of Age-related Disease. <i>Circulation Genomic and Precision Medicine</i> , 2020, 13, 541-547.	3.6	50
150	Supplementation-induced increase in circulating omega-3 serum levels is not associated with a reduction in depressive symptoms: Results from the MoodFOOD depression prevention trial. <i>Depression and Anxiety</i> , 2020, 37, 1079-1088.	4.1	7
151	Exercise interventions for the prevention of depression: a systematic review of meta-analyses. <i>BMC Public Health</i> , 2020, 20, 1255.	2.9	102
152	Reply to interleukin-6 in schizophrenia: Cause of death matters. <i>Brain, Behavior, and Immunity</i> , 2020, 90, 383-384.	4.1	1
153	Working memory moderates the relation between the brain-derived neurotrophic factor (BDNF) and psychotherapy outcome for depression. <i>Journal of Psychiatric Research</i> , 2020, 130, 424-432.	3.1	17
154	Habitual sleep disturbances and migraine: a Mendelian randomization study. <i>Annals of Clinical and Translational Neurology</i> , 2020, 7, 2370-2380.	3.7	18
155	Associations of Non-Alcoholic Beverages with Major Depressive Disorder History and Depressive Symptoms Clusters in a Sample of Overweight Adults. <i>Nutrients</i> , 2020, 12, 3202.	4.1	11
156	Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. <i>Molecular Psychiatry</i> , 2020, 26, 2111-2125.	7.9	17
157	Refining Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorder Genetic Loci by Integrating Summary Data From Genome-wide Association, Gene Expression, and DNA Methylation Studies. <i>Biological Psychiatry</i> , 2020, 88, 470-479.	1.3	14
158	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. <i>Translational Psychiatry</i> , 2020, 10, 172.	4.8	121
159	Getting under the skin: Does biology help predict chronicity of depression?. <i>Journal of Affective Disorders</i> , 2020, 274, 1013-1021.	4.1	3
160	The genetic architecture of the human cerebral cortex. <i>Science</i> , 2020, 367, .	12.6	450
161	Minimal phenotyping yields genome-wide association signals of low specificity for major depression. <i>Nature Genetics</i> , 2020, 52, 437-447.	21.4	207
162	Predicting individual clinical trajectories of depression with generative embedding. <i>NeuroImage: Clinical</i> , 2020, 26, 102213.	2.7	33

#	ARTICLE	IF	CITATIONS
163	A genome-wide cross-phenotype meta-analysis of the association of blood pressure with migraine. <i>Nature Communications</i> , 2020, 11, 3368.	12.8	49
164	Measurement and genetic architecture of lifetime depression in the Netherlands as assessed by LIDAS (Lifetime Depression Assessment Self-report). <i>Psychological Medicine</i> , 2020, , 1-10.	4.5	4
165	Stability of chronotype over a 7-year follow-up period and its association with severity of depressive and anxiety symptoms. <i>Depression and Anxiety</i> , 2020, 37, 466-474.	4.1	28
166	Bidirectional longitudinal associations of omega-3 polyunsaturated fatty acid plasma levels with depressive disorders. <i>Journal of Psychiatric Research</i> , 2020, 124, 1-8.	3.1	13
167	Genome-wide Association Analysis in Humans Links Nucleotide Metabolism to Leukocyte Telomere Length. <i>American Journal of Human Genetics</i> , 2020, 106, 389-404.	6.2	118
168	Integration of epidemiologic, pharmacologic, genetic and gut microbiome data in a drug-metabolite atlas. <i>Nature Medicine</i> , 2020, 26, 110-117.	30.7	54
169	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020, 25, 1430-1446.	7.9	116
170	The neuroscience of sadness: A multidisciplinary synthesis and collaborative review. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 111, 199-228.	6.1	46
171	Depression Heterogeneity and Its Biological Underpinnings: Toward Immunometabolic Depression. <i>Biological Psychiatry</i> , 2020, 88, 369-380.	1.3	209
172	Default Mode Network Connectivity and Social Dysfunction in Major Depressive Disorder. <i>Scientific Reports</i> , 2020, 10, 194.	3.3	29
173	Experienced Burden of and Adherence to Smartphone-Based Ecological Momentary Assessment in Persons with Affective Disorders. <i>Journal of Clinical Medicine</i> , 2020, 9, 322.	2.4	38
174	Depression profilers and immuno-metabolic dysregulation: Longitudinal results from the NESDA study. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 174-183.	4.1	85
175	Physiological stress markers, mental health and objective physical function. <i>Journal of Psychosomatic Research</i> , 2020, 133, 109996.	2.6	13
176	Altered peripheral blood compounds in drug-naïve first-episode patients with either schizophrenia or major depressive disorder: a meta-analysis. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 547-558.	4.1	96
177	Cross-trait analyses with migraine reveal widespread pleiotropy and suggest a vascular component to migraine headache. <i>International Journal of Epidemiology</i> , 2020, 49, 1022-1031.	1.9	34
178	Predictive value of implicit and explicit self-esteem for the recurrence of depression and anxiety disorders: A 3-year follow-up study. <i>Journal of Abnormal Psychology</i> , 2020, 129, 788-798.	1.9	20
179	Using Smartphones and Wearable Devices to Monitor Behavioral Changes During COVID-19. <i>Journal of Medical Internet Research</i> , 2020, 22, e19992.	4.3	155
180	Biomarker-based subtyping of depression and anxiety disorders using Latent Class Analysis. A NESDA study. <i>Psychological Medicine</i> , 2019, 49, 617-627.	4.5	27

#	ARTICLE	IF	CITATIONS
181	A 6-year longitudinal study of predictors for suicide attempts in major depressive disorder. <i>Psychological Medicine</i> , 2019, 49, 911-921.	4.5	39
182	Overview of the clinical implementation of a study exploring social withdrawal in patients with schizophrenia and Alzheimer's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 97, 87-93.	6.1	20
183	Working definitions, subjective and objective assessments and experimental paradigms in a study exploring social withdrawal in schizophrenia and Alzheimer's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 97, 38-46.	6.1	19
184	Involvement of inflammatory gene expression pathways in depressed patients with hyperphagia. <i>Translational Psychiatry</i> , 2019, 9, 193.	4.8	15
185	Longitudinal course of suicidal ideation and predictors of its persistence – A NESDA study. <i>Journal of Affective Disorders</i> , 2019, 257, 365-375.	4.1	26
186	Vitamin D supplementation for the prevention of depression and poor physical function in older persons: the D-Vitaal study, a randomized clinical trial. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1119-1130.	4.7	59
187	Sleep, circadian rhythm, and physical activity patterns in depressive and anxiety disorders: A 2-week ambulatory assessment study. <i>Depression and Anxiety</i> , 2019, 36, 975-986.	4.1	121
188	New alcohol-related genes suggest shared genetic mechanisms with neuropsychiatric disorders. <i>Nature Human Behaviour</i> , 2019, 3, 950-961.	12.0	75
189	Integrating proteomic, sociodemographic and clinical data to predict future depression diagnosis in subthreshold symptomatic individuals. <i>Translational Psychiatry</i> , 2019, 9, 277.	4.8	10
190	Multi-ancestry sleep-by-SNP interaction analysis in 126,926 individuals reveals lipid loci stratified by sleep duration. <i>Nature Communications</i> , 2019, 10, 5121.	12.8	62
191	The association of depression and anxiety with cardiac autonomic activity: The role of confounding effects of antidepressants. <i>Depression and Anxiety</i> , 2019, 36, 1163-1172.	4.1	36
192	Trait anger and anger attacks in relation to depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2019, 259, 259-265.	4.1	25
193	Major depression and enhanced molecular senescence abnormalities in young and middle-aged adults. <i>Translational Psychiatry</i> , 2019, 9, 198.	4.8	31
194	A role for vitamin D and omega-3 fatty acids in major depression? An exploration using genomics. <i>Translational Psychiatry</i> , 2019, 9, 219.	4.8	33
195	The association between overall and abdominal adiposity and depressive mood: A cross-sectional analysis in 6459 participants. <i>Psychoneuroendocrinology</i> , 2019, 110, 104429.	2.7	32
196	Examining the antidepressant scattergun approach. <i>Lancet Psychiatry</i> , 2019, 6, 878-879.	7.4	2
197	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. <i>Nature Genetics</i> , 2019, 51, 1459-1474.	21.4	251
198	Predictive value of attentional bias for the recurrence of depression: A 4-year prospective study in remitted depressed individuals. <i>Behaviour Research and Therapy</i> , 2019, 114, 25-34.	3.1	11

#	ARTICLE	IF	CITATIONS
199	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. <i>American Journal of Epidemiology</i> , 2019, 188, 1033-1054.	3.4	85
200	Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. <i>Nature Communications</i> , 2019, 10, 376.	12.8	64
201	Measuring social support in psychiatric patients and controls: Validation and reliability of the shortened Close Persons Questionnaire. <i>Journal of Psychiatric Research</i> , 2019, 116, 118-125.	3.1	6
202	Aligning the many definitions of treatment resistance in anxiety disorders: A systematic review. <i>Depression and Anxiety</i> , 2019, 36, 801-812.	4.1	22
203	Increased serum levels of leptin and insulin in both schizophrenia and major depressive disorder: A cross-disorder proteomics analysis. <i>European Neuropsychopharmacology</i> , 2019, 29, 835-846.	0.7	26
204	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , 2019, 51, 957-972.	21.4	549
205	Smoking does not accelerate leucocyte telomere attrition: a meta-analysis of 18 longitudinal cohorts. <i>Royal Society Open Science</i> , 2019, 6, 190420.	2.4	33
206	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019, 176, 651-660.	7.2	186
207	Neighbourhood characteristics and prevalence and severity of depression: pooled analysis of eight Dutch cohort studies. <i>British Journal of Psychiatry</i> , 2019, 215, 468-475.	2.8	54
208	Course and predictors of symptomatic remission in late-life schizophrenia: A 5-year follow-up study in a Dutch psychiatric catchment area. <i>Schizophrenia Research</i> , 2019, 209, 179-184.	2.0	12
209	Anxiety sensitivity, its stability and longitudinal association with severity of anxiety symptoms. <i>Scientific Reports</i> , 2019, 9, 4314.	3.3	39
210	Genome-Wide Association Scan of Serum Urea in European Populations Identifies Two Novel Loci. <i>American Journal of Nephrology</i> , 2019, 49, 193-202.	3.1	5
211	Effect of Multinutrient Supplementation and Food-Related Behavioral Activation Therapy on Prevention of Major Depressive Disorder Among Overweight or Obese Adults With Subsyndromal Depressive Symptoms. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 858.	7.4	88
212	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. <i>Biological Psychiatry</i> , 2019, 85, 1065-1073.	1.3	25
213	Accelerating research on biological aging and mental health: Current challenges and future directions. <i>Psychoneuroendocrinology</i> , 2019, 106, 293-311.	2.7	61
214	Differential associations of locus of control with anxiety, depression and life-events: A five-wave, nine-year study to test stability and change. <i>Journal of Affective Disorders</i> , 2019, 253, 26-34.	4.1	51
215	Multi-ancestry genome-wide gene-smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. <i>Nature Genetics</i> , 2019, 51, 636-648.	21.4	112
216	Childhood maltreatment, vulnerability characteristics and adult incident common mental disorders: 3-year longitudinal data among >10,000 adults in the general population. <i>Journal of Psychiatric Research</i> , 2019, 113, 199-207.	3.1	13

#	ARTICLE	IF	CITATIONS
217	Evaluating the evidence for biotypes of depression: Methodological replication and extension of. <i>NeuroImage: Clinical</i> , 2019, 22, 101796.	2.7	232
218	Large-scale plasma metabolome analysis reveals alterations in HDL metabolism in migraine. <i>Neurology</i> , 2019, 92, e1899-e1911.	1.1	42
219	Associations of depressive symptoms and history with three a priori diet quality indices in middle-aged and older adults. <i>Journal of Affective Disorders</i> , 2019, 249, 394-403.	4.1	23
220	The impact of depression and anxiety treatment on biological aging and metabolic stress: study protocol of the Mood treatment with antidepressants or running (MOTAR) study. <i>BMC Psychiatry</i> , 2019, 19, 425.	2.6	24
221	Depressive Symptom Clusters in Relation to Body Weight Status: Results From Two Large European Multicenter Studies. <i>Frontiers in Psychiatry</i> , 2019, 10, 858.	2.6	11
222	Genetic architecture of subcortical brain structures in 38,851 individuals. <i>Nature Genetics</i> , 2019, 51, 1624-1636.	21.4	192
223	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 91-100.	1.5	16
224	Depression and eating styles are independently associated with dietary intake. <i>Appetite</i> , 2019, 134, 103-110.	3.7	49
225	Unraveling the association between depression and telomere length using genomics. <i>Psychoneuroendocrinology</i> , 2019, 102, 121-127.	2.7	15
226	Bidirectional associations between food groups and depressive symptoms: longitudinal findings from the Invecchiare in Chianti (InCHIANTI) study. <i>British Journal of Nutrition</i> , 2019, 121, 439-450.	2.3	30
227	Differences between unipolar mania and bipolar disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , 2019, 21, 437-448.	1.9	20
228	Long-term glucocorticoid levels measured in hair in patients with depressive and anxiety disorders. <i>Psychoneuroendocrinology</i> , 2019, 101, 246-252.	2.7	40
229	Longitudinal Association Between Depression and Inflammatory Markers: Results From the Netherlands Study of Depression and Anxiety. <i>Biological Psychiatry</i> , 2019, 85, 829-837.	1.3	134
230	Comparing factor structures of depressed patients with and without suicidal ideation, a measurement invariance analysis. <i>Journal of Affective Disorders</i> , 2019, 245, 180-187.	4.1	14
231	A quantitative approach to neuropsychiatry: The why and the how. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 97, 3-9.	6.1	63
232	Not urbanization level but socioeconomic, physical and social neighbourhood characteristics are associated with presence and severity of depressive and anxiety disorders. <i>Psychological Medicine</i> , 2019, 49, 149-161.	4.5	81
233	Depression and obesity: evidence of shared biological mechanisms. <i>Molecular Psychiatry</i> , 2019, 24, 18-33.	7.9	521
234	The predictive value of Approach and Avoidance tendencies on the onset and course of depression and anxiety disorders. <i>Depression and Anxiety</i> , 2018, 35, 551-559.	4.1	38

#	ARTICLE	IF	CITATIONS
235	Epigenetic Aging in Major Depressive Disorder. <i>American Journal of Psychiatry</i> , 2018, 175, 774-782.	7.2	172
236	The relation between obesity and depressed mood in a multi-ethnic population. The HELIUS study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 629-638.	3.1	20
237	The Mindful Eating Behavior Scale: Development and Psychometric Properties in a Sample of Dutch Adults Aged 55 Years and Older. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018, 118, 1277-1290.e4.	0.8	51
238	Associations Between Cellular Aging Markers and Metabolic Syndrome: Findings From the CARDIA Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 148-157.	3.6	41
239	Hypothalamus-Pituitary-Adrenal-axis activity and cognitive functioning in older adults. <i>Psychoneuroendocrinology</i> , 2018, 91, 50-54.	2.7	3
240	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681.	21.4	2,224
241	The association between depression and eating styles in four European countries: The MoodFOOD prevention study. <i>Journal of Psychosomatic Research</i> , 2018, 108, 85-92.	2.6	46
242	The association of omega-3 fatty acid levels with personality and cognitive reactivity. <i>Journal of Psychosomatic Research</i> , 2018, 108, 93-101.	2.6	12
243	Healthy minds 0â€™100 years: Optimising the use of European brain imaging cohorts (â€™Lifebrainâ€™). <i>European Psychiatry</i> , 2018, 50, 47-56.	0.2	53
244	Vitamin D Status and Depressive Symptoms in Older Adults: A Role for Physical Functioning?. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 1131-1143.	1.2	8
245	The Association Between Metabolic Syndrome, Obesity-Related Outcomes, and ADHD in Adults With Comorbid Affective Disorders. <i>Journal of Attention Disorders</i> , 2018, 22, 460-471.	2.6	14
246	Omega-3 and omega-6 fatty acid levels in depressive and anxiety disorders. <i>Psychoneuroendocrinology</i> , 2018, 87, 53-62.	2.7	81
247	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018, 84, 138-147.	1.3	87
248	Uric acid in major depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2018, 225, 684-690.	4.1	75
249	Genomeâ€™wide geneâ€™environment interaction in depression: A systematic evaluation of candidate genes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 40-49.	1.7	55
250	Social jetlag and depression status: Results obtained from the Netherlands Study of Depression and Anxiety. <i>Chronobiology International</i> , 2018, 35, 1-7.	2.0	39
251	Offspring of depressed and anxious patients: Help-seeking after first onset of a mood and/or anxiety disorder. <i>Journal of Affective Disorders</i> , 2018, 227, 618-626.	4.1	7
252	Eating styles in major depressive disorder: Results from a large-scale study. <i>Journal of Psychiatric Research</i> , 2018, 97, 38-46.	3.1	46

#	ARTICLE	IF	CITATIONS
253	Patients with anxious depression. <i>Current Opinion in Psychiatry</i> , 2018, 31, 17-25.	6.3	91
254	Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , 2018, 21, 1656-1669.	14.8	490
255	Predicting the naturalistic course of depression from a wide range of clinical, psychological, and biological data: a machine learning approach. <i>Translational Psychiatry</i> , 2018, 8, 241.	4.8	87
256	Self-Esteem Instability in Current, Remitted, Recovered, and Comorbid Depression and Anxiety. <i>Cognitive Therapy and Research</i> , 2018, 42, 813-822.	1.9	9
257	Age and major depressive disorder: what factors should be investigated? – Authors' reply. <i>Lancet Psychiatry</i> , 2018, 5, 784-785.	7.4	0
258	Attentional bias for negative, positive, and threat words in current and remitted depression. <i>PLoS ONE</i> , 2018, 13, e0205154.	2.5	26
259	Genome Analyses of >200,000 Individuals Identify 58 Loci for Chronic Inflammation and Highlight Pathways that Link Inflammation and Complex Disorders. <i>American Journal of Human Genetics</i> , 2018, 103, 691-706.	6.2	326
260	Diet quality in persons with and without depressive and anxiety disorders. <i>Journal of Psychiatric Research</i> , 2018, 106, 1-7.	3.1	92
261	Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. <i>Nature Genetics</i> , 2018, 50, 1412-1425.	21.4	924
262	Cohort profile: the Geoscience and Health Cohort Consortium (GECCO) in the Netherlands. <i>BMJ Open</i> , 2018, 8, e021597.	1.9	29
263	Offspring of parents with mood disorders. <i>Current Opinion in Psychiatry</i> , 2018, 31, 349-357.	6.3	35
264	The association of depression and posttraumatic stress disorder with the metabolic syndrome in a multi-ethnic cohort: the HELIUS study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 921-930.	3.1	9
265	Depression Subtypes and Inflammation: Atypical Rather Than Melancholic Depression Is Linked With Immunometabolic Dysregulations. , 2018, , 455-471.		3
266	Contributions of depression and body mass index to body image. <i>Journal of Psychiatric Research</i> , 2018, 103, 18-25.	3.1	44
267	Structural and Functional Brain Abnormalities Associated With Exposure to Different Childhood Trauma Subtypes: A Systematic Review of Neuroimaging Findings. <i>Frontiers in Psychiatry</i> , 2018, 9, 329.	2.6	106
268	Change in serum 25-hydroxyvitamin D and parallel change in depressive symptoms in Dutch older adults. <i>European Journal of Endocrinology</i> , 2018, 179, 239-249.	3.7	17
269	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	12.6	1,085
270	Association Between Depression, Anxiety, and Antidepressant Use With T-Wave Amplitude and QT-Interval. <i>Frontiers in Neuroscience</i> , 2018, 12, 375.	2.8	5

#	ARTICLE	IF	CITATIONS
271	A characterization of postzygotic mutations identified in monozygotic twins. <i>Human Mutation</i> , 2018, 39, 1393-1401.	2.5	12
272	Omega-3 polyunsaturated fatty acid levels and dysregulations in biological stress systems. <i>Psychoneuroendocrinology</i> , 2018, 97, 206-215.	2.7	30
273	Bidirectional Prospective Associations Between Cardiac Autonomic Activity and Inflammatory Markers. <i>Psychosomatic Medicine</i> , 2018, 80, 475-482.	2.0	7
274	The predictive specificity of psychological vulnerability markers for the course of affective disorders. <i>Journal of Psychiatric Research</i> , 2018, 103, 10-17.	3.1	21
275	The Impact of Depressive Disorder Symptoms and Subtypes on 6-Year Incidence of Somatic Diseases. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 308-310.	8.8	19
276	Leucocyte telomere length is no molecular marker of physical frailty in late-life depression. <i>Experimental Gerontology</i> , 2018, 111, 229-234.	2.8	8
277	Convergence of evidence from a methylome-wide CpG-SNP association study and GWAS of major depressive disorder. <i>Translational Psychiatry</i> , 2018, 8, 162.	4.8	16
278	Depression recurrence after recovery: Prognostic value of implicit and explicit self-depressed associations. <i>Behaviour Research and Therapy</i> , 2018, 107, 76-82.	3.1	9
279	Associations between age and the course of major depressive disorder: a 2-year longitudinal cohort study. <i>Lancet Psychiatry</i> , 2018, 5, 581-590.	7.4	97
280	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. <i>PLoS ONE</i> , 2018, 13, e0198166.	2.5	94
281	Associations of immunometabolic risk factors with symptoms of depression and anxiety: The role of cardiac vagal activity. <i>Brain, Behavior, and Immunity</i> , 2018, 73, 493-503.	4.1	13
282	Metabolic syndrome in psychiatric patients: overview, mechanisms, and implications. <i>Dialogues in Clinical Neuroscience</i> , 2018, 20, 63-73.	3.7	288
283	Validity of the Maudsley Staging Method in Predicting Treatment-Resistant Depression Outcome Using the Netherlands Study of Depression and Anxiety. <i>Journal of Clinical Psychiatry</i> , 2018, 79, 17m11475.	2.2	15
284	Insomnia, Sleep Duration, Depressive Symptoms, and the Onset of Chronic Multisite Musculoskeletal Pain. <i>Sleep</i> , 2017, 40, .	1.1	53
285	Leptin Dysregulation Is Specifically Associated With Major Depression With Atypical Features: Evidence for a Mechanism Connecting Obesity and Depression. <i>Biological Psychiatry</i> , 2017, 81, 807-814.	1.3	147
286	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2017, 81, 325-335.	1.3	175
287	Perceived stress and cognitive function in older adults: which aspect of perceived stress is important?. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 439-445.	2.7	55
288	Loss of brain graph network efficiency in alcohol dependence. <i>Addiction Biology</i> , 2017, 22, 523-534.	2.6	55

#	ARTICLE	IF	CITATIONS
289	Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , 2017, 8, 13624.	12.8	250
290	Impact of Anxiety and/or Depressive Disorders and Chronic Somatic Diseases on disability and work impairment. <i>Journal of Psychosomatic Research</i> , 2017, 94, 10-16.	2.6	23
291	Heritability and GWAS Studies for Monocyte Lymphocyte Ratio. <i>Twin Research and Human Genetics</i> , 2017, 20, 97-107.	0.6	19
292	Oxidative stress and brain morphology in individuals with depression, anxiety and healthy controls. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 76, 140-144.	4.8	42
293	The association between three major physiological stress systems and oxidative DNA and lipid damage. <i>Psychoneuroendocrinology</i> , 2017, 80, 56-66.	2.7	37
294	Correcting for cell-type effects in DNA methylation studies: reference-based method outperforms latent variable approaches in empirical studies. <i>Genome Biology</i> , 2017, 18, 24.	8.8	25
295	Conditional eQTL analysis reveals allelic heterogeneity of gene expression. <i>Human Molecular Genetics</i> , 2017, 26, 1444-1451.	2.9	145
296	Risk Factors for Depression: Differential Across Age?. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 966-977.	1.2	92
297	Longitudinal associations of multiple physical symptoms with recurrence of depressive and anxiety disorders. <i>Journal of Psychosomatic Research</i> , 2017, 97, 96-101.	2.6	12
298	Clinical phenotypes of perinatal depression and time of symptom onset: analysis of data from an international consortium. <i>Lancet Psychiatry</i> , 2017, 4, 477-485.	7.4	199
299	Which biopsychosocial variables contribute to more weight gain in depressed persons?. <i>Psychiatry Research</i> , 2017, 254, 96-103.	3.3	7
300	1000 Genomes-based meta-analysis identifies 10 novel loci for kidney function. <i>Scientific Reports</i> , 2017, 7, 45040.	3.3	98
301	Genetic loci associated with heart rate variability and their effects on cardiac disease risk. <i>Nature Communications</i> , 2017, 8, 15805.	12.8	95
302	Experiential Avoidance and Bordering Psychological Constructs as Predictors of the Onset, Relapse and Maintenance of Anxiety Disorders: One or Many?. <i>Cognitive Therapy and Research</i> , 2017, 41, 867-880.	1.9	38
303	The impact of conscientiousness, mastery, and work circumstances on subsequent absenteeism in employees with and without affective disorders. <i>BMC Psychology</i> , 2017, 5, 10.	2.1	13
304	HPA Axis Genes, and Their Interaction with Childhood Maltreatment, are Related to Cortisol Levels and Stress-Related Phenotypes. <i>Neuropsychopharmacology</i> , 2017, 42, 2446-2455.	5.4	69
305	Genome-Wide Significance for PCLO as a Gene for Major Depressive Disorder. <i>Twin Research and Human Genetics</i> , 2017, 20, 267-270.	0.6	28
306	The association of childhood maltreatment with depression and anxiety is not moderated by the oxytocin receptor gene. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 517-526.	3.2	32

#	ARTICLE	IF	CITATIONS
307	Genetic Variants Associated with Circulating Parathyroid Hormone. Journal of the American Society of Nephrology: JASN, 2017, 28, 1553-1565.	6.1	52
308	Childhood adversity impacts on brain subcortical structures relevant to depression. Journal of Psychiatric Research, 2017, 86, 58-65.	3.1	81
309	Immunometabolic dysregulation is associated with reduced cortical thickness of the anterior cingulate cortex. Brain, Behavior, and Immunity, 2017, 60, 361-368.	4.1	28
310	Genome-wide Regional Heritability Mapping Identifies a Locus Within the TOX2 Gene Associated With Major Depressive Disorder. Biological Psychiatry, 2017, 82, 312-321.	1.3	26
311	Does obesity along with major depression or anxiety lead to higher use of health care and costs? A 6-year follow-up study. European Journal of Public Health, 2017, 27, 965-971.	0.3	9
312	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. JAMA Psychiatry, 2017, 74, 1214.	11.0	174
313	Seasonal affective disorder and non-seasonal affective disorders: Results from the NESDA study. BJPsych Open, 2017, 3, 196-203.	0.7	11
314	Novel Blood Pressure Locus and Gene Discovery Using Genome-Wide Association Study and Expression Data Sets From Blood and the Kidney. Hypertension, 2017, 70, .	2.7	123
315	Apathy in early and late-life depression. Journal of Affective Disorders, 2017, 223, 76-81.	4.1	26
316	Associations between chronotypes and psychological vulnerability factors of depression. Chronobiology International, 2017, 34, 1125-1135.	2.0	80
317	Temporal stability and drivers of change in cardiac autonomic nervous system activity. Autonomic Neuroscience: Basic and Clinical, 2017, 208, 117-125.	2.8	8
318	2SNP heritability and effects of genetic variants for neutrophil-to-lymphocyte and platelet-to-lymphocyte ratio. Journal of Human Genetics, 2017, 62, 979-988.	2.3	32
319	The low single nucleotide polymorphism heritability of plasma and saliva cortisol levels. Psychoneuroendocrinology, 2017, 85, 88-95.	2.7	17
320	The role of anxious distress in immune dysregulation in patients with major depressive disorder. Translational Psychiatry, 2017, 7, 1268.	4.8	47
321	Huntingtin gene repeat size variations affect risk of lifetime depression. Translational Psychiatry, 2017, 7, 1277.	4.8	37
322	A new perspective on PTSD symptoms after traumatic vs stressful life events and the role of gender. HÅgre Utbildning, 2017, 8, 1380470.	3.0	22
323	Does the presence of multiple sclerosis impact on symptom profile in depressed patients?. Journal of Psychosomatic Research, 2017, 103, 70-76.	2.6	2
324	Interaction between the <i>FTO</i> gene, body mass index and depression: meta-analysis of 13701 individuals. British Journal of Psychiatry, 2017, 211, 70-76.	2.8	49

#	ARTICLE	IF	CITATIONS
325	Approach and avoidance tendencies in depression and anxiety disorders. <i>Psychiatry Research</i> , 2017, 256, 475-481.	3.3	33
326	Six-year trajectory of objective physical function in persons with depressive and anxiety disorders. <i>Depression and Anxiety</i> , 2017, 34, 188-197.	4.1	29
327	Influences of lifestyle factors on cardiac autonomic nervous system activity over time. <i>Preventive Medicine</i> , 2017, 94, 12-19.	3.4	24
328	Biological Stress Systems, Adverse Life Events, and the Improvement of Chronic Multisite Musculoskeletal Pain Across a 6-Year Follow-Up. <i>Journal of Pain</i> , 2017, 18, 155-165.	1.4	11
329	Depression and cardiovascular disease: Epidemiological evidence on their linking mechanisms. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 74, 277-286.	6.1	353
330	Gene-based analysis of regulatory variants identifies 4 putative novel asthma risk genes related to nucleotide synthesis and signaling. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 1148-1157.	2.9	72
331	Using Clinical Characteristics to Identify Which Patients With Major Depressive Disorder Have a Higher Genetic Load for Three Psychiatric Disorders. <i>Biological Psychiatry</i> , 2017, 81, 316-324.	1.3	31
332	Anxious distress predicts subsequent treatment outcome and side effects in depressed patients starting antidepressant treatment. <i>Journal of Psychiatric Research</i> , 2017, 84, 41-48.	3.1	51
333	Systematic Evaluation of Corticosteroid Use in Obese and Non-obese Individuals: A Multi-cohort Study. <i>International Journal of Medical Sciences</i> , 2017, 14, 615-621.	2.5	20
334	Reconsidering the prognosis of major depressive disorder across diagnostic boundaries: full recovery is the exception rather than the rule. <i>BMC Medicine</i> , 2017, 15, 215.	5.5	73
335	Genome-wide physical activity interactions in adiposity $\hat{\epsilon}$. A meta-analysis of 200,452 adults. <i>PLoS Genetics</i> , 2017, 13, e1006528.	3.5	158
336	Doomed for Disorder? High Incidence of Mood and Anxiety Disorders in Offspring of Depressed and Anxious Patients. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e8-e17.	2.2	45
337	Longitudinal Predictive Validity of the $\hat{\epsilon}$ DSM-5 $\hat{\epsilon}$; Anxious Distress Specifier for Clinical Outcomes in a Large Cohort of Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 207-213.	2.2	56
338	Sociodemographic and Lifestyle Determinants of Plasma Oxidative Stress Markers 8-OHdG and F2-Isoprostanes and Associations with Metabolic Syndrome. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-10.	4.0	53
339	Effects of Two-Year Vitamin B12 and Folic Acid Supplementation on Depressive Symptoms and Quality of Life in Older Adults with Elevated Homocysteine Concentrations: Additional Results from the B-PROOF Study, an RCT. <i>Nutrients</i> , 2016, 8, 748.	4.1	46
340	Consistency of biological networks inferred from microarray and sequencing data. <i>BMC Bioinformatics</i> , 2016, 17, 254.	2.6	4
341	Sex Differences in Serum Markers of Major Depressive Disorder in the Netherlands Study of Depression and Anxiety (NESDA). <i>PLoS ONE</i> , 2016, 11, e0156624.	2.5	54
342	Differential Autonomic Nervous System Reactivity in Depression and Anxiety During Stress Depending on Type of Stressor. <i>Psychosomatic Medicine</i> , 2016, 78, 562-572.	2.0	65

#	ARTICLE	IF	CITATIONS
343	Meta-analysis of 49â€¦549 individuals imputed with the 1000 Genomes Project reveals an exonic damaging variant in <i>ANGPTL4</i> determining fasting TG levels. <i>Journal of Medical Genetics</i> , 2016, 53, 441-449.	3.2	34
344	Early and recent psychosocial stress and telomere length in older adults. <i>International Psychogeriatrics</i> , 2016, 28, 405-413.	1.0	40
345	Borderline personality features in depressed or anxious patients. <i>Psychiatry Research</i> , 2016, 241, 224-231.	3.3	17
346	Diagnostic instability of recurrence and the impact on recurrence rates in depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2016, 195, 185-190.	4.1	68
347	Is Experiential Avoidance a Mediating, Moderating, Independent, Overlapping, or Proxy Risk Factor in the Onset, Relapse and Maintenance of Depressive Disorders?. <i>Cognitive Therapy and Research</i> , 2016, 40, 150-163.	1.9	55
348	Association of CRTCL1 polymorphisms with obesity markers in subjects from the general population with lifetime depression. <i>Journal of Affective Disorders</i> , 2016, 198, 43-49.	4.1	18
349	Pleiotropy between neuroticism and physical and mental health: findings from 108â€‰%038 men and women in UK Biobank. <i>Translational Psychiatry</i> , 2016, 6, e791-e791.	4.8	135
350	Genome-wide association study identifies 74 loci associated with educational attainment. <i>Nature</i> , 2016, 533, 539-542.	27.8	1,204
351	Effect of childhood maltreatment and brain-derived neurotrophic factor on brain morphology. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 1841-1852.	3.0	45
352	Blood-based immune-endocrine biomarkers of treatment response in depression. <i>Journal of Psychiatric Research</i> , 2016, 83, 249-259.	3.1	24
353	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016, 19, 1569-1582.	14.8	213
354	Mechanisms Linking Depression to Cardiovascular Disease: What Do Epidemiological Studies Tell Us?. , 2016, , 37-52.		0
355	BIDIRECTIONAL PROSPECTIVE ASSOCIATIONS OF METABOLIC SYNDROME COMPONENTS WITH DEPRESSION, ANXIETY, AND ANTIDEPRESSANT USE. <i>Depression and Anxiety</i> , 2016, 33, 754-764.	4.1	74
356	The association between personality traits, cognitive reactivity and body mass index is dependent on depressive and/or anxiety status. <i>Journal of Psychosomatic Research</i> , 2016, 89, 26-31.	2.6	16
357	Insomnia among current and remitted common mental disorders and the association with role functioning: results from a general population study. <i>Sleep Medicine</i> , 2016, 25, 34-41.	1.6	21
358	Long-term disability in anxiety disorders. <i>BMC Psychiatry</i> , 2016, 16, 248.	2.6	55
359	<i>KLB</i> is associated with alcohol drinking, and its gene product β -Klotho is necessary for FGF21 regulation of alcohol preference. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 14372-14377.	7.1	208
360	Genetic Relationship between Schizophrenia and Nicotine Dependence. <i>Scientific Reports</i> , 2016, 6, 25671.	3.3	67

#	ARTICLE	IF	CITATIONS
361	Identification of an Immune-Neuroendocrine Biomarker Panel for Detection of Depression: A Joint Effects Statistical Approach. <i>Neuroendocrinology</i> , 2016, 103, 693-710.	2.5	12
362	Exploring Boundaries for the Genetic Consequences of Assortative Mating for Psychiatric Traits. <i>JAMA Psychiatry</i> , 2016, 73, 1189.	11.0	50
363	Unresolved Issues in Longitudinal Telomere Length Research: Response to Susser et al.. <i>American Journal of Psychiatry</i> , 2016, 173, 1147-1149.	7.2	5
364	Genome-Wide Meta-Analysis of Cotinine Levels in Cigarette Smokers Identifies Locus at 4q13.2. <i>Scientific Reports</i> , 2016, 6, 20092.	3.3	42
365	Genome-wide analysis identifies 12 loci influencing human reproductive behavior. <i>Nature Genetics</i> , 2016, 48, 1462-1472.	21.4	284
366	Genetic variants linked to education predict longevity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13366-13371.	7.1	110
367	Variation in serum biomarkers with sex and female hormonal status: implications for clinical tests. <i>Scientific Reports</i> , 2016, 6, 26947.	3.3	30
368	The Association Between Psychiatric Disorders and Telomere Length: A Meta-Analysis Involving 14,827 Persons. <i>Psychosomatic Medicine</i> , 2016, 78, 776-787.	2.0	179
369	Meta-analysis of 375,000 individuals identifies 38 susceptibility loci for migraine. <i>Nature Genetics</i> , 2016, 48, 856-866.	21.4	520
370	Basal autonomic activity, stress reactivity, and increases in metabolic syndrome components over time. <i>Psychoneuroendocrinology</i> , 2016, 71, 119-126.	2.7	14
371	Medically unexplained physical symptoms and work functioning over 2Âyears: their association and the influence of depressive and anxiety disorders and job characteristics. <i>BMC Family Practice</i> , 2016, 17, 46.	2.9	16
372	The association between medically unexplained physical symptoms and health care use over two years and the influence of depressive and anxiety disorders and personality traits: a longitudinal study. <i>BMC Health Services Research</i> , 2016, 16, 100.	2.2	28
373	The brain-derived neurotrophic factor pathway, life stress, and chronic multi-site musculoskeletal pain. <i>Molecular Pain</i> , 2016, 12, 174480691664678.	2.1	26
374	Biological stress systems, adverse life events and the onset of chronic multisite musculoskeletal pain: a 6-year cohort study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 847-854.	0.9	44
375	Determinants of attitudes towards professional mental health care, informal help and self-reliance in people with subclinical depression. <i>International Journal of Social Psychiatry</i> , 2016, 62, 84-93.	3.1	10
376	Low stability of diagnostic classifications of anxiety disorders over time: A six-year follow-up of the NESDA study. <i>Journal of Affective Disorders</i> , 2016, 190, 310-315.	4.1	32
377	Plasma insulin-like growth factor I levels are higher in depressive and anxiety disorders, but lower in antidepressant medication users. <i>Psychoneuroendocrinology</i> , 2016, 68, 148-155.	2.7	36
378	CHRONOTYPE ASSOCIATIONS WITH DEPRESSION AND ANXIETY DISORDERS IN A LARGE COHORT STUDY. <i>Depression and Anxiety</i> , 2016, 33, 75-83.	4.1	177

#	ARTICLE	IF	CITATIONS
379	CHILDHOOD MALTREATMENT AND THE COURSE OF DEPRESSIVE AND ANXIETY DISORDERS: THE CONTRIBUTION OF PERSONALITY CHARACTERISTICS. <i>Depression and Anxiety</i> , 2016, 33, 27-34.	4.1	71
380	The role of obesity measures in the development and persistence of major depressive disorder. <i>Journal of Affective Disorders</i> , 2016, 198, 222-229.	4.1	26
381	Towards a blood-based diagnostic panel for bipolar disorder. <i>Brain, Behavior, and Immunity</i> , 2016, 52, 49-57.	4.1	59
382	Baseline biopsychosocial determinants of telomere length and 6-year attrition rate. <i>Psychoneuroendocrinology</i> , 2016, 67, 153-162.	2.7	82
383	Integrative approaches for large-scale transcriptome-wide association studies. <i>Nature Genetics</i> , 2016, 48, 245-252.	21.4	1,618
384	Disease and Polygenic Architecture: Avoid Trio Design and Appropriately Account for Unscreened Control Subjects for Common Disease. <i>American Journal of Human Genetics</i> , 2016, 98, 382-391.	6.2	41
385	Oxidative stress, anti-oxidants and the cross-sectional and longitudinal association with depressive symptoms: results from the CARDIA study. <i>Translational Psychiatry</i> , 2016, 6, e743-e743.	4.8	38
386	Anxiety and new onset of cardiovascular disease: critical review and meta-analysis. <i>British Journal of Psychiatry</i> , 2016, 208, 223-231.	2.8	192
387	Depressive and Anxiety Disorders Showing Robust, but Non-Dynamic, 6-Year Longitudinal Association With Short Leukocyte Telomere Length. <i>American Journal of Psychiatry</i> , 2016, 173, 617-624.	7.2	54
388	Prevalence of ADHD symptoms across clinical stages of major depressive disorder. <i>Journal of Affective Disorders</i> , 2016, 197, 29-35.	4.1	44
389	Meta-analysis of Genome-Wide Association Studies for Extraversion: Findings from the Genetics of Personality Consortium. <i>Behavior Genetics</i> , 2016, 46, 170-182.	2.1	178
390	Longitudinal Associations Between Biopsychosocial Factors and Sustainable Return to Work of Sick-Listed Workers with a Depressive or Anxiety Disorder. <i>Journal of Occupational Rehabilitation</i> , 2016, 26, 70-79.	2.2	33
391	Depressive Trajectories and Risk of Disability and Mortality in Older Adults: Longitudinal Findings From the Health, Aging, and Body Composition Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 228-235.	3.6	56
392	Personality and social support as predictors of first and recurrent episodes of depression. <i>Journal of Affective Disorders</i> , 2016, 190, 156-161.	4.1	42
393	Implicit and Explicit Self-Esteem in Current, Remitted, Recovered, and Comorbid Depression and Anxiety Disorders: The NESDA Study. <i>PLoS ONE</i> , 2016, 11, e0166116.	2.5	19
394	Major Depressive Disorder, Antidepressant Use, and Subsequent 2-Year Weight Change Patterns in the Netherlands Study of Depression and Anxiety. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e144-e151.	2.2	35
395	Depression and anxiety: their insidious dance. <i>Lancet Psychiatry</i> , 2015, 2, 479-480.	7.4	14
396	Fine mapping the CETP region reveals a common intronic insertion associated to HDL-C. <i>Npj Aging and Mechanisms of Disease</i> , 2015, 1, 15011.	4.5	8

#	ARTICLE	IF	CITATIONS
397	The Association Between Depressive Disorder and Cardiac Autonomic Control in Adults 60 Years and Older. <i>Psychosomatic Medicine</i> , 2015, 77, 279-291.	2.0	24
398	The Longitudinal Joint Effect of Obesity and Major Depression on Work Performance Impairment. <i>American Journal of Public Health</i> , 2015, 105, e80-e86.	2.7	16
399	Discovery and Fine-Mapping of Glycaemic and Obesity-Related Trait Loci Using High-Density Imputation. <i>PLoS Genetics</i> , 2015, 11, e1005230.	3.5	77
400	Where You Live May Make You Old: The Association between Perceived Poor Neighborhood Quality and Leukocyte Telomere Length. <i>PLoS ONE</i> , 2015, 10, e0128460.	2.5	50
401	Anxious or Depressed and Still Happy?. <i>PLoS ONE</i> , 2015, 10, e0139912.	2.5	24
402	Meta-analysis of Genome-wide Association Studies for Neuroticism, and the Polygenic Association With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2015, 72, 642.	11.0	289
403	The association between lower educational attainment and depression owing to shared genetic effects? Results in ~25â€™000 subjects. <i>Molecular Psychiatry</i> , 2015, 20, 735-743.	7.9	59
404	In Silico Post Genome-Wide Association Studies Analysis of C-Reactive Protein Loci Suggests an Important Role for Interferons. <i>Circulation: Cardiovascular Genetics</i> , 2015, 8, 487-497.	5.1	24
405	The Association of Early and Recent Psychosocial Life Stress With Leukocyte Telomere Length. <i>Psychosomatic Medicine</i> , 2015, 77, 882-891.	2.0	73
406	Association of Symptom Network Structure With the Course of Depression. <i>JAMA Psychiatry</i> , 2015, 72, 1219.	11.0	482
407	Associations of financial strain and income with depressive and anxiety disorders. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 660-665.	3.7	101
408	Vitamin D supplementation to prevent depression and poor physical function in older adults: Study protocol of the D-Vitaal study, a randomized placebo-controlled clinical trial. <i>BMC Geriatrics</i> , 2015, 15, 151.	2.7	24
409	A blunted diurnal cortisol response in the lower educated does not explain educational differences in coronary heart disease: Findings from the AGES-Reykjavik Study. <i>Social Science and Medicine</i> , 2015, 127, 143-149.	3.8	8
410	Differential reporting of depressive symptoms across distinct clinical subpopulations: What Difference does it make?. <i>Journal of Psychosomatic Research</i> , 2015, 78, 130-136.	2.6	9
411	Anxiety disorders and accelerated cellular ageing. <i>British Journal of Psychiatry</i> , 2015, 206, 371-378.	2.8	54
412	Mineralocorticoid receptor haplotypes sex-dependently moderate depression susceptibility following childhood maltreatment. <i>Psychoneuroendocrinology</i> , 2015, 54, 90-102.	2.7	69
413	Effect of variation in BDNF Val66Met polymorphism, smoking, and nicotine dependence on symptom severity of depressive and anxiety disorders. <i>Drug and Alcohol Dependence</i> , 2015, 148, 150-157.	3.2	14
414	Major Depressive and Anxiety Disorders in Visually Impaired Older Adults. <i>Investigative Ophthalmology and Visual Science</i> , 2015, 56, 849-854.	3.3	169

#	ARTICLE	IF	CITATIONS
415	Heritability of liver enzyme levels estimated from genome-wide SNP data. <i>European Journal of Human Genetics</i> , 2015, 23, 1223-1228.	2.8	11
416	Common genetic variants influence human subcortical brain structures. <i>Nature</i> , 2015, 520, 224-229.	27.8	772
417	Cognitive reactivity, self-depressed associations, and the recurrence of depression. <i>Journal of Affective Disorders</i> , 2015, 183, 300-309.	4.1	24
418	Determinants of hair cortisol and hair cortisone concentrations in adults. <i>Psychoneuroendocrinology</i> , 2015, 60, 182-194.	2.7	118
419	Connecting clinical and actuarial prediction with rule-based methods.. <i>Psychological Assessment</i> , 2015, 27, 636-644.	1.5	13
420	Long-lasting effects of affective disorders and childhood trauma on dispositional optimism. <i>Journal of Affective Disorders</i> , 2015, 175, 351-358.	4.1	26
421	Depressive and anxiety disorders: Associated with losing or gaining weight over 2 years?. <i>Psychiatry Research</i> , 2015, 227, 230-237.	3.3	23
422	Data-driven atypical profiles of depressive symptoms: Identification and validation in a large cohort. <i>Journal of Affective Disorders</i> , 2015, 180, 36-43.	4.1	13
423	Salivary Testosterone Is Consistently and Positively Associated with Extraversion: Results from The Netherlands Study of Depression and Anxiety. <i>Neuropsychobiology</i> , 2015, 71, 76-84.	1.9	61
424	Metabolic syndrome in patients with bipolar disorder: Comparison with major depressive disorder and non-psychiatric controls. <i>Journal of Psychosomatic Research</i> , 2015, 78, 391-398.	2.6	40
425	Glucocorticoid and mineralocorticoid receptor polymorphisms and recurrence of major depressive disorder. <i>Psychoneuroendocrinology</i> , 2015, 55, 154-163.	2.7	23
426	The impact of low-frequency and rare variants on lipid levels. <i>Nature Genetics</i> , 2015, 47, 589-597.	21.4	310
427	Operating characteristics of depression and anxiety disorder phenotype dimensions and trait neuroticism: A theoretical examination of the fear and distress disorders from the Netherlands study of depression and anxiety. <i>Journal of Affective Disorders</i> , 2015, 174, 611-618.	4.1	7
428	Long-term work disability and absenteeism in anxiety and depressive disorders. <i>Journal of Affective Disorders</i> , 2015, 178, 121-130.	4.1	67
429	Associations between life stress and subclinical cardiovascular disease are partly mediated by depressive and anxiety symptoms. <i>Journal of Psychosomatic Research</i> , 2015, 78, 332-339.	2.6	69
430	Predicting the Naturalistic Course of Major Depressive Disorder Using Clinical and Multimodal Neuroimaging Information: A Multivariate Pattern Recognition Study. <i>Biological Psychiatry</i> , 2015, 78, 278-286.	1.3	87
431	Genome of the Netherlands population-specific imputations identify an ABCA6 variant associated with cholesterol levels. <i>Nature Communications</i> , 2015, 6, 6065.	12.8	45
432	Somatisation as a risk factor for incident depression and anxiety. <i>Journal of Psychosomatic Research</i> , 2015, 79, 614-619.	2.6	15

#	ARTICLE	IF	CITATIONS
433	Longitudinal Associations Between Metabolic Syndrome Components and Telomere Shortening. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3050-3059.	3.6	72
434	Telomerase activation as a possible mechanism of action for psychopharmacological interventions. <i>Drug Discovery Today</i> , 2015, 20, 1305-1309.	6.4	48
435	Longitudinal association between pain, and depression and anxiety over four years. <i>Journal of Psychosomatic Research</i> , 2015, 78, 64-70.	2.6	117
436	Leukocyte Telomere Length and Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 423-432.	1.2	57
437	Sleep duration, insomnia, and markers of systemic inflammation: Results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Psychiatric Research</i> , 2015, 60, 95-102.	3.1	105
438	Association Between Smoking, Nicotine Dependence, and BDNF Val66Met Polymorphism with BDNF Concentrations in Serum. <i>Nicotine and Tobacco Research</i> , 2015, 17, 323-329.	2.6	67
439	Is depression associated with increased oxidative stress? A systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2015, 51, 164-175.	2.7	524
440	Educational Attainment Influences Levels of Homozygosity through Migration and Assortative Mating. <i>PLoS ONE</i> , 2015, 10, e0118935.	2.5	36
441	Disturbances in Hypothalamic-Pituitary-Adrenal Axis and Immunological Activity Differentiating between Unipolar and Bipolar Depressive Episodes. <i>PLoS ONE</i> , 2015, 10, e0133898.	2.5	24
442	Current and Remitted Depression and Anxiety Disorders as Risk Factors for Medication Nonadherence. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e1114-e1121.	2.2	20
443	Impact of Childhood Life Events and Childhood Trauma on the Onset and Recurrence of Depressive and Anxiety Disorders. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 931-938.	2.2	91
444	Clinical Staging of Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 1200-1208.	2.2	36
445	Functional Versus Syndromal Recovery in Patients With Major Depressive Disorder and Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e809-e814.	2.2	62
446	Cue Reactivity Is Associated with Duration and Severity of Alcohol Dependence: An fMRI Study. <i>PLoS ONE</i> , 2014, 9, e84560.	2.5	58
447	Maintenance Use of Antidepressants in Dutch General Practice: Non-Guideline Concordant. <i>PLoS ONE</i> , 2014, 9, e97463.	2.5	18
448	Role of Nicotine Dependence in the Association between the Dopamine Receptor Gene DRD3 and Major Depressive Disorder. <i>PLoS ONE</i> , 2014, 9, e98199.	2.5	8
449	Predictors of the Onset of Manic Symptoms and a (Hypo)Manic Episode in Patients with Major Depressive Disorder. <i>PLoS ONE</i> , 2014, 9, e106871.	2.5	15
450	Identifying Genetic Variants for Heart Rate Variability in the Acetylcholine Pathway. <i>PLoS ONE</i> , 2014, 9, e112476.	2.5	13

#	ARTICLE	IF	CITATIONS
451	Longitudinal associations between depressive problems, academic performance, and social functioning in adolescent boys and girls.. <i>Developmental Psychology</i> , 2014, 50, 247-257.	1.6	220
452	Applying polygenic risk scores to postpartum depression. <i>Archives of Women's Mental Health</i> , 2014, 17, 519-528.	2.6	62
453	Hypoactive medial prefrontal cortex functioning in adults reporting childhood emotional maltreatment. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 2026-2033.	3.0	96
454	Reporting suicide attempts: consistency and its determinants in a large mental health study. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 257-266.	2.1	22
455	Meta-analysis on blood transcriptomic studies identifies consistently coexpressed protein-protein interaction modules as robust markers of human aging. <i>Aging Cell</i> , 2014, 13, 216-225.	6.7	42
456	The Longitudinal Prediction of Costs due to Health Care Uptake and Productivity Losses in a Cohort of Employees With and Without Depression or Anxiety. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 794-801.	1.7	8
457	Interaction of neuropeptide Y genotype and childhood emotional maltreatment on brain activity during emotional processing. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 601-609.	3.0	11
458	Plasma Cotinine Levels in Cigarette Smokers: Impact of Mental Health and Other Correlates. <i>European Addiction Research</i> , 2014, 20, 183-191.	2.4	2
459	Adverse Childhood and Recent Negative Life Events. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014, 27, 128-138.	2.3	43
460	The Four-Year Course of Major Depressive Disorder: The Role of Staging and Risk Factor Determination. <i>Psychotherapy and Psychosomatics</i> , 2014, 83, 279-288.	8.8	45
461	The impact of lifestyle factors on the 2-year course of depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2014, 159, 73-79.	4.1	27
462	The use of symptom dimensions to investigate the longitudinal effects of life events on depressive and anxiety symptomatology. <i>Journal of Affective Disorders</i> , 2014, 156, 126-133.	4.1	13
463	Race-related Differences in Depression Onset and Recovery in Older Persons Over Time: The Health, Aging, and Body Composition Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 682-691.	1.2	26
464	Disability in anxiety disorders. <i>Journal of Affective Disorders</i> , 2014, 166, 227-233.	4.1	67
465	Does tryptophan degradation along the kynurenine pathway mediate the association between pro-inflammatory immune activity and depressive symptoms?. <i>Psychoneuroendocrinology</i> , 2014, 45, 202-210.	2.7	86
466	SELF-ATTRIBUTED SEASONALITY OF MOOD AND BEHAVIOR: A REPORT FROM THE NETHERLANDS STUDY OF DEPRESSION AND ANXIETY. <i>Depression and Anxiety</i> , 2014, 31, 517-523.	4.1	30
467	Genetic risk score analysis indicates migraine with and without comorbid depression are genetically different disorders. <i>Human Genetics</i> , 2014, 133, 173-186.	3.8	60
468	Dysregulated physiological stress systems and accelerated cellular aging. <i>Neurobiology of Aging</i> , 2014, 35, 1422-1430.	3.1	89

#	ARTICLE	IF	CITATIONS
469	Sex differences in the human peripheral blood transcriptome. <i>BMC Genomics</i> , 2014, 15, 33.	2.8	131
470	Heritability and genomics of gene expression in peripheral blood. <i>Nature Genetics</i> , 2014, 46, 430-437.	21.4	370
471	High dose benzodiazepines prolong reaction times in chronic users who have major depressive and/or anxiety disorders. <i>British Journal of Clinical Pharmacology</i> , 2014, 77, 571-577.	2.4	7
472	The association between leptin and depressive symptoms is modulated by abdominal adiposity. <i>Psychoneuroendocrinology</i> , 2014, 42, 1-10.	2.7	39
473	STRESS EXPOSURE ACROSS THE LIFE SPAN CUMULATIVELY INCREASES DEPRESSION RISK AND IS MODERATED BY NEUROTICISM. <i>Depression and Anxiety</i> , 2014, 31, 737-745.	4.1	126
474	Telomere Length as a Marker of Cellular Aging Is Associated With Prevalence and Progression of Metabolic Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 4607-4615.	3.6	109
475	Cellular aging in depression: Permanent imprint or reversible process?. <i>BioEssays</i> , 2014, 36, 968-978.	2.5	41
476	Inflammatory and Metabolic Dysregulation and the 2-Year Course of Depressive Disorders in Antidepressant Users. <i>Neuropsychopharmacology</i> , 2014, 39, 1624-1634.	5.4	108
477	Genome-wide association study of sexual maturation in males and females highlights a role for body mass and menarche loci in male puberty. <i>Human Molecular Genetics</i> , 2014, 23, 4452-4464.	2.9	82
478	Repetitive negative thinking as a transdiagnostic factor in depression and anxiety: A conceptual replication. <i>Behaviour Research and Therapy</i> , 2014, 63, 177-183.	3.1	92
479	Heterogeneity of late-life depression: relationship with cognitive functioning. <i>International Psychogeriatrics</i> , 2014, 26, 953-963.	1.0	49
480	Reduced hypothalamic-pituitary-adrenal axis activity in chronic multi-site musculoskeletal pain: partly masked by depressive and anxiety disorders. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 227.	1.9	56
481	Harmonization of Neuroticism and Extraversion phenotypes across inventories and cohorts in the Genetics of Personality Consortium: an application of Item Response Theory. <i>Behavior Genetics</i> , 2014, 44, 295-313.	2.1	103
482	Disorder-specific cognitive profiles in major depressive disorder and generalized anxiety disorder. <i>BMC Psychiatry</i> , 2014, 14, 96.	2.6	24
483	Increased cortisol awakening response was associated with time to recurrence of major depressive disorder. <i>Psychoneuroendocrinology</i> , 2014, 50, 62-71.	2.7	42
484	Pain and the onset of depressive and anxiety disorders. <i>Pain</i> , 2014, 155, 53-59.	4.2	174
485	Association between serum brain-derived neurotrophic factor and plasma interleukin-6 in major depressive disorder with melancholic features. <i>Brain, Behavior, and Immunity</i> , 2014, 36, 71-79.	4.1	71
486	Gender differences in major depressive disorder: Results from the Netherlands study of depression and anxiety. <i>Journal of Affective Disorders</i> , 2014, 156, 156-163.	4.1	208

#	ARTICLE	IF	CITATIONS
487	Implicit and explicit self-associations in bipolar disorder: A comparison with healthy controls and unipolar depressive disorder. <i>Psychiatry Research</i> , 2014, 215, 329-334.	3.3	18
488	Basal inflammation and innate immune response in chronic multisite musculoskeletal pain. <i>Pain</i> , 2014, 155, 1605-1612.	4.2	51
489	Late-life depression symptom profiles are differentially associated with immunometabolic functioning. <i>Brain, Behavior, and Immunity</i> , 2014, 41, 109-115.	4.1	28
490	Hemoglobin levels in persons with depressive and/or anxiety disorders. <i>Journal of Psychosomatic Research</i> , 2014, 76, 317-321.	2.6	38
491	Brugada Syndrome ECG Is Highly Prevalent in Schizophrenia. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 384-391.	4.8	35
492	Effect of polygenic risk scores on depression in childhood trauma. <i>British Journal of Psychiatry</i> , 2014, 205, 113-119.	2.8	167
493	The metabolic syndrome and related characteristics in major depression: inpatients and outpatients compared. <i>General Hospital Psychiatry</i> , 2014, 36, 509-515.	2.4	17
494	Does Self-medication Predict the Persistence or Rather the Recurrence of Alcohol Dependence?. <i>JAMA Psychiatry</i> , 2014, 71, 205.	11.0	1
495	The Association of Depression and Anxiety with Pain: A Study from NESDA. <i>PLoS ONE</i> , 2014, 9, e106907.	2.5	237
496	Depression in Older Persons with Mobility Limitations. <i>Current Pharmaceutical Design</i> , 2014, 20, 3114-3118.	1.9	25
497	Sleep Duration, but Not Insomnia, Predicts the 2-Year Course of Depressive and Anxiety Disorders. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 119-126.	2.2	81
498	Two-Year Course Trajectories of Anxiety Disorders. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 985-993.	2.2	39
499	The Associations Between Personality Characteristics and Absenteeism: A Cross-Sectional Study in Workers With and Without Depressive and Anxiety Disorders. <i>Journal of Occupational Rehabilitation</i> , 2013, 23, 309-317.	2.2	31
500	Recurrence of anxiety disorders and its predictors. <i>Journal of Affective Disorders</i> , 2013, 147, 180-185.	4.1	117
501	Understanding the somatic consequences of depression: biological mechanisms and the role of depression symptom profile. <i>BMC Medicine</i> , 2013, 11, 129.	5.5	550
502	Evening salivary alpha-amylase, major depressive disorder, and antidepressant use in the Netherlands Study of Depression and Anxiety (NESDA). <i>Psychiatry Research</i> , 2013, 208, 41-46.	3.3	14
503	The Mood Disorder Questionnaire (MDQ) for detecting (hypo)manic episodes: Its validity and impact of recall bias. <i>Journal of Affective Disorders</i> , 2013, 151, 203-208.	4.1	25
504	The role of somatic health problems in the recognition of depressive and anxiety disorders by general practitioners. <i>Journal of Affective Disorders</i> , 2013, 151, 1025-1032.	4.1	11

#	ARTICLE	IF	CITATIONS
505	Association Between Autozygosity and Major Depression: Stratification Due to Religious Assortment. <i>Behavior Genetics</i> , 2013, 43, 455-467.	2.1	34
506	Unhealthy Lifestyles Do Not Mediate the Relationship Between Socioeconomic Status and Incident Depressive Symptoms: The Health ABC study. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, 664-674.	1.2	18
507	Sensitivity to depression or anxiety and subclinical cardiovascular disease. <i>Journal of Affective Disorders</i> , 2013, 146, 126-131.	4.1	33
508	Differential association of somatic and cognitive symptoms of depression and anxiety with inflammation: Findings from the Netherlands Study of Depression and Anxiety (NESDA). <i>Psychoneuroendocrinology</i> , 2013, 38, 1573-1585.	2.7	213
509	Treatment inadequacy in primary and specialized care patients with depressive and/or anxiety disorders. <i>Psychiatry Research</i> , 2013, 210, 594-600.	3.3	27
510	The impact of stress systems and lifestyle on dyslipidemia and obesity in anxiety and depression. <i>Psychoneuroendocrinology</i> , 2013, 38, 209-218.	2.7	97
511	Recurrence of major depressive disorder across different treatment settings: Results from the NESDA study. <i>Journal of Affective Disorders</i> , 2013, 147, 225-231.	4.1	73
512	Salivary cortisol levels and the 2-year course of depressive and anxiety disorders. <i>Psychoneuroendocrinology</i> , 2013, 38, 1494-1502.	2.7	110
513	Two-year stability and change of neuroticism and extraversion in treated and untreated persons with depression: Findings from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2013, 150, 201-208.	4.1	19
514	Strong effects of environmental factors on prevalence and course of major depressive disorder are not moderated by 5-HTTLPR polymorphisms in a large Dutch sample. <i>Journal of Affective Disorders</i> , 2013, 146, 91-99.	4.1	26
515	Sleep disturbances and reduced work functioning in depressive or anxiety disorders. <i>Sleep Medicine</i> , 2013, 14, 1170-1177.	1.6	18
516	Exposure to secondhand smoke and depression and anxiety: A report from two studies in the Netherlands. <i>Journal of Psychosomatic Research</i> , 2013, 75, 431-436.	2.6	42
517	Side effects of antidepressants during long-term use in a naturalistic setting. <i>European Neuropsychopharmacology</i> , 2013, 23, 1443-1451.	0.7	173
518	Population structure, migration, and diversifying selection in the Netherlands. <i>European Journal of Human Genetics</i> , 2013, 21, 1277-1285.	2.8	137
519	Anxiety and Depression Are Associated With Migraine and Pain in General: An Investigation of the Interrelationships. <i>Journal of Pain</i> , 2013, 14, 363-370.	1.4	81
520	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , 2013, 45, 501-512.	21.4	578
521	A Genome-Wide Association Study of Depressive Symptoms. <i>Biological Psychiatry</i> , 2013, 73, 667-678.	1.3	149
522	Recurrent suicide attempts in patients with depressive and anxiety disorders: The role of borderline personality traits. <i>Journal of Affective Disorders</i> , 2013, 151, 23-30.	4.1	35

#	ARTICLE	IF	CITATIONS
523	GWAS of 126,559 Individuals Identifies Genetic Variants Associated with Educational Attainment. <i>Science</i> , 2013, 340, 1467-1471.	12.6	750
524	Hair cortisol, stress exposure, and mental health in humans: A systematic review. <i>Psychoneuroendocrinology</i> , 2013, 38, 1220-1235.	2.7	548
525	Dysregulation of the Autonomic Nervous System Predicts the Development of the Metabolic Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2484-2493.	3.6	117
526	Family history of alcohol dependence and gray matter abnormalities in non-alcoholic adults. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 565-573.	2.6	21
527	Sex-stratified Genome-wide Association Studies Including 270,000 Individuals Show Sexual Dimorphism in Genetic Loci for Anthropometric Traits. <i>PLoS Genetics</i> , 2013, 9, e1003500.	3.5	371
528	Time-to-death-related change in positive and negative affect among older adults approaching the end of life.. <i>Psychology and Aging</i> , 2013, 28, 128-141.	1.6	57
529	The Role of Adiposity in Cardiometabolic Traits: A Mendelian Randomization Analysis. <i>PLoS Medicine</i> , 2013, 10, e1001474.	8.4	178
530	Longitudinal Relationship of Depressive and Anxiety Symptoms With Dyslipidemia and Abdominal Obesity. <i>Psychosomatic Medicine</i> , 2013, 75, 83-89.	2.0	79
531	Enhanced amygdala reactivity to emotional faces in adults reporting childhood emotional maltreatment. <i>Social Cognitive and Affective Neuroscience</i> , 2013, 8, 362-369.	3.0	200
532	Hidden scars in depression? Implicit and explicit self-associations following recurrent depressive episodes.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 951-960.	1.9	28
533	Two-year course of anxiety disorders: different across disorders or dimensions?. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 212-221.	4.5	44
534	Confounding of Big Five Personality Assessments in Emotional Disorders by Comorbidity and Current Disorder. <i>European Journal of Personality</i> , 2013, 27, 389-397.	3.1	16
535	COURSE AND RISK FACTORS OF FUNCTIONAL IMPAIRMENT IN SUBTHRESHOLD DEPRESSION AND ANXIETY. <i>Depression and Anxiety</i> , 2013, 30, 386-394.	4.1	53
536	Comparing Cognitive and Somatic Symptoms of Depression in Myocardial Infarction Patients and Depressed Patients in Primary and Mental Health Care. <i>PLoS ONE</i> , 2013, 8, e53859.	2.5	14
537	Lipid Peroxidation and Depressed Mood in Community-Dwelling Older Men and Women. <i>PLoS ONE</i> , 2013, 8, e65406.	2.5	32
538	Cognitive Reactivity, Implicit Associations, and the Incidence of Depression: A Two-Year Prospective Study. <i>PLoS ONE</i> , 2013, 8, e70245.	2.5	40
539	Depression, Vascular Conditions and Chronicity. , 2013, , .		2
540	Perceived Need for Care and Health Care Utilization Among Depressed and Anxious Patients With and Without Suicidal Ideation. <i>Crisis</i> , 2013, 34, 192-199.	1.2	9

#	ARTICLE	IF	CITATIONS
541	Depressive and Anxiety Disorders Predicting First Incidence of Alcohol Use Disorders. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 1233-1240.	2.2	46
542	Personality and changes in comorbidity patterns among anxiety and depressive disorders.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 874-884.	1.9	56
543	A Randomized Controlled Trial of a Tailored Primary Care Program to Reverse Excessive Alcohol Consumption. <i>Journal of the American Board of Family Medicine</i> , 2012, 25, 712-722.	1.5	33
544	Novel Loci for Adiponectin Levels and Their Influence on Type 2 Diabetes and Metabolic Traits: A Multi-Ethnic Meta-Analysis of 45,891 Individuals. <i>PLoS Genetics</i> , 2012, 8, e1002607.	3.5	419
545	Effects of Antidepressants, but not Psychopathology, on Cardiac Sympathetic Control: A Longitudinal Study. <i>Neuropsychopharmacology</i> , 2012, 37, 2487-2495.	5.4	63
546	Orbitofrontal Gray Matter Relates to Early Morning Awakening: A Neural Correlate of Insomnia Complaints?. <i>Frontiers in Neurology</i> , 2012, 3, 105.	2.4	113
547	Alcohol use disorders and the course of depressive and anxiety disorders. <i>British Journal of Psychiatry</i> , 2012, 200, 476-484.	2.8	95
548	Correlates of benzodiazepine dependence in the Netherlands Study of Depression and Anxiety. <i>Addiction</i> , 2012, 107, 2173-2182.	3.3	36
549	Dimensions of the inventory of depressive symptomatology as predictors of the course of depressive and anxiety disorders. <i>Journal of Psychiatric Research</i> , 2012, 46, 1655-1661.	3.1	10
550	Depressive and anxiety disorders on-the-job: The importance of job characteristics for good work functioning in persons with depressive and anxiety disorders. <i>Psychiatry Research</i> , 2012, 200, 382-388.	3.3	42
551	Determinants of receiving mental health care for depression in older adults. <i>Journal of Affective Disorders</i> , 2012, 143, 69-74.	4.1	14
552	Personality traits and childhood trauma as correlates of metabolic risk factors: The Netherlands Study of Depression and Anxiety (NESDA). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 36, 85-91.	4.8	51
553	Determinants of salivary evening alpha-amylase in a large sample free of psychopathology. <i>International Journal of Psychophysiology</i> , 2012, 84, 33-38.	1.0	11
554	Salivary testosterone: Associations with depression, anxiety disorders, and antidepressant use in a large cohort study. <i>Journal of Psychosomatic Research</i> , 2012, 72, 205-213.	2.6	106
555	Prognostic value of implicit and explicit self-associations for the course of depressive and anxiety disorders. <i>Behaviour Research and Therapy</i> , 2012, 50, 479-486.	3.1	21
556	FTO genotype is associated with phenotypic variability of body mass index. <i>Nature</i> , 2012, 490, 267-272.	27.8	383
557	Estimating the Genetic Variance of Major Depressive Disorder Due to All Single Nucleotide Polymorphisms. <i>Biological Psychiatry</i> , 2012, 72, 707-709.	1.3	128
558	Association of smoking and nicotine dependence with severity and course of symptoms in patients with depressive or anxiety disorder. <i>Drug and Alcohol Dependence</i> , 2012, 126, 138-146.	3.2	78

#	ARTICLE	IF	CITATIONS
559	Recognition of anxiety disorders by family physicians after rigorous medical record case extraction. <i>General Hospital Psychiatry</i> , 2012, 34, 460-467.	2.4	26
560	Gender specific associations of serum levels of brain-derived neurotrophic factor in anxiety. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 535-543.	2.6	52
561	A Genome-Wide Association Search for Type 2 Diabetes Genes in African Americans. <i>PLoS ONE</i> , 2012, 7, e29202.	2.5	197
562	Serum BDNF Concentrations Show Strong Seasonal Variation and Correlations with the Amount of Ambient Sunlight. <i>PLoS ONE</i> , 2012, 7, e48046.	2.5	70
563	Leptin, Abdominal Obesity, and Onset of Depression in Older Men and Women. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 1205-1211.	2.2	75
564	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. <i>Nature Genetics</i> , 2012, 44, 659-669.	21.4	762
565	Dysregulation of the autonomic nervous system and its association with the presence and intensity of chronic widespread pain. <i>Arthritis Care and Research</i> , 2012, 64, 1209-1216.	3.4	23
566	Different gene sets contribute to different symptom dimensions of depression and anxiety. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 519-528.	1.7	14
567	A systematic review and meta-analysis on the association between BDNF val ⁶⁶ met and hippocampal volume—A genuine effect or a winners curse?. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 731-740.	1.7	88
568	Depressive Symptoms, Chronic Pain, and Falls in Older Community-Dwelling Adults: The MOBILIZE Boston Study. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 230-237.	2.6	97
569	Physical function as predictor for the persistence of depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2012, 136, 828-832.	4.1	22
570	Symptom dimensions as predictors of the two-year course of depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2012, 136, 1198-1203.	4.1	43
571	Determinants of (non-)recognition of depression by general practitioners: Results of the Netherlands study of depression and anxiety. <i>Journal of Affective Disorders</i> , 2012, 138, 397-404.	4.1	30
572	Early and late onset depression in young and middle aged adults: Differential symptomatology, characteristics and risk factors?. <i>Journal of Affective Disorders</i> , 2012, 138, 259-267.	4.1	96
573	Psychological distress, cortisol stress response and subclinical coronary calcification. <i>Psychoneuroendocrinology</i> , 2012, 37, 48-55.	2.7	36
574	The relationships of working conditions, recent stressors and childhood trauma with salivary cortisol levels. <i>Psychoneuroendocrinology</i> , 2012, 37, 801-809.	2.7	27
575	The state effect of depressive and anxiety disorders on big five personality traits. <i>Journal of Psychiatric Research</i> , 2012, 46, 644-650.	3.1	122
576	Do depression and anxiety converge or diverge in their association with suicidality?. <i>Journal of Psychiatric Research</i> , 2012, 46, 608-615.	3.1	32

#	ARTICLE	IF	CITATIONS
577	Impact of pain on the course of depressive and anxiety disorders. <i>Pain</i> , 2012, 153, 429-436.	4.2	153
578	Predictors of the 2-year recurrence and persistence of alcohol dependence. <i>Addiction</i> , 2012, 107, 1639-1640.	3.3	62
579	Longevity candidate genes and their association with personality traits in the elderly. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 192-200.	1.7	12
580	Depression and Other Common Mental Health Disorders in Old Age. , 2012, , 583-598.		5
581	Panic Attacks as a Dimension of Psychopathology. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 1195-1202.	2.2	29
582	Dimensions of Depression and Anxiety and the Hypothalamo-Pituitary-Adrenal Axis. <i>Biological Psychiatry</i> , 2011, 69, 366-373.	1.3	87
583	Depression, Anxiety, and Arterial Stiffness. <i>Biological Psychiatry</i> , 2011, 69, 795-803.	1.3	86
584	Reply to: Effects of Serotonin Reuptake Inhibitors on Heart Rate Variability: Methodological Issues, Medical Comorbidity, and Clinical Relevance. <i>Biological Psychiatry</i> , 2011, 69, e27-e28.	1.3	8
585	Depression, Hypothalamic Pituitary Adrenal Axis, and Hippocampal and Entorhinal Cortex Volumes—The SMART Medea Study. <i>Biological Psychiatry</i> , 2011, 70, 373-380.	1.3	115
586	Heavy alcohol use, rather than alcohol dependence, is associated with dysregulation of the hypothalamic-pituitary-adrenal axis and the autonomic nervous system. <i>Drug and Alcohol Dependence</i> , 2011, 116, 170-176.	3.2	62
587	Salivary cortisol, APOE- ϵ 4 allele and cognitive decline in a prospective study of older persons. <i>Neurobiology of Aging</i> , 2011, 32, 1615-1625.	3.1	55
588	Are sedentary television watching and computer use behaviors associated with anxiety and depressive disorders?. <i>Psychiatry Research</i> , 2011, 186, 239-243.	3.3	115
589	One-year severity of depressive symptoms: Results from the NESDA study. <i>Psychiatry Research</i> , 2011, 190, 226-231.	3.3	9
590	Antidepressant use and salivary cortisol in depressive and anxiety disorders. <i>European Neuropsychopharmacology</i> , 2011, 21, 691-699.	0.7	58
591	Psychiatric history and subthreshold symptoms as predictors of the occurrence of depressive or anxiety disorder within 2 years. <i>British Journal of Psychiatry</i> , 2011, 198, 206-212.	2.8	122
592	The Effects of Neuroticism, Extraversion, and Positive and Negative Life Events on a One-Year Course of Depressive Symptoms in Euthymic Previously Depressed Patients Versus Healthy Controls. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 684-689.	1.0	15
593	Symptom Dimensions of Depression and Anxiety and the Metabolic Syndrome. <i>Psychosomatic Medicine</i> , 2011, 73, 257-264.	2.0	46
594	Correlates of (inappropriate) benzodiazepine use: the Netherlands Study of Depression and Anxiety (NESDA). <i>British Journal of Clinical Pharmacology</i> , 2011, 71, 263-272.	2.4	85

#	ARTICLE	IF	CITATIONS
595	The costs of guideline-concordant care and of care according to patients' needs in anxiety and depression. <i>Journal of Evaluation in Clinical Practice</i> , 2011, 17, 537-546.	1.8	10
596	Replication of association of 3p21.1 with susceptibility to bipolar disorder but not major depression. <i>Nature Genetics</i> , 2011, 43, 3-5.	21.4	29
597	Meta-analysis of genome-wide association for migraine in six population-based European cohorts. <i>European Journal of Human Genetics</i> , 2011, 19, 901-907.	2.8	87
598	Co-occurring manic symptomatology influences HPA axis alterations in depression. <i>Journal of Psychiatric Research</i> , 2011, 45, 1208-1213.	3.1	22
599	Psychological traits and the cortisol awakening response: Results from the Netherlands Study of Depression and Anxiety. <i>Psychoneuroendocrinology</i> , 2011, 36, 240-248.	2.7	90
600	Common functional mineralocorticoid receptor polymorphisms modulate the cortisol awakening response: Interaction with SSRIs. <i>Psychoneuroendocrinology</i> , 2011, 36, 484-494.	2.7	45
601	Outcomes for depression and anxiety in primary care and details of treatment: a naturalistic longitudinal study. <i>BMC Psychiatry</i> , 2011, 11, 180.	2.6	23
602	The Netherlands study of depression in older persons (NESDO); a prospective cohort study. <i>BMC Research Notes</i> , 2011, 4, 524.	1.4	130
603	Objective physical functioning in patients with depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2011, 131, 193-199.	4.1	52
604	Co-occurring manic symptomatology as a dimension which may help explaining heterogeneity of depression. <i>Journal of Affective Disorders</i> , 2011, 131, 224-232.	4.1	5
605	Comorbidity and risk indicators for alcohol use disorders among persons with anxiety and/or depressive disorders. <i>Journal of Affective Disorders</i> , 2011, 131, 233-242.	4.1	176
606	Two-year course of depressive and anxiety disorders: Results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2011, 133, 76-85.	4.1	278
607	Perceived need for mental health care and barriers to care in the Netherlands and Australia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1033-1044.	3.1	58
608	Referral of patients with depression to mental health care by Dutch general practitioners: an observational study. <i>BMC Family Practice</i> , 2011, 12, 41.	2.9	22
609	Is the beck anxiety inventory a good tool to assess the severity of anxiety? A primary care study in The Netherlands study of depression and anxiety (NESDA). <i>BMC Family Practice</i> , 2011, 12, 66.	2.9	107
610	Personality, Life Events and the Course of Anxiety and Depression. <i>European Journal of Personality</i> , 2011, 25, 443-452.	3.1	70
611	<i>LPAR1</i> and <i>ITGA4</i> regulate peripheral blood monocyte counts. <i>Human Mutation</i> , 2011, 32, 873-876.	2.5	20
612	A 3p26-3p25 Genetic Linkage Finding for DSM-IV Major Depression in Heavy Smoking Families. <i>American Journal of Psychiatry</i> , 2011, 168, 848-852.	7.2	37

#	ARTICLE	IF	CITATIONS
613	Determinants of Initiated and Continued Benzodiazepine Use in the Netherlands Study of Depression and Anxiety. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 774-779.	1.4	19
614	Accumulated and Differential Effects of Life Events on Cognitive Decline in Older Persons: Depending on Depression, Baseline Cognition, or ApoE ϵ 4 Status?. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2011, 66B, i111-i120.	3.9	71
615	Predictive validity of automatic self-associations for the onset of anxiety disorders.. <i>Journal of Abnormal Psychology</i> , 2011, 120, 607-616.	1.9	22
616	Age at Smoking Onset and the Onset of Depression and Anxiety Disorders. <i>Nicotine and Tobacco Research</i> , 2011, 13, 809-819.	2.6	43
617	Carotid atherosclerosis in depression and anxiety: Associations for age of depression onset. <i>World Journal of Biological Psychiatry</i> , 2011, 12, 549-558.	2.6	32
618	Eight Common Genetic Variants Associated with Serum DHEAS Levels Suggest a Key Role in Ageing Mechanisms. <i>PLoS Genetics</i> , 2011, 7, e1002025.	3.5	87
619	Genetic Determinants of Serum Testosterone Concentrations in Men. <i>PLoS Genetics</i> , 2011, 7, e1002313.	3.5	178
620	Most Antidepressant Use in Primary Care Is Justified; Results of the Netherlands Study of Depression and Anxiety. <i>PLoS ONE</i> , 2011, 6, e14784.	2.5	29
621	Psychological Characteristics of Chronic Depression. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 288-294.	2.2	140
622	Comorbidity Patterns of Anxiety and Depressive Disorders in a Large Cohort Study. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 341-348.	2.2	648
623	Metabolic Depression. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 598-604.	2.2	78
624	Salivary Cortisol Levels in Persons With and Without Different Anxiety Disorders. <i>Psychosomatic Medicine</i> , 2010, 72, 340-347.	2.0	238
625	Parental history of depression or anxiety and the cortisol awakening response. <i>British Journal of Psychiatry</i> , 2010, 197, 180-185.	2.8	75
626	Long-Term Benzodiazepine Use and Salivary Cortisol. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 160-168.	1.4	27
627	Which Physician and Practice Characteristics are Associated With Adherence to Evidence-Based Guidelines for Depressive and Anxiety Disorders?. <i>Medical Care</i> , 2010, 48, 240-248.	2.4	59
628	Patient Factors Associated with Guideline-concordant Treatment of Anxiety and Depression in Primary Care. <i>Journal of General Internal Medicine</i> , 2010, 25, 648-655.	2.6	45
629	Do Automatic Self-Associations Relate to Suicidal Ideation?. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2010, 32, 428-437.	1.2	30
630	Cognitive reactivity: Investigation of a potentially treatable marker of suicide risk in depression. <i>Journal of Affective Disorders</i> , 2010, 122, 46-52.	4.1	61

#	ARTICLE	IF	CITATIONS
631	Trajectories of recovery of social and physical functioning in major depression, dysthymic disorder and double depression: A 3-year follow-up. <i>Journal of Affective Disorders</i> , 2010, 124, 148-156.	4.1	94
632	The structure and dimensionality of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in patients with depressive disorders and healthy controls. <i>Journal of Affective Disorders</i> , 2010, 125, 146-154.	4.1	68
633	Cardiovascular disease in persons with depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2010, 125, 241-248.	4.1	131
634	Manic symptoms in patients with depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2010, 126, 252-256.	4.1	11
635	The specificity of childhood adversities and negative life events across the life span to anxiety and depressive disorders. <i>Journal of Affective Disorders</i> , 2010, 126, 103-112.	4.1	253
636	The performance of the Alcohol Use Disorder Identification Test (AUDIT) in detecting alcohol abuse and dependence in a population of depressed or anxious persons. <i>Journal of Affective Disorders</i> , 2010, 126, 441-446.	4.1	35
637	Depressive and anxiety disorders and the association with obesity, physical, and social activities. <i>Depression and Anxiety</i> , 2010, 27, 1057-1065.	4.1	127
638	The course of untreated anxiety and depression, and determinants of poor one-year outcome: a one-year cohort study. <i>BMC Psychiatry</i> , 2010, 10, 86.	2.6	94
639	The Shared Genetics of Migraine and Anxious Depression. <i>Headache</i> , 2010, 50, 1549-1560.	3.9	53
640	Biological, clinical and population relevance of 95 loci for blood lipids. <i>Nature</i> , 2010, 466, 707-713.	27.8	3,249
641	Overweight, Obesity, and Depression. <i>Archives of General Psychiatry</i> , 2010, 67, 220.	12.3	3,137
642	Migraine symptomatology and major depressive disorder. <i>Cephalalgia</i> , 2010, 30, 1073-1081.	3.9	22
643	The Functional c.-2G>C Variant of the Mineralocorticoid Receptor Modulates Blood Pressure, Renin, and Aldosterone Levels. <i>Hypertension</i> , 2010, 56, 995-1002.	2.7	46
644	Economic Costs of Neuroticism. <i>Archives of General Psychiatry</i> , 2010, 67, 1086.	12.3	234
645	Reasons and Determinants for Not Receiving Treatment for Common Mental Disorders. <i>Psychiatric Services</i> , 2010, 61, 250-257.	2.0	110
646	A Minimal Psychological Intervention in Chronically Ill Elderly Patients with Depression: A Randomized Trial. <i>Psychotherapy and Psychosomatics</i> , 2010, 79, 217-226.	8.8	71
647	Urinary Cortisol and Six-Year Risk of All-Cause and Cardiovascular Mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4959-4964.	3.6	118
648	Increased Sympathetic and Decreased Parasympathetic Activity Rather Than Changes in Hypothalamic-Pituitary-Adrenal Axis Activity Is Associated with Metabolic Abnormalities. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 2458-2466.	3.6	195

#	ARTICLE	IF	CITATIONS
649	The Association Between Serum Cortisol and Cognitive Decline in Older Persons. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 42-50.	1.2	78
650	Late-Life Depressed Mood and Weight Change Contribute to the Risk of Each Other. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 236-244.	1.2	21
651	Stimulated Gene Expression Profiles as a Blood Marker of Major Depressive Disorder. <i>Biological Psychiatry</i> , 2010, 68, 179-186.	1.3	97
652	Reduced Medial Prefrontal Cortex Volume in Adults Reporting Childhood Emotional Maltreatment. <i>Biological Psychiatry</i> , 2010, 68, 832-838.	1.3	312
653	Longitudinal Evidence for Unfavorable Effects of Antidepressants on Heart Rate Variability. <i>Biological Psychiatry</i> , 2010, 68, 861-868.	1.3	184
654	Depressive and anxiety disorders and risk of subclinical atherosclerosis. <i>Journal of Psychosomatic Research</i> , 2010, 69, 203-210.	2.6	36
655	Child abuse and negative explicit and automatic self-associations: The cognitive scars of emotional maltreatment. <i>Behaviour Research and Therapy</i> , 2010, 48, 486-494.	3.1	138
656	The validity of the Dutch K10 and extended K10 screening scales for depressive and anxiety disorders. <i>Psychiatry Research</i> , 2010, 176, 45-50.	3.3	143
657	Development and validation of a 30-item short adaptation of the Mood and Anxiety Symptoms Questionnaire (MASQ). <i>Psychiatry Research</i> , 2010, 179, 101-106.	3.3	132
658	Depression and obesity: A meta-analysis of community-based studies. <i>Psychiatry Research</i> , 2010, 178, 230-235.	3.3	610
659	Obesity and Onset of Significant Depressive Symptoms. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 391-399.	2.2	120
660	Associations Between Serum Lipids and Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 729-736.	2.2	102
661	Insomnia and Sleep Duration in a Large Cohort of Patients With Major Depressive Disorder and Anxiety Disorders. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 239-246.	2.2	199
662	Identifying Depressive Subtypes in a Large Cohort Study. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1582-1589.	2.2	225
663	<i>Aging and Behavioral Medicine</i> , 2010, , 603-615.		1
664	Response to Depression and Blood Pressure Control: All Antidepressants Are not the Same. <i>Hypertension</i> , 2009, 54, .	2.7	5
665	Metabolic Syndrome and Physical Decline in Older Persons: Results from the Health, Aging and Body Composition Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009, 64A, 96-102.	3.6	72
666	Major Depressive Disorder and Hypothalamic-Pituitary-Adrenal Axis Activity. <i>Archives of General Psychiatry</i> , 2009, 66, 617.	12.3	641

#	ARTICLE	IF	CITATIONS
667	Depression Is Associated With Decreased Blood Pressure, but Antidepressant Use Increases the Risk for Hypertension. <i>Hypertension</i> , 2009, 53, 631-638.	2.7	257
668	Associations between sociodemographic, sampling and health factors and various salivary cortisol indicators in a large sample without psychopathology. <i>Psychoneuroendocrinology</i> , 2009, 34, 1109-1120.	2.7	159
669	Depression and body mass index, a u-shaped association. <i>BMC Public Health</i> , 2009, 9, 14.	2.9	294
670	Receiving treatment for common mental disorders. <i>General Hospital Psychiatry</i> , 2009, 31, 46-55.	2.4	57
671	The role of personality in comorbidity among anxiety and depressive disorders in primary care and specialty care: a cross-sectional analysis. <i>General Hospital Psychiatry</i> , 2009, 31, 470-477.	2.4	39
672	Adherence to evidence-based guidelines for depression and anxiety disorders is associated with recording of the diagnosis. <i>General Hospital Psychiatry</i> , 2009, 31, 460-469.	2.4	69
673	The three-year naturalistic course of major depressive disorder, dysthymic disorder and double depression. <i>Journal of Affective Disorders</i> , 2009, 115, 450-459.	4.1	78
674	Primary care patients with anxiety and depression: Need for care from the patient's perspective. <i>Journal of Affective Disorders</i> , 2009, 119, 163-171.	4.1	48
675	Glucocorticoid receptor gene polymorphisms and childhood adversity are associated with depression: New evidence for a gene-environment interaction. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 660-669.	1.7	114
676	Hierarchical functional modularity in the resting-state human brain. <i>Human Brain Mapping</i> , 2009, 30, 2220-2231.	3.6	174
677	Global similarity with local differences in linkage disequilibrium between the Dutch and HapMap CEU populations. <i>European Journal of Human Genetics</i> , 2009, 17, 802-810.	2.8	14
678	Loci influencing lipid levels and coronary heart disease risk in 16 European population cohorts. <i>Nature Genetics</i> , 2009, 41, 47-55.	21.4	776
679	Variants in MTNR1B influence fasting glucose levels. <i>Nature Genetics</i> , 2009, 41, 77-81.	21.4	662
680	Estrogen receptor genotype and risk of cognitive impairment in elders: Findings from the Health ABC study. <i>Neurobiology of Aging</i> , 2009, 30, 607-614.	3.1	80
681	A genome-wide association study of northwestern Europeans involves the C-type natriuretic peptide signaling pathway in the etiology of human height variation. <i>Human Molecular Genetics</i> , 2009, 18, 3516-3524.	2.9	76
682	Late-Life Depression, Cortisol, and the Metabolic Syndrome. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 716-721.	1.2	40
683	Onset of Anxiety and Depression in the Aging Population: Comparison of Risk Factors in a 9-Year Prospective Study. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 642-652.	1.2	75
684	Personality Characteristics and Hypothalamic-Pituitary-Adrenal Axis Regulation in Older Persons. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 1077-1084.	1.2	69

#	ARTICLE	IF	CITATIONS
685	Association between Anxiety Disorders and Heart Rate Variability in The Netherlands Study of Depression and Anxiety (NESDA). <i>Psychosomatic Medicine</i> , 2009, 71, 508-518.	2.0	164
686	The Importance of Childhood Trauma and Childhood Life Events for Chronicity of Depression in Adults. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 983-989.	2.2	271
687	Depressive and anxiety disorders in different ethnic groups. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 905-912.	3.1	151
688	Treatment of chronically depressed patients: A multisite randomized controlled trial testing the effectiveness of 'Cognitive Behavioral Analysis System of Psychotherapy' (CBASP) for chronic depressions versus usual secondary care. <i>BMC Psychiatry</i> , 2008, 8, 18.	2.6	21
689	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 121-140.	2.1	791
690	Genome-wide association of major depression: description of samples for the GAIN Major Depressive Disorder Study: NTR and NESDA biobank projects. <i>European Journal of Human Genetics</i> , 2008, 16, 335-342.	2.8	145
691	Summed score of the Patient Health Questionnaire-9 was a reliable and valid method for depression screening in chronically ill elderly patients. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 679-687.	5.0	146
692	Depression Is Associated With Decreased 25-Hydroxyvitamin D and Increased Parathyroid Hormone Levels in Older Adults. <i>Archives of General Psychiatry</i> , 2008, 65, 508.	12.3	356
693	Depressive Symptoms and Change in Abdominal Obesity in Older Persons. <i>Archives of General Psychiatry</i> , 2008, 65, 1386.	12.3	159
694	Association Between Major Depressive Disorder and Heart Rate Variability in the Netherlands Study of Depression and Anxiety (NESDA). <i>Archives of General Psychiatry</i> , 2008, 65, 1358.	12.3	306
695	Cardiac Disease, Depressive Symptoms, and Incident Stroke in an Elderly Population. <i>Archives of General Psychiatry</i> , 2008, 65, 596.	12.3	45
696	Chronic Disease and Lifestyle Transitions. <i>Journal of Aging and Health</i> , 2007, 19, 416-438.	1.7	34
697	Psychosocial Risk Factors and the Metabolic Syndrome in Elderly Persons: Findings From the Health, Aging and Body Composition Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007, 62, 563-569.	3.6	72
698	Scared to Death: Results From the Health, Aging, and Body Composition Study. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 262-265.	1.2	27
699	Late-Life Depressive Symptoms Are Associated With Both Hyperactivity and Hypoactivity of the Hypothalamo-Pituitary-Adrenal Axis. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 522-529.	1.2	109
700	Urinary Cortisol Level and Urine Volume. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 985-986.	1.2	1
701	Major Depression in Late Life Is Associated with Both Hypo- and Hypercortisolemia. <i>Biological Psychiatry</i> , 2007, 62, 479-486.	1.3	172
702	Lifestyle Factors and Incident Mobility Limitation in Obese and Non-obese Older Adults. <i>Obesity</i> , 2007, 15, 3122-3132.	3.0	84

#	ARTICLE	IF	CITATIONS
703	Clinical effectiveness of usual care with or without antidepressant medication for primary care patients with minor or mild-major depression: a randomized equivalence trial. <i>BMC Medicine</i> , 2007, 5, 36.	5.5	37
704	Associations between sex steroid hormone levels and depressive symptoms in elderly men and women: Results from the Health ABC study. <i>Psychoneuroendocrinology</i> , 2007, 32, 874-883.	2.7	111
705	The contribution of working conditions and social support to the onset of depressive and anxiety disorders among male and female employees. <i>Social Science and Medicine</i> , 2007, 64, 401-410.	3.8	173
706	Interpersonal Psychotherapy for Elderly Patients in Primary Care. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 777-786.	1.2	84
707	Determinants of high and low attendance to diet and exercise interventions among overweight and obese older adults. <i>Contemporary Clinical Trials</i> , 2006, 27, 227-237.	1.8	43
708	Socioeconomic differences in incident depression in older adults: The role of psychosocial factors, physical health status, and behavioral factors. <i>Journal of Psychosomatic Research</i> , 2006, 61, 619-627.	2.6	144
709	Association of Inflammatory Markers With Socioeconomic Status. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 284-290.	3.6	114
710	Abdominal Obesity Is an Independent Risk Factor for Chronic Heart Failure in Older People. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 413-420.	2.6	169
711	RESPONSE TO DR. CHENG. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 1298-1298.	2.6	0
712	Benzodiazepine Use and Physical Disability in Community-Dwelling Older Adults. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 224-230.	2.6	114
713	Anemia in the elderly: Current understanding and emerging concepts. <i>Blood Reviews</i> , 2006, 20, 213-226.	5.7	210
714	The Four-Dimensional Symptom Questionnaire (4DSQ): a validation study of a multidimensional self-report questionnaire to assess distress, depression, anxiety and somatization. <i>BMC Psychiatry</i> , 2006, 6, 34.	2.6	369
715	Explanations of socioeconomic differences in changes in physical function in older adults: results from the Longitudinal Aging Study Amsterdam. <i>BMC Public Health</i> , 2006, 6, 244.	2.9	80
716	Anemia in Old Age Is Associated With Increased Mortality and Hospitalization. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 474-479.	3.6	215
717	Late-Life Anemia Is Associated with Increased Risk of Recurrent Falls. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 2106-2111.	2.6	160
718	The Influence of Anxiety on the Progression of Disability. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 34-39.	2.6	140
719	Predictors of Combined Cognitive and Physical Decline. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 1197-1202.	2.6	139
720	Serum Albumin and Muscle Strength: A Longitudinal Study in Older Men and Women. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 1331-1338.	2.6	96

#	ARTICLE	IF	CITATIONS
721	Impact of depression on disablement in late middle aged and older persons: results from the Longitudinal Aging Study Amsterdam. <i>Social Science and Medicine</i> , 2005, 60, 25-36.	3.8	68
722	Effects of exercise adherence on physical function among overweight older adults with knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2005, 53, 24-32.	6.7	158
723	Measures of Physical Performance and Risk for Progressive and Catastrophic Disability: Results From the Women's Health and Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 74-79.	3.6	294
724	Is There a Biomedical Explanation for Socioeconomic Differences in Incident Mobility Limitation?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 1022-1027.	3.6	62
725	Correlates of Anxiety Symptoms in Physically Disabled Older Women. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 15-22.	1.2	22
726	Change in serum albumin and subsequent decline in functional status in older persons. <i>Aging Clinical and Experimental Research</i> , 2005, 17, 297-305.	2.9	14
727	Socioeconomic Differences in Cognitive Decline and the Role of Biomedical Factors. <i>Annals of Epidemiology</i> , 2005, 15, 564-571.	1.9	97
728	Anemia Is Associated With Depression in Older Adults: Results From the InCHIANTI Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 1168-1172.	3.6	103
729	Correlates of Anxiety Symptoms in Physically Disabled Older Women. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 15-22.	1.2	9
730	Inflammatory Markers and Physical Performance in Older Persons: The InCHIANTI Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004, 59, M242-M248.	3.6	716
731	Association of Visceral Adipose Tissue with Incident Myocardial Infarction in Older Men and Women: The Health, Aging and Body Composition Study. <i>American Journal of Epidemiology</i> , 2004, 160, 741-749.	3.4	237
732	Activities of Daily Living Function and Disability in Older Adults in a Randomized Trial of the Health Enhancement Program. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004, 59, M838-M843.	3.6	66
733	Anemia Is Associated with Disability and Decreased Physical Performance and Muscle Strength in the Elderly. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 719-724.	2.6	480
734	Inflammatory Markers and Incident Mobility Limitation in the Elderly. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 1105-1113.	2.6	276
735	Effectiveness of an education programme by a general practice assistant for asthma and COPD patients: results from a randomised controlled trial. <i>Patient Education and Counseling</i> , 2004, 55, 121-128.	2.2	70
736	Hemoglobin Levels and Skeletal Muscle: Results From the InCHIANTI Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004, 59, M249-M254.	3.6	173
737	Diet-induced weight loss, exercise, and chronic inflammation in older, obese adults: a randomized controlled clinical trial. <i>American Journal of Clinical Nutrition</i> , 2004, 79, 544-551.	4.7	374
738	Antioxidants and physical performance in elderly persons: the Invecchiare in Chianti (InCHIANTI) study. <i>American Journal of Clinical Nutrition</i> , 2004, 79, 289-294.	4.7	263

#	ARTICLE	IF	CITATIONS
739	Inflammatory markers and physical function among older adults with knee osteoarthritis. <i>Journal of Rheumatology</i> , 2004, 31, 2027-31.	2.0	102
740	Inflammatory markers and cardiovascular disease (The Health, Aging and Body Composition [Health] Tj ETQq0 0 0 rBT /Overlock 10 Tf	1.6	258
741	Prevalence and Correlates of Anxiety Symptoms in Well-Functioning Older Adults: Findings from the Health Aging and Body Composition Study. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 499-504.	2.6	144
742	Benzodiazepine Use and Physical Performance in Community-Dwelling Older Women. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1563-1570.	2.6	53
743	Comparing Various Short-Form Geriatric Depression Scales Leads to the GDS-5/15. <i>Journal of Nursing Scholarship</i> , 2003, 35, 133-137.	2.4	82
744	Inflammatory markers and depressed mood in older persons: results from the health, aging and body composition study. <i>Biological Psychiatry</i> , 2003, 54, 566-572.	1.3	472
745	Anemia and decline in physical performance among older persons. <i>American Journal of Medicine</i> , 2003, 115, 104-110.	1.5	290
746	Inflammatory Markers and Onset of Cardiovascular Events. <i>Circulation</i> , 2003, 108, 2317-2322.	1.6	848
747	The influence of differing social ties on decline in physical functioning among older people with and without chronic diseases: The Longitudinal Aging Study Amsterdam. <i>Aging Clinical and Experimental Research</i> , 2003, 15, 164-173.	2.9	57
748	Income differentials in functional disability in old age: Relative risks of onset, recovery, decline, attrition and mortality. <i>Aging Clinical and Experimental Research</i> , 2003, 15, 174-183.	2.9	38
749	Relationship between changes in depressive symptoms and unhealthy lifestyles in late middle aged and older persons: results from the Longitudinal Aging Study Amsterdam. <i>Age and Ageing</i> , 2003, 32, 81-87.	1.6	164
750	Visceral Adipose Tissue Cutoffs Associated With Metabolic Risk Factors for Coronary Heart Disease in Women. <i>Diabetes Care</i> , 2003, 26, 1413-1420.	8.6	166
751	Depression and Adverse Drug Reactions Among Hospitalized Older Adults. <i>Archives of Internal Medicine</i> , 2003, 163, 301.	3.8	34
752	Sexual Satisfaction and Risk of Disability in Older Women. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 1177-1182.	2.2	20
753	The impact of depression on the well-being, disability and use of services in older adults: a longitudinal perspective. <i>Acta Psychiatrica Scandinavica</i> , 2002, 105, 20-27.	4.5	232
754	The Natural History of Late-Life Depression. <i>Archives of General Psychiatry</i> , 2002, 59, 605.	12.3	386
755	Change in Physical Performance Over Time in Older Women: The Women's Health and Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002, 57, M289-M293.	3.6	163
756	Obese, older adults with knee osteoarthritis: Weight loss, exercise, and quality of life.. <i>Health Psychology</i> , 2002, 21, 419-426.	1.6	169

#	ARTICLE	IF	CITATIONS
757	Evaluation and Correction for a "Training Effect"™ in the Cognitive Assessment of Older Adults. <i>Neuroepidemiology</i> , 2002, 21, 87-92.	2.3	6
758	Exercise and Depressive Symptoms: A Comparison of Aerobic and Resistance Exercise Effects on Emotional and Physical Function in Older Persons With High and Low Depressive Symptomatology. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2002, 57, P124-P132.	3.9	265
759	Relation between use of angiotensin-converting enzyme inhibitors and muscle strength and physical function in older women: an observational study. <i>Lancet, The</i> , 2002, 359, 926-930.	13.7	297
760	Change in Muscle Strength Explains Accelerated Decline of Physical Function in Older Women With High Interleukin-6 Serum Levels. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 1947-1954.	2.6	528
761	Coimpairments as Predictors of Severe Walking Disability in Older Women. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 21-27.	2.6	190
762	Physical Exercise and the Prevention of Disability in Activities of Daily Living in Older Persons With Osteoarthritis. <i>Archives of Internal Medicine</i> , 2001, 161, 2309.	3.8	251
763	Treatment of Isolated Systolic Hypertension Is Most Effective in Older Patients With High-Risk Profile. <i>Circulation</i> , 2001, 104, 1923-1926.	1.6	41
764	Determinants of Different Dimensions of Disease Severity in Asthma and COPD. <i>Chest</i> , 2001, 119, 1034-1042.	0.8	136
765	Depression and Cardiac Mortality. <i>Archives of General Psychiatry</i> , 2001, 58, 221.	12.3	828
766	Depressed Mood and Body Mass Index as Predictors of Muscle Strength Decline in Old Men. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 613-617.	2.6	107
767	A Happy Person, a Healthy Person?. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 590-592.	2.6	10
768	The Protective Effect of Emotional Vitality on Adverse Health Outcomes in Disabled Older Women. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 1359-1366.	2.6	134
769	Health Care for Older Persons, A country Profile: The Netherlands. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 214-217.	2.6	51
770	Characteristics of Nondisabled Older Persons Who Perform Poorly in Objective Tests of Lower Extremity Function. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 1102-1110.	2.6	132
771	Changes in depression and physical decline in older adults: a longitudinal perspective. <i>Journal of Affective Disorders</i> , 2000, 61, 1-12.	4.1	195
772	Racial differences in prevalence of cobalamin and folate deficiencies in disabled elderly women. <i>American Journal of Clinical Nutrition</i> , 1999, 70, 911-919.	4.7	69
773	Minor and Major Depression and the Risk of Death in Older Persons. <i>Archives of General Psychiatry</i> , 1999, 56, 889.	12.3	437
774	Social Network, Social Support, and Loneliness in Older Persons with Different Chronic Diseases. <i>Journal of Aging and Health</i> , 1999, 11, 151-168.	1.7	174

#	ARTICLE	IF	CITATIONS
775	Serum IL-6 Level and the Development of Disability in Older Persons. Journal of the American Geriatrics Society, 1999, 47, 639-646.	2.6	717
776	Cardiovascular Events and Mortality in Newly and Chronically Depressed Persons >70 Years of Age 11This study was supported by contracts N01-AG-0215, N01-AG-02106, and N01-AG-02107 from the National Institute on Aging. Dr. Penninx was supported by the Dutch Niels Stensen Stichting.. American Journal of Cardiology, 1998, 81, 988-994.	1.6	193
777	Depressive Symptoms and Physical Decline in Community-Dwelling Older Persons. JAMA - Journal of the American Medical Association, 1998, 279, 1720.	7.4	682
778	Emotional Vitality Among Disabled Older Women: The Women's Health and Aging Study. Journal of the American Geriatrics Society, 1998, 46, 807-815.	2.6	75
779	Effects of social support and personal coping resources on depressive symptoms: Different for various chronic diseases?. Health Psychology, 1998, 17, 551-558.	1.6	216
780	Direct and buffer effects of social support and personal coping resources in individuals with arthritis. Social Science and Medicine, 1997, 44, 393-402.	3.8	163
781	Psychological status among elderly people with chronic diseases: Does type of disease play a part?. Journal of Psychosomatic Research, 1996, 40, 521-534.	2.6	140
782	Self-reports and general practitioner information on the presence of chronic diseases in community dwelling elderly. Journal of Clinical Epidemiology, 1996, 49, 1407-1417.	5.0	863
783	A criterion-based literature survey of the relationship between family support and incidence and course of chronic disease in the elderly.. Family Systems Medicine, 1995, 13, 39-68.	0.2	10
784	Depression and physical disability. , 0, , 125-144.		0
785	Women's Aging and Depression. , 0, , 129-144.		4
786	Role of Gene-Stress Interactions in Gene-Finding Studies. Novartis Foundation Symposium, 0, , 71-86.	1.1	5