

Jã°lia C Costa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1332641/publications.pdf>

Version: 2024-02-01

78
papers

3,673
citations

159585

30
h-index

133252

59
g-index

78
all docs

78
docs citations

78
times ranked

5922
citing authors

#	ARTICLE	IF	CITATIONS
1	Insect Cells for High-Yield Production of SARS-CoV-2 Spike Protein: Building a Virosome-Based COVID-19 Vaccine Candidate. <i>Pharmaceutics</i> , 2022, 14, 854.	4.5	8
2	Production of high-quality SARS-CoV-2 antigens: Impact of bioprocess and storage on glycosylation, biophysical attributes, and ELISA serologic tests performance. <i>Biotechnology and Bioengineering</i> , 2021, 118, 2202-2219.	3.3	27
3	Cerebrospinal Fluid Chitinases as Biomarkers for Amyotrophic Lateral Sclerosis. <i>Diagnostics</i> , 2021, 11, 1210.	2.6	9
4	Investigating LGALS3BP/90 k glycoprotein in the cerebrospinal fluid of patients with neurological diseases. <i>Scientific Reports</i> , 2020, 10, 5649.	3.3	15
5	Exploring Cerebrospinal Fluid IgG N-Glycosylation as Potential Biomarker for Amyotrophic Lateral Sclerosis. <i>Molecular Neurobiology</i> , 2019, 56, 5729-5739.	4.0	22
6	N-Glycosylation of Extracellular Vesicles from HEK-293 and Glioma Cell Lines. <i>Analytical Chemistry</i> , 2018, 90, 7871-7879.	6.5	42
7	A detection and quantification label-free tool to speed up downstream processing of model mucins. <i>PLoS ONE</i> , 2018, 13, e0190974.	2.5	15
8	Glycoconjugates from extracellular vesicles: Structures, functions and emerging potential as cancer biomarkers. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2017, 1868, 157-166.	7.4	49
9	Phosphoneurofilament heavy chain and vascular endothelial growth factor as cerebrospinal fluid biomarkers for ALS. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2017, 18, 134-136.	1.7	15
10	Multicenter validation of CSF neurofilaments as diagnostic biomarkers for ALS. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2016, 17, 404-413.	1.7	84
11	Emerging molecular biomarker targets for amyotrophic lateral sclerosis. <i>Clinica Chimica Acta</i> , 2016, 455, 7-14.	1.1	29
12	Human carboxylesterase 2: Studies on the role of glycosylation for enzymatic activity. <i>Biochemistry and Biophysics Reports</i> , 2016, 5, 105-110.	1.3	2
13	Extracellular Vesicles from Ovarian Carcinoma Cells Display Specific Glycosignatures. <i>Biomolecules</i> , 2015, 5, 1741-1761.	4.0	64
14	Phosphoneurofilament heavy chain and N-glycomics from the cerebrospinal fluid in amyotrophic lateral sclerosis. <i>Clinica Chimica Acta</i> , 2015, 438, 342-349.	1.1	25
15	Vascular endothelial growth factor and amyotrophic lateral sclerosis: The interplay with exercise and noninvasive ventilation. <i>Muscle and Nerve</i> , 2014, 49, 545-550.	2.2	12
16	Multicentre quality control evaluation of different biomarker candidates for amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2014, 15, 344-350.	1.7	62
17	Sialoglycoproteins and N-Glycans from Secreted Exosomes of Ovarian Carcinoma Cells. <i>PLoS ONE</i> , 2013, 8, e78631.	2.5	89
18	N-Glycosylation Analysis by HPAEC-PAD and Mass Spectrometry. <i>Methods in Molecular Biology</i> , 2013, 1049, 301-312.	0.9	10

#	ARTICLE	IF	CITATIONS
19	Roadmap and standard operating procedures for biobanking and discovery of neurochemical markers in ALS. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2012, 13, 1-10.	2.1	81
20	Expression of glycogenes in differentiating human NT2N neurons. Downregulation of fucosyltransferase 9 leads to decreased Lewisx levels and impaired neurite outgrowth. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012, 1820, 2007-2019.	2.4	28
21	Antibody Fragments Directed against Different Portions of the Human Neural Cell Adhesion Molecule L1 Act as Inhibitors or Activators of L1 Function. <i>PLoS ONE</i> , 2012, 7, e52404.	2.5	7
22	N-Glycosylation of total cellular glycoproteins from the human ovarian carcinoma SKOV3 cell line and of recombinantly expressed human erythropoietin. <i>Glycobiology</i> , 2011, 21, 376-386.	2.5	65
23	Assessment of the Efficacy of Solutes from Extremophiles on Protein Aggregation in Cell Models of Huntingtonâ€™s and Parkinsonâ€™s Diseases. <i>Neurochemical Research</i> , 2011, 36, 1005-1011.	3.3	5
24	Interaction and uptake of exosomes by ovarian cancer cells. <i>BMC Cancer</i> , 2011, 11, 108.	2.6	513
25	Erythropoietin and amyotrophic lateral sclerosis: Plasma level determination. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2011, 12, 439-443.	2.1	7
26	Production and N-glycosylation of recombinant human cell adhesion molecule L1 from insect cells using the stable expression system. Effect of dimethyl sulfoxide. <i>Journal of Biotechnology</i> , 2010, 145, 130-138.	3.8	14
27	Molecular and clinical dissection of CD24 antibody specificity by a comprehensive comparative analysis. <i>Laboratory Investigation</i> , 2010, 90, 1102-1116.	3.7	62
28	Therapeutic Antibodies to Human L1CAM: Functional Characterization and Application in a Mouse Model for Ovarian Carcinoma. <i>Cancer Research</i> , 2010, 70, 2504-2515.	0.9	62
29	Mutant superoxide dismutase 1 overexpression in NSC-34 cells: Effect of trehalose on aggregation, TDP-43 localization and levels of co-expressed glycoproteins. <i>Neuroscience Letters</i> , 2010, 475, 145-149.	2.1	49
30	Differential expression of Î±-2,3-sialyltransferases and Î±-1,3/4-fucosyltransferases regulates the levels of sialyl Lewis a and sialyl Lewis x in gastrointestinal carcinoma cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2010, 42, 80-89.	2.8	109
31	Diagnosis, Pathogenesis and Therapeutic Targets in Amyotrophic Lateral Sclerosis. <i>CNS and Neurological Disorders - Drug Targets</i> , 2010, 9, 764-778.	1.4	34
32	Subcellular localization of the carbohydrate Lewisx adhesion structure in hippocampus cell cultures. <i>Brain Research</i> , 2009, 1287, 39-46.	2.2	8
33	Establishment of a cell model of ALS disease: Golgi apparatus disruption occurs independently from apoptosis. <i>Biotechnology Letters</i> , 2008, 30, 603-610.	2.2	20
34	Cellular localization of Nicastrin affects amyloid Î² species production. <i>FEBS Letters</i> , 2008, 582, 427-433.	2.8	8
35	Human fucosyltransferase IX: Specificity towards N-linked glycoproteins and relevance of the cytoplasmic domain in intra-Golgi localization. <i>Biochimie</i> , 2008, 90, 1279-1290.	2.6	24
36	Functional role of N-glycosylation from ADAM10 in processing, localization and activity of the enzyme. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2008, 1780, 905-913.	2.4	68

#	ARTICLE	IF	CITATIONS
37	Kinetic Analysis of L1 Homophilic Interaction. <i>Journal of Biological Chemistry</i> , 2008, 283, 28038-28047.	3.4	33
38	Proteomic analysis of plasma from Portuguese patients with familial amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2008, 9, 339-349.	2.1	15
39	Production and purification of functional truncated soluble forms of human recombinant L1 cell adhesion glycoprotein from <i>Spodoptera frugiperda</i> Sf9 cells. <i>Protein Expression and Purification</i> , 2007, 52, 182-193.	1.3	15
40	Evidence for secretion of Cu,Zn superoxide dismutase via exosomes from a cell model of amyotrophic lateral sclerosis. <i>Neuroscience Letters</i> , 2007, 428, 43-46.	2.1	200
41	Increased levels of fucosyltransferase IX and carbohydrate Lewisx adhesion determinant in human NT2N neurons. <i>Journal of Neuroscience Research</i> , 2007, 85, 1260-1270.	2.9	20
42	Novel culture strategy for human stem cell proliferation and neuronal differentiation. <i>Journal of Neuroscience Research</i> , 2007, 85, 3557-3566.	2.9	25
43	Stable expression of an active soluble recombinant form of human fucosyltransferase IX in <i>Spodoptera frugiperda</i> Sf9 cells. <i>Biotechnology Letters</i> , 2007, 29, 1623-1630.	2.2	3
44	N-glycosylation of human nicastrin is required for interaction with the lectins from the secretory pathway calnexin and ERGIC-53. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2006, 1762, 802-810.	3.8	19
45	Ligands for the β -Glucan Receptor, Dectin-1, Assigned Using α -Designer β -Microarrays of Oligosaccharide Probes (Neoglycolipids) Generated from Glucan Polysaccharides. <i>Journal of Biological Chemistry</i> , 2006, 281, 5771-5779.	3.4	329
46	Biochemical characterization of plasma in amyotrophic lateral sclerosis: Amino acid and protein composition. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2005, 6, 104-110.	2.1	6
47	Translocation of β -Galactosidase Mediated by the Cell-Penetrating Peptide Pep-1 into Lipid Vesicles and Human HeLa Cells Is Driven by Membrane Electrostatic Potential. <i>Biochemistry</i> , 2005, 44, 10189-10198.	2.5	95
48	Re-evaluating the role of strongly charged sequences in amphipathic cell-penetrating peptides. <i>FEBS Letters</i> , 2005, 579, 4498-4502.	2.8	40
49	Role of the Human ST6GalNAc-I and ST6GalNAc-II in the Synthesis of the Cancer-Associated Sialyl-Tn Antigen. <i>Cancer Research</i> , 2004, 64, 7050-7057.	0.9	203
50	Sequential designs for clinical trials in amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders: Official Publication of the World Federation of Neurology, Research Group on Motor Neuron Diseases</i> , 2004, 5, 202-207.	1.2	11
51	Effect of the manganese ion on human α 3/4 fucosyltransferase III activity. <i>BioMetals</i> , 2004, 17, 35-43.	4.1	13
52	Deletion of the cytoplasmic domain of human β 3/4 fucosyltransferase III causes the shift of the enzyme to early Golgi compartments. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2004, 1675, 95-104.	2.4	13
53	Stable expression of recombinant human β 3/4 fucosyltransferase III in <i>Spodoptera frugiperda</i> Sf9 cells. <i>Journal of Biotechnology</i> , 2003, 106, 69-75.	3.8	16
54	N-glycosylation of recombinant human fucosyltransferase III is required for its in vivo folding in mammalian and insect cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2003, 1619, 133-138.	2.4	23

#	ARTICLE	IF	CITATIONS
55	Importance of Cys, Gln, and Tyr from the Transmembrane Domain of Human α 3/4 Fucosyltransferase III for Its Localization and Sorting in the Golgi of Baby Hamster Kidney Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 7624-7629.	3.4	25
56	The Transmembrane Domain Region of Nicastrin Mediates Direct Interactions with APH-1 and the β -Secretase Complex. <i>Journal of Biological Chemistry</i> , 2003, 278, 43284-43291.	3.4	63
57	Expression of mucins (MUC1, MUC2, MUC5AC, and MUC6) and type 1 Lewis antigens in cases with and without <i>Helicobacter pylori</i> colonization in metaplastic glands of the human stomach. <i>Journal of Pathology</i> , 2002, 197, 37-43.	4.5	46
58	A novel plant α 4-fucosyltransferase (<i>Vaccinium myrtillus</i> L.) synthesises the Lewis ^x adhesion determinant. <i>FEBS Letters</i> , 2001, 499, 235-238.	2.8	14
59	Expression and characterization of recombinant human α 3/4-fucosyltransferase III from <i>Spodoptera frugiperda</i> (Sf9) and <i>Trichoplusia ni</i> (Tn) cells using the baculovirus expression system. <i>Biochemical Journal</i> , 2001, 353, 719.	3.7	20
60	Localization, purification and specificity of the full-length membrane-bound form of human recombinant α 1,3/4-fucosyltransferase from BHK-21B cells. <i>Biochemical Journal</i> , 2001, 357, 803.	3.7	10
61	Expression and characterization of recombinant human α 3/4-fucosyltransferase III from <i>Spodoptera frugiperda</i> (Sf9) and <i>Trichoplusia ni</i> (Tn) cells using the baculovirus expression system. <i>Biochemical Journal</i> , 2001, 353, 719-725.	3.7	30
62	Localization, purification and specificity of the full-length membrane-bound form of human recombinant α 1,3/4-fucosyltransferase from BHK-21B cells. <i>Biochemical Journal</i> , 2001, 357, 803-810.	3.7	10
63	Crystal Structure of Cardosin A, a Glycosylated and Arg-Gly-Asp-containing Aspartic Proteinase from the Flowers of <i>Cynara cardunculus</i> L.. <i>Journal of Biological Chemistry</i> , 1999, 274, 27694-27701.	3.4	82
64	Crystal structure of plant aspartic proteinase prophytepsin: inactivation and vacuolar targeting. <i>EMBO Journal</i> , 1999, 18, 3947-3955.	7.8	150
65	In vitro α 1-3 or α 1-4 fucosylation of type I and II oligosaccharides with secreted forms of recombinant human fucosyltransferases III and VI. <i>Glycoconjugate Journal</i> , 1998, 15, 873-883.	2.7	18
66	In Vivo Specificity of Human α 1,3/4-Fucosyltransferases III-VII in the Biosynthesis of Lewis ^x and Sialyl Lewis ^x Motifs on Complex-type N-Glycans. <i>Journal of Biological Chemistry</i> , 1998, 273, 30985-30994.	3.4	68
67	Transport and Activation of the Vacuolar Aspartic Proteinase Phytepsin in Barley (<i>Hordeum vulgare</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 61	3.4	61
68	Structural and Functional Aspects of Cardosins. <i>Advances in Experimental Medicine and Biology</i> , 1998, 436, 423-433.	1.6	12
69	Identification of the human Lewis ^x carbohydrate motif in a secretory peroxidase from a plant cell suspension culture (<i>Vaccinium myrtillus</i> L.). <i>FEBS Letters</i> , 1997, 415, 186-191.	2.8	88
70	Stable Expression of the Golgi Form and Secretory Variants of Human Fucosyltransferase III from BHK-21 Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 11613-11621.	3.4	53
71	A <i>Lupinus albus</i> root glycoprotein homologous to the polygalacturonase inhibitor proteins. <i>Physiologia Plantarum</i> , 1997, 99, 263-270.	5.2	3
72	The Glycosylation of the Aspartic Proteinases from Barley (<i>Hordeum Vulgare</i> L.) and Cardoon (<i>Cynara</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tj	0.2	56

#	ARTICLE	IF	CITATIONS
73	A Lupinus albus root glycoprotein homologous to the polygalacturonase inhibitor proteins. <i>Physiologia Plantarum</i> , 1997, 99, 263-270.	5.2	2
74	Characterisation of a developmentally related polypeptide with glutelin solubility characteristics from <i>Lupinus albus</i> L. <i>Planta</i> , 1996, 198, 221-9.	3.2	3
75	Tunicamycin and swainsonine stimulate <i>Lupinus albus</i> L. root growth in vitro. <i>Plant Science</i> , 1994, 101, 137-142.	3.6	6
76	Dibucaine interaction with phospholipid vesicles. A resonance energy-transfer study. <i>FEBS Journal</i> , 1990, 189, 387-393.	0.2	17
77	Quantum yield determinations on the $[\text{Co}(\text{EDTA})]^{3+}$ system. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 1989, 48, 233-242.	3.9	6
78	Photodecarboxylation of citrate through ion pair photochemistry: the $\text{Co}(\text{Sep})_3^{3+}$ -citrate $^{3-}$ ($n = 1,2,3$) system. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 1989, 49, 195-202.	3.9	8