

# Robert A Hughes

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1332744/publications.pdf>

Version: 2024-02-01

80  
papers

2,250  
citations

218677

26  
h-index

243625

44  
g-index

80  
all docs

80  
docs citations

80  
times ranked

2893  
citing authors

#	ARTICLE	IF	CITATIONS
1	Epitaxially aligned single-crystal gold nanoplates formed in large-area arrays at high yield. <i>Nano Research</i> , 2022, 15, 296-303.	10.4	11
2	Plasmonic Gold Trimers and Dimers with Air-Filled Nanogaps. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 28186-28198.	8.0	11
3	Sequential Symmetry-Breaking Events as a Synthetic Pathway for Chiral Gold Nanostructures with Spiral Geometries. <i>Nano Letters</i> , 2021, 21, 2919-2925.	9.1	21
4	Stabilization of Plasmonic Silver Nanostructures with Ultrathin Oxide Coatings Formed Using Atomic Layer Deposition. <i>Journal of Physical Chemistry C</i> , 2021, 125, 17212-17220.	3.1	10
5	Substrate-immobilized noble metal nanoplates: a review of their synthesis, assembly, and application. <i>Journal of Materials Chemistry C</i> , 2021, 9, 12974-13012.	5.5	13
6	Synergistic roles of vapor- and liquid-phase epitaxy in the seed-mediated synthesis of substrate-based noble metal nanostructures. <i>Nanoscale</i> , 2021, 13, 20225-20233.	5.6	5
7	Plasmonics under Attack: Protecting Copper Nanostructures from Harsh Environments. <i>Chemistry of Materials</i> , 2020, 32, 6788-6799.	6.7	16
8	Effect of Nanoparticle Ligands on 4-Nitrophenol Reduction: Reaction Rate, Induction Time, and Ligand Desorption. <i>ACS Catalysis</i> , 2020, 10, 10040-10050.	11.2	78
9	Highly efficient visible light phenyl modified carbon nitride/TiO <sub>2</sub> photocatalyst for environmental applications. <i>Applied Surface Science</i> , 2020, 531, 147394.	6.1	19
10	Large-area periodic arrays of gold nanostars derived from HEPES-, DMF-, and ascorbic-acid-driven syntheses. <i>Nanoscale</i> , 2020, 12, 16489-16500.	5.6	23
11	Periodic Arrays of Dewetted Silver Nanostructures on Sapphire and Quartz: Effect of Substrate Truncation on the Localized Surface Plasmon Resonance and Near-Field Enhancement. <i>Journal of Physical Chemistry C</i> , 2019, 123, 19879-19886.	3.1	11
12	Plasmon-Mediated Synthesis of Periodic Arrays of Gold Nanoplates Using Substrate-Immobilized Seeds Lined with Planar Defects. <i>Nano Letters</i> , 2019, 19, 5653-5660.	9.1	50
13	Catalytic Reduction of 4-Nitrophenol by Gold Catalysts: The Influence of Borohydride Concentration on the Induction Time. <i>Journal of Physical Chemistry C</i> , 2019, 123, 12894-12901.	3.1	70
14	Dewetted nanostructures of gold, silver, copper, and palladium with enhanced faceting. <i>Acta Materialia</i> , 2019, 165, 15-25.	7.9	23
15	Copper Template Design for the Synthesis of Bimetallic Copper-Rhodium Nanoshells through Galvanic Replacement. <i>Particle and Particle Systems Characterization</i> , 2018, 35, 1700420.	2.3	9
16	Light-Assisted Growth of Hexagonal Au Nanostructures on Sapphire Substrates. <i>Microscopy and Microanalysis</i> , 2018, 24, 1678-1679.	0.4	0
17	Arrays of highly complex noble metal nanostructures using nanoimprint lithography in combination with liquid-phase epitaxy. <i>Nanoscale</i> , 2018, 10, 18186-18194.	5.6	30
18	Light-Mediated Growth of Noble Metal Nanostructures (Au, Ag, Cu, Pt, Pd, Ru, Ir, Rh) From Micro- and Nanoscale ZnO Tetrapodal Backbones. <i>Frontiers in Chemistry</i> , 2018, 6, 411.	3.6	26

#	ARTICLE	IF	CITATIONS
19	Low-Cost Nanostructures from Nanoparticle-Assisted Large-Scale Lithography Significantly Enhance Thermal Energy Transport across Solid Interfaces. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 34690-34698.	8.0	23
20	Identifying the True Catalyst in the Reduction of 4-Nitrophenol: A Case Study Showing the Effect of Leaching and Oxidative Etching Using Ag Catalysts. <i>ACS Catalysis</i> , 2018, 8, 8879-8888.	11.2	43
21	When lithography meets self-assembly: a review of recent advances in the directed assembly of complex metal nanostructures on planar and textured surfaces. <i>Nanotechnology</i> , 2017, 28, 282002.	2.6	98
22	One-step catalytic reduction of 4-nitrophenol through the direct injection of metal salts into oxygen-depleted reactants. <i>Catalysis Science and Technology</i> , 2017, 7, 1460-1464.	4.1	32
23	Catalytic Reduction of 4-Nitrophenol: A Quantitative Assessment of the Role of Dissolved Oxygen in Determining the Induction Time. <i>Nano Letters</i> , 2016, 16, 7791-7797.	9.1	150
24	A Wulff in a Cage: The Confinement of Substrate-Based Structures in Plasmonic Nanoshells, Nanocages, and Nanoframes Using Galvanic Replacement. <i>ACS Nano</i> , 2016, 10, 6354-6362.	14.6	50
25	Plastically deformed Cu-based alloys as high-performance catalysts for the reduction of 4-nitrophenol. <i>Catalysis Science and Technology</i> , 2016, 6, 5737-5745.	4.1	15
26	Noble Metal Nanostructure Synthesis at the Liquid-Substrate Interface: New Structures, New Insights, and New Possibilities. <i>Accounts of Chemical Research</i> , 2016, 49, 2243-2250.	15.6	46
27	Citrate-Induced Nanocubes: A Re-Examination of the Role of Citrate as a Shape-Directing Capping Agent for Ag-Based Nanostructures. <i>Small</i> , 2016, 12, 3444-3452.	10.0	27
28	Sensing Hydrogen Gas from Atmospheric Pressure to a Hundred Parts per Million with Nanogaps Fabricated Using a Single-Step Bending Deformation. <i>ACS Sensors</i> , 2016, 1, 73-80.	7.8	26
29	Transformation of truncated gold octahedrons into triangular nanoprisms through the heterogeneous nucleation of silver. <i>Nanoscale</i> , 2015, 7, 6827-6835.	5.6	27
30	Photocatalytic Enhancements to the Reduction of 4-Nitrophenol by Resonantly Excited Triangular Gold-Copper Nanostructures. <i>Journal of Physical Chemistry C</i> , 2015, 119, 17308-17315.	3.1	71
31	Eutectic Combinations as a Pathway to the Formation of Substrate-Based Au-Ge Heterodimers and Hollowed Au Nanocrescents with Tunable Optical Properties. <i>Small</i> , 2014, 10, 3379-3388.	10.0	13
32	Mechanistic study of substrate-based galvanic replacement reactions. <i>Nano Research</i> , 2014, 7, 365-379.	10.4	32
33	Kinetically Controlled Nucleation of Silver on Surfactant-Free Gold Seeds. <i>Journal of the American Chemical Society</i> , 2014, 136, 15337-15345.	13.7	62
34	Sacrificial Templates for Galvanic Replacement Reactions: Design Criteria for the Synthesis of Pure Pt Nanoshells with a Smooth Surface Morphology. <i>Chemistry of Materials</i> , 2014, 26, 3340-3347.	6.7	72
35	Substrate-based galvanic replacement reactions carried out on heteroepitaxially formed silver templates. <i>Nano Research</i> , 2013, 6, 418-428.	10.4	26
36	Organized Surfaces of Highly Faceted Single-Crystal Palladium Structures Seeded by Sacrificial Templates. <i>Crystal Growth and Design</i> , 2013, 13, 3847-3851.	3.0	11

#	ARTICLE	IF	CITATIONS
37	Dynamic templating: a large area processing route for the assembly of periodic arrays of sub-micrometer and nanoscale structures. <i>Nanoscale</i> , 2013, 5, 1929.	5.6	45
38	Altering the dewetting characteristics of ultrathin gold and silver films using a sacrificial antimony layer. <i>Nanotechnology</i> , 2012, 23, 495604.	2.6	69
39	The templated assembly of highly faceted three-dimensional gold microstructures into periodic arrays. <i>Materials Letters</i> , 2012, 76, 155-158.	2.6	6
40	Plasmonic Enhancement of Nonradiative Charge Carrier Relaxation and Proposed Effects from Enhanced Radiative Electronic Processes in Semiconductor "Gold Core" Shell Nanorod Arrays. <i>Journal of Physical Chemistry C</i> , 2011, 115, 5578-5583.	3.1	14
41	The role of vicinal silicon surfaces in the formation of epitaxial twins during the growth of III-V thin films. <i>Journal of Applied Physics</i> , 2011, 110, .	2.5	21
42	(100) MgAl <sub>2</sub> O <sub>4</sub> as a lattice-matched substrate for the epitaxial thin film deposition of the relaxor ferroelectric PMN-PT. <i>Applied Physics A: Materials Science and Processing</i> , 2010, 98, 187-194.	2.3	9
43	Atypical grain growth for (211) CdTe films deposited on surface reconstructed (100) SrTiO <sub>3</sub> substrates. <i>Applied Surface Science</i> , 2009, 255, 5674-5681.	6.1	16
44	The role of substrate surface termination in the deposition of (111) CdTe on (0001) sapphire. <i>Applied Physics A: Materials Science and Processing</i> , 2009, 96, 429-433.	2.3	15
45	The role of lattice misfit strains in the deposition of epitaxial (Ba <sub>1-x</sub> Sr <sub>x</sub> )Ti <sub>0.5</sub> Nb <sub>0.5</sub> O <sub>3</sub> films. <i>Journal of Crystal Growth</i> , 2009, 311, 2753-2758.	1.5	1
46	The Dependence of the Plasmon Field Induced Nonradiative Electronic Relaxation Mechanisms on the Gold Shell Thickness in Vertically Aligned CdTe "Au Core" Shell Nanorods. <i>Nano Letters</i> , 2009, 9, 3772-3779.	9.1	17
47	Exciton Lifetime Tuning by Changing the Plasmon Field Orientation with Respect to the Exciton Transition Moment Direction: CdTe-Au Core "Shell" Nanorods. <i>Nano Letters</i> , 2009, 9, 1242-1248.	9.1	15
48	Epitaxially Driven Formation of Intricate Supported Gold Nanostructures on a Lattice-Matched Oxide Substrate. <i>Nano Letters</i> , 2009, 9, 4258-4263.	9.1	20
49	The role of substrate surface alteration in the fabrication of vertically aligned CdTe nanowires. <i>Nanotechnology</i> , 2008, 19, 185601.	2.6	26
50	Plasmon Field Effects on the Nonradiative Relaxation of Hot Electrons in an Electronically Quantized System: CdTe "Au Core" Shell Nanowires. <i>Nano Letters</i> , 2008, 8, 2410-2418.	9.1	50
51	Structural and transport properties of epitaxial niobium-doped BaTiO <sub>3</sub> films. <i>Applied Physics Letters</i> , 2008, 93, 192114.	3.3	21
52	Vertically aligned wurtzite CdTe nanowires derived from a catalytically driven growth mode. <i>Nanotechnology</i> , 2007, 18, 275301.	2.6	67
53	The role of lattice mismatch in the deposition of CdTe thin films. <i>Journal of Electronic Materials</i> , 2006, 35, 1224-1230.	2.2	28
54	Evolution of wurtzite CdTe through the formation of cluster assembled films. <i>Applied Physics Letters</i> , 2006, 89, 133101.	3.3	14

#	ARTICLE	IF	CITATIONS
55	Microstructure and current transport properties of single-layer $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ and multiple-layer $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}/(\text{Ba}_{0.05}, \text{Sr}_{0.95})\text{TiO}_3$ superconductor films. <i>Thin Solid Films</i> , 2005, 488, 217-222.	1.8	4
56	The origin of preferential twinning in $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ thin films deposited on the (0 0 1) $\text{NdGaO}_3$ substrate. <i>Journal of Applied Physics</i> , 2005, 97, 123906.	2.5	4
57	Laser Scanning Microscopy Studies on Detwinned $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ Thin Films. <i>IEEE Transactions on Applied Superconductivity</i> , 2005, 15, 3082-3085.	1.7	0
58	Magneto-optical Evidence for a Gapped Fermi Surface in Underdoped $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$ . <i>Physical Review Letters</i> , 2004, 93, 137002.	7.8	22
59	Terahertz pump-probe spectroscopy in YBCO thin films. , 2004, , .		0
60	Detwinning $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ thin films. <i>Applied Physics Letters</i> , 2003, 82, 3728-3730.	3.3	4
61	Local characterization of Y-Ba-Cu-O thin films. <i>IEEE Transactions on Applied Superconductivity</i> , 2001, 11, 3226-3229.	1.7	4
62	Infrared Hall Effect in High-Tc Superconductors: Evidence for Non-Fermi-Liquid Hall Scattering. <i>Physical Review Letters</i> , 2000, 84, 3418-3421.	7.8	35
63	Intrinsic picosecond response times of $\text{YBaCuO}$ superconducting photodetectors. <i>Applied Physics Letters</i> , 1999, 74, 853-855.	3.3	98
64	The Infrared Hall Effect in YBCO: Temperature and Frequency Dependence of Hall Scattering. <i>Journal of Low Temperature Physics</i> , 1999, 117, 1055-1058.	1.4	2
65	Quantum fluctuations in current-carrying thin films of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ . <i>Physical Review B</i> , 1997, 55, R14741-R14744.	3.2	8
66	Correlations between critical current density and penetration depth in ion irradiated $\text{YBa}_2/\text{Cu}_3/\text{O}_7$ thin films. <i>IEEE Transactions on Applied Superconductivity</i> , 1997, 7, 2005-2008.	1.7	3
67	$\text{YBa}_2/\text{Cu}_3/\text{O}_7-x$ thin-film picosecond photoresponse in the resistive state. <i>IEEE Transactions on Applied Superconductivity</i> , 1997, 7, 3422-3425.	1.7	9
68	Switching speed for controlled damping using thin film $\text{YBa}_2\text{Cu}_3\text{O}_7-x$ . <i>Cryogenics</i> , 1997, 37, 113-116.	1.7	6
69	Ultrafast photoresponse in microbridges and pulse propagation in transmission lines made from high- $T_c$ superconducting Y-Ba-Cu-O thin films. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 1996, 2, 668-678.	2.9	47
70	Picosecond photoresponse of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ thin films. <i>European Physical Journal D</i> , 1996, 46, 1111-1112.	0.4	1
71	Electro-optic sampling of 1.5 ps photoresponse signal from $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ thin films. <i>Applied Physics Letters</i> , 1995, 67, 285-287.	3.3	63
72	Picosecond photoresponse of epitaxial $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ thin films. <i>Applied Physics Letters</i> , 1994, 64, 3172-3174.	3.3	24

#	ARTICLE	IF	CITATIONS
73	Disorder and superconducting-state conductivity of single crystals of $\text{YBa}_2\text{Cu}_3\text{O}_{6.95}$ . <i>Physical Review B</i> , 1994, 49, 12165-12169.	3.2	122
74	Optical study of localization in the ab-plane conductivity of single crystals of $\text{YBa}_2\text{Cu}_3\text{O}_{6.95}$ induced by ion damage. <i>Journal of Superconductivity and Novel Magnetism</i> , 1994, 7, 497-499.	0.5	0
75	Evaluation of $\text{LaSrGaO}_4$ as a substrate for $\text{YBa}_2\text{Cu}_3\text{O}_7$ . <i>Physica C: Superconductivity and Its Applications</i> , 1994, 225, 7-12.	1.2	22
76	Normal-state optical properties of $\text{Nd}_{1.85}\text{Ce}_{0.15}\text{CuO}_4$ . <i>Physical Review B</i> , 1993, 47, 985-990.	3.2	17
77	Growth of $\text{Nd}_{1.85}\text{Ce}_{0.15}\text{CuO}_4$ thin films by laser ablation. <i>Physica C: Superconductivity and Its Applications</i> , 1992, 197, 75-78.	1.2	7
78	Growth of $(\text{Pb}_{0.75}\text{Cu}_{0.25})\text{Sr}_2(\text{Y}_{1-y}\text{Ca}_y)\text{Cu}_2\text{O}_7$ thin films by laser ablation. <i>Applied Physics Letters</i> , 1991, 59, 2597-2599.	3.3	10
79	In situ growth of $\text{PbSrYCaCuO}$ films by laser ablation. <i>Applied Physics Letters</i> , 1991, 58, 762-764.	3.3	18
80	Far-infrared transmission of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$ films. <i>Physical Review B</i> , 1989, 40, 5162-5164.	3.2	16