

# Mi-Kyung Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/133754/publications.pdf>

Version: 2024-02-01

55  
papers

1,727  
citations

279798

23  
h-index

302126

39  
g-index

55  
all docs

55  
docs citations

55  
times ranked

3464  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of Metabolic Health and Central Obesity with the Risk of Thyroid Cancer: Data from the Korean Genome and Epidemiology Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 543-553.	2.5	10
2	Association between the Dietary Inflammatory Index and Gastric Disease Risk: Findings from a Korean Population-Based Cohort Study. <i>Nutrients</i> , 2022, 14, 2662.	4.1	3
3	Comparable Plasma Lipid Changes in Patients with High-Grade Cervical Intraepithelial Neoplasia and Patients with Cervical Cancer. <i>Journal of Proteome Research</i> , 2021, 20, 740-750.	3.7	13
4	Gene-Environment Interactions Relevant to Estrogen and Risk of Breast Cancer: Can Gene-Environment Interactions Be Detected Only among Candidate SNPs from Genome-Wide Association Studies?. <i>Cancers</i> , 2021, 13, 2370.	3.7	4
5	Associations of Dietary Glycemic Index, Glycemic Load and Carbohydrate with the Risk of Cervical Intraepithelial Neoplasia and Cervical Cancer: A Case-Control Study. <i>Nutrients</i> , 2020, 12, 3742.	4.1	7
6	Taxonomic and Functional Differences in Cervical Microbiome Associated with Cervical Cancer Development. <i>Scientific Reports</i> , 2020, 10, 9720.	3.3	37
7	Identification of novel breast cancer susceptibility loci in meta-analyses conducted among Asian and European descendants. <i>Nature Communications</i> , 2020, 11, 1217.	12.8	46
8	Positive Association of Dietary Inflammatory Index with Incidence of Cardiovascular Disease: Findings from a Korean Population-Based Prospective Study. <i>Nutrients</i> , 2020, 12, 588.	4.1	17
9	Association of Blood Mercury Level with the Risk of Depression According to Fish Intake Level in the General Korean Population: Findings from the Korean National Health and Nutrition Examination Survey (KNHANES) 2008–2013. <i>Nutrients</i> , 2020, 12, 189.	4.1	9
10	Proinflammatory Dietary Intake is Associated with Increased Risk of Metabolic Syndrome and Its Components: Results from the Population-Based Prospective Study. <i>Nutrients</i> , 2020, 12, 1196.	4.1	20
11	Dietary Inflammatory Index and Its Relationship with Cervical Carcinogenesis Risk in Korean Women: A Case-Control Study. <i>Cancers</i> , 2019, 11, 1108.	3.7	10
12	Higher Pro-Inflammatory Dietary Score is Associated with Higher Hyperuricemia Risk: Results from the Case-Controlled Korean Genome and Epidemiology Study_Cardiovascular Disease Association Study. <i>Nutrients</i> , 2019, 11, 1803.	4.1	24
13	The Association between Dietary Inflammatory Index (DII) and Cancer Risk in Korea: A Prospective Cohort Study within the KoGES-HEXA Study. <i>Nutrients</i> , 2019, 11, 2560.	4.1	10
14	Combined Effect of Secondhand Smoking and Alcohol Drinking on Risk of Persistent Human Papillomavirus Infection. <i>BioMed Research International</i> , 2019, 2019, 1-9.	1.9	10
15	Association between Inflammatory Potential of Diet and Bone-Mineral Density in Korean Postmenopausal Women: Data from Fourth and Fifth Korea National Health and Nutrition Examination Surveys. <i>Nutrients</i> , 2019, 11, 885.	4.1	19
16	Compositional and Functional Differences between Microbiota and Cervical Carcinogenesis as Identified by Shotgun Metagenomic Sequencing. <i>Cancers</i> , 2019, 11, 309.	3.7	37
17	Association of C-Reactive Protein with Risk of Developing Type 2 Diabetes Mellitus, and Role of Obesity and Hypertension: A Large Population-Based Korean Cohort Study. <i>Scientific Reports</i> , 2019, 9, 4573.	3.3	42
18	LC/MS-Based Polar Metabolite Profiling Identified Unique Biomarker Signatures for Cervical Cancer and Cervical Intraepithelial Neoplasia Using Global and Targeted Metabolomics. <i>Cancers</i> , 2019, 11, 511.	3.7	35

#	ARTICLE	IF	CITATIONS
19	Integrative cancer treatment may have a survival benefit in patients with lung cancer. <i>Medicine (United States)</i> , 2019, 98, e16048.	1.0	7
20	Dose-response association of 24-hour urine sodium and sodium to potassium ratio with nighttime blood pressure at older ages. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 952-960.	1.8	12
21	Associations between genetic polymorphisms of membrane transporter genes and prognosis after chemotherapy: meta-analysis and finding from Seoul Breast Cancer Study (SEBCS). <i>Pharmacogenomics Journal</i> , 2018, 18, 633-645.	2.0	10
22	Positive Association between Dietary Inflammatory Index and the Risk of Osteoporosis: Results from the KoGES_Health Examinee (HEXA) Cohort Study. <i>Nutrients</i> , 2018, 10, 1999.	4.1	24
23	The effectiveness of anticancer traditional Korean medicine treatment on the survival in patients with lung, breast, gastric, colorectal, hepatic, uterine, or ovarian cancer. <i>Medicine (United States)</i> , 2018, 97, e12444.	1.0	8
24	Association of cervical microbial community with persistence, clearance and negativity of Human Papillomavirus in Korean women: a longitudinal study. <i>Scientific Reports</i> , 2018, 8, 15479.	3.3	33
25	Association Between Passive Smoking and the Risk of Cervical Intraepithelial Neoplasia 1 in Korean Women. <i>Journal of Epidemiology</i> , 2018, 28, 48-53.	2.4	24
26	Estimation model for habitual 24-hour urinary-sodium excretion using simple questionnaires from normotensive Koreans. <i>PLoS ONE</i> , 2018, 13, e0192588.	2.5	7
27	High Prevalence of <i>Leptotrichia amnionii</i> , <i>Atopobium vaginae</i> , <i>Sneathia sanguinegens</i> , and Factor 1 Microbes and Association of Spontaneous Abortion among Korean Women. <i>BioMed Research International</i> , 2017, 2017, 1-11.	1.9	18
28	Genetic Predisposition of Polymorphisms in HMGB1-Related Genes to Breast Cancer Prognosis in Korean Women. <i>Journal of Breast Cancer</i> , 2017, 20, 27.	1.9	7
29	Association of Combined Tobacco Smoking and Oral Contraceptive Use With Cervical Intraepithelial Neoplasia 2 or 3 in Korean Women. <i>Journal of Epidemiology</i> , 2016, 26, 22-29.	2.4	20
30	Combined effect of diet and cervical microbiome on the risk of cervical intraepithelial neoplasia. <i>Clinical Nutrition</i> , 2016, 35, 1434-1441.	5.0	55
31	Genome-wide association study in East Asians identifies two novel breast cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2016, 25, 3361-3371.	2.9	40
32	Association between Health Behaviors and a Family History of Cancer among Korean Women. <i>Cancer Research and Treatment</i> , 2016, 48, 806-814.	3.0	8
33	Prediction of Breast Cancer Survival Using Clinical and Genetic Markers by Tumor Subtypes. <i>PLoS ONE</i> , 2015, 10, e0122413.	2.5	14
34	Tumor Subtype-Specific Associations of Hormone-Related Reproductive Factors on Breast Cancer Survival. <i>PLoS ONE</i> , 2015, 10, e0123994.	2.5	17
35	Association between Obesity and Cervical Microflora Dominated by <i>Lactobacillus iners</i> in Korean Women. <i>Journal of Clinical Microbiology</i> , 2015, 53, 3304-3309.	3.9	31
36	Gender-Based Differences on the Association between Salt-Sensitive Genes and Obesity in Korean Children Aged between 8 and 9 Years. <i>PLoS ONE</i> , 2015, 10, e0120111.	2.5	31

#	ARTICLE	IF	CITATIONS
37	Association of Polymorphisms and Haplotypes in the Insulin-Like Growth Factor 1 Receptor (IGF1R) Gene with the Risk of Breast Cancer in Korean Women. <i>PLoS ONE</i> , 2014, 9, e84532.	2.5	27
38	Synergistic Effect of Viral Load and Alcohol Consumption on the Risk of Persistent High-Risk Human Papillomavirus Infection. <i>PLoS ONE</i> , 2014, 9, e104374.	2.5	20
39	Genome-wide association analysis in East Asians identifies breast cancer susceptibility loci at 1q32.1, 5q14.3 and 15q26.1. <i>Nature Genetics</i> , 2014, 46, 886-890.	21.4	135
40	Common genetic determinants of breast-cancer risk in East Asian women: a collaborative study of 23 637 breast cancer cases and 25 579 controls. <i>Human Molecular Genetics</i> , 2013, 22, 2539-2550.	2.9	86
41	Mild Obesity, Physical Activity, Calorie Intake, and the Risks of Cervical Intraepithelial Neoplasia and Cervical Cancer. <i>PLoS ONE</i> , 2013, 8, e66555.	2.5	47
42	Alcohol Consumption and Viral Load Are Synergistically Associated with CIN1. <i>PLoS ONE</i> , 2013, 8, e72142.	2.5	23
43	Macronutrient Composition and Sodium Intake of Diet Are Associated with Risk of Metabolic Syndrome and Hypertension in Korean Women. <i>PLoS ONE</i> , 2013, 8, e78088.	2.5	21
44	Genome-Wide Association Study in East Asians Identifies Novel Susceptibility Loci for Breast Cancer. <i>PLoS Genetics</i> , 2012, 8, e1002532.	3.5	137
45	A genome-wide association study identifies a breast cancer risk variant in ERBB4 at 2q34: results from the Seoul Breast Cancer Study. <i>Breast Cancer Research</i> , 2012, 14, R56.	5.0	118
46	Orally administered aqueous extract of <i>Inonotus obliquus</i> ameliorates acute inflammation in dextran sulfate sodium (DSS)-induced colitis in mice. <i>Journal of Ethnopharmacology</i> , 2012, 143, 524-532.	4.1	67
47	Clinical performance assessment of five human papillomavirus DNA tests using liquid-based cytology samples. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012, 38, 408-414.	1.3	10
48	Common polymorphisms in methylenetetrahydrofolate reductase gene are associated with risks of cervical intraepithelial neoplasia and cervical cancer in women with low serum folate and vitamin B12. <i>Cancer Causes and Control</i> , 2011, 22, 63-72.	1.8	38
49	The effects of polymorphisms in methylenetetrahydrofolate reductase (MTHFR), methionine synthase (MTR), and methionine synthase reductase (MTRR) on the risk of cervical intraepithelial neoplasia and cervical cancer in Korean women. <i>Cancer Causes and Control</i> , 2010, 21, 23-30.	1.8	16
50	The association between fruit and vegetable consumption and HPV viral load in high-risk HPV-positive women with cervical intraepithelial neoplasia. <i>Cancer Causes and Control</i> , 2010, 21, 51-59.	1.8	37
51	Plasma antioxidant concentration, not superoxide dismutase polymorphism, is associated with breast cancer risk in Korean women. <i>Nutrition Research</i> , 2010, 30, 705-713.	2.9	15
52	Evaluation of the compatibility of the Digene media when performing the Roche linear array human papillomavirus genotyping test. <i>Archives of Gynecology and Obstetrics</i> , 2009, 280, 613-618.	1.7	0
53	A study testing the usefulness of a dish-based food-frequency questionnaire developed for epidemiological studies in Korea. <i>British Journal of Nutrition</i> , 2009, 101, 1218-1227.	2.3	25
54	Dietary patterns and subsequent colorectal cancer risk by subsite: A prospective cohort study. <i>International Journal of Cancer</i> , 2005, 115, 790-798.	5.1	95

#	ARTICLE	IF	CITATIONS
55	Prospective study of three major dietary patterns and risk of gastric cancer in Japan. International Journal of Cancer, 2004, 110, 435-442.	5.1	91