

Carlos Lopes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1343588/publications.pdf>

Version: 2024-02-01

64
papers

2,477
citations

159585

30
h-index

197818

49
g-index

64
all docs

64
docs citations

64
times ranked

3016
citing authors

#	ARTICLE	IF	CITATIONS
1	Fruit and vegetable consumption and gastric cancer by location and histological type: case-control and meta-analysis. <i>European Journal of Cancer Prevention</i> , 2007, 16, 312-327.	1.3	153
2	Magnification chromoendoscopy for the diagnosis of gastric intestinal metaplasia and dysplasia. <i>Gastrointestinal Endoscopy</i> , 2003, 57, 498-504.	1.0	150
3	A European case series of endoscopic submucosal dissection for gastric superficial lesions. <i>Gastrointestinal Endoscopy</i> , 2009, 69, 350-355.	1.0	100
4	E-Cadherin (CDH1) and p53 rather than SMAD4 and Caspase-10 germline mutations contribute to genetic predisposition in Portuguese gastric cancer patients. <i>European Journal of Cancer</i> , 2004, 40, 1897-1903.	2.8	97
5	Intracystic (encysted) papillary carcinoma of the breast: A clinical, pathological, and immunohistochemical study. <i>Human Pathology</i> , 1998, 29, 1097-1104.	2.0	90
6	Apocrine ductal carcinoma in situ of the breast: Histologic classification and expression of biologic markers. <i>Human Pathology</i> , 2001, 32, 487-493.	2.0	90
7	Metabolic susceptibility genes and prostate cancer risk in a southern European population: The role of glutathione S-transferases GSTM1, GSTM3, and GSTT1 genetic polymorphisms. <i>Prostate</i> , 2004, 58, 414-420.	2.3	84
8	Overexpressing leptin genetic polymorphism (~ 2548 G/A) is associated with susceptibility to prostate cancer and risk of advanced disease. <i>Prostate</i> , 2004, 59, 268-274.	2.3	84
9	Genetic Polymorphisms of the Epidermal Growth Factor and Related Receptor in Non-small Cell Lung Cancer—A Review of the Literature. <i>Oncologist</i> , 2007, 12, 201-210.	3.7	79
10	Linkage of angiotensin I-converting enzyme gene insertion/deletion polymorphism to the progression of human prostate cancer. <i>Journal of Pathology</i> , 2004, 202, 330-335.	4.5	73
11	Platinum/paclitaxel-based chemotherapy in advanced ovarian carcinoma: glutathione S-transferase genetic polymorphisms as predictive biomarkers of disease outcome. <i>International Journal of Clinical Oncology</i> , 2003, 8, 156-161.	2.2	68
12	Validity of Serum Pepsinogen I/II Ratio for the Diagnosis of Gastric Epithelial Dysplasia and Intestinal Metaplasia during the Follow-Up of Patients at Risk for Intestinal-Type Gastric Adenocarcinoma. <i>Neoplasia</i> , 2004, 6, 449-456.	5.3	59
13	External validation of a classification for methylene blue magnification chromoendoscopy in premalignant gastric lesions. <i>Gastrointestinal Endoscopy</i> , 2008, 67, 1011-1018.	1.0	59
14	Circulating DNA: Diagnostic Tool and Predictive Marker for Overall Survival of NSCLC Patients. <i>PLoS ONE</i> , 2012, 7, e38559.	2.5	57
15	Linkage between polymorphisms in the prostate specific antigen ARE1 gene region, prostate cancer risk, and circulating tumor cells. <i>Prostate</i> , 2002, 53, 88-94.	2.3	53
16	Ki-67 index enhances the prognostic accuracy of the urothelial superficial bladder carcinoma risk group classification. <i>International Journal of Cancer</i> , 2003, 105, 267-272.	5.1	53
17	p53 protein expression and nuclear DNA content in breast intraductal proliferations. <i>Journal of Pathology</i> , 1995, 176, 233-241.	4.5	48
18	A functional polymorphism in the promoter region of leptin gene increases susceptibility for non-small cell lung cancer. <i>European Journal of Cancer</i> , 2006, 42, 1188-1193.	2.8	48

#	ARTICLE	IF	CITATIONS
19	STEAP1 is overexpressed in prostate cancer and prostatic intraepithelial neoplasia lesions, and it is positively associated with Gleason score. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 53.e23-53.e29.	1.6	48
20	Angiotensin converting enzyme gene insertion/deletion polymorphism and endometrial human cancer in normotensive and hypertensive women. <i>Cancer Genetics and Cytogenetics</i> , 2004, 155, 42-46.	1.0	42
21	Increased risk of cervical cancer associated with cyclin D1 gene A870G polymorphism. <i>Cancer Genetics and Cytogenetics</i> , 2005, 160, 49-54.	1.0	42
22	Protective role of the polymorphism CCR2-64I in the progression from squamous intraepithelial lesions to invasive cervical carcinoma. <i>Gynecologic Oncology</i> , 2005, 96, 760-764.	1.4	41
23	TP53 and P21 polymorphisms: Response to cisplatin/paclitaxel-based chemotherapy in ovarian cancer. <i>Biochemical and Biophysical Research Communications</i> , 2006, 340, 256-262.	2.1	41
24	Linkage of TP53 codon 72 pro/pro genotype as predictive factor for nasopharyngeal carcinoma development. <i>European Journal of Cancer Prevention</i> , 2006, 15, 362-366.	1.3	41
25	TP53 codon 72 polymorphism and risk for cervical cancer in Portugal. <i>Cancer Genetics and Cytogenetics</i> , 2005, 159, 143-147.	1.0	38
26	β -Catenin (CTNNB1) gene amplification: A new mechanism of protein overexpression in cancer. <i>Genes Chromosomes and Cancer</i> , 2005, 42, 238-246.	2.8	34
27	Acetylation genotype and the genetic susceptibility to prostate cancer in a southern European population. <i>Prostate</i> , 2005, 64, 246-252.	2.3	34
28	Linking TP53 codon 72 and P21 nt590 genotypes to the development of cervical and ovarian cancer. <i>European Journal of Cancer</i> , 2006, 42, 958-963.	2.8	34
29	Prognostic Value of Mandard and Dworak Tumor Regression Grading in Rectal Cancer: Study of a Single Tertiary Center. <i>ISRN Surgery</i> , 2014, 2014, 1-8.	1.4	34
30	Endothelial nitric oxide synthase gene polymorphisms and the shedding of circulating tumour cells in the blood of prostate cancer patients. <i>Cancer Letters</i> , 2003, 189, 85-90.	7.2	31
31	The influence of HER2 genotypes as molecular markers in ovarian cancer outcome. <i>Biochemical and Biophysical Research Communications</i> , 2005, 335, 1173-1178.	2.1	30
32	Association of the A870G cyclin D1 gene polymorphism with genetic susceptibility to nasopharyngeal carcinoma. <i>Head and Neck</i> , 2006, 28, 603-608.	2.0	30
33	Geriatric oncology: comparing health related quality of life in head and neck cancer patients. <i>Head & Neck Oncology</i> , 2011, 3, 3.	2.3	29
34	Human periprostatic white adipose tissue is rich in stromal progenitor cells and a potential source of prostate tumor stroma. <i>Experimental Biology and Medicine</i> , 2012, 237, 1155-1162.	2.4	29
35	Feasibility and cost-effectiveness of using magnification chromoendoscopy and pepsinogen serum levels for the follow-up of patients with atrophic chronic gastritis and intestinal metaplasia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 1594-1604.	2.8	28
36	Colorectal carcinomas with microsatellite instability display a different pattern of target gene mutations according to large bowel site of origin. <i>BMC Cancer</i> , 2010, 10, 587.	2.6	28

#	ARTICLE	IF	CITATIONS
37	The HIF1A functional genetic polymorphism at locus +1772 associates with progression to metastatic prostate cancer and refractoriness to hormonal castration. <i>European Journal of Cancer</i> , 2014, 50, 359-365.	2.8	28
38	TP73 alterations in cervical carcinoma. <i>Cancer Genetics and Cytogenetics</i> , 2004, 150, 116-121.	1.0	26
39	Antioxidant Vitamins and Risk of Gastric Cancer: A Case-Control Study in Portugal. <i>Nutrition and Cancer</i> , 2006, 55, 71-77.	2.0	26
40	Patient reported outcomes in head and neck cancer: selecting instruments for quality of life integration in clinical protocols. <i>Head & Neck Oncology</i> , 2010, 2, 32.	2.3	25
41	Human Papillomavirus Type Distribution in Cervical Intraepithelial Neoplasia Grade 2/3 and Cervical Cancer in Portugal: A CLEOPATRE II Study. <i>International Journal of Gynecological Cancer</i> , 2013, 23, 500-506.	2.5	23
42	Glutathione S-Transferase Genotype GSTM1 as a Predictor of Elevated Angiogenic Phenotype in Patients with Early Onset Breast Cancer. <i>Angiogenesis</i> , 2004, 7, 53-58.	7.2	22
43	Prognostic Significance of Telomerase Polymorphism in Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2010, 16, 3706-3712.	7.0	22
44	A slow acetylator genotype associated with an increased risk of advanced cervical cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2002, 128, 678-682.	2.5	21
45	Polymorphisms of Arylamine N-Acetyltransferase (NAT1 and NAT2) and Larynx Cancer Susceptibility. <i>Orl</i> , 2002, 64, 206-212.	1.1	20
46	Epidermal Growth Factor Genetic Variation, Breast Cancer Risk, and Waiting Time to Onset of Disease. <i>DNA and Cell Biology</i> , 2009, 28, 265-269.	1.9	20
47	Angiomatoid fibrous histiocytoma of the arm treated by radiotherapy for local recurrence—Case report. <i>Journal of Cutaneous Medicine and Surgery</i> , 1997, 28, 373-376.		18
48	First-degree relatives of early-onset gastric cancer patients show a high risk for gastric cancer: phenotype and genotype profile. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 463, 391-399.	2.8	18
49	Haemochromatosis gene (HFE) mutations in viral-associated neoplasia: Linkage to cervical cancer. <i>Biochemical and Biophysical Research Communications</i> , 2006, 341, 232-238.	2.1	15
50	Importance of xeroderma pigmentosum group D polymorphisms in susceptibility to ovarian cancer. <i>Cancer Letters</i> , 2007, 246, 324-330.	7.2	15
51	Tumor Regression Grades: Can They Influence Rectal Cancer Therapy Decision Tree?. <i>International Journal of Surgical Oncology</i> , 2013, 2013, 1-8.	0.6	15
52	Multimodal genetic diagnosis of solid variant alveolar rhabdomyosarcoma. <i>Cancer Genetics and Cytogenetics</i> , 2005, 163, 138-143.	1.0	13
53	Predictive clinical model of tumor response after chemoradiation in rectal cancer. <i>Oncotarget</i> , 2017, 8, 58133-58151.	1.8	12
54	Cervical cancer and CYP2E1 polymorphisms: implications for molecular epidemiology. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 15-21.	1.9	11

#	ARTICLE	IF	CITATIONS
55	Mucinous Adenocarcinoma Arising in Chronic Perianal Fistula: Good Results with Neoadjuvant Chemoradiotherapy Followed by Surgery. <i>Case Reports in Surgery</i> , 2014, 2014, 1-5.	0.4	11
56	EGF genetic polymorphism is associated with clinical features but not malignant phenotype in neurofibromatosis type 1 patients. <i>Journal of Neuro-Oncology</i> , 2007, 81, 225-229.	2.9	9
57	Kaposi-Like Vascular Tumor of the Urinary Bladder in a Cow. <i>Journal of Veterinary Medical Science</i> , 2009, 71, 831-833.	0.9	7
58	We would welcome guidelines for surveillance of patients with gastric atrophic chronic and intestinal metaplasia!. <i>Helicobacter</i> , 2008, 13, 75-76.	3.5	6
59	Predictive Response Value of Pre- and Postchemoradiotherapy Variables in Rectal Cancer: An Analysis of Histological Data. <i>Pathology Research International</i> , 2016, 2016, 1-9.	1.4	6
60	Karyotypic divergence and convergence in two synchronous lung metastases of a clear cell sarcoma of tendons and aponeuroses with t(12;22)(q13;q12) and type 1 EWS/ATF1. <i>Cancer Genetics and Cytogenetics</i> , 2003, 145, 121-125.	1.0	5
61	Staging and survival of rectal cancer in Vila Nova de Gaia, Portugal. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 151-156.	1.6	4
62	Mucosa-associated lymphoid-tissue lymphoma. Should we perform a colonoscopy in multiorgan involvement?. <i>Digestive Endoscopy</i> , 2003, 15, 232-234.	2.3	0
63	Overall Survival in Women with Breast Cancer: The Influence of Pepsinogen C Gene Polymorphism. <i>DNA and Cell Biology</i> , 2008, 27, 333-336.	1.9	0
64	17-Week Delay Surgery after Chemoradiation in Rectal Cancer with Complete Pathological Response. <i>Case Reports in Surgery</i> , 2015, 2015, 1-5.	0.4	0