

Carlos Lopes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1343588/publications.pdf>

Version: 2024-02-01

64
papers

2,477
citations

159585

30
h-index

197818

49
g-index

64
all docs

64
docs citations

64
times ranked

3016
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Predictive clinical model of tumor response after chemoradiation in rectal cancer. <i>Oncotarget</i> , 2017, 8, 58133-58151. | 1.8 | 12 |
| 2 | Predictive Response Value of Pre- and Postchemoradiotherapy Variables in Rectal Cancer: An Analysis of Histological Data. <i>Pathology Research International</i> , 2016, 2016, 1-9. | 1.4 | 6 |
| 3 | 17-Week Delay Surgery after Chemoradiation in Rectal Cancer with Complete Pathological Response. <i>Case Reports in Surgery</i> , 2015, 2015, 1-5. | 0.4 | 0 |
| 4 | Mucinous Adenocarcinoma Arising in Chronic Perianal Fistula: Good Results with Neoadjuvant Chemoradiotherapy Followed by Surgery. <i>Case Reports in Surgery</i> , 2014, 2014, 1-5. | 0.4 | 11 |
| 5 | Prognostic Value of Mandard and Dworak Tumor Regression Grading in Rectal Cancer: Study of a Single Tertiary Center. <i>ISRN Surgery</i> , 2014, 2014, 1-8. | 1.4 | 34 |
| 6 | STEAP1 is overexpressed in prostate cancer and prostatic intraepithelial neoplasia lesions, and it is positively associated with Gleason score. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 53.e23-53.e29. | 1.6 | 48 |
| 7 | The HIF1A functional genetic polymorphism at locus +1772 associates with progression to metastatic prostate cancer and refractoriness to hormonal castration. <i>European Journal of Cancer</i> , 2014, 50, 359-365. | 2.8 | 28 |
| 8 | First-degree relatives of early-onset gastric cancer patients show a high risk for gastric cancer: phenotype and genotype profile. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 463, 391-399. | 2.8 | 18 |
| 9 | Human Papillomavirus Type Distribution in Cervical Intraepithelial Neoplasia Grade 2/3 and Cervical Cancer in Portugal: A CLEOPATRE II Study. <i>International Journal of Gynecological Cancer</i> , 2013, 23, 500-506. | 2.5 | 23 |
| 10 | Tumor Regression Grades: Can They Influence Rectal Cancer Therapy Decision Tree?. <i>International Journal of Surgical Oncology</i> , 2013, 2013, 1-8. | 0.6 | 15 |
| 11 | Human periprostatic white adipose tissue is rich in stromal progenitor cells and a potential source of prostate tumor stroma. <i>Experimental Biology and Medicine</i> , 2012, 237, 1155-1162. | 2.4 | 29 |
| 12 | Circulating DNA: Diagnostic Tool and Predictive Marker for Overall Survival of NSCLC Patients. <i>PLoS ONE</i> , 2012, 7, e38559. | 2.5 | 57 |
| 13 | Geriatric oncology: comparing health related quality of life in head and neck cancer patients. <i>Head & Neck Oncology</i> , 2011, 3, 3. | 2.3 | 29 |
| 14 | Staging and survival of rectal cancer in Vila Nova de Gaia, Portugal. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 151-156. | 1.6 | 4 |
| 15 | Colorectal carcinomas with microsatellite instability display a different pattern of target gene mutations according to large bowel site of origin. <i>BMC Cancer</i> , 2010, 10, 587. | 2.6 | 28 |
| 16 | Patient reported outcomes in head and neck cancer: selecting instruments for quality of life integration in clinical protocols. <i>Head & Neck Oncology</i> , 2010, 2, 32. | 2.3 | 25 |
| 17 | Prognostic Significance of Telomerase Polymorphism in Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2010, 16, 3706-3712. | 7.0 | 22 |
| 18 | Epidermal Growth Factor Genetic Variation, Breast Cancer Risk, and Waiting Time to Onset of Disease. <i>DNA and Cell Biology</i> , 2009, 28, 265-269. | 1.9 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A European case series of endoscopic submucosal dissection for gastric superficial lesions. <i>Gastrointestinal Endoscopy</i> , 2009, 69, 350-355. | 1.0 | 100 |
| 20 | Kaposi-Like Vascular Tumor of the Urinary Bladder in a Cow. <i>Journal of Veterinary Medical Science</i> , 2009, 71, 831-833. | 0.9 | 7 |
| 21 | We would welcome guidelines for surveillance of patients with gastric atrophic chronic and intestinal metaplasia!. <i>Helicobacter</i> , 2008, 13, 75-76. | 3.5 | 6 |
| 22 | External validation of a classification for methylene blue magnification chromoendoscopy in premalignant gastric lesions. <i>Gastrointestinal Endoscopy</i> , 2008, 67, 1011-1018. | 1.0 | 59 |
| 23 | Overall Survival in Women with Breast Cancer: The Influence of Pepsinogen C Gene Polymorphism. <i>DNA and Cell Biology</i> , 2008, 27, 333-336. | 1.9 | 0 |
| 24 | Fruit and vegetable consumption and gastric cancer by location and histological type: case-control and meta-analysis. <i>European Journal of Cancer Prevention</i> , 2007, 16, 312-327. | 1.3 | 153 |
| 25 | Importance of xeroderma pigmentosum group D polymorphisms in susceptibility to ovarian cancer. <i>Cancer Letters</i> , 2007, 246, 324-330. | 7.2 | 15 |
| 26 | Genetic Polymorphisms of the Epidermal Growth Factor and Related Receptor in Non-small Cell Lung Cancer—A Review of the Literature. <i>Oncologist</i> , 2007, 12, 201-210. | 3.7 | 79 |
| 27 | Feasibility and cost-effectiveness of using magnification chromoendoscopy and pepsinogen serum levels for the follow-up of patients with atrophic chronic gastritis and intestinal metaplasia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 1594-1604. | 2.8 | 28 |
| 28 | EGF genetic polymorphism is associated with clinical features but not malignant phenotype in neurofibromatosis type 1 patients. <i>Journal of Neuro-Oncology</i> , 2007, 81, 225-229. | 2.9 | 9 |
| 29 | TP53 and P21 polymorphisms: Response to cisplatin/paclitaxel-based chemotherapy in ovarian cancer. <i>Biochemical and Biophysical Research Communications</i> , 2006, 340, 256-262. | 2.1 | 41 |
| 30 | Haemochromatosis gene (HFE) mutations in viral-associated neoplasia: Linkage to cervical cancer. <i>Biochemical and Biophysical Research Communications</i> , 2006, 341, 232-238. | 2.1 | 15 |
| 31 | Linking TP53 codon 72 and P21 nt590 genotypes to the development of cervical and ovarian cancer. <i>European Journal of Cancer</i> , 2006, 42, 958-963. | 2.8 | 34 |
| 32 | A functional polymorphism in the promoter region of leptin gene increases susceptibility for non-small cell lung cancer. <i>European Journal of Cancer</i> , 2006, 42, 1188-1193. | 2.8 | 48 |
| 33 | Linkage of TP53 codon 72 pro/pro genotype as predictive factor for nasopharyngeal carcinoma development. <i>European Journal of Cancer Prevention</i> , 2006, 15, 362-366. | 1.3 | 41 |
| 34 | Cervical cancer and CYP2E1 polymorphisms: implications for molecular epidemiology. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 15-21. | 1.9 | 11 |
| 35 | Association of the A870G cyclin D1 gene polymorphism with genetic susceptibility to nasopharyngeal carcinoma. <i>Head and Neck</i> , 2006, 28, 603-608. | 2.0 | 30 |
| 36 | Antioxidant Vitamins and Risk of Gastric Cancer: A Case-Control Study in Portugal. <i>Nutrition and Cancer</i> , 2006, 55, 71-77. | 2.0 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | TP53 codon 72 polymorphism and risk for cervical cancer in Portugal. <i>Cancer Genetics and Cytogenetics</i> , 2005, 159, 143-147. | 1.0 | 38 |
| 38 | Increased risk of cervical cancer associated with cyclin D1 gene A870G polymorphism. <i>Cancer Genetics and Cytogenetics</i> , 2005, 160, 49-54. | 1.0 | 42 |
| 39 | Multimodal genetic diagnosis of solid variant alveolar rhabdomyosarcoma. <i>Cancer Genetics and Cytogenetics</i> , 2005, 163, 138-143. | 1.0 | 13 |
| 40 | Protective role of the polymorphism CCR2-64I in the progression from squamous intraepithelial lesions to invasive cervical carcinoma. <i>Gynecologic Oncology</i> , 2005, 96, 760-764. | 1.4 | 41 |
| 41 | β-Catenin (CTNNB1) gene amplification: A new mechanism of protein overexpression in cancer. <i>Genes Chromosomes and Cancer</i> , 2005, 42, 238-246. | 2.8 | 34 |
| 42 | Acetylation genotype and the genetic susceptibility to prostate cancer in a southern European population. <i>Prostate</i> , 2005, 64, 246-252. | 2.3 | 34 |
| 43 | The influence of HER2 genotypes as molecular markers in ovarian cancer outcome. <i>Biochemical and Biophysical Research Communications</i> , 2005, 335, 1173-1178. | 2.1 | 30 |
| 44 | TP73 alterations in cervical carcinoma. <i>Cancer Genetics and Cytogenetics</i> , 2004, 150, 116-121. | 1.0 | 26 |
| 45 | Angiotensin converting enzyme gene insertion/deletion polymorphism and endometrial human cancer in normotensive and hypertensive women. <i>Cancer Genetics and Cytogenetics</i> , 2004, 155, 42-46. | 1.0 | 42 |
| 46 | Glutathione S-Transferase Genotype GSTM1 as a Predictor of Elevated Angiogenic Phenotype in Patients with Early Onset Breast Cancer. <i>Angiogenesis</i> , 2004, 7, 53-58. | 7.2 | 22 |
| 47 | Linkage of angiotensin I-converting enzyme gene insertion/deletion polymorphism to the progression of human prostate cancer. <i>Journal of Pathology</i> , 2004, 202, 330-335. | 4.5 | 73 |
| 48 | Metabolic susceptibility genes and prostate cancer risk in a southern European population: The role of glutathione S-transferases GSTM1, GSTM3, and GSTT1 genetic polymorphisms. <i>Prostate</i> , 2004, 58, 414-420. | 2.3 | 84 |
| 49 | Overexpressing leptin genetic polymorphism (rs2548 G/A) is associated with susceptibility to prostate cancer and risk of advanced disease. <i>Prostate</i> , 2004, 59, 268-274. | 2.3 | 84 |
| 50 | Validity of Serum Pepsinogen I/II Ratio for the Diagnosis of Gastric Epithelial Dysplasia and Intestinal Metaplasia during the Follow-Up of Patients at Risk for Intestinal-Type Gastric Adenocarcinoma. <i>Neoplasia</i> , 2004, 6, 449-456. | 5.3 | 59 |
| 51 | E-Cadherin (CDH1) and p53 rather than SMAD4 and Caspase-10 germline mutations contribute to genetic predisposition in Portuguese gastric cancer patients. <i>European Journal of Cancer</i> , 2004, 40, 1897-1903. | 2.8 | 97 |
| 52 | Platinum/paclitaxel-based chemotherapy in advanced ovarian carcinoma: glutathione S-transferase genetic polymorphisms as predictive biomarkers of disease outcome. <i>International Journal of Clinical Oncology</i> , 2003, 8, 156-161. | 2.2 | 68 |
| 53 | Karyotypic divergence and convergence in two synchronous lung metastases of a clear cell sarcoma of tendons and aponeuroses with t(12;22)(q13;q12) and type 1 EWS/ATF1. <i>Cancer Genetics and Cytogenetics</i> , 2003, 145, 121-125. | 1.0 | 5 |
| 54 | Ki67 index enhances the prognostic accuracy of the urothelial superficial bladder carcinoma risk group classification. <i>International Journal of Cancer</i> , 2003, 105, 267-272. | 5.1 | 53 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Mucosa-associated lymphoid-tissue lymphoma. Should we perform a colonoscopy in multiorgan involvement?. <i>Digestive Endoscopy</i> , 2003, 15, 232-234. | 2.3 | 0 |
| 56 | Magnification chromoendoscopy for the diagnosis of gastric intestinal metaplasia and dysplasia. <i>Gastrointestinal Endoscopy</i> , 2003, 57, 498-504. | 1.0 | 150 |
| 57 | Endothelial nitric oxide synthase gene polymorphisms and the shedding of circulating tumour cells in the blood of prostate cancer patients. <i>Cancer Letters</i> , 2003, 189, 85-90. | 7.2 | 31 |
| 58 | Polymorphisms of Arylamine N-Acetyltransferase (NAT1 and NAT2) and Larynx Cancer Susceptibility. <i>Orl</i> , 2002, 64, 206-212. | 1.1 | 20 |
| 59 | A slow acetylator genotype associated with an increased risk of advanced cervical cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2002, 128, 678-682. | 2.5 | 21 |
| 60 | Linkage between polymorphisms in the prostate specific antigen ARE1 gene region, prostate cancer risk, and circulating tumor cells. <i>Prostate</i> , 2002, 53, 88-94. | 2.3 | 53 |
| 61 | Apocrine ductal carcinoma in situ of the breast: Histologic classification and expression of biologic markers. <i>Human Pathology</i> , 2001, 32, 487-493. | 2.0 | 90 |
| 62 | Intracystic (encysted) papillary carcinoma of the breast: A clinical, pathological, and immunohistochemical study. <i>Human Pathology</i> , 1998, 29, 1097-1104. | 2.0 | 90 |
| 63 | Angiomatoid fibrous histiocytoma of the arm treated by radiotherapy for local recurrenceâ€”Case report. , 1997, 28, 373-376. | | 18 |
| 64 | p53 protein expression and nuclear DNA content in breast intraductal proliferations. <i>Journal of Pathology</i> , 1995, 176, 233-241. | 4.5 | 48 |