

# Laura Egloff

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1345700/publications.pdf>

Version: 2024-02-01

14  
papers

944  
citations

1040056

9  
h-index

1058476

14  
g-index

14  
all docs

14  
docs citations

14  
times ranked

2606  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018, 84, 644-654.	1.3	627
2	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021, 78, 195.	11.0	125
3	Plasma and serum brain-derived neurotrophic factor (BDNF) levels and their association with neurocognition in at-risk mental state, first episode psychosis and chronic schizophrenia patients. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 545-554.	2.6	37
4	Sex differences in prolactin levels in emerging psychosis: Indication for enhanced stress reactivity in women. <i>Schizophrenia Research</i> , 2017, 189, 111-116.	2.0	35
5	Clinical and functional ultra-long-term outcome of patients with a clinical high risk (CHR) for psychosis. <i>European Psychiatry</i> , 2019, 62, 30-37.	0.2	24
6	Gender differences in first self-perceived signs and symptoms in patients with an at-risk mental state and first episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 582-588.	1.7	22
7	The relationship between negative symptoms and cognitive functioning in patients at clinical high risk for psychosis. <i>Psychiatry Research</i> , 2018, 268, 21-27.	3.3	21
8	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning – Results from the EU-GEI study. <i>European Psychiatry</i> , 2019, 59, 52-59.	0.2	19
9	Sexually dimorphic subcortical brain volumes in emerging psychosis. <i>Schizophrenia Research</i> , 2018, 199, 257-265.	2.0	12
10	Can neuropsychological testing facilitate differential diagnosis between at-risk mental state (ARMS) for psychosis and adult attention-deficit/hyperactivity disorder (ADHD)? <i>European Psychiatry</i> , 2018, 52, 38-44.	0.2	9
11	Exploring the predictive power of the unspecific risk category of the Basel Screening Instrument for Psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 969-976.	1.7	6
12	Evaluating verbal learning and memory in patients with an at-risk mental state or first episode psychosis using structural equation modelling. <i>PLoS ONE</i> , 2018, 13, e0196936.	2.5	3
13	No associations between medial temporal lobe volumes and verbal learning/memory in emerging psychosis. <i>European Journal of Neuroscience</i> , 2019, 50, 3060-3071.	2.6	3
14	Voxel-Based Morphometry Correlates of an Agitated-Aggressive Syndrome in the At-Risk Mental State for Psychosis and First Episode Psychosis. <i>Scientific Reports</i> , 2018, 8, 16516.	3.3	1