

Yusuke Yanagi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1348334/publications.pdf>

Version: 2024-02-01

137
papers

10,385
citations

38742

50
h-index

32842

100
g-index

139
all docs

139
docs citations

139
times ranked

6542
citing authors

#	ARTICLE	IF	CITATIONS
1	A human T cell-specific cDNA clone encodes a protein having extensive homology to immunoglobulin chains. <i>Nature</i> , 1984, 308, 145-149.	27.8	1,255
2	SLAM (CDw150) is a cellular receptor for measles virus. <i>Nature</i> , 2000, 406, 893-897.	27.8	956
3	Sequence and expression of transcripts of the human T-cell receptor β -chain genes. <i>Nature</i> , 1984, 312, 521-524.	27.8	383
4	Measles Viruses on Throat Swabs from Measles Patients Use Signaling Lymphocytic Activation Molecule (CDw150) but Not CD46 as a Cellular Receptor. <i>Journal of Virology</i> , 2001, 75, 4399-4401.	3.4	363
5	The human t cell antigen receptor is encoded by variable, diversity, and joining gene segments that rearrange to generate a complete V gene. <i>Cell</i> , 1984, 37, 393-401.	28.9	300
6	Reconstitution of an active surface T3/T-cell antigen receptor by DNA transfer. <i>Nature</i> , 1985, 316, 606-609.	27.8	300
7	Morbilliviruses Use Signaling Lymphocyte Activation Molecules (CD150) as Cellular Receptors. <i>Journal of Virology</i> , 2001, 75, 5842-5850.	3.4	291
8	Predominant Infection of CD150+ Lymphocytes and Dendritic Cells during Measles Virus Infection of Macaques. <i>PLoS Pathogens</i> , 2007, 3, e178.	4.7	226
9	Mitochondrial protein mitofusin 2 is required for NLRP3 inflammasome activation after RNA virus infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 17963-17968.	7.1	226
10	Crystal structure of measles virus hemagglutinin provides insight into effective vaccines. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 19535-19540.	7.1	212
11	Structure of the measles virus hemagglutinin bound to its cellular receptor SLAM. <i>Nature Structural and Molecular Biology</i> , 2011, 18, 135-141.	8.2	212
12	Mitofusin 2 Inhibits Mitochondrial Antiviral Signaling. <i>Science Signaling</i> , 2009, 2, ra47.	3.6	206
13	Measles virus: cellular receptors, tropism and pathogenesis. <i>Journal of General Virology</i> , 2006, 87, 2767-2779.	2.9	204
14	Mitochondrial Membrane Potential Is Required for MAVS-Mediated Antiviral Signaling. <i>Science Signaling</i> , 2011, 4, ra7.	3.6	203
15	SLAM (CD150)-Independent Measles Virus Entry as Revealed by Recombinant Virus Expressing Green Fluorescent Protein. <i>Journal of Virology</i> , 2002, 76, 6743-6749.	3.4	199
16	Efficient Isolation of Wild Strains of Canine Distemper Virus in Vero Cells Expressing Canine SLAM (CD150) and Their Adaptability to Marmoset B95a Cells. <i>Journal of Virology</i> , 2003, 77, 9943-9950.	3.4	179
17	Encephalomyocarditis Virus Viroporin 2B Activates NLRP3 Inflammasome. <i>PLoS Pathogens</i> , 2012, 8, e1002857.	4.7	167
18	Efficient Multiplication of Human Metapneumovirus in Vero Cells Expressing the Transmembrane Serine Protease TMPRSS2. <i>Journal of Virology</i> , 2008, 82, 8942-8946.	3.4	141

#	ARTICLE	IF	CITATIONS
19	Diversity of Sites for Measles Virus Binding and for Inactivation of Complement C3b and C4b on Membrane Cofactor Protein CD46. <i>Journal of Biological Chemistry</i> , 1995, 270, 15148-15152.	3.4	136
20	The 3' Enhancer CNS2 Is a Critical Regulator of Interleukin-4-Mediated Humoral Immunity in Follicular Helper T Cells. <i>Immunity</i> , 2012, 36, 188-200.	14.3	131
21	Dissection of measles virus V protein in relation to its ability to block alpha/beta interferon signal transduction. <i>Journal of General Virology</i> , 2004, 85, 2991-2999.	2.9	129
22	The Matrix Protein of Measles Virus Regulates Viral RNA Synthesis and Assembly by Interacting with the Nucleocapsid Protein. <i>Journal of Virology</i> , 2009, 83, 10374-10383.	3.4	127
23	Genetic Evidence Linking SAP, the X-Linked Lymphoproliferative Gene Product, to Src-Related Kinase FynT in TH2 Cytokine Regulation. <i>Immunity</i> , 2004, 21, 707-717.	14.3	123
24	Rearrangements of T-cell receptor gene YT35 in human DNA from thymic leukaemia T-cell lines and functional T-cell clones. <i>Nature</i> , 1984, 311, 385-387.	27.8	117
25	Measles Virus V Protein Inhibits NLRP3 Inflammasome-Mediated Interleukin-1 β Secretion. <i>Journal of Virology</i> , 2011, 85, 13019-13026.	3.4	112
26	Structural Basis for Marburg Virus Neutralization by a Cross-Reactive Human Antibody. <i>Cell</i> , 2015, 160, 904-912.	28.9	110
27	Long Untranslated Regions of the Measles Virus M and F Genes Control Virus Replication and Cytopathogenicity. <i>Journal of Virology</i> , 2005, 79, 14346-14354.	3.4	109
28	V Domain of Human SLAM (CDw150) Is Essential for Its Function as a Measles Virus Receptor. <i>Journal of Virology</i> , 2001, 75, 1594-1600.	3.4	100
29	Measles Virus Infects both Polarized Epithelial and Immune Cells by Using Distinctive Receptor-Binding Sites on Its Hemagglutinin. <i>Journal of Virology</i> , 2008, 82, 4630-4637.	3.4	99
30	A human T cell-specific cDNA clone (YT16) encodes a protein with extensive homology to a family of protein-tyrosine kinases. <i>European Journal of Immunology</i> , 1986, 16, 1643-1646.	2.9	96
31	Measles virus inhibits mitogen-induced T cell proliferation but does not directly perturb the T cell activation process inside the cell. <i>Virology</i> , 1992, 187, 280-289.	2.4	93
32	Virus Entry Is a Major Determinant of Cell Tropism of Edmonston and Wild-Type Strains of Measles Virus as Revealed by Vesicular Stomatitis Virus Pseudotypes Bearing Their Envelope Proteins. <i>Journal of Virology</i> , 2000, 74, 4139-4145.	3.4	93
33	Both RIG-I and MDA5 RNA Helicases Contribute to the Induction of Alpha/Beta Interferon in Measles Virus-Infected Human Cells. <i>Journal of Virology</i> , 2010, 84, 372-379.	3.4	93
34	SAP Regulation of Follicular Helper CD4 T Cell Development and Humoral Immunity Is Independent of SLAM and Fyn Kinase. <i>Journal of Immunology</i> , 2007, 178, 817-828.	0.8	92
35	Measles Virus Circumvents the Host Interferon Response by Different Actions of the C and V Proteins. <i>Journal of Virology</i> , 2008, 82, 8296-8306.	3.4	92
36	Altered Interaction of the Matrix Protein with the Cytoplasmic Tail of Hemagglutinin Modulates Measles Virus Growth by Affecting Virus Assembly and Cell-Cell Fusion. <i>Journal of Virology</i> , 2007, 81, 6827-6836.	3.4	80

#	ARTICLE	IF	CITATIONS
37	Induction of the measles virus receptor SLAM (CD150) on monocytes. <i>Journal of General Virology</i> , 2001, 82, 2913-2917.	2.9	80
38	Trisaccharide containing α 2,3-linked sialic acid is a receptor for mumps virus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 11579-11584.	7.1	79
39	Translational Inhibition and Increased Interferon Induction in Cells Infected with C Protein-Deficient Measles Virus. <i>Journal of Virology</i> , 2006, 80, 11861-11867.	3.4	74
40	A Human Lung Carcinoma Cell Line Supports Efficient Measles Virus Growth and Syncytium Formation via a SLAM- and CD46-Independent Mechanism. <i>Journal of Virology</i> , 2007, 81, 12091-12096.	3.4	72
41	Cooperation between different RNA virus genomes produces a new phenotype. <i>Nature Communications</i> , 2012, 3, 1235.	12.8	72
42	The Morbillivirus Receptor SLAM (CD150). <i>Microbiology and Immunology</i> , 2002, 46, 135-142.	1.4	64
43	Measles Virus Receptor SLAM (CD150). <i>Virology</i> , 2002, 299, 155-161.	2.4	64
44	Measles Virus Infection of SLAM (CD150) Knockin Mice Reproduces Tropism and Immunosuppression in Human Infection. <i>Journal of Virology</i> , 2007, 81, 1650-1659.	3.4	61
45	Does the deletion within T cell receptor β -chain gene of NZW mice contribute to autoimmunity in (NZB) Tj ETQq1 1.0.784314.rgBT /C	2.9	60
46	Multiple Amino Acid Substitutions in Hemagglutinin Are Necessary for Wild-Type Measles Virus To Acquire the Ability To Use Receptor CD46 Efficiently. <i>Journal of Virology</i> , 2007, 81, 2564-2572.	3.4	60
47	Dynamic Interaction of the Measles Virus Hemagglutinin with Its Receptor Signaling Lymphocytic Activation Molecule (SLAM, CD150). <i>Journal of Biological Chemistry</i> , 2008, 283, 11763-11771.	3.4	60
48	Presence of T-cell receptor mRNA in functionally distinct T cells and elevation during intrathymic differentiation. <i>Nature</i> , 1984, 310, 506-508.	27.8	58
49	Mutant Fusion Proteins with Enhanced Fusion Activity Promote Measles Virus Spread in Human Neuronal Cells and Brains of Suckling Hamsters. <i>Journal of Virology</i> , 2013, 87, 2648-2659.	3.4	58
50	Structures of the prefusion form of measles virus fusion protein in complex with inhibitors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 2496-2501.	7.1	56
51	New Insights into Measles Virus Brain Infections. <i>Trends in Microbiology</i> , 2019, 27, 164-175.	7.7	52
52	Measles Virus Hemagglutinin: Structural Insights into Cell Entry and Measles Vaccine. <i>Frontiers in Microbiology</i> , 2011, 2, 247.	3.5	47
53	Contributions of Matrix and Large Protein Genes of the Measles Virus Edmonston Strain to Growth in Cultured Cells as Revealed by Recombinant Viruses. <i>Journal of Virology</i> , 2005, 79, 15218-15225.	3.4	46
54	Measles Virus Mutants Possessing the Fusion Protein with Enhanced Fusion Activity Spread Effectively in Neuronal Cells, but Not in Other Cells, without Causing Strong Cytopathology. <i>Journal of Virology</i> , 2015, 89, 2710-2717.	3.4	46

#	ARTICLE	IF	CITATIONS
55	Neutralising immunogenicity of a polyepitope antigen expressed in a transgenic food plant: a novel antigen to protect against measles. <i>Vaccine</i> , 2003, 21, 2065-2072.	3.8	43
56	Histidine at position 61 and its adjacent amino acid residues are critical for the ability of SLAM (CD150) to act as a cellular receptor for measles virus. <i>Journal of General Virology</i> , 2003, 84, 2381-2388.	2.9	41
57	Cell-to-Cell Measles Virus Spread between Human Neurons Is Dependent on Hemagglutinin and Hyperfusogenic Fusion Protein. <i>Journal of Virology</i> , 2018, 92, .	3.4	41
58	Regeneration of diaphragm with bio-3D cellular patch. <i>Biomaterials</i> , 2018, 167, 1-14.	11.4	41
59	Intracellular Transport of the Measles Virus Ribonucleoprotein Complex Is Mediated by Rab11A-Positive Recycling Endosomes and Drives Virus Release from the Apical Membrane of Polarized Epithelial Cells. <i>Journal of Virology</i> , 2013, 87, 4683-4693.	3.4	40
60	Measles Virus Nonstructural C Protein Modulates Viral RNA Polymerase Activity by Interacting with Host Protein SHCBP1. <i>Journal of Virology</i> , 2013, 87, 9633-9642.	3.4	40
61	The SI Strain of Measles Virus Derived from a Patient with Subacute Sclerosing Panencephalitis Possesses Typical Genome Alterations and Unique Amino Acid Changes That Modulate Receptor Specificity and Reduce Membrane Fusion Activity. <i>Journal of Virology</i> , 2011, 85, 11871-11882.	3.4	39
62	Generation of Measles Virus with a Segmented RNA Genome. <i>Journal of Virology</i> , 2006, 80, 4242-4248.	3.4	37
63	Genes Encoding the Human T Cell Antigen Receptor. <i>Immunological Reviews</i> , 1984, 81, 221-234.	6.0	36
64	Absence of tumour necrosis factor facilitates primary and recurrent herpes simplex virus-1 infections. <i>Journal of General Virology</i> , 2004, 85, 343-347.	2.9	35
65	Restriction of Measles Virus RNA Synthesis by a Mouse Host Cell Line: trans-Complementation by Polymerase Components or a Human Cellular Factor(s). <i>Journal of Virology</i> , 2002, 76, 6121-6130.	3.4	34
66	Regenerative medicine using stem cells from human exfoliated deciduous teeth (SHED): a promising new treatment in pediatric surgery. <i>Surgery Today</i> , 2019, 49, 316-322.	1.5	34
67	Enhanced Antitumor Effects of an Engineered Measles Virus Edmonston Strain Expressing the Wild-type N, P, L Genes on Human Renal Cell Carcinoma. <i>Molecular Therapy</i> , 2010, 18, 544-551.	8.2	33
68	Epithelial-Mesenchymal Transition Abolishes the Susceptibility of Polarized Epithelial Cell Lines to Measles Virus. <i>Journal of Biological Chemistry</i> , 2010, 285, 20882-20890.	3.4	32
69	Efficient rescue of measles virus from cloned cDNA using SLAM-expressing Chinese hamster ovary cells. <i>Virus Research</i> , 2005, 108, 161-165.	2.2	31
70	Post-transcriptional allelic exclusion of two functionally rearranged T cell receptor $\hat{\pm}$ genes. <i>International Immunology</i> , 1989, 1, 281-288.	4.0	30
71	Measles Viruses Possessing the Polymerase Protein Genes of the Edmonston Vaccine Strain Exhibit Attenuated Gene Expression and Growth in Cultured Cells and SLAM Knock-In Mice. <i>Journal of Virology</i> , 2008, 82, 11979-11984.	3.4	29
72	Measles virus receptors and tropism. <i>Japanese Journal of Infectious Diseases</i> , 2006, 59, 1-5.	1.2	29

#	ARTICLE	IF	CITATIONS
73	Immunostaining for Hu C/D and CD56 is useful for a definitive histopathological diagnosis of congenital and acquired isolated hypoganglionosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 679-685.	2.8	28
74	Cooperation between different variants: A unique potential for virus evolution. <i>Virus Research</i> , 2019, 264, 68-73.	2.2	28
75	Analysis of the molecules involved in human T-cell leukaemia virus type 1 entry by a vesicular stomatitis virus pseudotype bearing its envelope glycoproteins. <i>Journal of General Virology</i> , 2001, 82, 821-830.	2.9	28
76	Annexin A2 Mediates the Localization of Measles Virus Matrix Protein at the Plasma Membrane. <i>Journal of Virology</i> , 2018, 92, .	3.4	27
77	Polymorphism of T-cell receptor genes among laboratory and wild mice: Diverse origins of laboratory mice. <i>Immunogenetics</i> , 1989, 30, 405-413.	2.4	26
78	The cellular receptor for measles virus? elusive no more. <i>Reviews in Medical Virology</i> , 2001, 11, 149-156.	8.3	26
79	Recombinant wild-type measles virus containing a single N481Y substitution in its haemagglutinin cannot use receptor CD46 as efficiently as that having the haemagglutinin of the Edmonston laboratory strain. <i>Journal of General Virology</i> , 2006, 87, 1643-1648.	2.9	24
80	Cell tropism of wild-type measles virus is affected by amino acid substitutions in the P, V and M proteins, or by a truncation in the C protein. <i>Journal of General Virology</i> , 2004, 85, 3001-3006.	2.9	22
81	Surgical strategy according to the anatomical types of congenital portosystemic shunts in children. <i>Journal of Pediatric Surgery</i> , 2016, 51, 2099-2104.	1.6	22
82	The outcome of real-time evaluation of biliary flow using near-infrared fluorescence cholangiography with Indocyanine green in biliary atresia surgery. <i>Journal of Pediatric Surgery</i> , 2019, 54, 2574-2578.	1.6	22
83	The CD46 transmembrane domain is required for efficient formation of measles-virus-mediated syncytium. <i>Biochemical Journal</i> , 1997, 322, 135-144.	3.7	21
84	Receptor use by vesicular stomatitis virus pseudotypes with glycoproteins of defective variants of measles virus isolated from brains of patients with subacute sclerosing panencephalitis. <i>Journal of General Virology</i> , 2003, 84, 2133-2143.	2.9	21
85	Rescue system for measles virus from cloned cDNA driven by vaccinia virus Lister vaccine strain. <i>Journal of Virological Methods</i> , 2006, 137, 152-155.	2.1	20
86	Measles Virus-Induced Immunosuppression in SLAM Knock-In Mice. <i>Journal of Virology</i> , 2010, 84, 5360-5367.	3.4	20
87	Molecular Mechanism of the Flexible Glycan Receptor Recognition by Mumps Virus. <i>Journal of Virology</i> , 2019, 93, .	3.4	20
88	Induction of broadly neutralizing antibodies against measles virus mutants using a polyepitope vaccine strategy. <i>Vaccine</i> , 2005, 23, 2074-2077.	3.8	19
89	Cooperation: another mechanism of viral evolution. <i>Trends in Microbiology</i> , 2013, 21, 320-324.	7.7	19
90	Expression of the Sendai (murine parainfluenza) virus C protein alleviates restriction of measles virus growth in mouse cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 15384-15389.	7.1	18

#	ARTICLE	IF	CITATIONS
91	Actin-Modulating Protein Cofilin Is Involved in the Formation of Measles Virus Ribonucleoprotein Complex at the Perinuclear Region. <i>Journal of Virology</i> , 2015, 89, 10524-10531.	3.4	15
92	Cooperative Interaction Within RNA Virus Mutant Spectra. <i>Current Topics in Microbiology and Immunology</i> , 2015, 392, 219-229.	1.1	14
93	Bowel perforation after liver transplantation for biliary atresia: a retrospective study of care in the transition from children to adulthood. <i>Pediatric Surgery International</i> , 2017, 33, 155-163.	1.4	13
94	CADM1 and CADM2 Trigger Neuropathogenic Measles Virus-Mediated Membrane Fusion by Acting in <i>cis</i> . <i>Journal of Virology</i> , 2021, 95, e0052821.	3.4	13
95	Caspase-dependent apoptosis in fulminant hepatic failure induced by herpes simplex virus in mice. <i>Journal of Hepatology</i> , 2003, 39, 773-778.	3.7	12
96	Infection of Different Cell Lines of Neural Origin with Subacute Sclerosing Panencephalitis (SSPE) Virus. <i>Microbiology and Immunology</i> , 2004, 48, 277-287.	1.4	11
97	No Evidence for an Association between Persistent Measles Virus Infection and Otosclerosis among Patients with Otosclerosis in Japan. <i>Journal of Clinical Microbiology</i> , 2012, 50, 626-632.	3.9	11
98	Bowel obstruction without history of laparotomy: Clinical analysis of 70 patients. <i>Pediatrics International</i> , 2016, 58, 1205-1210.	0.5	11
99	The evaluation of rectal mucosal punch biopsy in the diagnosis of Hirschsprung's disease: a 30-year experience of 954 patients. <i>Pediatric Surgery International</i> , 2017, 33, 173-179.	1.4	11
100	Mutations in the Putative Dimer-Dimer Interfaces of the Measles Virus Hemagglutinin Head Domain Affect Membrane Fusion Triggering. <i>Journal of Biological Chemistry</i> , 2013, 288, 8085-8091.	3.4	10
101	Comparison of biliary atresia with and without intracranial hemorrhage. <i>Journal of Pediatric Surgery</i> , 2018, 53, 2245-2249.	1.6	10
102	A Highly Attenuated Measles Virus Vaccine Strain Encodes a Fully Functional C Protein. <i>Journal of Virology</i> , 2009, 83, 11996-12001.	3.4	9
103	The efficacy of serum brain natriuretic peptide for the early detection of portopulmonary hypertension in biliary atresia patients before liver transplantation. <i>Pediatric Transplantation</i> , 2018, 22, e13203.	1.0	9
104	Weak <i>cis</i> and <i>trans</i> Interactions of the Hemagglutinin with Receptors Trigger Fusion Proteins of Neuropathogenic Measles Virus Isolates. <i>Journal of Virology</i> , 2020, 94, .	3.4	9
105	Both type I and type III interferons are required to restrict measles virus growth in lung epithelial cells. <i>Archives of Virology</i> , 2019, 164, 439-446.	2.1	8
106	Short-Stalk Isoforms of CADM1 and CADM2 Trigger Neuropathogenic Measles Virus-Mediated Membrane Fusion by Interacting with the Viral Hemagglutinin. <i>Journal of Virology</i> , 2022, 96, JVI0194921.	3.4	8
107	Parameters that help to differentiate biliary atresia from other diseases. <i>Pediatrics International</i> , 2017, 59, 1261-1265.	0.5	7
108	Lysosome-Associated Membrane Proteins Support the Furin-Mediated Processing of the Mumps Virus Fusion Protein. <i>Journal of Virology</i> , 2020, 94, .	3.4	7

#	ARTICLE	IF	CITATIONS
109	Human lymphocytes are more susceptible to measles virus than granulocytes, which is attributable to the phenotypic differences of their membrane cofactor protein (CD46). <i>Immunology Letters</i> , 1995, 48, 91-95.	2.5	6
110	Transient hyperphosphatasemia after pediatric liver transplantation. <i>Pediatrics International</i> , 2016, 58, 726-731.	0.5	6
111	The role of splenectomy before liver transplantation in biliary atresia patients. <i>Journal of Pediatric Surgery</i> , 2016, 51, 2095-2098.	1.6	6
112	The incidence of chylous ascites after liver transplantation and the proposal of a diagnostic and management protocol. <i>Journal of Pediatric Surgery</i> , 2018, 53, 671-675.	1.6	6
113	Attachment of hepatitis C virus to cultured cells: A novel predictive factor for successful interferon therapy. <i>Journal of Medical Virology</i> , 1998, 56, 25-32.	5.0	5
114	Disruption of the Dimer-Dimer Interaction of the Mumps Virus Attachment Protein Head Domain, Aided by an Anion Located at the Interface, Compromises Membrane Fusion Triggering. <i>Journal of Virology</i> , 2020, 94, .	3.4	5
115	Antibody-free virion titer greatly differs between hepatitis C virus genotypes. <i>Journal of Medical Virology</i> , 2000, 61, 37-43.	5.0	4
116	Liver graft-to-spleen volume ratio as a useful predictive factor of the early graft function in children and young adults transplanted for biliary atresia: a retrospective study. <i>Transplant International</i> , 2018, 31, 620-628.	1.6	4
117	Reevaluation of concurrent acetylcholinesterase and hematoxylin and eosin staining for Hirschsprung's disease. <i>Pediatrics International</i> , 2021, 63, 1095-1102.	0.5	4
118	Murine gammaherpesvirus 68 ORF35 is required for efficient lytic replication and latency. <i>Journal of General Virology</i> , 2015, 96, 3624-3634.	2.9	4
119	X-ray crystallographic analysis of measles virus hemagglutinin. <i>Virus</i> , 2008, 58, 1-10.	0.1	4
120	Isolation of a T cell specific cDNA clone possibly involved in the T cell activation pathway. <i>International Immunology</i> , 1989, 1, 59-65.	4.0	3
121	Homogeneous sugar modification improves crystallization of measles virus hemagglutinin. <i>Journal of Virological Methods</i> , 2008, 149, 171-174.	2.1	3
122	T-cell receptor and T-cell-resistant virus variants. <i>Current Opinion in Immunology</i> , 1991, 3, 460-464.	5.5	2
123	Graft reduction using a powered stapler in pediatric living donor liver transplantation. <i>Pediatric Transplantation</i> , 2017, 21, e12985.	1.0	2
124	Acetylcholinesterase staining for the pathological diagnosis of Hirschsprung's disease. <i>Surgery Today</i> , 2021, 51, 181-186.	1.5	2
125	Insufficient Portal Vein Inflow in Children without Major Shunt Vessels During Living Donor Liver Transplantation. <i>Annals of Transplantation</i> , 2016, 21, 373-379.	0.9	2
126	Werner's syndrome associated with cholangiocarcinoma.. <i>Japanese Journal of Medicine</i> , 1986, 25, 179-183.	0.1	1

#	ARTICLE	IF	CITATIONS
127	Low cell binding ability of HCV is closely related to interferon treatment especially in patients with HCV genotype 2a/2b A large series prospective study on Japanese patients with chronic hepatitis C. <i>Journal of Hepatology</i> , 2000, 33, 818-825.	3.7	1
128	The Matrix Protein of Measles Virus Regulates Viral RNA Synthesis and Assembly by Interacting with the Nucleocapsid Protein. <i>Journal of Virology</i> , 2010, 84, 671-671.	3.4	1
129	Massive pulmonary hemorrhage before living donor liver transplantation in infants. <i>Pediatric Transplantation</i> , 2016, 20, 89-95.	1.0	1
130	Blowhole tangential cecostomy and transanal tube insertion for neonatal cecal perforation in a patient with Hirschsprung's disease in the earlier definitive operation era. <i>Surgical Case Reports</i> , 2019, 5, 111.	0.6	1
131	The experiences of interval appendectomy for inflammatory appendiceal mass. <i>Pediatrics International</i> , 2021, 63, 88-93.	0.5	1
132	Attachment of hepatitis C virus to cultured cells: A novel predictive factor for successful interferon therapy. <i>Journal of Medical Virology</i> , 1998, 56, 25-32.	5.0	1
133	Establishment of large canine hepatocyte spheroids by mixing vascular endothelial cells and canine adipose-derived mesenchymal stem cells. <i>Regenerative Therapy</i> , 2022, 19, 1-8.	3.0	1
134	HIV-1 Infection <i>Ex Vivo</i> Accelerates Measles Virus Infection by Upregulating Signaling Lymphocytic Activation Molecule (SLAM) in CD4 ⁺ T Cells. <i>Journal of Virology</i> , 2012, 86, 7227-7234.	3.4	0
135	Laparoscopic-assisted Stamm-gastrostomy: technical modifications to ease suturing inside the minimal trocar site. <i>Surgery Today</i> , 2020, 50, 783-786.	1.5	0
136	Successful Urgent Living Donor Liver Transplantation for Massive Liver Necrosis Accompanied by Nonocclusive Mesenteric Ischemia in a Biliary Atresia Infant: A Case Report. <i>Transplantation Proceedings</i> , 2020, 52, 2802-2808.	0.6	0
137	Prenatal diagnosis of ectopic intrathoracic kidney with right congenital diaphragmatic hernia manifesting as fetal mesocardia. <i>Choonpa Igaku</i> , 2019, 46, 243-248.	0.0	0