## Yang-chang Wu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1348386/publications.pdf

Version: 2024-02-01

597 papers 17,986 citations

20817 60 h-index 80 g-index

661 all docs

661 docs citations

661 times ranked

15340 citing authors

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Potential natural products that target the SARS-CoV-2 spike protein identified by structure-based virtual screening, isothermal titration calorimetry and lentivirus particles pseudotyped (Vpp) infection assay. Journal of Traditional and Complementary Medicine, 2022, 12, 73-89. | 2.7 | 16        |
| 2  | Estrogenic and anti-neutrophilic inflammatory phenanthrenes from <i>Juncus effusus</i> L Natural Product Research, 2022, 36, 3043-3053.   | 1.8 | 3         |
| 3  | (1R,7R,8R,11R,12R)-7,8:11,12-Bisepoxycembrene A: A novel cembranoid from octocoral Sinularia sp Tetrahedron Letters, 2022, 90, 153628.  | 1.4 | 1         |
| 4  | Natural Products from Octocorals of the Genus Verrucella (Milne Edwards $\&$ Haime, 1857) Mini-Reviews in Organic Chemistry, 2022, 19, .  | 1.3 | 0         |
| 5  | The effectiveness of Fuzi in combination with routine heart failure treatment on chronic heart failure patients. Journal of Ethnopharmacology, 2022, 289, 115040.   | 4.1 | 6         |
| 6  | Cordycerebroside A inhibits ICAMâ€1â€dependent M1 monocyte adhesion to osteoarthritis synovial fibroblasts. Journal of Food Biochemistry, 2022, 46, e14108.   | 2.9 | 28        |
| 7  | Antrodia cinnamomea and its compound dehydroeburicoic acid attenuate nonalcoholic fatty liver disease by upregulating ALDH2 activity. Journal of Ethnopharmacology, 2022, 292, 115146.  | 4.1 | 7         |
| 8  | Steroidal alkaloids from Solanum erianthum and their anti-breast cancer properties. Phytochemistry Letters, 2022, 50, 40-44.  | 1.2 | 1         |
| 9  | The protoplast two-way fusions and fusant characteristics of Antrodia cinnamomea and Cordyceps militaris. Food Science and Human Wellness, 2022, 11, 1240-1251.   | 4.9 | 4         |
| 10 | 8-Hydroxybriaranes from Octocoral Briareum stechei (Briareidae) (K $\tilde{\rm A}^{1\!\!/}\!_4$ kenthal, 1908). Marine Drugs, 2021, 19, 136.  | 4.6 | 6         |
| 11 | 19-(Benzyloxy)-19-oxojolkinolide B (19-BJB), an ent-abietane diterpene diepoxide, inhibits the growth of bladder cancer T24 cells through DNA damage. PLoS ONE, 2021, 16, e0248468.   | 2.5 | 2         |
| 12 | Timing, Dosage, and Adherence of Antiretroviral Therapy and Risk of Osteoporosis in Patients With Human Immunodeficiency Virus Infection in Taiwan: A Nested Case-Control Study. Frontiers in Pharmacology, 2021, 12, 631480.   | 3.5 | 3         |
| 13 | Uncovering Modern Clinical Applications of Fuzi and Fuzi-Based Formulas: A Nationwide Descriptive Study With Market Basket Analysis. Frontiers in Pharmacology, 2021, 12, 641530.   | 3.5 | 11        |
| 14 | Chinese Herbal Medicine Usage Reduces Overall Mortality in HIV-Infected Patients With Osteoporosis or Fractures. Frontiers in Pharmacology, 2021, 12, 593434.   | 3.5 | 4         |
| 15 | Bioactive polyketides from the pathogenic fungus of Epicoccum sorghinum. Planta, 2021, 253, 116.  | 3.2 | 9         |
| 16 | Effect of Xanthium Strumarium on HIV-1 5′-LTR Transcriptional Activity and Viral Reactivation in Latently Infected Cells. Frontiers in Pharmacology, 2021, 12, 720821.  | 3.5 | 2         |
| 17 | Hesperidin Is a Potential Inhibitor against SARS-CoV-2 Infection. Nutrients, 2021, 13, 2800.  | 4.1 | 67        |
| 18 | Enhanced recovery of astaxanthin from recombinant Kluyveromyces marxianus with ultrasonication-assisted alcohol/salt aqueous biphasic system. Journal of Bioscience and Bioengineering, 2021, 132, 513-518.   | 2.2 | 3         |

| #  | Article  | IF         | CITATIONS |
|----|--|------------|-----------|
| 19 | Effect of Chinese herbal medicines on the overall survival of patients with muscular dystrophies in Taiwan. Journal of Ethnopharmacology, 2021, 279, 114359.   | 4.1        | 1         |
| 20 | Cordycerebroside A suppresses VCAM-dependent monocyte adhesion in osteoarthritis synovial fibroblasts by inhibiting MEK/ERK/AP-1 signaling. Journal of Functional Foods, 2021, 86, 104712.   | 3.4        | 20        |
| 21 | New trihydroxybriarane diterpenoids from an octocoral Briareum sp. Phytochemistry Letters, 2020, 35, 23-27.  | 1.2        | 3         |
| 22 | The protoapigenone analog WYC0209 targets CD133+ cells: A potential adjuvant agent against cancer stem cells in urothelial cancer therapy. Toxicology and Applied Pharmacology, 2020, 402, 115129.                                 | 2.8        | 4         |
| 23 | Soya-cerebroside reduces interleukin production in human rheumatoid arthritis synovial fibroblasts by inhibiting the ERK, NF-κB and AP-1 signalling pathways. Food and Agricultural Immunology, 2020, 31, 740-750.                 | 1.4        | 31        |
| 24 | Secondary Metabolites and Bioactivities of <i>Aspergillus ochraceopetaliformis</i> Isolated from <i>Anthurium brownii</i> . ACS Omega, 2020, 5, 20991-20999.   | 3.5        | 11        |
| 25 | Complementary Chinese Herbal Medicine Therapy Improves Survival in Patients With Pemphigus: A Retrospective Study From a Taiwan-Based Registry. Frontiers in Pharmacology, 2020, 11, 594486.                                       | 3.5        | 3         |
| 26 | Anti-inflammatory, Antiplatelet Aggregation, and Antiangiogenesis Polyketides from <i>Epicoccum sorghinum</i> : Toward an Understating of Its Biological Activities and Potential Applications. ACS Omega, 2020, 5, 11092-11099.   | 3.5        | 7         |
| 27 | Natural products development under epigenetic modulation in fungi. Phytochemistry Reviews, 2020, 19, 1323-1340.  | 6.5        | 14        |
| 28 | Soya-cerebroside inhibits VEGF-facilitated angiogenesis in endothelial progenitor cells. Food and Agricultural Immunology, 2020, 31, 193-204.  | 1.4        | 51        |
| 29 | Phytochemical naphtho[1,2-b] furan-4,5‑dione induced topoisomerase II-mediated DNA damage response in human non-small-cell lung cancer. Phytomedicine, 2019, 54, 109-119.  | 5.3        | 11        |
| 30 | Soya-cerebroside reduces IL- $1\hat{1}^2$ -induced MMP-1 production in chondrocytes and inhibits cartilage degradation: implications for the treatment of osteoarthritis. Food and Agricultural Immunology, 2019, 30, 620-632.     | 1.4        | 79        |
| 31 | Quantification and Simplified Detoxification Investigation on Fuzi, Root of <i>Aconitum carmichaelii</i> . Natural Product Communications, 2019, 14, 1934578X1988154.  | 0.5        | 4         |
| 32 | Glucocerebroside reduces endothelial progenitor cell-induced angiogenesis. Food and Agricultural Immunology, 2019, 30, 1033-1045.  | 1.4        | 72        |
| 33 | Epigenetic Manipulation Induces the Production of Coumarinâ€Type Secondary Metabolite from <i>Arthrobotrys foliicola</i> . Israel Journal of Chemistry, 2019, 59, 432-438.   | 2.3        | 6         |
| 34 | Targeting allosteric site of AKT by 5,7-dimethoxy-1,4-phenanthrenequinone suppresses neutrophilic inflammation. EBioMedicine, 2019, 40, 528-540.   | 6.1        | 28        |
| 35 | Alternative splicing in human cancer cells is modulated by the amiloride derivative<br>3,5â€diaminoâ€6â€chloroâ€Nâ€(Nâ€(2,6â€dichlorobenzoyl)carbamimidoyl)pyrazineâ€2â€carboxide. Molecular<br>2019, 13, 1744-1762.               | Ortoology, | 9         |
| 36 | The Antioxidant from Ethanolic Extract of Rosa cymosa Fruits Activates Phosphatase and Tensin Homolog In Vitro and In Vivo: A New Insight on Its Antileukemic Effect. International Journal of Molecular Sciences, 2019, 20, 1935. | 4.1        | 16        |

| #  | Article  | IF           | Citations |
|----|--|--------------|-----------|
| 37 | Hydroperoxyditerpenoids from Octocorals. Israel Journal of Chemistry, 2019, 59, 403-413.   | 2.3          | 4         |
| 38 | Cladieunicellin T, a New Eunicellin-based Diterpenoid Produced by the Octocoral Cladiella sp. Natural Product Communications, 2019, 14, 1934578X1901400.   | 0.5          | 1         |
| 39 | Indole alkaloids indigodoles A–C from aerial parts of Strobilanthes cusia in the traditional Chinese medicine Qing Dai have anti-IL-17 properties. Phytochemistry, 2019, 162, 39-46.                               | 2.9          | 38        |
| 40 | Antrodia cinnamomea, a Treasured Medicinal Mushroom, Induces Growth Arrest in Breast Cancer Cells, T47D Cells: New Mechanisms Emerge. International Journal of Molecular Sciences, 2019, 20, 833.                  | 4.1          | 11        |
| 41 | Natural Products from <i>Diaporthe arecae</i> with Antiâ€Angiogenic Activity. Israel Journal of Chemistry, 2019, 59, 439-445.  | 2.3          | 6         |
| 42 | Briaviodiols B–E, new anti-inflammatory hydroperoxyfurancembranoids from Briareum violaceum. Tetrahedron, 2019, 75, 921-927.   | 1.9          | 7         |
| 43 | Different effects of $4\hat{l}^2$ -hydroxywithanolide E and withaferin A, two withanolides from Solanaceae plants, on the Akt signaling pathway in human breast cancer cells. Phytomedicine, 2019, 53, 213-222.    | <b>5.</b> 3  | 28        |
| 44 | Effects of Chinese herbal medicine therapy on survival and hepatic outcomes in patients with hepatitis C virus infection in Taiwan. Phytomedicine, 2019, 57, 30-38.  | <b>5.</b> 3  | 21        |
| 45 | Effects of Chinese herbal medicine on hyperlipidemia and the risk of cardiovascular disease in HIV-infected patients in Taiwan. Journal of Ethnopharmacology, 2018, 219, 71-80.                                    | 4.1          | 23        |
| 46 | Aqueous extracts of Paeonia suffruticosa modulates mitochondrial proteostasis by reactive oxygen species-induced endoplasmic reticulum stress in pancreatic cancer cells. Phytomedicine, 2018, 46, 184-192.        | <b>5.</b> 3  | 21        |
| 47 | Bioactive Triterpenoids from the Leaves and Twigs of Lithocarpus litseifolius and L.Âcorneus. Planta<br>Medica, 2018, 84, 49-58.   | 1.3          | 14        |
| 48 | Characteristics of Chinese herbal medicine usage and its effect on survival of lung cancer patients in Taiwan. Journal of Ethnopharmacology, 2018, 213, 92-100.  | 4.1          | 43        |
| 49 | 4βâ€Hydroxywithanolide E selectively induces oxidative DNA damage for selective killing of oral cancer cells. Environmental Toxicology, 2018, 33, 295-304.   | 4.0          | 20        |
| 50 | Briaviolide Q, a New Briarane from the Cultured Briareum violaceum. Natural Product Communications, 2018, 13, 1934578X1801301.   | 0.5          | 3         |
| 51 | Study of the anti-allergic and anti-inflammatory activity of Brachychiton rupestris and Brachychiton discolor leaves (Malvaceae) using in vitro models. BMC Complementary and Alternative Medicine, 2018, 18, 299. | 3.7          | 27        |
| 52 | Natural Product Chemistry of Gorgonian Corals of Genus Junceella–Part III. Marine Drugs, 2018, 16, 339.  | 4.6          | 13        |
| 53 | Evaluation of Oral Antiretroviral Drugs in Mice With Metabolic and Neurologic Complications. Frontiers in Pharmacology, 2018, 9, 1004.   | 3 <b>.</b> 5 | 4         |
| 54 | Glaulactams A–C, daphniphyllum alkaloids from Daphniphyllum glaucescens. Scientific Reports, 2018, 8, 15417.   | 3.3          | 6         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | 2-Bromo-4′-methoxychalcone and 2-lodo-4′-methoxychalcone Prevent Progression of Hyperglycemia and Obesity via 5′-Adenosine-Monophosphate-Activated Protein Kinase in Diet-Induced Obese Mice. International Journal of Molecular Sciences, 2018, 19, 2763. | 4.1 | 10        |
| 56 | Bioactive Phenolic Components from the Twigs of <i>Atalantia buxifolia</i> Iournal of Natural Products, 2018, 81, 1534-1539.   | 3.0 | 18        |
| 57 | Fermented Citrus Lemon Reduces Liver Injury Induced by Carbon Tetrachloride in Rats. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-10.  | 1.2 | 9         |
| 58 | Targeted and non-targeted analysis of annonaceous alkaloids and acetogenins from Asimina and Annona species using UHPLC-QToF-MS. Journal of Pharmaceutical and Biomedical Analysis, 2018, 159, 548-566.  | 2.8 | 22        |
| 59 | Isolation and Structure Elucidation of Cembranoids from a Dongsha Atoll Soft Coral Sarcophyton stellatum. Marine Drugs, 2018, 16, 210.   | 4.6 | 22        |
| 60 | Fragilides K and L, New Briaranes from the Gorgonian Coral Junceella fragilis. Molecules, 2018, 23, 1510.  | 3.8 | 9         |
| 61 | Survival benefit of sphingosinâ€1â€phosphate and receptors expressions in breast cancer patients. Cancer Medicine, 2018, 7, 3743-3754.   | 2.8 | 13        |
| 62 | Soya-cerebroside, an extract of Cordyceps militaris, suppresses monocyte migration and prevents cartilage degradation in inflammatory animal models. Scientific Reports, 2017, 7, 43205.   | 3.3 | 35        |
| 63 | Synthesis and SAR Study of Anticancer Protoflavone Derivatives: Investigation of Cytotoxicity and Interaction with ABCB1 and ABCG2 Multidrug Efflux Transporters. ChemMedChem, 2017, 12, 850-859.  | 3.2 | 11        |
| 64 | Isolation and absolute configuration determination of alkaloids from Pandanus amaryllifolius. Tetrahedron, 2017, 73, 3423-3429.  | 1.9 | 12        |
| 65 | Inflammation Modulatory Phorbol Esters from the Seeds of <i>Aquilaria malaccensis</i> Natural Products, 2017, 80, 1421-1427.   | 3.0 | 21        |
| 66 | Novel 11-norbetaenone isolated from an entomopathogenic fungus Lecanicillium antillanum. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 1978-1982.  | 2.2 | 7         |
| 67 | 6-Hydroxy-5,7-dimethoxy-flavone suppresses the neutrophil respiratory burst via selective PDE4 inhibition to ameliorate acute lung injury. Free Radical Biology and Medicine, 2017, 106, 379-392.  | 2.9 | 26        |
| 68 | Biopharmaceutical potentials of Prosopis spp. (Mimosaceae, Leguminosa). Journal of Food and Drug Analysis, 2017, 25, 187-196.  | 1.9 | 53        |
| 69 | 4β-Hydroxywithanolide E Modulates Alternative Splicing of Apoptotic Genes in Human Hepatocellular<br>Carcinoma Huh-7 Cells. Scientific Reports, 2017, 7, 7290.   | 3.3 | 10        |
| 70 | Bafilomycins N and O, novel cytotoxic bafilomycin analogues produced by Streptomyces sp. GIC10-1 isolated from marine sponge Theonella sp Tetrahedron, 2017, 73, 5170-5175.  | 1.9 | 7         |
| 71 | Pseudoalteromone C: A Novel Ubichromenol Derivative from Bacterium <i>Pseudoalteromonas</i> sp. CGH2XX Isolated from the Cultured-type Octocoral <i>Lobophytum crassum</i> Natural Product Communications, 2017, 12, 1934578X1701201.                      | 0.5 | 0         |
| 72 | Rumphellolide J, an Ester of $4\hat{l}^2$ , $8\hat{l}^2$ -Epoxycaryophyllan-5-ol and Rumphellaoic acid A, from the Gorgonian <i>Rumphella antipathies</i> ). Natural Product Communications, 2017, 12, 1934578X1701201.                                    | 0.5 | 0         |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 73 | Saponins from Solanum torvum and S. macaonense with Their Cytotoxic and Anti-allergic Effects. Natural Product Communications, 2017, 12, 1934578X1701200.  | 0.5 | 4         |
| 74 | Anti-allergic Hydroxy Fatty Acids from Typhonium blumei Explored through ChemGPS-NP. Frontiers in Pharmacology, 2017, 8, 356.  | 3.5 | 26        |
| 75 | Briarane Diterpenoids Isolated from Octocorals between 2014 and 2016. Marine Drugs, 2017, 15, 44.  | 4.6 | 27        |
| 76 | Isoprenoids from the Soft Coral Sarcophyton glaucum. Marine Drugs, 2017, 15, 202.  | 4.6 | 23        |
| 77 | Terpenoids from Octocorals of the Genus Pachyclavularia. Marine Drugs, 2017, 15, 382.  | 4.6 | 13        |
| 78 | 6-Paradol and 6-Shogaol, the Pungent Compounds of Ginger, Promote Glucose Utilization in Adipocytes and Myotubes, and 6-Paradol Reduces Blood Glucose in High-Fat Diet-Fed Mice. International Journal of Molecular Sciences, 2017, 18, 168. | 4.1 | 92        |
| 79 | Briarenols C–E, New Polyoxygenated Briaranes from the Octocoral Briareum excavatum. Molecules, 2017, 22, 475.  | 3.8 | 12        |
| 80 | Clinical efficacy and IL-17 targeting mechanism of Indigo naturalis as a topical agent in moderate psoriasis. BMC Complementary and Alternative Medicine, 2017, 17, 439.   | 3.7 | 35        |
| 81 | Briarenol B, a New Polyoxygenated Briarane from the Octocoral <i>Briareum excavatum </i> Product Communications, 2017, 12, 1934578X1701200.  | 0.5 | 1         |
| 82 | Effect of antiretroviral therapy use and adherence on the risk of hyperlipidemia among HIV-infected patients, in the highly active antiretroviral therapy era. Oncotarget, 2017, 8, 106369-106381.   | 1.8 | 23        |
| 83 | ent-Abietane Lactones from Euphorbia. Mini-Reviews in Medicinal Chemistry, 2017, 17, 380-397.  | 2.4 | 7         |
| 84 | Oxytoxin-2, An Algal-Derived Molecule from a Cultured Mollusc Volvatella vigourouxi. Natural Product Communications, 2016, 11, 1934578X1601101.  | 0.5 | 0         |
| 85 | ATR-Chk1 signaling inhibition as a therapeutic strategy to enhance cisplatin chemosensitivity in urothelial bladder cancer. Oncotarget, 2016, 7, 1947-1959.  | 1.8 | 24        |
| 86 | Pinnisterols A–C, New 9,11-Secosterols from a Gorgonian Pinnigorgia sp Marine Drugs, 2016, 14, 12.   | 4.6 | 17        |
| 87 | Chemical Constituents and LC-profile of Fresh Formosan <i>Lonicera Japonica</i> Flower Buds. Natural Product Communications, 2016, 11, 1934578X1601100.  | 0.5 | 0         |
| 88 | Continuous-Flow Synthesis of Deuterium-Labeled Antidiabetic Chalcones: Studies towards the Selective Deuteration of the Alkynone Core. Molecules, 2016, 21, 318.   | 3.8 | 22        |
| 89 | Chemical Constituents from Flueggea virosa and the Structural Revision of Dehydrochebulic Acid<br>Trimethyl Ester. Molecules, 2016, 21, 1239.  | 3.8 | 13        |
| 90 | New 9-Hydroxybriarane Diterpenoids from a Gorgonian Coral Briareum sp. (Briareidae). International Journal of Molecular Sciences, 2016, 17, 79.  | 4.1 | 10        |

| #   | Article  | IF          | CITATIONS |
|-----|--|-------------|-----------|
| 91  | Antiallergic Phorbol Ester from the Seeds of Aquilaria malaccensis. International Journal of Molecular Sciences, 2016, 17, 398.  | 4.1         | 26        |
| 92  | Cubitanoids and Cembranoids from the Soft Coral Sinularia nanolobata. Marine Drugs, 2016, 14, 150.   | 4.6         | 15        |
| 93  | Anti-Dengue Virus Constituents from Formosan Zoanthid Palythoa mutuki. Marine Drugs, 2016, 14, 151.  | 4.6         | 17        |
| 94  | New Anti-Inflammatory 9,11-Secosterols with a Rare Tricyclo[5,2,1,1]decane Ring from a Formosan Gorgonian Pinnigorgia sp Marine Drugs, 2016, 14, 218.  | 4.6         | 17        |
| 95  | Characterization of Secondary Metabolites from Purple Ipomoea batatas Leaves and Their Effects on Glucose Uptake. Molecules, 2016, 21, 745.  | 3.8         | 25        |
| 96  | Rapid HPLC Quantification Approach for Detection of Active Constituents in Modern Combinatorial Formula, San-Huang-Xie-Xin-Tang (SHXXT). Frontiers in Pharmacology, 2016, 7, 374.            | 3.5         | 13        |
| 97  | Constituents of the Leaves of <i>Pandanus Utilis</i> Natural Product Communications, 2016, 11, 1934578X1601100.  | 0.5         | 2         |
| 98  | Estrogenic and Anti-estrogenic Constituents of Erythrina caffra. Natural Product Communications, 2016, 11, 1934578X1601100.  | 0.5         | 0         |
| 99  | Pubinernoid A and Apo-9′-fucoxanthinone, Secondary Metabolites from a Gorgonian Coral <i>Pinnigorgia</i> sp. Natural Product Communications, 2016, 11, 1934578X1601100.                      | 0.5         | 3         |
| 100 | Anti-allergic potential of Typhonium blumei: Inhibition of degranulation via suppression of PI3K/PLCÎ <sup>3</sup> 2 phosphorylation and calcium influx. Phytomedicine, 2016, 23, 1706-1715. | <b>5.</b> 3 | 10        |
| 101 | 13-Methyl-3,4-seco-ent-podocarpanes, rare C18-diterpenoids from the roots of Flueggea virosa. RSC Advances, 2016, 6, 34708-34714.  | 3.6         | 10        |
| 102 | Terpenoids from Flueggea virosa and their anti-hepatitis C virus activity. Phytochemistry, 2016, 128, 60-70.   | 2.9         | 22        |
| 103 | Synthesis of Novel 3,19-Dihydroxyjolkinolides and Related Derivatives Starting from Andrographolide. Synthesis, 2016, 48, 2245-2254.   | 2.3         | 3         |
| 104 | New anti-inflammatory sterols from a gorgonian Pinnigorgia sp Bioorganic and Medicinal Chemistry Letters, 2016, 26, 3060-3063.   | 2.2         | 13        |
| 105 | Columnaristerol A, a novel 19-norsterol from the Formosan octocoral Nephthea columnaris.<br>Bioorganic and Medicinal Chemistry Letters, 2016, 26, 4966-4969.                                 | 2.2         | 7         |
| 106 | New marine sterols from an algal-bearing gorgonian coral Pinnigorgia sp. Steroids, 2016, 115, 123-129.   | 1.8         | 11        |
| 107 | Research and development of Cordyceps in Taiwan. Food Science and Human Wellness, 2016, 5, 177-185.  | 4.9         | 26        |
| 108 | Bafilomycin M, a new cytotoxic bafilomycin produced by a Streptomyces sp. isolated from a marine sponge Theonella sp Tetrahedron Letters, 2016, 57, 4863-4865.                               | 1.4         | 10        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Cladieunicellins R and S, new eunicellins from the Formosan octocoral Cladiella tuberculosa. Tetrahedron Letters, 2016, 57, 4239-4242.   | 1.4 | 12        |
| 110 | Shedding the light on Iridaceae: Ethnobotany, phytochemistry and biological activity. Industrial Crops and Products, 2016, 92, 308-335.  | 5.2 | 39        |
| 111 | Diterpenes from Grangea maderaspatana. Phytochemistry, 2016, 131, 124-129.   | 2.9 | 9         |
| 112 | Zoanthamine-Type Alkaloids from the Zoanthid <i>Zoanthus kuroshio</i> Collected in Taiwan and Their Effects on Inflammation. Journal of Natural Products, 2016, 79, 2674-2680.   | 3.0 | 24        |
| 113 | Cytotoxic Lanostanoids from <i>Poria cocos</i> . Journal of Natural Products, 2016, 79, 2805-2813.   | 3.0 | 32        |
| 114 | Prognostic value of protein inhibitor of activated STAT3 in breast cancer patients receiving hormone therapy. BMC Cancer, 2016, 16, 20.  | 2.6 | 14        |
| 115 | Norcantharidin induces apoptosis in human prostate cancer cells through both intrinsic and extrinsic pathways. Pharmacological Reports, 2016, 68, 874-880.   | 3.3 | 14        |
| 116 | The Roles of $4\hat{l}^2$ -Hydroxywithanolide E from <i>Physalis peruviana</i> on the Nrf2-Anti-Oxidant System and the Cell Cycle in Breast Cancer Cells. The American Journal of Chinese Medicine, 2016, 44, 617-636. | 3.8 | 24        |
| 117 | Briarenolides M–T, new briarane diterpenoids from a Formosan octocoral Briareum sp Tetrahedron, 2016, 72, 944-951.   | 1.9 | 16        |
| 118 | Anti-inflammatory Cerebrosides from Cultivated <i>Cordyceps militaris</i> . Journal of Agricultural and Food Chemistry, 2016, 64, 1540-1548.   | 5.2 | 66        |
| 119 | Ecdysones from Zoanthus spp. with inhibitory activity against dengue virus 2. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 2344-2348.   | 2.2 | 22        |
| 120 | Pinnigorgiols A–C, 9,11-secosterols with a rare ring arrangement from a gorgonian coral Pinnigorgia sp Tetrahedron, 2016, 72, 999-1004.  | 1.9 | 30        |
| 121 | Acetogenins from Annonaceae. Progress in the Chemistry of Organic Natural Products, 2016, 101, 113-230.  | 1.1 | 47        |
| 122 | 3-Methyl-4,5-dihydro-oxepine, polyoxygenated seco-cyclohexenes and cyclohexenes from Uvaria flexuosa and their anti-inflammatory activity. Phytochemistry, 2016, 122, 184-192.   | 2.9 | 24        |
| 123 | Use, history, and liquid chromatography/mass spectrometry chemical analysis of Aconitum. Journal of Food and Drug Analysis, 2016, 24, 29-45.   | 1.9 | 17        |
| 124 | Pubinernoid A and Apo-9'-fucoxanthinone, Secondary Metabolites from a Gorgonian Coral Pinnigorgia sp. Natural Product Communications, 2016, 11, 707-8.   | 0.5 | 5         |
| 125 | New Anti-inflammatory Norcembranoids from the Soft Coral <i>Sinularia numerosa</i> . Chemical and Pharmaceutical Bulletin, 2015, 63, 752-756.  | 1.3 | 9         |
| 126 | Raf/ERK/Nrf2 signaling pathway and MMP-7 expression involvement in the trigonelline-mediated inhibition of hepatocarcinoma cell migration. Food and Nutrition Research, 2015, 59, 29884.                               | 2.6 | 39        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Upregulation of cyclin-dependent kinase inhibitors CDKN1B and CDKN1C in hepatocellular carcinoma-derived cells via goniothalamin-mediated protein stabilization and epigenetic modifications. Toxicology Reports, 2015, 2, 322-332. | 3.3 | 8         |
| 128 | A cross-kingdom assay model for evaluating estrogenic activity: application of transgenic Arabidopsis thaliana callus. Plant Cell, Tissue and Organ Culture, 2015, 123, 427-433.  | 2.3 | 1         |
| 129 | Anti-inflammatory and Cytotoxic Compounds from Solanum macaonense. Natural Product Communications, 2015, 10, 1934578X1501000.   | 0.5 | 2         |
| 130 | Briarenolides K and L, New Anti-Inflammatory Briarane Diterpenoids from an Octocoral Briareum sp. (Briareidae). Marine Drugs, 2015, 13, 1037-1050.  | 4.6 | 16        |
| 131 | Terpenoids from the Octocoral Sinularia gaweli. International Journal of Molecular Sciences, 2015, 16, 19508-19517.   | 4.1 | 10        |
| 132 | New Anti-Inflammatory Cembranes from the Cultured Soft Coral Nephthea columnaris. Marine Drugs, 2015, 13, 3443-3453.  | 4.6 | 26        |
| 133 | New Scalarane Sesterterpenoids from the Formosan Sponge Ircinia felix. Marine Drugs, 2015, 13, 4296-4309.   | 4.6 | 19        |
| 134 | Briarenolides U–Y, New Anti-Inflammatory Briarane Diterpenoids from an Octocoral Briareum sp. (Briareidae). Marine Drugs, 2015, 13, 7138-7149.  | 4.6 | 10        |
| 135 | Phytochemicals and Estrogen-Receptor Agonists from the Aerial Parts of Liriope platyphylla.<br>Molecules, 2015, 20, 6844-6855.  | 3.8 | 14        |
| 136 | Alkylamides of Acmella oleracea. Molecules, 2015, 20, 6970-6977.  | 3.8 | 30        |
| 137 | New Cytotoxic 24-Homoscalarane Sesterterpenoids from the Sponge Ircinia felix. International Journal of Molecular Sciences, 2015, 16, 21950-21958.  | 4.1 | 10        |
| 138 | New Cembranoid Diterpenes from the Cultured Octocoral Nephthea columnaris. Molecules, 2015, 20, 13205-13215.  | 3.8 | 16        |
| 139 | Antioxidant Potential of Solvent Partitioned Extraction from Aqueous Extract of Gracilaria Tenuistipitata. Current Organic Chemistry, 2015, 19, 39-44.  | 1.6 | 4         |
| 140 | Structure-Activity Relationship of Synthetic 2-Phenylnaphthalenes with Hydroxyl Groups that Inhibit Proliferation and Induce Apoptosis of MCF-7 Cancer Cells. PLoS ONE, 2015, 10, e0141184.   | 2.5 | 7         |
| 141 | Purple Sweet Potato Leaf Extract Induces Apoptosis and Reduces Inflammatory Adipokine Expression in 3T3-L1 Differentiated Adipocytes. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-9.                       | 1.2 | 17        |
| 142 | Natural Caryophyllane Sesquiterpenoids from Rumphella antipathies. Natural Product Communications, 2015, 10, 1934578X1501000.   | 0.5 | 2         |
| 143 | Trocheliolide A, a Hydroperoxycembranoidal Diterpene from the Octocoral Sarcophyton trocheliophorum. Natural Product Communications, 2015, 10, 1934578X1501000.   | 0.5 | 4         |
| 144 | Synthesis of new ent-labdane diterpene derivatives from andrographolide and evaluation on cytotoxic activities. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 2421-2424.  | 2,2 | 22        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 145 | Copper-catalyzed selective C_O bond formation by oxidative î±-C(sp3)_H/O_H coupling between ethers and salicylaldehydes. Tetrahedron, 2015, 71, 2290-2297.   | 1.9 | 19        |
| 146 | 3,4-Methylenedioxy- $\hat{l}^2$ -nitrostyrene inhibits adhesion and migration of human triple-negative breast cancer cells by suppressing $\hat{l}^21$ integrin function and surface protein disulfide isomerase. Biochimie, 2015, 110, 81-92.                       | 2.6 | 35        |
| 147 | Proteomic analysis of urethral protein expression in an estrogen receptor α-deficient murine model of stress urinary incontinence. World Journal of Urology, 2015, 33, 1635-1643.  | 2.2 | 6         |
| 148 | Highly Selective Continuousâ€Flow Synthesis of Potentially Bioactive Deuterated Chalcone Derivatives. ChemPlusChem, 2015, 80, 859-864.   | 2.8 | 32        |
| 149 | Tackling the Cytotoxic Effect of a Marine Polycyclic Quinone-Type Metabolite: Halenaquinone Induces Molt 4 Cells Apoptosis via Oxidative Stress Combined with the Inhibition of HDAC and Topoisomerase Activities. Marine Drugs, 2015, 13, 3132-3153.                | 4.6 | 19        |
| 150 | Lower antioxidative capacity of multidrug-resistant cancer cells confers collateral sensitivity to protoflavone derivatives. Cancer Chemotherapy and Pharmacology, 2015, 76, 555-565.  | 2.3 | 14        |
| 151 | Norcembranoidal Diterpenes from the Cultured-Type Octocoral Sinularia numerosa. International Journal of Molecular Sciences, 2015, 16, 3298-3306.  | 4.1 | 11        |
| 152 | Isolation and Cytotoxicity Evaluation of the Chemical Constituents from Cephalantheropsis gracilis. International Journal of Molecular Sciences, 2015, 16, 3980-3989.  | 4.1 | 48        |
| 153 | Anti-inflammatory and cytotoxic components from Dichrocephala integrifolia. Phytochemistry Letters, 2015, 12, 237-242.   | 1.2 | 8         |
| 154 | The newly synthesized 2-arylnaphthyridin-4-one, CSC-3436, induces apoptosis of non-small cell lung cancer cells by inhibiting tubulin dynamics and activating CDK1. Cancer Chemotherapy and Pharmacology, 2015, 75, 1303-1315.                                       | 2.3 | 15        |
| 155 | Clinical Aspects of Aconitum Preparations. Planta Medica, 2015, 81, 1017-1028.   | 1.3 | 33        |
| 156 | Inhibitory Effects of Purple Sweet Potato Leaf Extract on the Proliferation and Lipogenesis of the 3T3-L1 Preadipocytes. The American Journal of Chinese Medicine, 2015, 43, 915-925.  | 3.8 | 11        |
| 157 | Alkaloids from <i>Pandanus amaryllifolius</i> Isolation and Their Plausible Biosynthetic Formation. Journal of Natural Products, 2015, 78, 2346-2354.  | 3.0 | 21        |
| 158 | New alkaloids from Formosan zoanthid Zoanthus kuroshio. Tetrahedron, 2015, 71, 8601-8606.  | 1.9 | 16        |
| 159 | Pandalisines A and B, novel indolizidine alkaloids from the leaves of Pandanus utilis. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 4333-4336.  | 2.2 | 9         |
| 160 | HPW-RX40 restores anoikis sensitivity of human breast cancer cells by inhibiting integrin/FAK signaling. Toxicology and Applied Pharmacology, 2015, 289, 330-340.  | 2.8 | 13        |
| 161 | CLL2-1, a chemical derivative of orchid 1,4-phenanthrenequinones, inhibits human platelet aggregation through thiol modification of calcium-diacylglycerol guanine nucleotide exchange factor-l (CalDAG-GEFI). Free Radical Biology and Medicine, 2015, 78, 101-110. | 2.9 | 6         |
| 162 | Ursolic Acid Inhibits Superoxide Production in Activated Neutrophils and Attenuates<br>Trauma-Hemorrhage Shock-Induced Organ Injury in Rats. PLoS ONE, 2014, 9, e111365.   | 2.5 | 16        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Urethral Dysfunction in Female Mice with Estrogen Receptor Î <sup>2</sup> Deficiency. PLoS ONE, 2014, 9, e109058.   | 2.5 | 3         |
| 164 | Rumphellols A and B, New Caryophyllene Sesquiterpenoids from a Formosan Gorgonian Coral, Rumphella antipathies. International Journal of Molecular Sciences, 2014, 15, 15679-15688.                                   | 4.1 | 16        |
| 165 | Cladieunicellins M–Q, New Eunicellins from Cladiella sp Marine Drugs, 2014, 12, 2144-2155.  | 4.6 | 13        |
| 166 | Rumphellaoic Acid A, a Novel Sesquiterpenoid from the Formosan Gorgonian Coral Rumphella antipathies. Marine Drugs, 2014, 12, 5856-5863.  | 4.6 | 15        |
| 167 | Three New Clerodane Diterpenes from Polyalthia longifolia var. pendula. Molecules, 2014, 19, 2049-2060.   | 3.8 | 22        |
| 168 | Anti-Inflammatory Triterpenoids from the Stems of Microtropis Fokienensis. Molecules, 2014, 19, 4608-4623.  | 3.8 | 14        |
| 169 | Antiplatelet Aggregation Effects of Phenanthrenes from <i>Calanthe arisanensis</i> . Natural Product Communications, 2014, 9, 1934578X1400900.  | 0.5 | 2         |
| 170 | New Cembranoids from the Soft Coral Sinularia arborea. Natural Product Communications, 2014, 9, 1934578X1400900.  | 0.5 | 2         |
| 171 | Cladieunicellin J, a New Hydroperoxyeunicellin from Cladiella sp. Natural Product Communications, 2014, 9, 1934578X1400900.   | 0.5 | 2         |
| 172 | Pregnane-Type Steroids from the Formosan Soft Coral Scleronephthya flexilis. International Journal of Molecular Sciences, 2014, 15, 10136-10149.  | 4.1 | 13        |
| 173 | Fast Quantification of S-adenosyl-L-methionine in Dietary Health Products Utilizing Reversed-Phase<br>High-performance Liquid Chromatography: Teaching an Old Method New Tricks. Planta Medica, 2014,<br>80, 243-248. | 1.3 | 1         |
| 174 | Anti-viral effect of a compound isolated from Liriope platyphylla against hepatitis B virus in vitro. Virus Research, 2014, 192, 16-24.   | 2.2 | 32        |
| 175 | Efficient Synthesis of Jolkinolides A and B from Steviol. Synthesis, 2014, 46, 2574-2578.   | 2.3 | 8         |
| 176 | Bioactive 6 <i>S</i> -Styryllactone Constituents of <i>Polyalthia parviflora</i> . Journal of Natural Products, 2014, 77, 2626-2632.  | 3.0 | 33        |
| 177 | Chemical Constituents of the Leaves of <i>Desmos cochinchinensis</i> var. <i>fulvescens</i> >San. Helvetica Chimica Acta, 2014, 97, 1714-1718.  | 1.6 | 9         |
| 178 | Discovery of Novel Diterpenoids from Sinularia arborea. Marine Drugs, 2014, 12, 385-393.  | 4.6 | 10        |
| 179 | Potassium<br>{4-[(3S,6S,9S)-3,6-dibenzyl-9-isopropyl-4,7,10-trioxo-11–oxa-2,5,8-triazadodecyl]phenyl}trifluoroborate.<br>MolBank, 2014, 2014, M827.   | 0.5 | 0         |
| 180 | Non-homologous end joining pathway is the major route of protection against $4\hat{l}^2$ -hydroxywithanolide E-induced DNA damage in MCF-7 cells. Food and Chemical Toxicology, 2014, 65, 205-212.                    | 3.6 | 18        |

| #   | Article  | lF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Copper-Catalyzed Oxidative Coupling of Formamides with Salicylaldehydes: Synthesis of Carbamates in the Presence of a Sensitive Aldehyde Group. Journal of Organic Chemistry, 2014, 79, 3206-3214.         | 3.2 | 45        |
| 182 | Limonoids from the Seeds of <i>Swietenia macrophylla</i> with Inhibitory Activity against Dengue Virus 2. Journal of Natural Products, 2014, 77, 2367-2374.  | 3.0 | 40        |
| 183 | Anti-Inflammatory Spirostanol and Furostanol Saponins from <i>Solanum macaonense</i> . Journal of Natural Products, 2014, 77, 1770-1783.   | 3.0 | 20        |
| 184 | Tupichinins B–D, three new spirostanol saponins from <i>Tupistra chinensis</i> rhizomes. Natural Product Research, 2014, 28, 74-80.  | 1.8 | 6         |
| 185 | Design, Synthesis, Mechanisms of Action, and Toxicity of Novel 20( <i>S</i> )-Sulfonylamidine Derivatives of Camptothecin as Potent Antitumor Agents. Journal of Medicinal Chemistry, 2014, 57, 6008-6018. | 6.4 | 66        |
| 186 | Kuroshines A and B, new alkaloids from Zoanthus kuroshio. Tetrahedron Letters, 2014, 55, 5369-5372.  | 1.4 | 19        |
| 187 | Briarenolide J, the first 12-chlorobriarane diterpenoid from an octocoral Briareum sp. (Briareidae).<br>Tetrahedron Letters, 2014, 55, 6065-6067.  | 1.4 | 17        |
| 188 | Bioactive Constituents of <i>Cirsium japonicum</i> var. <i>australe</i> . Journal of Natural Products, 2014, 77, 1624-1631.  | 3.0 | 22        |
| 189 | Clerodane diterpenes from Polyalthia longifolia var. pendula protect SK-N-MC human neuroblastoma cells from β-amyloid insult. RSC Advances, 2014, 4, 23707-23712.  | 3.6 | 13        |
| 190 | Synthesis and biological evaluation of peptidyl organotrifluoroborates and their corresponding boron analogs. Research on Chemical Intermediates, 2014, 40, 2187-2198.                                     | 2.7 | 3         |
| 191 | Direct synthesis of the arylboronic acid analogues of phenylglycine via microwave-assisted four-component Ugi reaction. Tetrahedron, 2014, 70, 1800-1804.  | 1.9 | 15        |
| 192 | Iron-Catalyzed Oxidative Direct α-C–H Bond Functionalization of Cyclic Ethers: Selective C–O Bond Formation in the Presence of a Labile Aldehyde Group. Organic Letters, 2014, 16, 1912-1915.              | 4.6 | 59        |
| 193 | Structure Elucidation and Cytotoxic Evaluation of New Polyacetylenes from a Marine Sponge Petrosia sp International Journal of Molecular Sciences, 2014, 15, 16511-16521.                                  | 4.1 | 7         |
| 194 | Rumphellaones B and C, New 4,5-Seco-Caryophyllane Sesquiterpenoids from Rumphella. Molecules, 2014, 19, 12320-12327.   | 3.8 | 13        |
| 195 | Cracking the Cytotoxicity Code: Apoptotic Induction of 10-Acetylirciformonin B is Mediated through ROS Generation and Mitochondrial Dysfunction. Marine Drugs, 2014, 12, 3072-3090.                        | 4.6 | 34        |
| 196 | Briarane Diterpenoids Isolated from Gorgonian Corals between 2011 and 2013. Marine Drugs, 2014, 12, 2164-2181.   | 4.6 | 28        |
| 197 | Chemical Constituents and Bioactivities of Clinacanthus nutans Aerial Parts. Molecules, 2014, 19, 20382-20390.   | 3.8 | 46        |
| 198 | Cytotoxic, Anti-inflammatory, and Antibacterial Sulfur-Containing Polybromoindoles from the Formosan Red Alga <i>Laurencia brongniartii</i> 1278-1280.   | 3.2 | 16        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 199 | Insights on the Isolation, Biological Activity and Synthetic Protocols of Enyne Derivatives. Current Topics in Medicinal Chemistry, 2014, 14, 1076-1093.   | 2.1 | 12        |
| 200 | Antiplatelet aggregation effects of phenanthrenes from Calanthe arisanensis. Natural Product Communications, 2014, 9, 83-4.  | 0.5 | 4         |
| 201 | Cladieunicellin J, a new hydroperoxyeunicellin from cladiella sp. Natural Product Communications, 2014, 9, 613-4.  | 0.5 | 7         |
| 202 | A novel antitubulin agent, DPQZ, induces cell apoptosis in human oral cancer cells through Ras/Raf inhibition and MAP kinases activation. Archives of Toxicology, 2013, 87, 835-846.   | 4.2 | 12        |
| 203 | Total Synthetic Protoapigenone <scp>WYC</scp> 02 Inhibits Cervical Cancer Cell Proliferation and Tumour Growth through <scp>PIK</scp> 3 Signalling Pathway. Basic and Clinical Pharmacology and Toxicology, 2013, 113, 8-18. | 2.5 | 10        |
| 204 | Spirostanoids with 1,4-dien-3-one or $3\hat{1}^2$ , $7\hat{1}_\pm$ -diol-5,6-ene moieties from Solanum violaceum. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 2738-2742.   | 2.2 | 16        |
| 205 | Anti-neutrophilic inflammatory steroidal glycosides from Solanum torvum. Phytochemistry, 2013, 95, 315-321.  | 2.9 | 23        |
| 206 | Synthesis of 1,5-diphenylpent-3-en-1-yne derivatives utilizing an aqueous B-alkyl Suzuki cross coupling reaction. Tetrahedron Letters, 2013, 54, 5162-5166.  | 1.4 | 8         |
| 207 | Potent inhibition of human neutrophil activations by bractelactone, a novel chalcone from Fissistigma bracteolatum. Toxicology and Applied Pharmacology, 2013, 266, 399-407.   | 2.8 | 19        |
| 208 | Proteomics reveals plasma profiles for monitoring the toxicity caused by chromium compounds. Clinica Chimica Acta, 2013, 423, 23-31.   | 1.1 | 10        |
| 209 | Brazilein suppresses migration and invasion of MDA-MB-231 breast cancer cells. Chemico-Biological Interactions, 2013, 204, 105-115.  | 4.0 | 37        |
| 210 | Discovery of the first non-planar flavonoid that can strongly inhibit xanthine oxidase: protoapigenone 1′-O-propargyl ether. Tetrahedron Letters, 2013, 54, 6529-6532.   | 1.4 | 15        |
| 211 | Cembrane Derivatives from the Soft Corals, Sinularia gaweli and Sinularia flexibilis. Marine Drugs, 2013, 11, 2154-2167.   | 4.6 | 24        |
| 212 | The oestrogenic and anti-platelet activities of dihydrobenzofuroisocoumarins and homoisoflavonoids from Liriope platyphylla roots. Food Chemistry, 2013, 140, 305-314.   | 8.2 | 40        |
| 213 | The synthetic flavonoid WYC02-9 inhibits colorectal cancer cell growth through ROS-mediated activation of MAPK14 pathway. Life Sciences, 2013, 92, 1081-1092.  | 4.3 | 21        |
| 214 | The synthetic flavonoid WYCO2-9 inhibits cervical cancer cell migration/invasion and angiogenesis via MAPK14 signaling. Gynecologic Oncology, 2013, 131, 734-743.  | 1.4 | 20        |
| 215 | Protoapigenone derivatives: Albumin binding properties and effects on HepG2 cells. Journal of Photochemistry and Photobiology B: Biology, 2013, 124, 20-26.  | 3.8 | 13        |
| 216 | Hirsutalins I–M, eunicellin-based diterpenoids from the soft coral Cladiella hirsuta. Tetrahedron, 2013, 69, 2296-2301.  | 1.9 | 20        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | 1,5-Diphenylpent-3-en-1-ynes and methyl naphthalene carboxylates from Lawsonia inermis and their anti-inflammatory activity. Phytochemistry, 2013, 88, 67-73.  | 2.9 | 57        |
| 218 | An epigenetic modifier enhances the production of anti-diabetic and anti-inflammatory sesquiterpenoids from Aspergillus sydowii. Bioorganic and Medicinal Chemistry, 2013, 21, 3866-3872.  | 3.0 | 105       |
| 219 | Recent research and development of Antrodia cinnamomea. , 2013, 139, 124-156.  |     | 147       |
| 220 | Suberoylanilide Hydroxamic Acid, a Histone Deacetylase Inhibitor, Induces the Production of Anti-inflammatory Cyclodepsipeptides from <i>Beauveria felina</i> . Journal of Natural Products, 2013, 76, 1260-1266.                      | 3.0 | 57        |
| 221 | Functional proteomics reveals the protective effects of saffron ethanolic extract on hepatic ischemiaâ€reperfusion injury. Proteomics, 2013, 13, 2297-2311.  | 2.2 | 19        |
| 222 | Active Constituents from Liriope platyphylla Root against Cancer Growth In Vitro. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-10.   | 1.2 | 10        |
| 223 | Phyto-SERM Constitutes from Flemingia macrophylla. International Journal of Molecular Sciences, 2013, 14, 15578-15594.   | 4.1 | 15        |
| 224 | Oxygenated Ylangene-Derived Sesquiterpenoids from the Soft Coral Lemnalia philippinensis. Marine Drugs, 2013, 11, 3735-3741.   | 4.6 | 17        |
| 225 | Natural Clovanes from the Gorgonian Coral <i>Rumphella Antipathies</i> . Natural Product Communications, 2013, 8, 1934578X1300800.   | 0.5 | 6         |
| 226 | Steroidal Carboxylic Acids from Soft Coral Paraminabea acronocephala. Marine Drugs, 2013, 11, 136-145.   | 4.6 | 10        |
| 227 | Cytotoxic and Anti-Inflammatory Metabolites from the Soft Coral Scleronephthya gracillimum. Marine Drugs, 2013, 11, 1853-1865.   | 4.6 | 20        |
| 228 | Efficient Synthesis of Boron-Containing $\hat{l}_{\pm}$ -Acyloxyamide Analogs via Microwave Irradiation. Molecules, 2013, 18, 9488-9511.   | 3.8 | 8         |
| 229 | Discovery of New Eunicellin-Based Diterpenoids from a Formosan Soft Coral Cladiella sp Marine Drugs, 2013, 11, 4585-4593.  | 4.6 | 20        |
| 230 | Golden Berry-Derived $4\hat{l}^2$ -hydroxywithanolide E for Selectively Killing Oral Cancer Cells by Generating ROS, DNA Damage, and Apoptotic Pathways. PLoS ONE, 2013, 8, e64739.  | 2.5 | 94        |
| 231 | Natural clovanes from the gorgonian coral Rumphella antipathies. Natural Product Communications, 2013, 8, 1037-40.   | 0.5 | 7         |
| 232 | Synthesis and Biological Evaluation of Phenanthrenes as Cytotoxic Agents with Pharmacophore Modeling and ChemGPS-NP Prediction as Topo II Inhibitors. PLoS ONE, 2012, 7, e37897.   | 2.5 | 18        |
| 233 | The small molecule calactin induces DNA damage and apoptosis in human leukemia cells. European Journal of Cancer Prevention, 2012, 21, 467-473.  | 1.3 | 6         |
| 234 | Inhibition of ATR-Dependent Signaling by Protoapigenone and Its Derivative Sensitizes Cancer Cells to Interstrand Cross-link–Generating Agents ⟨i⟩In Vitro⟨ i⟩ and ⟨i⟩In Vivo⟨ i⟩. Molecular Cancer Therapeutics, 2012, 11, 1443-1453. | 4.1 | 34        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | 2-Hydroxy-4'-Methoxychalcone Inhibits Proliferation and Inflammation of Human Aortic Smooth<br>Muscle Cells by Increasing the Expression of Peroxisome Proliferator–Activated Receptor Gamma.<br>Journal of Cardiovascular Pharmacology, 2012, 59, 339-351. | 1.9 | 15        |
| 236 | Bioactive Compounds from a Gorgonian Coral Echinomuricea sp. (Plexauridae). Marine Drugs, 2012, 10, 1169-1179.  | 4.6 | 16        |
| 237 | Briarenolides H and I: New 8-Hydroxybriarane Diterpenoids from a Formosan Octocoral <i>Briareum</i> sp. (Briareidae). Bulletin of the Chemical Society of Japan, 2012, 85, 1031-1036.   | 3.2 | 6         |
| 238 | Sarcophytonins F and G, New Dihydrofuranocembranoids from a Dongsha Atoll Soft Coral <i>Sarcophyton</i> sp Bulletin of the Chemical Society of Japan, 2012, 85, 920-922.  | 3.2 | 10        |
| 239 | New Flavan and Benzil Isolated from Fissistigma latifolium. Chemical and Pharmaceutical Bulletin, 2012, 60, 280-282.  | 1.3 | 8         |
| 240 | Synthesis of Carbamates by Direct C–H Bond Activation of Formamides. European Journal of Organic Chemistry, 2012, 2012, 6760-6766.  | 2.4 | 44        |
| 241 | Euphol from Euphorbia tirucalli selectively inhibits human gastric cancer cell growth through the induction of ERK1/2-mediated apoptosis. Food and Chemical Toxicology, 2012, 50, 4333-4339.  | 3.6 | 63        |
| 242 | Highly oxidized ergosterols and isariotin analogs from an entomopathogenic fungus, Gibellula formosana, cultivated in the presence of epigenetic modifying agents. Tetrahedron, 2012, 68, 5817-5823.  | 1.9 | 33        |
| 243 | Antiproliferative effects of goniothalamin on Ca9-22 oral cancer cells through apoptosis, DNA damage and ROS induction. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2012, 747, 253-258.   | 1.7 | 60        |
| 244 | Physalin B from Physalis angulata triggers the NOXA-related apoptosis pathway of human melanoma A375 cells. Food and Chemical Toxicology, 2012, 50, 619-624.  | 3.6 | 38        |
| 245 | Anti-diabetic properties of non-polar Toona sinensis Roem extract prepared by supercritical-CO2 fluid. Food and Chemical Toxicology, 2012, 50, 779-789.   | 3.6 | 40        |
| 246 | Indiosides G–K: Steroidal Glycosides with Cytotoxic and Anti-inflammatory Activities from <i>Solanum violaceum</i> . Journal of Natural Products, 2012, 75, 636-643.  | 3.0 | 17        |
| 247 | Bioactive pregnane-type steroids from the soft coral Scleronephthya gracillimum. Tetrahedron, 2012, 68, 9694-9700.  | 1.9 | 16        |
| 248 | Steroids from the Soft Coral Sinularia crassa. Marine Drugs, 2012, 10, 439-450.   | 4.6 | 37        |
| 249 | Natural Product Chemistry of Gorgonian Corals of the Family Plexauridae Distributed in the Indo-Pacific Ocean. Marine Drugs, 2012, 10, 2415-2434.   | 4.6 | 9         |
| 250 | Anti-Human Coronavirus (anti-HCoV) Triterpenoids from the Leaves of <i>Euphorbia Neriifolia</i> Natural Product Communications, 2012, 7, 1934578X1200701.   | 0.5 | 64        |
| 251 | Chemical Constituents from <i>Farfugium Japonicum</i> Var. <i>formosanum</i> . Natural Product Communications, 2012, 7, 1934578X1200700.  | 0.5 | 2         |
| 252 | Anti-neutrophilic Inflammatory Secondary Metabolites from the Traditional Chinese Medicine, Tiankuizi. Natural Product Communications, 2012, 7, 1934578X1200701.  | 0.5 | 1         |

| #   | Article   | IF          | Citations |
|-----|---|-------------|-----------|
| 253 | Synthesis of Flavones and γâ€Benzopyranones Using Mild Sonogashira Coupling and 18â€Crownâ€6 Ether Mediated 6â€ <i>endo</i> Cyclization. European Journal of Organic Chemistry, 2012, 2012, 4533-4540.                              | 2.4         | 23        |
| 254 | Involvement of store-operated calcium signaling in EGF-mediated COX-2 gene activation in cancer cells. Cellular Signalling, 2012, 24, 162-169.  | 3.6         | 69        |
| 255 | Synthesis and evaluation of cytotoxic effects of novel $\hat{l}_{\pm}$ -methylenelactone tetracyclic diterpenoids. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 1922-1925.   | 2.2         | 18        |
| 256 | Design and synthesis of gambogic acid analogs as potent cytotoxic and anti-inflammatory agents. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 4018-4022.  | 2.2         | 22        |
| 257 | Synthesis of chalcone derivatives as potential anti-diabetic agents. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 3912-3915.   | 2.2         | 118       |
| 258 | Chemical profiling of the cytotoxic triterpenoid-concentrating fraction and characterization of ergostane stereo-isomer ingredients from Antrodia camphorata. Journal of Pharmaceutical and Biomedical Analysis, 2012, 58, 182-192. | 2.8         | 38        |
| 259 | Aromatic polyketide glycosides from an entomopathogenic fungus, Cordyceps indigotica. Tetrahedron Letters, 2012, 53, 277-280.   | 1.4         | 43        |
| 260 | Antileukemia component, dehydroeburicoic acid from Antrodia camphorata induces DNA damage and apoptosis in vitro and in vivo models. Phytomedicine, 2012, 19, 788-796.  | 5.3         | 36        |
| 261 | Withanolides-Induced Breast Cancer Cell Death Is Correlated with Their Ability to Inhibit Heat Protein 90. PLoS ONE, 2012, 7, e37764.   | 2.5         | 42        |
| 262 | Goniothalamin Inhibits Growth of Human Lung Cancer Cells through DNA Damage, Apoptosis, and Reduced Migration Ability. Journal of Agricultural and Food Chemistry, 2011, 59, 4288-4293.   | 5.2         | 70        |
| 263 | Klysimplexins l–T, eunicellin-based diterpenoids from the cultured soft coral Klyxum simplex. Organic and Biomolecular Chemistry, 2011, 9, 834-844.   | 2.8         | 57        |
| 264 | First total synthesis of antrocamphin A and its analogs as anti-inflammatory and anti-platelet aggregation agents. Organic and Biomolecular Chemistry, 2011, 9, 70-73.  | 2.8         | 25        |
| 265 | Antioxidant and Tyrosinase Inhibitory Constituents from a Desugared Sugar Cane Extract, a Byproduct of Sugar Production. Journal of Agricultural and Food Chemistry, 2011, 59, 9219-9225.   | <b>5.</b> 2 | 18        |
| 266 | Paraminabeolides Aâ^F, Cytotoxic and Anti-inflammatory Marine Withanolides from the Soft Coral <i>Paraminabea acronocephala</i> Journal of Natural Products, 2011, 74, 1132-1141.   | 3.0         | 46        |
| 267 | Hirsutosterols A–G, polyoxygenated steroids from a Formosan soft coral Cladiella hirsuta. Organic and Biomolecular Chemistry, 2011, 9, 3272.  | 2.8         | 29        |
| 268 | Anti-inflammatory and Cytotoxic Neoflavonoids and Benzofurans from <i>Pterocarpus santalinus</i> . Journal of Natural Products, 2011, 74, 989-996.  | 3.0         | 81        |
| 269 | Klymollins A–H, Bioactive Eunicellin-Based Diterpenoids from the Formosan Soft Coral <i>Klyxum molle</i> . Journal of Natural Products, 2011, 74, 2467-2471.  | 3.0         | 31        |
| 270 | 16-Hydroxycleroda-3,13-dien-15,16-olide regulates the expression of histone-modifying enzymes PRC2 complex and induces apoptosis in CML K562 cells. Life Sciences, 2011, 89, 886-895.   | 4.3         | 30        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Annonacin induces cell cycle-dependent growth arrest and apoptosis in estrogen receptor-α-related pathways in MCF-7 cells. Journal of Ethnopharmacology, 2011, 137, 1283-1290.   | 4.1 | 51        |
| 272 | Pregnenolone derivatives as potential anticancer agents. Steroids, 2011, 76, 1554-1559.  | 1.8 | 47        |
| 273 | Norcantharidin induces apoptosis of breast cancer cells: Involvement of activities of mitogen activated protein kinases and signal transducers and activators of transcription. Toxicology in Vitro, 2011, 25, 699-707.              | 2.4 | 42        |
| 274 | Using the pER8:GUS Reporter System to Screen for Phytoestrogens fromCaesalpinia sappan. Journal of Natural Products, 2011, 74, 1698-1706.  | 3.0 | 30        |
| 275 | Discovery of New Eunicellins from an Indonesian Octocoral Cladiella sp Marine Drugs, 2011, 9, 934-943.   | 4.6 | 25        |
| 276 | Bioactive Cembranoids from the Soft Coral Sinularia crassa. Marine Drugs, 2011, 9, 1955-1968.  | 4.6 | 40        |
| 277 | Natural Product Chemistry of Gorgonian Corals of Genus Junceellaâ€"Part II. Marine Drugs, 2011, 9, 2773-2792.  | 4.6 | 16        |
| 278 | Vasorelaxing effect in rat thoracic aorta caused by laurotetanine isolated from <i>Litsea cubeba</i> Persoon. Journal of Pharmacy and Pharmacology, 2011, 46, 380-382.   | 2.4 | 23        |
| 279 | Ca2+-Channel Blockade in Rat Thoracic Aorta by Crychine Isolated from <i>Cryptocarya chinensis</i> Hemsl. Journal of Pharmacy and Pharmacology, 2011, 45, 707-710.   | 2.4 | 4         |
| 280 | Klysimplexins U–X, Eunicellin-Based Diterpenoids from the Cultured Soft Coral <i>Klyxum simplex</i> Bulletin of the Chemical Society of Japan, 2011, 84, 1237-1242.  | 3.2 | 17        |
| 281 | Cladielloides C and D: Novel Eunicellin-Based Diterpenoids from an Indonesian Octocoral <i>Cladiella</i> sp Bulletin of the Chemical Society of Japan, 2011, 84, 531-536.  | 3.2 | 14        |
| 282 | Death receptor 5-mediated TNFR family signaling pathways modulate $\hat{I}^3$ -humulene-induced apoptosis in human colorectal cancer HT29 cells. Oncology Reports, 2011, 25, 419-24.   | 2.6 | 21        |
| 283 | Proteomics displays cytoskeletal proteins and chaperones involvement in Hedyotis corymbosa-induced photokilling in skin cancer cells. Experimental Dermatology, 2011, 20, 653-658.   | 2.9 | 13        |
| 284 | Involvement of phorbol-12-myristate-13-acetate-induced protein 1 in goniothalamin-induced TP53-dependent and -independent apoptosis in hepatocellular carcinoma-derived cells. Toxicology and Applied Pharmacology, 2011, 256, 8-23. | 2.8 | 20        |
| 285 | Anti-hepatitis C virus activity of Acacia confusa extract via suppressing cyclooxygenase-2. Antiviral Research, 2011, 89, 35-42.   | 4.1 | 47        |
| 286 | A novel synthetic protoapigenone analogue, WYCO2-9, induces DNA damage and apoptosis in DU145 prostate cancer cells through generation of reactive oxygen species. Free Radical Biology and Medicine, 2011, 50, 1151-1162.           | 2.9 | 33        |
| 287 | Selective targeting of breast cancer cells through ROS-mediated mechanisms potentiates the lethality of paclitaxel by a novel diterpene, gelomulide K. Free Radical Biology and Medicine, 2011, 51, 641-657.                         | 2.9 | 41        |
| 288 | Bioactive components from the heartwood of Pterocarpus santalinus. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 5630-5632.  | 2.2 | 30        |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 289 | Protoapigenone, a natural derivative of apigenin, induces mitogen-activated protein kinase-dependent apoptosis in human breast cancer cells associated with induction of oxidative stress and inhibition of glutathione S-transferase π. Investigational New Drugs, 2011, 29, 1347-1359. | 2.6  | 50        |
| 290 | Squamocin modulates histone H3 phosphorylation levels and induces G1 phase arrest and apoptosis in cancer cells. BMC Cancer, 2011, 11, 58.   | 2.6  | 16        |
| 291 | The Calciumâ€Chelating Capability of Tetrahydrofuranic Moieties Modulates the Cytotoxicity of Annonaceous Acetogenins. Angewandte Chemie - International Edition, 2011, 50, 7885-7891.   | 13.8 | 14        |
| 292 | A novel alkaloid, aristopyridinone A and anti-inflammatory phenanthrenes isolated from Aristolochia manshuriensis. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 1792-1794.  | 2.2  | 30        |
| 293 | Apoptotic effects of bioactive fraction isolated from Glossogyne tenuifolia on A549 human lung cancer cells. Journal of the Taiwan Institute of Chemical Engineers, 2011, 42, 556-562.   | 5.3  | 8         |
| 294 | 16-Hydroxycleroda-3,13-dien-15,16-olide deregulates PI3K and Aurora B activities that involve in cancer cell apoptosis. Toxicology, 2011, 285, 72-80.  | 4.2  | 21        |
| 295 | Efficient Synthesis of Novel Jolkinolides and Related Derivatives Starting from Stevioside. Synthesis, 2011, 2011, 3807-3814.  | 2.3  | 7         |
| 296 | Inhibition of the Epstein–Barr virus lytic cycle by protoapigenone. Journal of General Virology, 2011, 92, 1760-1768.  | 2.9  | 18        |
| 297 | Two New Cembranes from a Formosan Soft Coral <i>Sinularia facile </i> . Bulletin of the Chemical Society of Japan, 2011, 84, 1371-1373.  | 3.2  | 14        |
| 298 | Direct Semi-Synthesis of the Anticancer Lead-Drug Protoapigenone from Apigenin, and Synthesis of Further New Cytotoxic Protoflavone Derivatives. PLoS ONE, 2011, 6, e23922.  | 2.5  | 21        |
| 299 | Inhibitory Effects of 1,2,3,4,6-Penta- <i>O</i> -Galloyl- $\hat{l}^2$ - <scp>d</scp> -Glucopyranose on Biofilm Formation by <i>Staphylococcus aureus</i> Antimicrobial Agents and Chemotherapy, 2011, 55, 1021-1027.   | 3.2  | 69        |
| 300 | Menelloides C and D, New Sesquiterpenoids from the Gorgonian Coral Menella sp Marine Drugs, 2011, 9, 1534-1542.  | 4.6  | 18        |
| 301 | San-Huang-Xie-Xin-Tang Protects against Activated Microglia- and 6-OHDA-Induced Toxicity in Neuronal SH-SY5Y Cells. Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-11.   | 1.2  | 24        |
| 302 | Rottlerin Inhibits <i>Lonicera japonica</i> -Induced Photokilling in Human Lung Cancer Cells through Cytoskeleton-Related Signaling Cascade. Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-9.   | 1.2  | 6         |
| 303 | Automatic Morphological Subtyping Reveals New Roles of Caspases in Mitochondrial Dynamics. PLoS Computational Biology, 2011, 7, e1002212.  | 3.2  | 110       |
| 304 | Association of ORAI1 Haplotypes with the Risk of HLA-B27 Positive Ankylosing Spondylitis. PLoS ONE, 2011, 6, e20426.   | 2.5  | 27        |
| 305 | Survey of Briarane-Type Diterpenoids – Part IV. Heterocycles, 2011, 83, 1241.  | 0.7  | 36        |
| 306 | Paralemnolins J-P, New Sesquiterpenoids from the Soft Coral Paralemnalia thyrsoide. Chemical and Pharmaceutical Bulletin, 2010, 58, 30-33.   | 1.3  | 27        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Cardiovascular protective flavonolignans and flavonoids from Calamus quiquesetinervius. Phytochemistry, 2010, 71, 271-279.   | 2.9 | 57        |
| 308 | $4\hat{l}^2$ -Hydroxywithanolide E from Physalis peruviana (golden berry) inhibits growth of human lung cancer cells through DNA damage, apoptosis and G2/M arrest. BMC Cancer, 2010, 10, 46.                                | 2.6 | 86        |
| 309 | Inhibition of the Epstein–Barr virus lytic cycle by moronic acid. Antiviral Research, 2010, 85, 490-495.   | 4.1 | 41        |
| 310 | The hederagenin saponin SMG-1 is a natural FMLP receptor inhibitor that suppresses human neutrophil activation. Biochemical Pharmacology, 2010, 80, 1190-1200.   | 4.4 | 60        |
| 311 | Arecoline, a major alkaloid of the areca nut, causes neurotoxicity through enhancement of oxidative stress and suppression of the antioxidant protective system. Free Radical Biology and Medicine, 2010, 49, 1471-1479.     | 2.9 | 90        |
| 312 | TNFâ€Î± induces matrix metalloproteinaseâ€9 expression in A549 cells: Role of TNFR1/TRAF2/PKCαâ€dependent signaling pathways. Journal of Cellular Physiology, 2010, 224, 454-464.  | 4.1 | 59        |
| 313 | Antitumor agents. 271: Total synthesis and evaluation of brazilein and analogs as anti-inflammatory and cytotoxic agents. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 1037-1039.                                   | 2.2 | 51        |
| 314 | Quiquelignan A–H, eight new lignoids from the rattan palm Calamus quiquesetinervius and their antiradical, anti-inflammatory and antiplatelet aggregation activities. Bioorganic and Medicinal Chemistry, 2010, 18, 518-525. | 3.0 | 21        |
| 315 | Ixorapeptide I and ixorapeptide II, bioactive peptides isolated from Ixora coccinea. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 7354-7357.  | 2.2 | 26        |
| 316 | Cytotoxic N-(fluorenyl-9-methoxycarbonyl) (Fmoc)-dipeptides: Structure–activity relationships and synergistic studies. European Journal of Medicinal Chemistry, 2010, 45, 2494-2502.   | 5.5 | 17        |
| 317 | The roles and mechanisms of PAR4 and P2Y <sub>12</sub> /phosphatidylinositol 3â€kinase pathway in maintaining thrombinâ€induced platelet aggregation. British Journal of Pharmacology, 2010, 161, 643-658.                   | 5.4 | 49        |
| 318 | Carijoside A, a Bioactive Sterol Glycoside from an Octocoral Carijoa sp. (Clavulariidae). Marine Drugs, 2010, 8, 2014-2020.  | 4.6 | 22        |
| 319 | Historic Perspectives on Annonaceous Acetogenins from the Chemical Bench to Preclinical Trials. Planta Medica, 2010, 76, 1390-1404.  | 1.3 | 109       |
| 320 | Cytotoxic Lignan Esters from <i>Cinnamomum osmophloeum </i> . Planta Medica, 2010, 76, 613-619.  | 1.3 | 29        |
| 321 | 6-Hydroxycleroda-3,13-dien-15,16-olide Protects Neuronal Cells from Lipopolysaccharide-Induced Neurotoxicity through the Inhibition of Microglia-Mediated Inflammation. Planta Medica, 2010, 76, 120-127.                    | 1.3 | 17        |
| 322 | Norterpenoids and Related Peroxides from the Formosan Marine Sponge <i>Negombata corticata</i> Journal of Natural Products, 2010, 73, 1538-1543.   | 3.0 | 22        |
| 323 | Hirsutalins Aâ^'H, Eunicellin-Based Diterpenoids from the Soft Coral <i>Cladiella hirsuta</i> . Journal of Natural Products, 2010, 73, 1785-1791.  | 3.0 | 44        |
| 324 | Antioxidant and Anti-inflammatory Phenylpropanoid Derivatives from <i>Calamus quiquesetinervius</i> ). Journal of Natural Products, 2010, 73, 1482-1488.   | 3.0 | 45        |

| #   | Article   | IF           | CITATIONS |
|-----|---|--------------|-----------|
| 325 | Involvement of caspase and MAPK activities in norcantharidin-induced colorectal cancer cell apoptosis. Toxicology in Vitro, 2010, 24, 766-775.  | 2.4          | 25        |
| 326 | Cladielloides A and B: New Eunicellin-Type Diterpenoids from an Indonesian Octocoral Cladiella sp<br>Marine Drugs, 2010, 8, 2936-2945.  | 4.6          | 39        |
| 327 | Excavatoids E and F: Discovery of Two New Briaranes from the Cultured Octocoral Briareum excavatum. Marine Drugs, 2009, 7, 472-482.   | 4.6          | 20        |
| 328 | Tubocapsanolide A Inhibits Transforming Growth Factor-Î <sup>2</sup> -activating Kinase 1 to Suppress NF-Î <sup>9</sup> B-induced CCR7. Journal of Biological Chemistry, 2009, 284, 2746-2754.  | 3.4          | 27        |
| 329 | New Cytotoxic Lupane Triterpenes fromPerrottetia arisanensis. Planta Medica, 2009, 75, 848-855.   | 1.3          | 8         |
| 330 | Fern Plant–Derived Protoapigenone Leads to DNA Damage, Apoptosis, and G <sub>2</sub> /M Arrest in Lung Cancer Cell Line H1299. DNA and Cell Biology, 2009, 28, 501-506.   | 1.9          | 51        |
| 331 | Acasiane A and B and Farnesirane A and B, Diterpene Derivatives From the Roots of <i>Acacia farnesiana </i> Planta Medica, 2009, 75, 256-261.   | 1.3          | 28        |
| 332 | Potent inhibition of superoxide anion production in activated human neutrophils by isopedicin, a bioactive component of the Chinese medicinal herb Fissistigma oldhamii. Free Radical Biology and Medicine, 2009, 46, 520-528.                                    | 2.9          | 85        |
| 333 | Design and synthesis of new N-(fluorenyl-9-methoxycarbonyl) (Fmoc)-dipeptides as anti-inflammatory agents. European Journal of Medicinal Chemistry, 2009, 44, 1933-1940.  | 5 <b>.</b> 5 | 19        |
| 334 | Evaluation of the bioactivities of extracts of endophytes isolated from Taiwanese herbal plants. World Journal of Microbiology and Biotechnology, 2009, 25, 1461-1469.  | 3.6          | 13        |
| 335 | Active extracts of wild fruiting bodies of Antrodia camphorata (EEAC) induce leukemia HL 60 cells apoptosis partially through histone hypoacetylation and synergistically promote anticancer effect of trichostatin A. Archives of Toxicology, 2009, 83, 121-129. | 4.2          | 51        |
| 336 | Immunostimulatory effect of Antrodia camphorata extract on functional maturation of dendritic cells. Food Chemistry, 2009, 113, 1049-1057.  | 8.2          | 36        |
| 337 | New cytotoxic withanolides from Physalis peruviana. Food Chemistry, 2009, 116, 462-469.   | 8.2          | 82        |
| 338 | Eunicellin-based diterpenoids from the cultured soft coral Klyxum simplex. Tetrahedron, 2009, 65, 7016-7022.  | 1.9          | 55        |
| 339 | Cytotoxicity of calotropin is through caspase activation and downregulation of antiâ€apoptotic proteins in K562 cells. Cell Biology International, 2009, 33, 1230-1236.   | 3.0          | 19        |
| 340 | Cytotoxic Triterpenoids from the Stems of <i>Microtropis japonica</i> . Journal of Natural Products, 2009, 72, 1231-1236.   | 3.0          | 38        |
| 341 | Cytotoxic Phenanthrenequinones and 9,10-Dihydrophenanthrenes from <i>Calanthe arisanensis</i> Journal of Natural Products, 2009, 72, 210-213.   | 3.0          | 51        |
| 342 | Gallic acid, a major component of Toona sinensis leaf extracts, contains a ROS-mediated anti-cancer activity in human prostate cancer cells. Cancer Letters, 2009, 286, 161-171.  | 7.2          | 251       |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 343 | The natural diterpenoid ovatodiolide induces cell cycle arrest and apoptosis in human oral squamous cell carcinoma Ca9-22 cells. Life Sciences, 2009, 85, 26-32.   | 4.3 | 30        |
| 344 | Influenza A (H <sub>1</sub> N <sub>1</sub> ) Antiviral and Cytotoxic Agents from <i>Ferula assa-foetida</i> ). Journal of Natural Products, 2009, 72, 1568-1572.   | 3.0 | 173       |
| 345 | Novel Norhumulene and Xeniaphyllane-Derived Terpenoids from a Formosan Soft Coral Sinularia gibberosa. Chemical and Pharmaceutical Bulletin, 2009, 57, 162-166.  | 1.3 | 19        |
| 346 | Flavonol Glycosides from Muehlenbeckia platyclada and Their Anti-inflammatory Activity. Chemical and Pharmaceutical Bulletin, 2009, 57, 280-282.   | 1.3 | 28        |
| 347 | Synthesis of (4 <i>R</i> ,15 <i>R</i> ,16 <i>R</i> ,21 <i>S</i> )â€Rollicosin and Its 4 <i>S</i> Epimer. European Journal of Organic Chemistry, 2008, 2008, 854-861.   | 2.4 | 3         |
| 348 | Cytotoxic ent-abietane diterpenes from Gelonium aequoreum. Phytochemistry, 2008, 69, 276-287.  | 2.9 | 24        |
| 349 | Triterpenoid saponins from the fruits and galls of Sapindus mukorossi. Phytochemistry, 2008, 69, 1609-1616.  | 2.9 | 56        |
| 350 | Synthesis and anti-platelet evaluation of 2-benzoylaminobenzoate analogs. Bioorganic and Medicinal Chemistry, 2008, 16, 5803-5814.   | 3.0 | 6         |
| 351 | Cytotoxic calanquinone A from Calanthe arisanensis and its first total synthesis. Bioorganic and Medicinal Chemistry Letters, 2008, 18, 4275-4277.   | 2.2 | 22        |
| 352 | Identification of antioxidants from rhizome of Davallia solida. Food Chemistry, 2008, 107, 684-691.  | 8.2 | 20        |
| 353 | Bioactive Cembrane Diterpenoids of <i>Anisomeles indica</i> . Journal of Natural Products, 2008, 71, 1207-1212.  | 3.0 | 53        |
| 354 | Inhibitory effects of 16-hydroxycleroda-3,13(14)E-dien-15-oic acid on superoxide anion and elastase release in human neutrophils through multiple mechanisms. European Journal of Pharmacology, 2008, 586, 332-339.  | 3.5 | 24        |
| 355 | Lupane-Type Triterpenoids from <i>Microtropis fokienensis</i> and <i>Perrottetia arisanensis</i> and the Apoptotic Effect of 28-Hydroxy-3-oxo-lup-20(29)-en-30-al. Journal of Natural Products, 2008, 71, 1352-1357. | 3.0 | 31        |
| 356 | Toona sinensis Roem tender leaf extract inhibits SARS coronavirus replication. Journal of Ethnopharmacology, 2008, 120, 108-111.   | 4.1 | 143       |
| 357 | Release of acetylcholine by syringin, an active principle of Eleutherococcus senticosus, to raise insulin secretion in Wistar rats. Neuroscience Letters, 2008, 434, 195-199.  | 2.1 | 46        |
| 358 | Cytotoxic and Anti-inflammatory Cembranoids from the Soft Coral <i>Lobophytum crassum</i> Journal of Natural Products, 2008, 71, 1819-1824.  | 3.0 | 102       |
| 359 | Protoapigenone, a novel flavonoid, inhibits ovarian cancer cell growth in vitro and in vivo. Cancer Letters, 2008, 267, 85-95.   | 7.2 | 48        |
| 360 | Glossogin, a novel phenylpropanoid from Glossogyne tenuifolia, induced apoptosis in A549 lung cancer cells. Food and Chemical Toxicology, 2008, 46, 3785-3791.   | 3.6 | 55        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 361 | Protoapigenone, a Novel Flavonoid, Induces Apoptosis in Human Prostate Cancer Cells through Activation of p38 Mitogen-Activated Protein Kinase and c-Jun NH $<$ sub $>2<$ sub $>$ -Terminal Kinase $1/2$ . Journal of Pharmacology and Experimental Therapeutics, 2008, 325, 841-849. | 2.5 | 63        |
| 362 | A C-3 Methylated Isocembranoid and 10-Oxocembranoids from a Formosan Soft Coral, <i>Sinularia grandilobata</i> . Journal of Natural Products, 2008, 71, 946-951.  | 3.0 | 40        |
| 363 | Oxygenated Cembranoids from a Formosan Soft Coral <i>Sinularia gibberosa</i> . Journal of Natural Products, 2008, 71, 179-185.  | 3.0 | 44        |
| 364 | Cyclopeptides with Anti-inflammatory Activity from Seeds of Annona montana. Journal of Natural Products, 2008, 71, 1365-1370.   | 3.0 | 43        |
| 365 | Mono-tetrahydrofuran Annonaceous Acetogenins from <i>Annona squamosa</i> as Cytotoxic Agents and Calcium Ion Chelators. Journal of Natural Products, 2008, 71, 764-771.   | 3.0 | 49        |
| 366 | New Cyclic Peptides from the Seeds of Annona squamosa L. and Their Anti-inflammatory Activities. Journal of Agricultural and Food Chemistry, 2008, 56, 386-392.   | 5.2 | 37        |
| 367 | Tubocapsenolide A, a Novel Withanolide, Inhibits Proliferation and Induces Apoptosis in MDA-MB-231<br>Cells by Thiol Oxidation of Heat Shock Proteins. Journal of Biological Chemistry, 2008, 283, 17184-17193.   | 3.4 | 71        |
| 368 | Camptothecinoids from the seeds of Taiwanese Nothapodytes foetida. Molecules, 2008, 13, 1361-1371.  | 3.8 | 30        |
| 369 | (â^')-Xanthienopyran, a New Inhibitor of Superoxide Anion Generation by Activated Neutrophils, and Further Constituents of the Seeds of <i>Xanthium strumarium </i> . Planta Medica, 2008, 74, 1276-1279.   | 1.3 | 21        |
| 370 | Polyoxygenated Steroids from a Formosan Soft Coral <i>Sinularia facile</i> . Bulletin of the Chemical Society of Japan, 2008, 81, 1304-1307.  | 3.2 | 13        |
| 371 | New Benzoyl Glucosides and Cytotoxic Pterosin Sesquiterpenes from Pteris ensiformis Burm<br>Molecules, 2008, 13, 255-266.   | 3.8 | 49        |
| 372 | Antiplatelet Aggregation Coumarins from the Leaves of Murraya omphalocarpa. Molecules, 2008, 13, 122-128.   | 3.8 | 17        |
| 373 | Low Concentrations of Resveratrol Potentiate the Antiplatelet Effect of Prostaglandins. Planta Medica, 2007, 73, 439-443.   | 1.3 | 34        |
| 374 | Sesquiterpene Coumarins from <i>Ferula Foetida</i> . Journal of the Chinese Chemical Society, 2007, 54, 235-238.  | 1.4 | 15        |
| 375 | A bioactive withanolide Tubocapsanolide A inhibits proliferation of human lung cancer cells via repressing Skp2 expression. Molecular Cancer Therapeutics, 2007, 6, 1572-1578.  | 4.1 | 39        |
| 376 | Anti-platelet Aggregation Triterpene Saponins from the Galls of Sapindus mukorossi. Chemical and Pharmaceutical Bulletin, 2007, 55, 1412-1415.  | 1.3 | 31        |
| 377 | Xeniaphyllane-Derived Terpenoids from the Formosan Soft Coral Sinularia gibberosa. Chemical and Pharmaceutical Bulletin, 2007, 55, 1471-1475.   | 1.3 | 14        |
| 378 | New Constituents from Stems of Artabotrys uncinatus. Chemical and Pharmaceutical Bulletin, 2007, 55, 1597-1599.   | 1.3 | 21        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 379 | Glycolipids from the Formosan Soft Coral Lobophytum crassum. Chemical and Pharmaceutical Bulletin, 2007, 55, 1720-1723.  | 1.3 | 24        |
| 380 | Terpenoid-Related Metabolites from a Formosan Soft Coral Nephthea chabrolii. Chemical and Pharmaceutical Bulletin, 2007, 55, 594-597.  | 1.3 | 39        |
| 381 | Novel Flavonoids of Thelypteris torresiana. Chemical and Pharmaceutical Bulletin, 2007, 55, 635-637.   | 1.3 | 15        |
| 382 | Hydroperoxysterols from the Tunicate Eudistoma sp Chemical and Pharmaceutical Bulletin, 2007, 55, 666-668.   | 1.3 | 15        |
| 383 | New Steroids from the Soft Coral <i>Nephthea chabrolii</i> Japan, 2007, 80, 2208-2212.   | 3.2 | 10        |
| 384 | Sinugrandisterols A–D, trihydroxysteroids from the soft coral Sinularia grandilobata. Steroids, 2007, 72, 368-374.   | 1.8 | 34        |
| 385 | Dioscorea as the principal herb of Die-Huang-Wan, a widely used herbal mixture in China, for improvement of insulin resistance in fructose-rich chow-fed rats. Journal of Ethnopharmacology, 2007, 112, 577-584.                               | 4.1 | 42        |
| 386 | First Total Synthesis of Protoapigenone and Its Analogues as Potent Cytotoxic Agents. Journal of Medicinal Chemistry, 2007, 50, 3921-3927.   | 6.4 | 54        |
| 387 | Cytotoxic Sesquiterpene Lactones from <i>Pseudoelephantopus spicatus</i> . Journal of Natural Products, 2007, 70, 1761-1765.   | 3.0 | 14        |
| 388 | Cytotoxic Withanolides from Tubocapsicum anomalum. Journal of Natural Products, 2007, 70, 747-753.   | 3.0 | 60        |
| 389 | Cytotoxic Polyketides Containing Tetramic Acid Moieties Isolated from the FungusMyceliophthora Thermophila: Elucidation of the Relationship between Cytotoxicity and Stereoconfiguration. Chemistry - A European Journal, 2007, 13, 6985-6991. | 3.3 | 64        |
| 390 | Novel steroids from the soft coral Nephthea chabrolii. Tetrahedron, 2007, 63, 703-707.   | 1.9 | 27        |
| 391 | Chlorinated briarane-type diterpenoids from the gorgonian coral Ellisella robusta (Ellisellidae).<br>Tetrahedron, 2007, 63, 12860-12865.   | 1.9 | 31        |
| 392 | The evaluation and structure–activity relationships of 2-benzoylaminobenzoic esters and their analogues as anti-inflammatory and anti-platelet aggregation agents. Bioorganic and Medicinal Chemistry Letters, 2007, 17, 1812-1817.            | 2.2 | 13        |
| 393 | Identification of phenolic antioxidants from Sword Brake fern (Pteris ensiformis Burm.). Food Chemistry, 2007, 105, 48-56.   | 8.2 | 56        |
| 394 | Synthesis and pharmacological evaluation of novel $\hat{l}^2$ -nitrostyrene derivatives as tyrosine kinase inhibitors with potent antiplatelet activity. Biochemical Pharmacology, 2007, 74, 601-611.  | 4.4 | 64        |
| 395 | Sapinmusaponins Fâ^'J, Bioactive Tirucallane-Type Saponins from the Galls of Sapindusmukorossi. Journal of Natural Products, 2006, 69, 763-767.  | 3.0 | 28        |
| 396 | Crassocolides Aâ^F, Cembranoids with atrans-Fused Lactone from the Soft CoralSarcophyton crassocaule. Journal of Natural Products, 2006, 69, 1554-1559.  | 3.0 | 50        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 397 | 9,11-Secosterols from the Soft CoralsSinularialochmodesandSinularialeptoclados. Journal of Natural Products, 2006, 69, 850-852.   | 3.0 | 43        |
| 398 | Polyoxygenated Sterols from the Formosan Soft Coral Sinularia gibberosa. Journal of Natural Products, 2006, 69, 1275-1279.  | 3.0 | 59        |
| 399 | Cytotoxic Triterpenoids from the Leaves of Microtropis fokienensis. Journal of Natural Products, 2006, 69, 1543-1546.   | 3.0 | 29        |
| 400 | Selective cytotoxicity of squamocin on T24 bladder cancer cells at the S-phase via a Bax-, Bad-, and caspase-3-related pathways. Life Sciences, 2006, 78, 869-874.                            | 4.3 | 38        |
| 401 | Induction of G2/M phase arrest by squamocin in chronic myeloid leukemia (K562) cells. Life Sciences, 2006, 78, 2378-2383.   | 4.3 | 28        |
| 402 | Release of acetylcholine to raise insulin secretion in Wistar rats by oleanolic acid, one of the active principles contained in Cornus officinalis. Neuroscience Letters, 2006, 404, 112-116. | 2.1 | 47        |
| 403 | New Sesquiterpene Lactones from the Aerial Parts of Pseudoelephantopus spicatus. Chemical and Pharmaceutical Bulletin, 2006, 54, 1599-1601.   | 1.3 | 12        |
| 404 | Chemical Constituents of <i>Tupistra chinensis</i> Rhizomes. Chemical and Pharmaceutical Bulletin, 2006, 54, 954-958.   | 1.3 | 28        |
| 405 | New Î <sup>2</sup> -Caryophyllene-Derived Terpenoids from the Formosan Soft CoralSinularia gibberosa. Bulletin of the Chemical Society of Japan, 2006, 79, 1547-1551.                         | 3.2 | 16        |
| 406 | New Research and Development on the Formosan Annonaceous Plants. Studies in Natural Products Chemistry, 2006, 33, 957-1023.   | 1.8 | 3         |
| 407 | Metabolites with Cytotoxic Activity from the Formosan Soft Coral <i>Cladiella Australis</i> Journal of the Chinese Chemical Society, 2006, 53, 489-494.                                       | 1.4 | 18        |
| 408 | New Constituents from Stems of Goniothalamus amuyon. Chemical and Pharmaceutical Bulletin, 2006, 54, 1040-1043.   | 1.3 | 27        |
| 409 | Simultaneous quantification of twelve bioactive components in San-Huang-Xie-Xin-Tang by HPLC. Phytochemical Analysis, 2006, 17, 439-446.  | 2.4 | 14        |
| 410 | Briaexcavatins C–F, four new briarane-related diterpenoids from the Formosan octocoral Briareum excavatum (Briareidae). Tetrahedron, 2006, 62, 5686-5691.                                     | 1.9 | 28        |
| 411 | Novel cyclic sesquiterpene peroxides from the Formosan soft coral Sinularia sp Tetrahedron Letters, 2006, 47, 2175-2178.  | 1.4 | 28        |
| 412 | The fractionated Toona sinensis leaf extract induces apoptosis of human ovarian cancer cells and inhibits tumor growth in a murine xenograft model. Gynecologic Oncology, 2006, 102, 309-314. | 1.4 | 63        |
| 413 | Effect of Isoquinoline Alkaloids of Different Structural Types on Antiplatelet Aggregationin Vitro. Planta Medica, 2006, 72, 1238-1241.   | 1.3 | 22        |
| 414 | Anti-Inflammatory and Cytotoxic Diterpenes from FormosanPolyalthia longifoliavar.pendula. Planta Medica, 2006, 72, 1344-1347.   | 1.3 | 72        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 415 | New Cytotoxic 6-Oxygenated 8,9-Dihydrofurocoumarins, Hedyotiscone A - C, fromHedyotis biflora. Planta Medica, 2006, 72, 75-78.  | 1.3 | 22        |
| 416 | Three New Agarofuran Sesquiterpenes Reissantins F - H fromReissantia buchananii. Planta Medica, 2006, 72, 92-96.  | 1.3 | 3         |
| 417 | Prevention of Platelet Glycoprotein Ilb/Illa Activation by 3,4-Methylenedioxy-β-Nitrostyrene, A Novel Tyrosine Kinase Inhibitor. Molecular Pharmacology, 2006, 70, 1380-1389.                       | 2.3 | 105       |
| 418 | Esterification-nitration of Ortho-hydroxyphenyl Carboxylic Acids and Benzoic Acids with Cerium(IV) Ammonium Nitrate (CAN). Journal of the Chinese Chemical Society, 2005, 52, 173-180.              | 1.4 | 3         |
| 419 | Nitrophenol Derivatives Oxidized by Cerium(IV) Ammonium Nitrate (CAN) and Their Cytotoxicity. Journal of the Chinese Chemical Society, 2005, 52, 581-588.   | 1.4 | 7         |
| 420 | Vigulariol, a New Metabolite from the Sea PenVigularia juncea. Bulletin of the Chemical Society of Japan, 2005, 78, 877-879.  | 3.2 | 33        |
| 421 | Longicalycinin A, a New Cytotoxic Cyclic Peptide from Dianthus superbus var. longicalycinus (MAXIM.) WILL Chemical and Pharmaceutical Bulletin, 2005, 53, 336-338.                                  | 1.3 | 28        |
| 422 | Novel cytotoxic monotetrahydrofuranic Annonaceous acetogenins from Annona montana. Bioorganic and Medicinal Chemistry, 2005, 13, 4767-4776.   | 3.0 | 30        |
| 423 | Design, syntheses, and biological evaluations of squamostolide and its related analogs. Bioorganic and Medicinal Chemistry, 2005, 13, 5864-5872.  | 3.0 | 7         |
| 424 | A novel chlorinated norsesquiterpenoid and two related new metabolites from the soft coral Paralemnalia thyrsoides. Tetrahedron Letters, 2005, 46, 7711-7714.                                       | 1.4 | 34        |
| 425 | The evaluation of 2,8-disubstituted benzoxazinone derivatives as anti-inflammatory and anti-platelet aggregation agents. Bioorganic and Medicinal Chemistry Letters, 2005, 15, 2786-2789.           | 2.2 | 45        |
| 426 | Goniothalamin induces cell cycle-specific apoptosis by modulating the redox status in MDA-MB-231 cells. European Journal of Pharmacology, 2005, 522, 20-29.   | 3.5 | 64        |
| 427 | 2-(2-Br-phenyl)-8-methoxy-benzoxazinone (HPW-RX2), a direct thrombin inhibitor with a suppressive effect on thromboxane formation in platelets. European Journal of Pharmacology, 2005, 527, 37-43. | 3.5 | 24        |
| 428 | Suppression of respiratory burst in human neutrophils by new synthetic pyrrolo-benzylisoquinolines. Biochemical Pharmacology, 2005, 69, 65-71.  | 4.4 | 8         |
| 429 | Potential Anti-Inflammatory Activities of Bractelactone and other Compounds Isolated from Fissistigma bracteolatum. Helvetica Chimica Acta, 2005, 88, 905-909.                                      | 1.6 | 27        |
| 430 | Squadinorlignoside: A Novel 7,9′-Dinorlignan from the Stems ofAnnona squamosa. Helvetica Chimica Acta, 2005, 88, 2731-2737.   | 1.6 | 26        |
| 431 | The Evaluation of 2,8-Disubstituted Benzoxazinone Derivatives as Antiinflammatory and Antiplatelet Aggregation Agents ChemInform, 2005, 36, no.   | 0.0 | 1         |
| 432 | An Anti-Inflammatoryent-Kaurane from the Stems of Annona squamosathat Inhibits Various Human Neutrophil Functions. Planta Medica, 2005, 71, 904-909.  | 1.3 | 44        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 433 | New Cytotoxic Flavonoids fromThelypteris torresiana. Planta Medica, 2005, 71, 867-870.  | 1.3 | 67        |
| 434 | Digoniodiol, Deoxygoniopypyrone A, and Goniofupyrone A: Three New Styryllactones from Goniothalamus amuyon. Planta Medica, 2005, 71, 153-159.                                       | 1.3 | 43        |
| 435 | Anti-inflammatory Furanogermacrane sesquiterpenes from Neolitsea parvigemma. Natural Product Research, 2005, 19, 283-286.   | 1.8 | 25        |
| 436 | Pristimerin induces caspase-dependent apoptosis in MDA-MB-231 cells via direct effects on mitochondria. Molecular Cancer Therapeutics, 2005, 4, 1277-1285.                          | 4.1 | 116       |
| 437 | New Bisbenzylisoquinolines, Fatty Acid Amidic Aporphines, and a Protoberberine from FormosanCocculus orbiculatus. Journal of Natural Products, 2005, 68, 1056-1060.                 | 3.0 | 21        |
| 438 | The TransgenicArabidopsisPlant System, pER8-GFP, as a Powerful Tool in Searching for Natural Product Estrogen-Agonists/Antagonists. Journal of Natural Products, 2005, 68, 971-973. | 3.0 | 14        |
| 439 | Eunicellin-Based Diterpenoids, Australins Aâ^'D, Isolated from the Soft CoralCladiellaaustralis. Journal of Natural Products, 2005, 68, 1051-1055.                                  | 3.0 | 56        |
| 440 | Antioxidant Activity, Cytotoxicity, and DNA Information of Glossogyne tenuifolia. Journal of Agricultural and Food Chemistry, 2005, 53, 6117-6125.                                  | 5.2 | 59        |
| 441 | Tryptamine-Derived Amides and Alkaloids from the Seeds of Annona atemoya. Journal of Natural Products, 2005, 68, 406-408.   | 3.0 | 26        |
| 442 | Polyoxygenated Steroids from the GorgonianIsis hippuris. Journal of Natural Products, 2005, 68, 880-885.  | 3.0 | 42        |
| 443 | Meroditerpenoids from a Formosan Soft Coral Nephthea chabrolii. Journal of Natural Products, 2005, 68, 1651-1655.   | 3.0 | 27        |
| 444 | San-Huang-Xie-Xin-Tang reduces lipopolysaccharides-induced hypotension and inflammatory mediators. Journal of Ethnopharmacology, 2005, 96, 99-106.                                  | 4.1 | 40        |
| 445 | Cytotoxic Principles from the Formosan Milkweed, Asclepias curassavica. Journal of Natural Products, 2005, 68, 1494-1499.   | 3.0 | 59        |
| 446 | New Dammarane-Type Saponins from the Galls of Sapindus mukorossi. Journal of Agricultural and Food Chemistry, 2005, 53, 4722-4727.  | 5.2 | 52        |
| 447 | A New Phenanthrene Alkaloid, Romucosine I, form Rollinia mucosa Baill. Zeitschrift Fur<br>Naturforschung - Section B Journal of Chemical Sciences, 2004, 59, 334-336.               | 0.7 | 8         |
| 448 | Nine New Cytotoxic Monotetrahydrofuranic Annonaceous Acetogenins from Annona montana. Planta Medica, 2004, 70, 948-959.   | 1.3 | 23        |
| 449 | Activation of α1A-Adrenoceptor by Andrographolide to Increase Glucose Uptake in Cultured Myoblast C2C12Cells. Planta Medica, 2004, 70, 1230-1233.                                   | 1.3 | 21        |
| 450 | Inhibitory Effects ofent-Kauranes from the Stems of Annona squamosaon Superoxide Anion Generation by Human Neutrophils. Planta Medica, 2004, 70, 256-258.                           | 1.3 | 11        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 451 | Antiplatelet effects of KW-7, a new inhibitor of cyclic nucleotide phosphodiesterases. European Journal of Pharmacology, 2004, 483, 187-194.  | 3.5 | 13        |
| 452 | Selective Inhibition of Collagen-Induced Platelet Aggregation by a Cyclic Peptide fromDrymaria diandra. Helvetica Chimica Acta, 2004, 87, 57-66.  | 1.6 | 14        |
| 453 | Annosqualine: a Novel Alkaloid from the Stems of Annona squamosa. Helvetica Chimica Acta, 2004, 87, 1392-1399.  | 1.6 | 76        |
| 454 | The first A-nor-hippuristanol and two novel 4,5-secosuberosanoids from the Gorgonian Isis hippuris. Tetrahedron Letters, 2004, 45, 6413-6416.   | 1.4 | 46        |
| 455 | 2-Substituted benzoxazinone analogues as anti-human coronavirus (anti-HCoV) and ICAM-1 expression inhibition agents. Bioorganic and Medicinal Chemistry Letters, 2004, 14, 4751-4754.                     | 2.2 | 47        |
| 456 | Montacin andcis-Montacin, Two New Cytotoxic Monotetrahydrofuran Annonaceous Acetogenins from Annonamontana. Journal of Natural Products, 2004, 67, 1804-1808.   | 3.0 | 23        |
| 457 | New Cytotoxic Cyclic Peptides and Dianthramide fromDianthus superbus. Journal of Natural Products, 2004, 67, 1522-1527.   | 3.0 | 50        |
| 458 | Chemical Constituents from <i>Annona Glabra</i> . Journal of the Chinese Chemical Society, 2004, 51, 869-876.   | 1.4 | 28        |
| 459 | A New Anti-HIV Alkaloid, Drymaritin, and a New C-Glycoside Flavonoid, Diandraflavone, fromDrymariadiandra. Journal of Natural Products, 2004, 67, 1175-1177.  | 3.0 | 60        |
| 460 | The vascular and cardioprotective effects of liriodenine in ischemia–reperfusion injury via NO-dependent pathway. Nitric Oxide - Biology and Chemistry, 2004, 11, 307-315.                                | 2.7 | 16        |
| 461 | Armepavine oxalate induces cell death on CCRF-CEM leukemia cell line through an apoptotic pathway.<br>Life Sciences, 2004, 75, 549-557.   | 4.3 | 10        |
| 462 | Antiâ€Cancer Effect of Liriodenine on Human Lung Cancer Cells. Kaohsiung Journal of Medical Sciences, 2004, 20, 365-371.  | 1.9 | 40        |
| 463 | Chemical Constituents from the Stems of <i>Mahonia Japonica</i> . Journal of the Chinese Chemical Society, 2004, 51, 443-446.   | 1.4 | 41        |
| 464 | Two Sesquiterpene-Coumarins from the Roots of Ferula marmarica. Heterocycles, 2004, 63, 2101.   | 0.7 | 7         |
| 465 | Mediation of Endogenous $\hat{l}^2$ -Endorphin by Tetrandrine to Lower Plasma Glucose in Streptozotocin-Induced Diabetic Rats. Evidence-based Complementary and Alternative Medicine, 2004, 1, 193-201.   | 1.2 | 21        |
| 466 | Cytotoxic Styrylpyrones fromGoniothalamusamuyon1. Journal of Natural Products, 2003, 66, 487-490.   | 3.0 | 65        |
| 467 | Synthesis of (15S,16S,21R)-4-deoxyrollicosin analog. Tetrahedron Letters, 2003, 44, 7833-7835.  | 1.4 | 13        |
| 468 | Effect of active synthetic 2-substituted quinazolinones on anti-platelet aggregation and the inhibition of superoxide anion generation by neutrophils. Archives of Pharmacal Research, 2003, 26, 511-515. | 6.3 | 8         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 469 | Chemical constituents from the Hydrangea chinensis. Archives of Pharmacal Research, 2003, 26, 15-20.  | 6.3 | 26        |
| 470 | Anemonin and two norsesquiterpenes from Drymaria diandra. Biochemical Systematics and Ecology, 2003, 31, 541-543.   | 1.3 | 7         |
| 471 | Bullatacin, a potent antitumor Annonaceous acetogenin, induces apoptosis through a reduction of intracellular cAMP and cGMP levels in human hepatoma 2.2.15 cells. Biochemical Pharmacology, 2003, 65, 319-327. | 4.4 | 48        |
| 472 | New and Efficient Method for Esterification of Carboxylic Acids with Simple Primary and Secondary Alcohols Using Cerium(IV) Ammonium Nitrate (CAN) ChemInform, 2003, 34, no.                                    | 0.0 | 0         |
| 473 | Antiplatelet Activity of Synthetic Pyrrolo-Benzylisoquinolines ChemInform, 2003, 34, no.  | 0.0 | 0         |
| 474 | Total synthesis of 3,4-dihydrobenzo[h]quinazolin-4-one and structure elucidation of perlolidine and samoquasine A. Tetrahedron Letters, 2003, 44, 319-322.  | 1.4 | 19        |
| 475 | New and efficient method for esterification of carboxylic acids with simple primary and secondary alcohols using cerium(IV) ammonium nitrate (CAN). Tetrahedron Letters, 2003, 44, 331-334.                     | 1.4 | 35        |
| 476 | Antiplatelet activity of benzylisoquinoline derivatives oxidized by cerium(IV) ammonium nitrate. Bioorganic and Medicinal Chemistry Letters, 2003, 13, 2789-2793.   | 2.2 | 16        |
| 477 | Antiplatelet activity of synthetic pyrrolo-benzylisoquinolines. Bioorganic and Medicinal Chemistry Letters, 2003, 13, 821-823.  | 2.2 | 16        |
| 478 | Molluscicidal Saponins from Sapindus mukorossi, Inhibitory Agents of Golden Apple Snails, Pomacea canaliculata. Journal of Agricultural and Food Chemistry, 2003, 51, 4916-4919.                                | 5.2 | 86        |
| 479 | Antitumor Agents. 228. Five New Agarofurans, Reissantins Aâ^'E, and Cytotoxic Principles from Reissantia buchananii. Journal of Natural Products, 2003, 66, 1416-1420.  | 3.0 | 81        |
| 480 | Secoiridoid Glycoside and Alkaloid Constituents of Hydrangeachinensis. Journal of Natural Products, 2003, 66, 1245-1248.  | 3.0 | 18        |
| 481 | New Flavans, Spirostanol Sapogenins, and a Pregnane Genin fromTupistra chinensisand Their Cytotoxicity. Journal of Natural Products, 2003, 66, 161-168.   | 3.0 | 63        |
| 482 | A Novel NO-Production-Inhibiting Triterpene and Cytotoxicity of Known Alkaloids fromEuonymuslaxiflorus. Journal of Natural Products, 2003, 66, 554-557.   | 3.0 | 16        |
| 483 | Acetogenins as Selective Inhibitors of the Human Ovarian 1A9 Tumor Cell Line. Journal of Medicinal Chemistry, 2003, 46, 3185-3188.  | 6.4 | 52        |
| 484 | Stimulatory Effects of Squamocin, an Annonaceous Acetogenin, on Ca2+-Activated K+ Current in Cultured Smooth Muscle Cells of Human Coronary Artery. Chemical Research in Toxicology, 2003, 16, 15-22.           | 3.3 | 18        |
| 485 | A Novel Constituent fromRolliniamucosa, Rollicosin, and a New Approach to Develop Annonaceous Acetogenins as Potential Antitumor Agents. Journal of Natural Products, 2003, 66, 279-281.                        | 3.0 | 35        |
| 486 | Annonacin, a mono-tetrahydrofuran acetogenin, arrests cancer cells at the G1 phase and causes cytotoxicity in a Bax- and caspase-3-related pathway. Life Sciences, 2003, 72, 2853-2861.                         | 4.3 | 90        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 487 | New cembranolide analogues from the formosan soft coralSinularia flexibilisand their cytotoxicity. Natural Product Research, 2003, 17, 409-418.                                     | 1.8 | 49        |
| 488 | Antiplatelet and Anti-HIV Constituents from Euchresta Formosana. Natural Product Research, 2003, 17, 91-97.   | 1.8 | 15        |
| 489 | New Adjacent Bis-Tetrahydrofuran Annonaceous Acetogenins fromAnnona muricata. Planta Medica, 2003, 69, 241-246.   | 1.3 | 62        |
| 490 | Bioactive Coumarins from the Leaves of Murraya omphalocarpa. Planta Medica, 2003, 69, 654-657.  | 1.3 | 25        |
| 491 | Two New Protopines Argemexicaines A and B and the Anti-HIV Alkaloid 6-Acetonyldihydrochelerythrine from FormosanArgemone mexicana. Planta Medica, 2003, 69, 148-152.                | 1.3 | 62        |
| 492 | Cytotoxic Benzophenanthridine and Benzylisoquinoline Alkaloids from Argemone mexicana. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2003, 58, 521-526.        | 1.4 | 52        |
| 493 | Cytotoxic Coumaronochromones from the Roots of Euchresta formosana. Planta Medica, 2002, 68, 146-151.   | 1.3 | 17        |
| 494 | Microwave Enhanced Acetylation of Alcohols. Journal of Chemical Research, 2002, 2002, 301-302.  | 1.3 | 4         |
| 495 | The Constituents of <i>Euchresta Formosana Journal of the Chinese Chemical Society, 2002, 49, 421-426.</i>  | 1.4 | 15        |
| 496 | New ent-Kaurane Diterpenoids with Anti-Platelet Aggregation Activity from Annona squamosa. Journal of Natural Products, 2002, 65, 1462-1467.  | 3.0 | 71        |
| 497 | Cytotoxic Constituents of the Stem Bark of Neolitsea acuminatissima. Journal of Natural Products, 2002, 65, 255-258.  | 3.0 | 61        |
| 498 | Release of acetylcholine by Die-Huang-Wan to enhance insulin secretion for lowering plasma glucose in Wistar rats. Autonomic Neuroscience: Basic and Clinical, 2002, 100, 21-26.    | 2.8 | 19        |
| 499 | New Cytotoxic Monotetrahydrofuran Annonaceous Acetogenins fromAnnonamuricata. Journal of Natural Products, 2002, 65, 470-475.   | 3.0 | 96        |
| 500 | Coumaronochromones and flavanones from Euchresta formosana roots. Phytochemistry, 2002, 60, 839-845.  | 2.9 | 18        |
| 501 | Increase of insulin sensitivity in diabetic rats received die-huang-wan, a herbal mixture used in Chinese traditional medicine. Acta Pharmacologica Sinica, 2002, 23, 1181-7.       | 6.1 | 27        |
| 502 | Novel Cytotoxic Annonaceous Acetogenins from Annonamuricata. Journal of Natural Products, 2001, 64, 925-931.  | 3.0 | 84        |
| 503 | Bullatacin, a potent antitumor annonaceous acetogenin, inhibits proliferation of human hepatocarcinoma cell line 2.2.15 by apoptosis induction. Life Sciences, 2001, 69, 1321-1331. | 4.3 | 65        |
| 504 | Cytotoxic Constituents of the Fruits of Canangaodorata. Journal of Natural Products, 2001, 64, 616-619.   | 3.0 | 84        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 505 | Alkaloids from <i>Lindera Glauca</i> . Journal of the Chinese Chemical Society, 2001, 48, 811-815.  | 1.4 | 56        |
| 506 | Hydrachine A, a Novel Alkaloid from the Roots ofHydrangeachinensis. Journal of Natural Products, 2001, 64, 948-949.   | 3.0 | 27        |
| 507 | The Alkaloids of Artabotry suncinatus. Journal of Natural Products, 2001, 64, 1157-1161.  | 3.0 | 36        |
| 508 | Annocherine C, A New Câ€Î± Hydroxy Benzylisoquinoline and Other Constituents from the Leaves of <i>Annona Cherimola</i> . Journal of the Chinese Chemical Society, 2001, 48, 1203-1206. | 1.4 | 11        |
| 509 | A new propentdyopent derivative, rollipyrrole, from Rollinia mucosa Baill Tetrahedron Letters, 2001, 42, 7907-7909.   | 1.4 | 12        |
| 510 | Antiplatelet activity of N-methoxycarbonyl aporphines from Rollinia mucosa. Phytochemistry, 2001, 57, 421-425.  | 2.9 | 43        |
| 511 | Four alkaloids from Annona cherimola. Phytochemistry, 2001, 56, 753-757.  | 2.9 | 46        |
| 512 | Mechanical effects of liriodenine on the left ventricular-arterial coupling in Wistar rats: pressure-stroke volume analysis. British Journal of Pharmacology, 2001, 133, 29-36.         | 5.4 | 10        |
| 513 | Furoquinolines with Antiplatelet Aggregation Activity from Leaves of <i>Melicope confusa </i> Medica, 2001, 66, 80-81.  | 1.3 | 24        |
| 514 | Spirostanol Sapogenins from the Underground Parts of Tupistra chinensis Chemical and Pharmaceutical Bulletin, 2000, 48, 1350-1353.  | 1.3 | 22        |
| 515 | Phytochemical and Pharmacological Studies on Chinese Changzhu. Journal of the Chinese Chemical Society, 2000, 47, 561-566.  | 1.4 | 21        |
| 516 | Two novel cyclopentenones from Fissistigma oldhamii. Tetrahedron Letters, 2000, 41, 2199-2201.  | 1.4 | 21        |
| 517 | Alkaloids from the Leaves of <i>Fissistigma Glaucescens</i> . Journal of the Chinese Chemical Society, 2000, 47, 1251-1256.   | 1.4 | 20        |
| 518 | Chemical Constituents from <i>Annona Glabra</i> III. Journal of the Chinese Chemical Society, 2000, 47, 913-920.  | 1.4 | 63        |
| 519 | Phytochemical and Pharmacological Studies on Chinese <i>Paeonia</i> Species. Journal of the Chinese Chemical Society, 2000, 47, 381-388.  | 1.4 | 58        |
| 520 | The Constituents of <i>Lindera Glauca</i> . Journal of the Chinese Chemical Society, 2000, 47, 373-380.   | 1.4 | 97        |
| 521 | New Alkaloids fromAnnona purpurea. Journal of Natural Products, 2000, 63, 746-748.  | 3.0 | 33        |
| 522 | ent-Kaurane Diterpenoids from Annona glabra. Journal of Natural Products, 2000, 63, 1000-1003.  | 3.0 | 25        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 523 | Tupichigenin A, a New Steroidal Sapogenin from Tupistra chinensis. Journal of Natural Products, 2000, 63, 861-863.   | 3.0 | 23        |
| 524 | Cytotoxic Constituents of Polyalthialongifoliavar.pendula. Journal of Natural Products, 2000, 63, 1475-1478.   | 3.0 | 97        |
| 525 | Aristolactams and Dioxoaporphines fromFissistigmabalansaeandFissistigmaoldhamii. Journal of Natural Products, 2000, 63, 1160-1163.   | 3.0 | 106       |
| 526 | Aggregation Inhibitory Activity of Minor Acetophenones from Paeonia Species. Planta Medica, 1999, 65, 595-599.   | 1.3 | 45        |
| 527 | The Constituents of <i>Cananga odorata</i> . Journal of the Chinese Chemical Society, 1999, 46, 607-611.   | 1.4 | 39        |
| 528 | Bioactive acetogenins from the seeds of Annona atemoya. Phytochemistry, 1999, 51, 883-889.   | 2.9 | 32        |
| 529 | Synthesis of a hydroxylated muricatacin analog related to squamocin. Tetrahedron Letters, 1999, 40, 1975-1976.   | 1.4 | 11        |
| 530 | Fissohamione, a novel furanone from Fissistigma oldhamii. Tetrahedron Letters, 1999, 40, 7513-7514.  | 1.4 | 38        |
| 531 | Antiplatelet actions of aporphinoids from formosan plants. Bioorganic and Medicinal Chemistry Letters, 1999, 9, 3295-3300.   | 2.2 | 23        |
| 532 | Sesquiterpenoids from Neolitsea parvigemma: Isolation, oxidation products and antiplatelet actions. Tetrahedron, 1999, 55, 1353-1366.  | 1.9 | 23        |
| 533 | Cheritamine, A New <i>N</i> â€Fatty Acyl Tryptamine and Other Constituents from the Stems of <i>Annona cherimola</i> . Journal of the Chinese Chemical Society, 1999, 46, 77-86. | 1.4 | 174       |
| 534 | Two New Alkaloids fromArtabotrys uncinatus. Journal of Natural Products, 1999, 62, 1192-1193.  | 3.0 | 28        |
| 535 | New Annonaceous Acetogenins fromRollinia mucosa. Journal of Natural Products, 1999, 62, 1613-1617.   | 3.0 | 18        |
| 536 | Oxidation Products of Zeylanidine. Journal of Natural Products, 1999, 62, 622-625.   | 3.0 | 2         |
| 537 | Glycosides from Paeonia suffruticosa Chemical and Pharmaceutical Bulletin, 1999, 47, 652-655.  | 1.3 | 36        |
| 538 | Cherinonaine, a novel dimeric amide from the stems of Annona cherimola. Tetrahedron Letters, 1998, 39, 407-410.  | 1.4 | 17        |
| 539 | Antiplatelet and vasorelaxing actions of aporphinoids from Cassytha filiformis. , 1998, 12, S39-S41.   |     | 15        |
| 540 | Protoberberine alkaloids from Fissistigma balansae. Phytochemistry, 1998, 48, 367-369.   | 2.9 | 37        |

| #   | Article  | lF  | CITATIONS |
|-----|--|-----|-----------|
| 541 | Amides from stems of annona cherimola. Phytochemistry, 1998, 49, 1443-1447.  | 2.9 | 61        |
| 542 | Two new 7-dehydroaporphine alkaloids and antiplatelet action aporphines from the leaves of Annona purpurea. Phytochemistry, 1998, 49, 2015-2018.   | 2.9 | 41        |
| 543 | Rhinacanthin-Q, a naphthoquinone from Rhinacanthus nasutus and its biological activity. Phytochemistry, 1998, 49, 2001-2003.   | 2.9 | 44        |
| 544 | Severibuxine, a new quinolin-2,4-dione and other constituents from Severinia buxifolia. Phytochemistry, 1998, 49, 1467-1470.   | 2.9 | 13        |
| 545 | Acetogenins from seeds of Annona reticulata. Phytochemistry, 1998, 47, 1057-1061.  | 2.9 | 42        |
| 546 | Chemical Constituents from Cassytha filiformis II. Journal of Natural Products, 1998, 61, 863-866.   | 3.0 | 57        |
| 547 | Twop-Quinonoid Aporphine Alkaloids fromFissistigma balansae. Journal of Natural Products, 1998, 61, 1430-1432.   | 3.0 | 20        |
| 548 | Two Novel Compounds fromPaeoniasuffruticosa. Journal of Natural Products, 1998, 61, 343-346.   | 3.0 | 70        |
| 549 | Bioactive Kaurane Diterpenoids fromAnnona glabra. Journal of Natural Products, 1998, 61, 437-439.  | 3.0 | 69        |
| 550 | Lignans and Kauranes from the Stems of <i>Annona cherimola</i> . Journal of the Chinese Chemical Society, 1998, 45, 629-634.   | 1.4 | 56        |
| 551 | Antiplatelet Aggregation Constituents from Annona purpurea. Journal of Natural Products, 1998, 61, 1457-1461.  | 3.0 | 52        |
| 552 | Chemical Constituents of <i>Neolitsea parvigemma</i> and <i>Neolitsea konishii</i> . Journal of the Chinese Chemical Society, 1998, 45, 103-110.   | 1.4 | 53        |
| 553 | Pharmacological Evaluation of Ocoteine, Isolated from Cassytha filiformis, as an α1Adrenoceptor Antagonist in Rat Thoracic Aorta. The Japanese Journal of Pharmacology, 1997, 73, 207-214.                                     | 1.2 | 7         |
| 554 | Bioactive Alkaloids fromIlligera luzonensis. Journal of Natural Products, 1997, 60, 645-647.   | 3.0 | 52        |
| 555 | The Constituents from the Stems of <i>Annona cherimola</i> I). Journal of the Chinese Chemical Society, 1997, 44, 313-319.   | 1.4 | 132       |
| 556 | Cherimoline, a Novel Alkaloid from the Stems of Annona cherimola. Tetrahedron Letters, 1997, 38, 6247-6248.  | 1.4 | 20        |
| 557 | Identification ofent- $16\hat{l}^2$ ,17-Dihydroxykauran-19-oic Acid as an Anti-HIV Principle and Isolation of the New Diterpenoids Annosquamosins A and B fromAnnona squamosa. Journal of Natural Products, 1996, 59, 635-637. | 3.0 | 131       |
| 558 | Antiplatelet and Vasorelaxing Actions of Some Benzylisoquinoline and Phenanthrene Alkaloids. Journal of Natural Products, 1996, 59, 531-534.   | 3.0 | 46        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 559 | Isoquinoline Alkaloids and Lignans from Rollinia mucosa. Journal of Natural Products, 1996, 59, 904-906.  | 3.0 | 56        |
| 560 | Two Novel Sesquiterpenes from Neolitsea parvigemma. Journal of Natural Products, 1996, 59, 704-706.   | 3.0 | 16        |
| 561 | Electrophysiological mechanisms for antiarrhythmic efficacy and positive inotropy of liriodenine, a natural aporphine alkaloid from <i>Fissistigma glaucescens</i> . British Journal of Pharmacology, 1996, 118, 1571-1583.         | 5.4 | 34        |
| 562 | Epomusenins A and B, two acetogenins from fruits of Rollinia mucosa. Phytochemistry, 1996, 42, 1081-1083.   | 2.9 | 31        |
| 563 | Antiplatelet and Vasorelaxing Actions of Some Aporphinoids. Planta Medica, 1996, 62, 133-136.   | 1.3 | 43        |
| 564 | Bioactive Constitutents from the Stems of Annona montana. Planta Medica, 1995, 61, 146-149.   | 1.3 | 104       |
| 565 | Pharmacological evaluation of N-methyl-actinodaphnine, a new vascular α-adrenoceptor antagonist, isolated from Illigera luzonensis. European Journal of Pharmacology, 1995, 279, 33-41.   | 3.5 | 14        |
| 566 | (â^')â€Discretamine, a selective α <sub>1D</sub> â€adrenoceptor antagonist, isolated from <i>Fissistigma glaucescens</i> . British Journal of Pharmacology, 1994, 112, 1174-1180.   | 5.4 | 64        |
| 567 | Pharmacological characteristics of liriodenine, isolated from ⟨i⟩Fissistigma glaucescens⟨/i⟩, a novel muscarinic receptor antagonist in guineaâ€pigs. British Journal of Pharmacology, 1994, 113, 275-281.                          | 5.4 | 27        |
| 568 | Antimuscarinic action of liriodenine, isolated from <i>Fissistigma glaucescens</i> , in canine tracheal smooth muscle. British Journal of Pharmacology, 1994, 113, 1464-1470.   | 5.4 | 18        |
| 569 | Diepoxymontin, a Novel Acetogenin from Annona montana. Heterocycles, 1994, 38, 1475.  | 0.7 | 23        |
| 570 | Dehydroodorin, a cytotoxic diamide from the leaves of Aglaia formosana. Phytochemistry, 1993, 34, 857-858.  | 2.9 | 21        |
| 571 | Cytotoxic alkaloids of Annona montana. Phytochemistry, 1993, 33, 497-500.   | 2.9 | 48        |
| 572 | The relaxant actions on guinea-pig trachealis of atherosperminine isolated from Fissistigma glaucescens. European Journal of Pharmacology, 1993, 237, 109-116.  | 3.5 | 17        |
| 573 | Pharmacological activity of (â^')â€discretamine, a novel vascular αâ€adrenoceptor and 5â€hydroxytryptamine receptor antagonist, isolated from <i>Fissistigma glaucescens</i> . British Journal of Pharmacology, 1993, 110, 882-888. | 5.4 | 29        |
| 574 | Studies on the Acetogenins of Formosan Annonaceous Plants, II. Cytotoxic Acetogenins from Annona reticulata. Journal of Natural Products, 1993, 56, 1688-1694.  | 3.0 | 46        |
| 575 | Ca2+-Channel Blockade in Rat Thoracic Aorta by Protopine Isolated from Corydalis Tubers The Japanese Journal of Pharmacology, 1992, 58, 1-9.  | 1.2 | 19        |
| 576 | Studies on the Formosan Soft Corals Iâ€Cytotoxic Cembrane Diterpenes from <i>Sarcophyton Trocheliophorum</i> . Journal of the Chinese Chemical Society, 1992, 39, 355-357.  | 1.4 | 8         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 577 | Studies on Formosan Soft Corals, II. Cytotoxic Cembranolides from the Soft Coral Lobophytum michaelae. Journal of Natural Products, 1992, 55, 1430-1435. | 3.0 | 48        |
| 578 | Ca2+-Channel Blockade in Rat Thoracic Aorta by Protopine Isolated from Corydalis Tubers. The Japanese Journal of Pharmacology, 1992, 58, 1-9.            | 1.2 | 3         |
| 579 | Cytotoxic styrylpyrones of Goniothalamus amuyon. Phytochemistry, 1992, 31, 2851-2853.  | 2.9 | 31        |
| 580 | Annoreticuin and Isoannoreticuin: Two New Cytotoxic Acetogenins from Annona reticulata. Heterocycles, 1992, 34, 667.                                     | 0.7 | 25        |
| 581 | The Crystal Structure and Cytotoxicity of Goniodiol-7-monoacetate from Goniothalamus amuyon. Journal of Natural Products, 1991, 54, 1077-1081.           | 3.0 | 60        |
| 582 | Litebamine, a novel phenanthrene alkaloid from Litsea cubeba. Tetrahedron Letters, 1991, 32, 4169-4170.  | 1.4 | 41        |
| 583 | Two phenanthrene alkaloids from Fissistigma glaucescens. Phytochemistry, 1990, 29, 2387-2388.  | 2.9 | 24        |
| 584 | Cytotoxic Pyridone Alkaloids from the Leaves of Piper aborescens. Journal of Natural Products, 1990, 53, 1575-1577.                                      | 3.0 | 57        |
| 585 | Two New Natural Azafluorene Alkaloids and a Cytotoxic Aporphine Alkaloid from Polyalthia longifolia. Journal of Natural Products, 1990, 53, 1327-1331.   | 3.0 | 79        |
| 586 | Cytotoxicity of Isoquinoline Alkaloids and TheirN-Oxides 1. Planta Medica, 1989, 55, 163-165.  | 1.3 | 41        |
| 587 | Antiplatelet effects of protopine isolated from tubers. Thrombosis Research, 1989, 56, 289-298.  | 1.7 | 26        |
| 588 | Azafluorene and Aporphine Alkyloids from Polyalthia longifolia. Heterocycles, 1989, 29, 463.   | 0.7 | 45        |
| 589 | Cytotoxic aporphinoid alkaloids from thalictrum sessile. Phytochemistry, 1988, 27, 1563-1564.  | 2.9 | 14        |
| 590 | Alkaloids of formosan Thalictrum sessile. Phytochemistry, 1988, 27, 3949-3953.   | 2.9 | 12        |
| 591 | Isoochotensine, a New Spirobenzyusoquinoline Alkaloid from: Corydalis Ochotensis Turcz. Journal of the Chinese Chemical Society, 1987, 34, 157-160.      | 1.4 | 2         |
| 592 | The Oxidation of Isoquinoline Alkaloids with <i>m</i> ê€Chloroperbenzoic Acid. Journal of the Chinese Chemical Society, 1987, 34, 33-42.                 | 1.4 | 12        |
| 593 | Kuafumine, a Novel Cytotoxic Oxoaporphine Alkaloid from Fissistigma glausescens. Heterocycles, 1987, 26, 9.  | 0.7 | 23        |
| 594 | Thalocsessine, a New C20-Diterpenoid Alkaloid from Thalictrum sessile Hayata. Heterocycles, 1987, 26, 943.   | 0.7 | 9         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 595 | Alkaloids of formosan Fissistigma and Goniothalamus species. Phytochemistry, 1985, 24, 1829-1834.   | 2.9 | 69        |
| 596 | Transformation from Aporphine X-Oxides to 1-(N-Methyl-N-hydroxylaminoethyl)phenanthrene Derivatives. Heterocycles, 1985, 23, 3085.  | 0.7 | 9         |
| 597 | Effect of Chinese Herbal Medicine Therapy on Risks of Overall, Diabetes-Related, and Cardiovascular Diseases-Related Mortalities in Taiwanese Patients With Hereditary Hemolytic Anemias. Frontiers in Pharmacology, 0, 13, . | 3.5 | 3         |