
## **Guy Decaux**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1348887/publications.pdf Version: 2024-02-01



CUV DECAUX

#	Article	IF	CITATIONS
1	Measurement of urinary creatinine in chronic SIADH can be used to estimate solute and fluid intake. Nephrology Dialysis Transplantation, 2021, 36, 1551-1553.	0.7	2
2	Low Creatininuria due to Hyponatremia Is Reversible in Many Patients. Nephron, 2021, , 1-5.	1.8	1
3	Hourly variation in urine (Na+K) in chronic hyponatremia related to SIADH: Clinical implication. European Journal of Internal Medicine, 2020, 80, 111-113.	2.2	2
4	Low-solute intake in chronic asymptomatic hyponatraemia related to syndrome of inappropriate secretion of ADH (SIADH): think about food beyond water intake!. Nephrology Dialysis Transplantation, 2020, 35, 2013-2014.	0.7	6
5	Hypertonic saline, isotonic saline, water restriction, long loops diuretics, urea or vaptans to treat hyponatremia. Expert Review of Endocrinology and Metabolism, 2020, 15, 195-214.	2.4	8
6	Estimated Daily Urine Volume and Solute Excretion from Spot Urine Samples to Guide the Therapy of Hyponatremia in SIADH. Journal of Clinical Medicine, 2019, 8, 1511.	2.4	14
7	High fractional potassium excretion in symptomatic hyponatremia. European Journal of Internal Medicine, 2019, 59, e9-e10.	2.2	3
8	Hyponatremia secondary to transient renal salt wasting (TRSW): A not so uncommon observation in the elderly. Clinical Nephrology, 2019, 91, 344-352.	0.7	2
9	Mild water restriction with or without urea for the longterm treatment of syndrome of inappropriate antidiuretic hormone secretion (SIADH): Can urine osmolality help the choice?. European Journal of Internal Medicine, 2018, 48, 89-93.	2.2	24
10	Hyponatremia and the Brain. Kidney International Reports, 2018, 3, 24-35.	0.8	77
11	Severe Solute Depletion in Patients with Hyponatremia Due to Diuretics Despite Biochemical Pictures Similar Than Those Observed in the Syndrome of Inappropriate Secretion of Antidiuretic Hormone. Nephron, 2018, 140, 31-38.	1.8	10
12	Osmotic Stress–Induced Defective Glial Proteostasis Contributes to Brain Demyelination after Hyponatremia Treatment. Journal of the American Society of Nephrology: JASN, 2017, 28, 1802-1813.	6.1	42
13	Impact of hyponatremia on nerve conduction and muscle strength. European Journal of Clinical Investigation, 2016, 46, 328-333.	3.4	34
14	Urea minimizes brain complications following rapid correction of chronic hyponatremia compared with vasopressin antagonist or hypertonic saline. Kidney International, 2015, 87, 323-331.	5.2	51
15	Actual Therapeutic Indication of an Old Drug: Urea for Treatment of Severely Symptomatic and Mild Chronic Hyponatremia Related to SIADH. Journal of Clinical Medicine, 2014, 3, 1043-1049.	2.4	23
16	Clinical practice guideline on diagnosis and treatment of hyponatraemia. Nephrology Dialysis Transplantation, 2014, 29, i1-i39.	0.7	404
17	Clinical practice guideline on diagnosis and treatment of hyponatraemia. European Journal of Endocrinology, 2014, 170, G1-G47.	3.7	596
18	Efficacy and Tolerance of Urea Compared with Vaptans for Long-Term Treatment of Patients with SIADH. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 742-747.	4.5	122

GUY DECAUX

#	Article	IF	CITATIONS
19	Urea for treatment of acute SIADH in patients with subarachnoid hemorrhage: a single-center experience. Annals of Intensive Care, 2012, 2, 13.	4.6	47
20	Lack of responsiveness to 1â€desaminoâ€ <scp>d</scp> arginin vasopressin (desmopressin) in male patients with nephrogenic syndrome of inappropriate antidiuresis: from bench to bedside. European Journal of Clinical Investigation, 2012, 42, 254-259.	3.4	2
21	Astrocytes Are an Early Target in Osmotic Demyelination Syndrome. Journal of the American Society of Nephrology: JASN, 2011, 22, 1834-1845.	6.1	81
22	Vaptans are not the mainstay of treatment in hyponatremia: perhaps not yet. Kidney International, 2011, 80, 594-600.	5.2	47
23	Treatment of euvolemic hyponatremia in the intensive care unit by urea. Critical Care, 2010, 14, R184.	5.8	111
24	Re-induction of hyponatremia after rapid overcorrection of hyponatremia reduces mortality in rats. Kidney International, 2009, 76, 614-621.	5.2	88
25	The Syndrome of Inappropriate Secretion of Antidiuretic Hormone (SIADH). Seminars in Nephrology, 2009, 29, 239-256.	1.6	65
26	Efficacy and Safety of Oral Conivaptan, a Vasopressin-Receptor Antagonist, Evaluated in a Randomized, Controlled Trial in Patients With Euvolemic or Hypervolemic Hyponatremia. American Journal of the Medical Sciences, 2009, 337, 28-36.	1.1	83
27	Non-peptide arginine-vasopressin antagonists: the vaptans. Lancet, The, 2008, 371, 1624-1632.	13.7	349
28	Clinical Laboratory Evaluation of the Syndrome of Inappropriate Secretion of Antidiuretic Hormone. Clinical Journal of the American Society of Nephrology: CJASN, 2008, 3, 1175-1184.	4.5	138
29	Lack of elevation of urinary albumin excretion among patients with chronic syndromes of inappropriate antidiuresis. Nephrology Dialysis Transplantation, 2008, 23, 2399-2401.	0.7	2
30	V2-antagonists for the treatment of hyponatraemia. Nephrology Dialysis Transplantation, 2007, 22, 1853-1855.	0.7	13
31	Treatment of hyponatraemia by urea decreases risks of brain complications in rats. Brain osmolyte contents analysis. Nephrology Dialysis Transplantation, 2007, 22, 1856-1863.	0.7	54
32	Nephrogenic Syndrome of Inappropriate Antidiuresis in Adults. Journal of the American Society of Nephrology: JASN, 2007, 18, 606-612.	6.1	140
33	Mild Chronic Hyponatremia Is Associated With Falls, Unsteadiness, and Attention Deficits. American Journal of Medicine, 2006, 119, 71.e1-71.e8.	1.5	700
34	ls Asymptomatic Hyponatremia Really Asymptomatic?. American Journal of Medicine, 2006, 119, S79-S82.	1.5	115
35	Age-Related Increase in Plasma Urea Level and Decrease in Fractional Urea Excretion. Clinical Journal of the American Society of Nephrology: CJASN, 2006, 1, 909-914.	4.5	66
36	Successful Long-Term Treatment of Hyponatremia in Syndrome of Inappropriate Antidiuretic Hormone Secretion with Satavaptan (SR121463B), an Orally Active Nonpeptide Vasopressin V2-Receptor Antagonist. Clinical Journal of the American Society of Nephrology: CJASN, 2006, 1, 1154-1160.	4.5	126

GUY DECAUX

#	Article	IF	CITATIONS
37	Treatment of the Polydipsia-Hyponatremia Syndrome With Urea. Journal of Clinical Psychiatry, 2005, 66, 1372-1375.	2.2	18
38	Hyponatremia: terminology and more. Cmaj, 2004, 170, 1892-1893.	2.0	0
39	Low Sodium Excretion in SIADH Patients with Low Diuresis. Nephron Physiology, 2004, 96, p11-p18.	1.2	23
40	Therapy of hyponatremia in cirrhosis with a vasopressin receptor antagonist: A randomized double-blind multicenter trial. Gastroenterology, 2003, 124, 933-939.	1.3	280
41	Low Plasma Bicarbonate Level in Hyponatremia Related to Adrenocorticotropin Deficiency. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 5255-5257.	3.6	35
42	Treatment of Symptomatic Hyponatremia. American Journal of the Medical Sciences, 2003, 326, 25-30.	1.1	104
43	Rapid (24-Hour) Reaccumulation of Brain Organic Osmolytes (Particularly myo-Inositol) in Azotemic Rats after Correction of Chronic Hyponatremia. Journal of the American Society of Nephrology: JASN, 2002, 13, 1433-1441.	6.1	69
44	Long-term treatment of patients with inappropriate secretion of antidiuretic hormone by the vasopressin receptor antagonist conivaptan, urea, or furosemide. American Journal of Medicine, 2001, 110, 582-584.	1.5	104
45	High 6-Thioguanine Nucleotide Levels and Low Thiopurine Methyltransferase Activity in Patients With Lupus Erythematosus Treated With Azathioprine. American Journal of Therapeutics, 2001, 8, 147-150.	0.9	14
46	Utility and limitations of biochemical parameters in the evaluation of hyponatremia in the elderly. International Urology and Nephrology, 2001, 32, 475-493.	1.4	53
47	Hyponatremia In The Intensive Care: From Diagnosis To Treatment. Acta Clinica Belgica, 2000, 55, 68-78.	1.2	22
48	Evidence that chronicity of hyponatremia contributes to the high urate clearance observed in the syndrome of inappropriate antidiuretic hormone secretion. American Journal of Kidney Diseases, 2000, 36, 745-751.	1.9	24
49	Lack of major hypoxia and significant brain damage in rats despite dramatic hyponatremic encephalopathy. Translational Research, 1997, 130, 226-231.	2.3	22
50	Reinduction of Hyponatremia Improves Survival in Rats with Myelinolysis-related Neurologic Symptoms. Journal of Neuropathology and Experimental Neurology, 1996, 55, 594-601.	1.7	60
51	Combined fractional excretion of sodium and urea better predicts response to saline in hyponatremia than do usual clinical and biochemical parameters. American Journal of Medicine, 1995, 99, 348-355.	1.5	89
52	Prevention of brain demyelination in rats after excessive correction of chronic hyponatremia by serum sodium lowering. Kidney International, 1994, 45, 193-200.	5.2	68
53	Treatment of chronic hyponatremia in rats by intravenous saline: Comparison of rate versus magnitude of correction. Kidney International, 1992, 41, 1662-1667.	5.2	42
54	Limits of brain tolerance to daily increments in serum sodium in chronically hyponatraemic rats treated with hypertonic saline or urea: advantages of urea. Clinical Science, 1991, 80, 77-84.	4.3	51

GUY DECAUX

#	Article	IF	CITATIONS
55	Urea treatment for water retention in hyponatremic congestive heart failure. International Journal of Cardiology, 1987, 17, 102-104.	1.7	18
56	Hyponatremia in the Syndrome of Inappropriate Secretion of Antidiuretic Hormone. JAMA - Journal of the American Medical Association, 1982, 247, 471.	7.4	97
57	Treatment of the Syndrome of Inappropriate Secretion of Antidiuretic Hormone with Furosemide. New England Journal of Medicine, 1981, 304, 329-330.	27.0	95
58	Hypouremia in the Syndrome of Inappropriate Secretion of Antidiuretic Hormone. Annals of Internal Medicine, 1980, 93, 716.	3.9	49