

# Shuren Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1354387/publications.pdf>

Version: 2024-02-01

30  
papers

905  
citations

471509

17  
h-index

501196

28  
g-index

31  
all docs

31  
docs citations

31  
times ranked

1058  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Vasoactive Intestinal Peptide-Receptor Imaging for the Localization of Intestinal Adenocarcinomas and Endocrine Tumors. <i>New England Journal of Medicine</i> , 1994, 331, 1116-1121.  | 27.0 | 243       |
| 2  | <sup>11</sup> C-Acetate Positron Emission Tomography Imaging and Image Fusion With Computed Tomography and Magnetic Resonance Imaging in Patients With Recurrent Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2006, 24, 2513-2519.  | 1.6  | 114       |
| 3  | Characterization of <sup>123</sup> I-vascular endothelial growth factor-binding sites expressed on human tumour cells: Possible implication for tumour scintigraphy. <i>International Journal of Cancer</i> , 2001, 91, 789-796.  | 5.1  | 66        |
| 4  | Hepatocellular Carcinoma: A Phase II Randomized Controlled Double-Blind Trial of Transarterial Chemoembolization in Combination with Biweekly Intravenous Administration of Bevacizumab or a Placebo. <i>Radiology</i> , 2015, 277, 903-912.  | 7.3  | 60        |
| 5  | Comparison of <sup>111</sup> In-DOTA-DPhe <sup>1</sup> -Tyr <sup>3</sup> -octreotide and <sup>111</sup> In-DOTA- <sup>1</sup> lanreotide scintigraphy and dosimetry in patients with neuroendocrine tumours. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 532-540.   | 6.4  | 49        |
| 6  | In vitro and in vivo studies of three radiolabelled somatostatin analogues: <sup>123</sup> I-Octreotide (OCT), <sup>123</sup> I-Tyr-3-OCT and <sup>111</sup> In-TIRA-d-Phe-1-OCT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996, 23, 1388-1399.  | 2.1  | 31        |
| 7  | The Radionuclide Molecular Imaging and Therapy of Neuroendocrine Tumors. <i>Current Cancer Drug Targets</i> , 2005, 5, 139-148.   | 1.6  | 30        |
| 8  | Acupuncture is effective in improving functional communication in post-stroke aphasia. <i>Wiener Klinische Wochenschrift</i> , 2019, 131, 221-232.  | 1.9  | 28        |
| 9  | Renal Cell Carcinoma: the Oncologist Asks, Can PSMA PET/CT Answer?. <i>Current Urology Reports</i> , 2019, 20, 68.  | 2.2  | 27        |
| 10 | The prognostic value of [ <sup>123</sup> I]-vascular endothelial growth factor ([ <sup>123</sup> I]-VEGF) in glioma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 2396-2403.   | 6.4  | 25        |
| 11 | <sup>99m</sup> Tc-Depreotide Scintigraphy Versus <sup>18</sup> F-FDG-PET in the Diagnosis of Radioiodine-Negative Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 3997-4000.  | 3.6  | 24        |
| 12 | Molecular imaging of atherosclerotic plaques with technetium- <sup>99m</sup> -labelled antisense oligonucleotides. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 6-14.  | 6.4  | 23        |
| 13 | Effect of electroacupuncture in patients with post-stroke motor aphasia. <i>Wiener Klinische Wochenschrift</i> , 2017, 129, 102-109.  | 1.9  | 23        |
| 14 | Calcium-stimulated calcitonin - The "new standard" in the diagnosis of thyroid C-cell disease - clinically relevant gender-specific cut-off levels for an "old test". <i>Biochemia Medica</i> , 2018, 28, 030710.   | 2.7  | 21        |
| 15 | Value of <sup>111</sup> In-DOTA- <sup>1</sup> lanreotide and <sup>111</sup> In-DOTA-DPhe <sup>1</sup> -Tyr <sup>3</sup> -octreotide in differentiated thyroid cancer: results of in vitro binding studies and in vivo comparison with <sup>18</sup> F-FDG PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 1144-1151. | 6.4  | 20        |
| 16 | The value of [ <sup>11</sup> C]-acetate PET and [ <sup>18</sup> F]-FDG PET in hepatocellular carcinoma before and after treatment with transarterial chemoembolization and bevacizumab. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1732-1741.  | 6.4  | 20        |
| 17 | Comparison of <sup>11</sup> C-acetate positron emission tomography and <sup>67</sup> Gallium citrate scintigraphy in patients with hepatocellular carcinoma. <i>Liver International</i> , 2006, 26, 920-927.  | 3.9  | 17        |
| 18 | Autocrine cell suicide in a Burkitt lymphoma cell line (Daudi) induced by interferon $\gamma$ : involvement of tumor necrosis factor as ligand for the CD95 receptor. <i>Blood</i> , 2001, 97, 2791-2797.   | 1.4  | 16        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Comparison of side effects of pentagastrin test and calcium stimulation test in patients with increased basal calcitonin concentration: the gender-specific differences. <i>Endocrine</i> , 2014, 46, 549-553.  | 2.3 | 16        |
| 20 | Selenium intake and selenium blood levels: a novel food frequency questionnaire. <i>Wiener Klinische Wochenschrift</i> , 2013, 125, 160-164.  | 1.9 | 15        |
| 21 | <sup>111</sup> In-DOTA-dPhe 1 -Tyr 3 -octreotide, <sup>111</sup> In-DOTA-Ianreotide and <sup>67</sup> Ga citrate scintigraphy for visualisation of extranodal marginal zone B-cell lymphoma of the MALT type: a comparative study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 1087-1095. | 6.4 | 13        |
| 22 | Effect of statins on lipoprotein receptor expression in cell lines from human mast cells and basophils. <i>European Journal of Clinical Pharmacology</i> , 2003, 59, 507-516.   | 1.9 | 9         |
| 23 | Vascular endothelial growth factor in thyroid cyst fluids. <i>Wiener Klinische Wochenschrift</i> , 2007, 119, 248-253.  | 1.9 | 5         |
| 24 | Acceptance of pelvic floor education as a treatment for female urinary incontinence by using biofeedback in a Viennese population of Turkish female migrants, Re: Keshwani N, McLean L. <i>State of the Art Review: Intravaginal probes for recording electromyogr. Neurourology and Urodynamics</i> , 2015, 34, 113-114.   | 1.5 | 2         |
| 25 | Total thyroidectomy (Tx) versus thionamides (antithyroid drugs) in patients with moderate-to-severe Gravesâ€™ ophthalmopathy â€™ a 1-year follow-up: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 495.   | 1.6 | 2         |
| 26 | Evaluating the Long-Term Efficacy of Acupuncture Therapy for Subacute Poststroke Aphasia: Study Protocol for a Randomized, Blinded, Controlled, Multicentre Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-13.   | 1.2 | 2         |
| 27 | Antitumour effects of apatinib in progressive, metastatic differentiated thyroid cancer (DTC). <i>Endocrine</i> , 2022, 78, 68-76.  | 2.3 | 2         |
| 28 | Lesion Distribution and Early Changes of Right Hemisphere in Chinese Patients With Post-stroke Aphasia. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 632217.  | 3.4 | 1         |
| 29 | State-of-the-art of nuclear medicine and molecular imaging in China: after the first 66Âyears (1956â€“2022). <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 2455-2461.   | 6.4 | 1         |
| 30 | Comparison of <sup>18</sup> F-FDOPA, <sup>68</sup> Ga-DOTA-NOC and <sup>18</sup> F-FDG PET for Imaging Pituitary Microadenoma. <i>World Journal of Nuclear Medicine</i> , 2022, , .   | 0.5 | 0         |