

Paul KÄ¶gerler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1356167/publications.pdf>

Version: 2024-02-01

338
papers

14,522
citations

16451
64
h-index

29157
104
g-index

376
all docs

376
docs citations

376
times ranked

7673
citing authors

#	ARTICLE	IF	CITATIONS
1	An All-inorganic, Stable, and Highly Active Tetraruthenium Homogeneous Catalyst for Water Oxidation. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 3896-3899.	13.8	559
2	Archimedean Synthesis and Magic Numbers: “Sizing” Giant Molybdenum-Oxide-Based Molecular Spheres of the Keplerate Type. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 3238-3241.	13.8	381
3	Giant metal-oxide-based spheres and their topology: from pentagonal building blocks to keplerates and unusual spin systems. <i>Coordination Chemistry Reviews</i> , 2001, 222, 193-218.	18.8	372
4	A variety of combinatorially linkable units as disposition: from a giant icosahedral Keplerate to multi-functional metal-oxide based network structures. <i>Chemical Communications</i> , 1999, , 1347-1358.	4.1	333
5	An Exceptionally Fast Homogeneous Carbon-Free Cobalt-Based Water Oxidation Catalyst. <i>Journal of the American Chemical Society</i> , 2014, 136, 9268-9271.	13.7	260
6	Polyoxometalate-Mediated Self-Assembly of Single-Molecule Magnets: $\{[XW_{9}O_{34}]_{2}[Mn^{III}I_{4}Mn^{II}I_{2}O_{25}]_{2}\}$. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 5609-5612.	13.8	254
7	Formation of a Ring-Shaped Reduced Metal Oxide with the Simple Composition $[(MoO_3)_{176}(H_2O)_{80}H_{32}]$. <i>Angewandte Chemie - International Edition</i> , 1998, 37, 1220-1223.	13.8	251
8	Modular Assembly of a Functional Polyoxometalate-Based Open Framework Constructed from Unsupported Ag ⁺ -...-Ag ⁺ Interactions. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 7579-7582.	13.8	248
9	Structure-related frustrated magnetism of nanosized polyoxometalates: aesthetics and properties in harmony. <i>Dalton Transactions</i> , 2010, 39, 21-36.	3.3	227
10	Semimetal-functionalised polyoxovanadates. <i>Chemical Society Reviews</i> , 2015, 44, 8443-8483.	38.1	227
11	Classical and Quantum Magnetism in Giant Keplerate Magnetic Molecules. <i>ChemPhysChem</i> , 2001, 2, 517-521.	2.1	180
12	Terbium Polyoxometalate Organic Complexes: Correlation of Structure with Luminescence Properties. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 7702-7705.	13.8	172
13	Structural, Physicochemical, and Reactivity Properties of an All-Inorganic, Highly Active Tetraruthenium Homogeneous Catalyst for Water Oxidation. <i>Journal of the American Chemical Society</i> , 2009, 131, 17360-17370.	13.7	162
14	Old Clusters with New Tricks: Engineering S...-...-S Interactions and Novel Physical Properties in Sulfite-Based Dawson Clusters. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 1817-1820.	13.8	154
15	Cucurbit[n]uril-Polyxoanion Hybrids. <i>Journal of the American Chemical Society</i> , 2009, 131, 432-433.	13.7	154
16	“Molecular Symmetry Breakers”: Generating Metal-Oxide-Based Nanoobject Fragments as Synthons for Complex Structures: $\{[Mo_{128}Eu_{4}O_{388}H_{10}(H_2O)_{81}]_2\}_{20}$, a Giant-Cluster Dimer. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 2805-2808.	13.8	153
17	Polyoxometalate Nanostructures, Superclusters, and Colloids: From Functional Clusters to Chemical Aesthetics. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 844-846.	13.8	152
18	Restraining Symmetry in the Formation of Small Polyoxomolybdates: Building Blocks of Unprecedented Topology Resulting From “Shrink-Wrapping” $[H_2Mo_{16}O_{52}]_{10}$ -Type Clusters. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 4180-4183.	13.8	141

#	ARTICLE	IF	CITATIONS
19	Molecular Growth of a Core-Shell Polyoxometalate. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 5212-5216.	13.8	141
20	PO ₄ ⁴⁻ ₄^{3â™}-Mediated Polyoxometalate Supercluster Assembly. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 8123-8126.	13.8	138
21	A High-Nuclearity â€œCeltic-Ringâ€ Isopolyoxotungstate, [H₁₂W₃₆O₁₂₀]12-, That Captures Trace Potassium Ions. <i>Journal of the American Chemical Society</i> , 2004, 126, 13880-13881.	13.7	136
22	Controllable Growth of Chains and Grids from Polyoxomolybdate Building Blocks Linked by Silver(I) Dimers. <i>Chemistry - A European Journal</i> , 2005, 11, 1071-1078.	3.3	130
23	Structure and Properties of the Dendron-Encapsulated Polyoxometalate (C₅₂H₆₀NO₁₂)12[(Mn(H₂O))₃(SbW₉O₃₃)2], a First Generation Dendrzyme. <i>Journal of the American Chemical Society</i> , 2002, 124, 10489-10496.	13.7	120
24	Size-isolation of superparamagnetic iron oxide nanoparticles improves MRI, MPI and hyperthermia performance. <i>Journal of Nanobiotechnology</i> , 2020, 18, 22.	9.1	120
25	A polyoxometalate-based manganese carboxylate cluster. <i>Chemical Communications</i> , 2008, , 3396.	4.1	118
26	Polyoxotungstate-encapsulated Gd₆ and Yb₁₀ complexes. <i>Chemical Communications</i> , 2009, , 328-330.	4.1	118
27	Controlled assembly and solution observation of a 2.6 nm polyoxometalate â€˜superâ€™ tetrahedron cluster: [KFe₁₂(OH)₁₈(\pm1,2,3-P₂W₁₅O₅₆)4]₂₉. <i>Chemical Communications</i> , 2007, , 4254.	4.1	115
28	Confined Electron-Transfer Reactions within a Molecular Metal Oxide â€œTrojan Horseâ€. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 3415-3419.	13.8	113
29	Utilizing the Adaptive Polyoxometalate [As₂W₁₉O₆₇(μO)]¹⁴⁺ To Support a Polynuclear Lanthanoid-Based Single-Molecule Magnet. <i>Inorganic Chemistry</i> , 2011, 50, 7004-7014.	4.0	113
30	Capture of Periodate in a {W₁₈O₅₄} Cluster Cage Yielding a Catalytically Active Polyoxometalate [H₃W₁₈O₅₆(μIO₆)]⁶⁻ Embedded with Highâ€¢Valent Iodine. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 4384-4387.	13.8	107
31	The True Nature of the Di-iron(III) Î³-Keggin Structure in Water:â Catalytic Aerobic Oxidation and Chemistry of an Unsymmetrical Trimer. <i>Journal of the American Chemical Society</i> , 2006, 128, 11268-11277.	13.7	105
32	[MoV₁₂O₃₀($\frac{1}{2}$OH)10H₂{Nill(H₂O)₃}₄], a Highly Symmetrical Î¼-Keggin Unit Capped with Four Nill Centers:â€% Synthesis and Magnetism. <i>Inorganic Chemistry</i> , 2000, 39, 5176-5177.	4.0	102
33	[{(Mo)Mo₅O₂₁(H₂O)₃(SO₄)}₁₂(VO)₃₀(H₂O)₂₀]₃₆â€: A molecular quantum spin icosidodecahedron. <i>Chemical Communications</i> , 2005, , 3138.	4.1	96
34	Discovery of a Family of Isopolyoxotungstates [H₄W₁₉O₆₂]6â™ Encapsulating a {WO₆} Moiety within a {W₁₈} Dawson-like Cluster Cage. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 4798-4803.	13.8	96
35	Reversible electron-transfer reactions within a nanoscale metal oxide cage mediated by metallic substrates. <i>Nature Nanotechnology</i> , 2008, 3, 229-233.	31.5	96
36	Switching slow relaxation in a Mn₁₁3Mn₄ cluster: an example of grafting single-molecule magnets onto polyoxometalates. <i>Chemical Communications</i> , 2010, 46, 2760.	4.1	92

#	ARTICLE	IF	CITATIONS
37	From simple building blocks to structures with increasing size and complexity. Coordination Chemistry Reviews, 1999, 182, 3-17.	18.8	89
38	Wateroxidation catalyzed by a new tetracobalt-substituted polyoxometalate complex: $[\{Co_4(OH)_4(H_2O)_3\}(Si_2W_19O_{70})]^{11+}$. Dalton Transactions, 2012, 41, 2084-2090.	3.3	87
39	Magnetic characterization of the frustrated three-leg ladder compound $[(CuCl_2tachH)3Cl]Cl_2$. Physical Review B, 2004, 70, .	3.2	86
40	Revisiting the Polyoxometalate-Based Late-Transition-Metal-Oxo Complexes: The "Oxo Wall" Stands. Inorganic Chemistry, 2012, 51, 7025-7031.	4.0	86
41	Characterization of berkelium(III) dipicolinate and borate compounds in solution and the solid state. Science, 2016, 353, .	12.6	86
42	A New Type of Supramolecular Compound: Molybdenum-Oxide-Based Composites Consisting of Magnetic Nanocapsules with Encapsulated Keggin-Ion Electron Reservoirs Cross-Linked to a Two-Dimensional Network. Angewandte Chemie - International Edition, 2000, 39, 3413-3417.	13.8	85
43	Competing Spin Phases in Geometrically Frustrated Magnetic Molecules. Physical Review Letters, 2005, 94, 017205.	7.8	85
44	Structural and Compositional Control in {M12} Cobalt and Nickel Coordination Clusters Detected Magnetochemically and with Cryospray Mass Spectrometry. Angewandte Chemie - International Edition, 2007, 46, 1340-1344.	13.8	84
45	A polyoxometalate-based single-molecule magnet with an $S = 21/2$ ground state. Chemical Communications, 2012, 48, 1218-1220.	4.1	84
46	Unsymmetrical surface modification of a heteropolyoxotungstate via in-situ generation of monomeric and dimeric copper(ii) species. Dalton Transactions, 2006, , 1712.	3.3	83
47	Linking Icosahedral, Strong Molecular Magnets {MoFe} to Layersâ€”A Solid-State Reaction at Room Temperature. Angewandte Chemie - International Edition, 2000, 39, 1612-1614.	13.8	81
48	Cerium oxide nanoclusters: commensurate with concepts of polyoxometalate chemistry?. Chemical Communications, 2012, 48, 1499-1501.	4.1	79
49	A Computational Framework for Magnetic Polyoxometalates and Molecular Spin Structures: CONDON 2.0. Israel Journal of Chemistry, 2011, 51, 215-227.	2.3	77
50	Trading Templates:â€ Supramolecular Transformations between {Coll3} and {Coll12} Nanoclusters. Journal of the American Chemical Society, 2008, 130, 790-791.	13.7	75
51	Unusual Stepwise Assembly and Molecular Growth: $[H_4Mo_37O_{112}]^{14-}$ and $[H_3Mo_57V_6(NO)_6O_{189}(H_2O)_{12}(MoO)_6]^{21-}$. Chemistry - A European Journal, 1998, 4, 1000-1006.	3.3	74
52	Thirty Electrons â€œTrappedâ€ in a Spherical Matrix: A Molybdenum Oxide-Based Nanostructured Keplerate Reduced by 36 Electrons. Angewandte Chemie - International Edition, 2000, 39, 1614-1616.	13.8	72
53	Terminal Gold-Oxo Complexes. Journal of the American Chemical Society, 2007, 129, 11118-11133.	13.7	72
54	Accessing 4f-states in single-molecule spintronics. Nature Communications, 2013, 4, 2425.	12.8	71

#	ARTICLE	IF	CITATIONS
55	Comprehensive insight into molecular magnetism via CONDON: Full vs. effective models. <i>Coordination Chemistry Reviews</i> , 2015, 289-290, 137-148.	18.8	71
56	Low-energy spin excitations in the molecular magnetic cluster V 15. <i>Europhysics Letters</i> , 2002, 59, 291-297.	2.0	70
57	[V ₁₆ Sb ₄ O ₄₂ (H ₂ O){VO(C ₆ H ₁₄ N ₂) ₂ } ₄]: A Terminal Expansion to a Polyoxovanadate Archetype. <i>Inorganic Chemistry</i> , 2008, 47, 1916-1918.	4.0	69
58	Pythagorean Harmony in the World of Metal Oxygen Clusters of the Mo ₁₁ Type: Giant Wheels and Spheres both Based on a Pentagonal Type Unit. , 2000, , 203-236.		68
59	Synthesis, Structure, and Magnetic Properties of a New Family of Tetra-nuclear {Mn ₂ III Ln ₂ }(Ln = Dy, Gd,) Tj ETQq1 1 0.784314 rgBT /Ov and Terbium Analogues. <i>Inorganic Chemistry</i> , 2013, 52, 5035-5044.	4.0	67
60	Tetrairon and Hexairon Hydroxo/Acetato Clusters Stabilized by Multiple Polyoxometalate Scaffolds. Structures, Magnetic Properties, and Chemistry of a Dimer and a Trimer. <i>Inorganic Chemistry</i> , 2007, 46, 5398-5403.	4.0	66
61	Exploiting the multifunctionality of organocations in the assembly of hybrid polyoxometalate clusters and networks. <i>Chemical Communications</i> , 2007, , 468-470.	4.1	65
62	Organic Functionalization of Polyoxovanadates: Sb _i –N Bonds and Charge Control. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 764-767.	13.8	65
63	Controlling Growth of Novel Solid-State Materials via Discrete Molybdenum-Oxide-Based Building Blocks as Synthons. <i>Journal of Solid State Chemistry</i> , 2000, 152, 57-67.	2.9	64
64	[V ₁₅ Sb ₄ O ₄₂]6: An antimony analogue of the molecular magnet [V ₁₅ As ₆ O ₄₂ (H ₂ O)]6. <i>Dalton Transactions</i> , 2007, , 3221.	3.3	64
65	Reactions of a {Mo ₁₆ }-type polyoxometalate cluster with electrophiles: a synthetic, theoretical and magnetic investigation. <i>Dalton Transactions</i> , 2005, , 1372-1380.	3.3	62
66	A Phosphorus Supported Multisite Coordinating Tris Hydrazone P(S)[N(Me)NCHC ₆ H ₄ -o-OH] ₃ as an Efficient Ligand for the Assembly of Trinuclear Metal Complexes: Synthesis, Structure, and Magnetism. <i>Inorganic Chemistry</i> , 2003, 42, 5989-5998.	4.0	60
67	Supramolecular assembly of ligand-directed triangular {Cu ₁₁ Cl} clusters with spin frustration and spin-chain behaviour. <i>Chemical Communications</i> , 2004, , 1580-1581.	4.1	59
68	Cubic Box versus Spheroidal Capsule Built from Defect and Intact Pentagonal Units. <i>Journal of the American Chemical Society</i> , 2012, 134, 19342-19345.	13.7	59
69	The roles of 4f- and 5f-orbitals in bonding: a magnetochemical, crystal field, density functional theory, and multi-reference wavefunction study. <i>Dalton Transactions</i> , 2016, 45, 11508-11521.	3.3	59
70	Experimental and Theoretical Investigations of the Sulfite-Based Polyoxometalate Cluster Redox Series: I [±] - and I ²⁻ -[Mo ₁₈ O ₅₄ (SO ₃) ₂]4 ⁴⁻ /5 ⁵⁻ /6 ⁶⁻ . <i>Chemistry - A European Journal</i> , 2006, 12, 8472-8483.	3.3	58
71	Ligand and Counterion Control of Ag(I) Architectures: Assembly of a {Ag ₈ } Ring Cluster Mediated by Hydrophobic and Ag ⁺ –Ag ⁺ Interactions. <i>Inorganic Chemistry</i> , 2007, 46, 9090-9097.	4.0	58
72	Synthesis, structure, magnetism and nuclelease activity of tetranuclear copper(ii) phosphonates containing ancillary 2,2'-bipyridine or 1,10-phenanthroline ligands. <i>Dalton Transactions</i> , 2008, , 1150.	3.3	58

#	ARTICLE	IF	CITATIONS
73	A new structural form for a decanuclear copper(ii) assembly. <i>Dalton Transactions</i> , 2005, , 3143.	3.3	55
74	A Nanoringâ' Nanosphere Molecule, {Mo214V30}: Pushing the Boundaries of Controllable Inorganic Structural Organization at the Molecular Level. <i>Journal of the American Chemical Society</i> , 2006, 128, 5336-5337.	13.7	55
75	Linking Chiral Clusters with Molybdate Building Blocks: From Homochiral Helical Supramolecular Arrays to Coordination Helices. <i>Chemistry - an Asian Journal</i> , 2006, 1, 352-357.	3.3	55
76	Probing spin frustration in high-symmetry magnetic nanomolecules by inelastic neutron scattering. <i>Physical Review B</i> , 2006, 73, .	3.2	54
77	Bridging the gap between solution and solid state studies in polyoxometalate chemistry: Discovery of a family of [V ₁ M ₁₇]-based cages encapsulating two {V ^V O ₄ } moieties. <i>Dalton Transactions</i> , 2008, , 214-221.	3.3	54
78	A regioselective Huisgen reaction inside a Keplerate polyoxomolybdate nanoreactor. <i>Dalton Transactions</i> , 2012, 41, 9852.	3.3	54
79	Leaching-free encapsulation of cobalt-polyoxotungstates in MIL-100 (Fe) for highly reproducible photocatalytic water oxidation. <i>Applied Catalysis A: General</i> , 2018, 567, 132-138.	4.3	54
80	Heisenberg spin triangles in{V6}-type magnetic molecules:Experiment and theory. <i>Physical Review B</i> , 2002, 66, .	3.2	52
81	Caesium-templated lanthanoid-containing polyoxotungstates. <i>Dalton Transactions</i> , 2009, , 4423.	3.3	52
82	[{Ni ₄ (OH) ₃ AsO ₄ } ₄ (B _i W ₉ O ₃₄) ₄] A New Polyoxometalate Structural Family with Catalytic Hydrogen Evolution Activity. <i>Chemistry - A European Journal</i> , 2015, 21, 17363-17370.	3.3	52
83	Ultralarge 3d/4f Coordination Wheels: From Carboxylate/Amino Alcohol-Supported {Fe ₄ Ln ₂ } to {Fe ₁₈ Ln ₆ } Rings. <i>Inorganic Chemistry</i> , 2017, 56, 1814-1822.	4.0	52
84	Exploring the Structure and Properties of Transition Metal Templated {VM ₁₇ (VO ₄) ₂ } Dawson-Like Capsules. <i>Inorganic Chemistry</i> , 2011, 50, 8384-8391.	4.0	51
85	Electronic Control of Spin Coupling in Keplerate-Type Polyoxomolybdates. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 9080-9083.	13.8	50
86	Inelastic Neutron Scattering on Three Mixed-Valence Dodecanuclear Polyoxovanadate Clusters. <i>Inorganic Chemistry</i> , 2002, 41, 5675-5685.	4.0	49
87	Homometallic Dy ^{III} Complexes of Varying Nuclearity from 2 to 21: Synthesis, Structure, and Magnetism. <i>Chemistry - A European Journal</i> , 2017, 23, 5154-5170.	3.3	49
88	Cross-linking nanostructured spherical capsules as building units by crystal engineering: related chemistry. <i>Solid State Sciences</i> , 2000, 2, 847-854.	3.2	48
89	Following the self assembly of supramolecular MOFs using X-ray crystallography and cryospray mass spectrometry. <i>Chemical Science</i> , 2010, 1, 62.	7.4	48
90	Preparation of LaFeO ₃ particles by sol-gel technology. <i>Journal of Materials Research</i> , 1998, 13, 451-456.	2.6	47

#	ARTICLE	IF	CITATIONS
91	Paramagnetic Keplerate à€œNecklacesâ€•Synthesized by a Novel Room-Temperature Solid-State Reaction: Controlled Linking of Metal-Oxide-Based Nanoparticles. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 579-582.	13.8	47
92	Electronic structure and exchange interactions in V15 magnetic molecules:LDA+U results. <i>Physical Review B</i> , 2004, 70, .	3.2	47
93	Controlling Aggregation of Copper(II)-Based Coordination Compounds: From Mononuclear to Dinuclear, Tetranuclear, and Polymeric Copper Complexes. <i>Inorganic Chemistry</i> , 2006, 45, 2886-2895.	4.0	47
94	Heat Capacity Reveals the Physics of a Frustrated Spin Tube. <i>Physical Review Letters</i> , 2010, 105, 037206.	7.8	45
95	Building blocks as disposition in solution: [{MoVIO ₃ (H ₂ O)} ₁₀ {VIVO(H ₂ O)} ₂₀ {(MoVI/MoVI ₅ O ₂₁)(H ₂ O) ₃ } ₁₀ {(MoVO ₂ (H ₂ O) ₂) ₅ /2}2 ({NaSO ₄) ₅ }) ₂] ₂₀ â„, a giant spherical cluster with unusual structural features of interest for supramolecular and magneto chemistryâ€“. <i>Chemical Communications</i> , 1999, , 1885-1886.	4.1	43
96	Syntheses and Magnetostructural Investigations on Kuratowski-Type Homo- and Heteropentanuclear Coordination Compounds [M ₂ N ₄ Cl ₄ (L) ₆] (M ²⁺ =Zn, Fe,) Tj ETQq0 0 0 rgBT /Overlock 4.0 43		
97	Nonplanar <i>[K₃(3,3,3,3,3,3)]</i> Graph. <i>Inorganic Chemistry</i> , 2010, 49, 7424-7434. Expansion of Antimonato Polyoxovanadates with Transition Metal Complexes: (Co(N ₃ C ₅ H ₁₅) ₂) ₂ [Co(N ₃ C ₅ H ₁₅) ₂] ₂ and (Ni(N ₃ C ₅ H ₁₅) ₂) ₂ [{Ni(N ₃ C ₅ H ₁₅) ₂] ₂] <i>Inorganic Chemistry</i> , 2012, 51, 2311-2317.	4.0	43
98	Configurational Isomerism in Polyoxovanadates. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2972-2975.	13.8	43
99	Conversion of dinitrogen to tris(trimethylsilyl)amine catalyzed by titanium triamido-amine complexes. <i>Chemical Communications</i> , 2019, 55, 3231-3234. â€œNanoobjectsâ€•by Self-Assembly Concomitant with Modifications under Alterable Boundary Conditions: Incorporation of Paramagnetic Metal Centers (Cu ²⁺) in Ring-Shaped Molybdenum-Oxide Based Clusters The authors thank Prof. D. Gatteschi, University of Florence (Italy), for helping with the interpretation of the ESR spectrum, and Dipl.-Chem. A. Berkle and Dr. J. Hockemeyer, University of Bielefeld (Germany), for their collaboration. C. R. thanks the Alexander von Humboldt Foundation for Antimonato Polyoxovanadate-Based Three-Dimensional Framework Exhibiting Ferromagnetic Exchange Interactions: Synthesis, Structural Characterization, and Magnetic Investigation of {[Fe(C ₆ H ₁₄ N ₂) ₂] ₂ }[V ₁₅ Sb ₆ O ₄₂] <i>Inorganic Chemistry</i> , 2013, 52, 3280-3284.	4.1	43
100	A comparative synthetic, magnetic and theoretical study of functional M ₄ Cl ₄ cubane-type Co(ii) and Ni(ii) complexes. <i>Dalton Transactions</i> , 2014, 43, 7847.	3.3	40
101	Hysteresis Loops and Adiabatic Landau-Zener-StÅ¼ckelberg Transitions in the Magnetic Molecule {V ₆ }. <i>Physical Review Letters</i> , 2005, 94, 147204.	7.8	39
102	Multiple nearest-neighbor exchange model for the frustrated magnetic molecules{Mo ₇₂ Fe ₃₀ }and{Mo ₇₂ Cr ₃₀ }. <i>Physical Review B</i> , 2008, 77, . Coexistence of magnetic order and spin-glass-like phase in the pyrochlore antiferromagnet Na ₄ Mn ₃ Si ₃ O ₁₂ Tj ETQq1 1 0.784314 rgBT /Overlock 10 T ₅₀ 177 T ₅₀ (xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">)	3.2	39
103	Supramolecular Recognition Influences Magnetism in [X@HV ₈ V ₁₄ O ₅₄] ₂] ₂ Self-Assemblies with Symmetryâ€•Breaking Guest Anions. <i>Chemistry - A European Journal</i> , 2015, 21, 2387-2397.	3.3	38
104	A potassium selective â€˜nanospongeâ€™ with well defined pores. <i>Chemical Communications</i> , 2002, , 2944-2945.	4.1	37
105	Sonochemical synthesis of Dy ³⁺ substituted Mn _{0.5} Zn _{0.5} Fe ₂ xO ₄ nanoparticles: Structural, magnetic and optical characterizations. <i>Ultrasonics Sonochemistry</i> , 2020, 61, 104836	8.2	37

#	ARTICLE	IF	CITATIONS
109	Ferrimagnetically ordered nanosized polyoxomolybdate-based cluster spheres. <i>Chemical Communications</i> , 2005, , 5621.	4.1	36
110	Effect of Nb ³⁺ ion substitution on the magnetic properties of SrFe ₁₂ O ₁₉ hexaferrites. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 11181-11192.	2.2	36
111	Observation of field-dependent magnetic parameters in the magnetic molecule{Ni ₄ Mo ₁₂ }. <i>Physical Review B</i> , 2006, 73, .	3.2	35
112	Synthesis, Structure, and Magnetism of a Polyoxometalate with Coordinatively Unsaturated d-Electron-Transition Metal Centers. <i>Inorganic Chemistry</i> , 2009, 48, 7812-7817.	4.0	35
113	Low-energy excitations in the S=12 molecular nanomagnet K ₆ [V ₁₅ IVAs ₆ O ₄₂ (H ₂ O)] ⁸ H ₂ O from proton NMR and ¹ SR. <i>Physical Review B</i> , 2006, 73, .	3.2	34
114	Catalysis of "outer-phase" oxygen atom exchange reactions by encapsulated "inner-phase" water in {V ₁₅ Sb ₆ } type polyoxovanadates. <i>Chemical Science</i> , 2016, 7, 2684-2694.	7.4	34
115	Compression of curium pyrrolidine-dithiocarbamate enhances covalency. <i>Nature</i> , 2020, 583, 396-399.	27.8	34
116	Crystal structure, spectroscopic, magnetochemical, thermoanalytical and electrochemical properties of binuclear copper(II) complexes of Suprofen. <i>Inorganica Chimica Acta</i> , 1998, 268, 239-248.	2.4	33
117	Anomalous dynamical line shapes in a quantum magnet at finite temperature. <i>Physical Review B</i> , 2012, 85, .	3.2	33
118	Cluster-Based Networks: 1D and 2D Coordination Polymers Based on {MnFe ₂ (¹ / ₃ -O)}-Type Clusters. <i>Inorganic Chemistry</i> , 2012, 51, 5110-5117.	4.0	33
119	Perspectives for Polyoxometalates in Single-Molecule Electronics and Spintronics. <i>Advances in Inorganic Chemistry</i> , 2017, , 251-286.	1.0	33
120	Mononuclear zinc(II) Schiff base complexes as catalysts for the ring-opening polymerization of lactide. <i>European Polymer Journal</i> , 2020, 122, 109302.	5.4	33
121	Exploring a Series of Isostructural Dodecanuclear Mixed Ni:Co Clusters: Toward the Control of Elemental Composition Using pH and Stoichiometry. <i>Inorganic Chemistry</i> , 2009, 48, 1097-1104.	4.0	32
122	Heterometal expansion of oxozirconium carboxylate clusters. <i>Dalton Transactions</i> , 2011, 40, 331-333.	3.3	32
123	Metal-organic frameworks based on polynuclear lanthanide complexes and octahedral rhenium clusters. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 1518-1526.	6.0	32
124	Local spin moment configuration in the frustrated S=1 Heisenberg triangular antiferromagnet V ₁₅ determined by NMR. <i>Physical Review B</i> , 2007, 75, .	3.2	31
125	Platinum-containing Polyoxometalates. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 9380-9382.	13.8	31
126	The role of π-π stacking in stabilizing a,a-trans-cyclohexane-1,4-dicarboxylate in a 2D Co(<i>sc</i>) _{ii} <i></sc></i> network. <i>CrystEngComm</i> , 2010, 12, 1057-1059.	2.6	31

#	ARTICLE	IF	CITATIONS
127	Linear, Zigzag, and Helical Cerium(III) Coordination Polymers. <i>Crystal Growth and Design</i> , 2012, 12, 1593-1602.	3.0	31
128	Mapping the formation areas of giant molybdenum blue clusters: a spectroscopic study. <i>Dalton Transactions</i> , 2012, 41, 8951.	3.3	31
129	The Missing Link in Low Nuclearity Pure Polyoxovanadate Clusters: Preliminary Synthesis and Structural Analysis of a New {V16} Cluster and Related Products. <i>Journal of Cluster Science</i> , 2003, 14, 313-324.	3.3	30
130	Probing Frontier Orbital Energies of {Co ₉ (P ₂ W ₁₅) ₃ } Polyoxometalate Clusters at Moleculeâ€“Metal and Moleculeâ€“Water Interfaces. <i>Journal of the American Chemical Society</i> , 2017, 139, 14501-14510.	13.7	30
131	Exchange-coupling effect in hard/soft SrTb _{0.01} Tm _{0.01} Fe _{11.98} O ₁₉ /AFe ₂ O ₄ (where A = Co, Ni, Zn, Cu and) T _j ETQq _{4.8} 0.7843 ₃₀ rgBT / C		
132	Electronic structure of magnetic molecules V ₁₅ :â€¢ LSDA+U calculations, x-ray emissions, and photoelectron spectra. <i>Physical Review B</i> , 2003, 67, .	3.2	29
133	A tetrานuclear cobalt(ii) chain with slow magnetization relaxation. <i>Dalton Transactions</i> , 2010, 39, 10827.	3.3	29
134	CONDON 3.0: An Updated Software Package for Magnetochemical Analysisâ€“All the Way to Polynuclear Actinide Complexes. <i>Journal of Computational Chemistry</i> , 2018, 39, 2133-2145.	3.3	29
135	Polynuclear Cobalt(II/III) Sulfites: Synthesis, Structure, and Magnetic Properties of the Octanuclear Cluster (NH ₄) ₁₁ (Li ₂ [Co ₄] ₂ Co ₄ (SO ₄) ₂) ₂ Encapsulating a Lithium Cation. <i>Inorganic Chemistry</i> , 2008, 47, 4451-4453.		
136	One-Dimensional Coordination Polymers from Hexanuclear Manganese Carboxylate Clusters Featuring a [Mn ₄] ₂ Mn ₃ ₂ 2(1/4-O) ₂ Core and Spacer Linkers. <i>Inorganic Chemistry</i> , 2010, 49, 7764-7772.	4.0	28
137	Asymmetric terminal ligation on substituted sites in a disorder-free Keggin anion, [I ₂ -SiFe ₂ W ₁₀ O ₃₆ (OH) ₂ (H ₂ O)Cl] ₅ . <i>Dalton Transactions</i> , 2005, , 2017.	3.3	27
138	Understanding the gap in polyoxovanadate molecule-based magnets. <i>Physical Review B</i> , 2006, 74, .	3.2	27
139	Effect of Ligand Substitution on the Exchange Interactions in {Mn ₁₂ }-Type Single-Molecule Magnets. <i>Inorganic Chemistry</i> , 2010, 49, 10902-10906.	4.0	27
140	Diphenic Acidâ€“Based Cobalt(II) Complexes: Trinuclear and Doubleâ€“Helical Structures. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 1011-1018.	2.0	26
141	Supramolecular 3dâ€“4f single-molecule magnet architectures. <i>Dalton Transactions</i> , 2016, 45, 16148-16152.	3.3	26
142	Encapsulation of Keggin-type manganese-polyoxomolybdates in MIL-100 (Fe) for efficient reduction of p-nitrophenol. <i>Journal of Solid State Chemistry</i> , 2018, 268, 75-82.	2.9	26
143	Heteroleptic, two-coordinate [M(NHC){N(SiMe ₃) ₂ }] ₂ (M = Co, Fe) complexes: synthesis, reactivity and magnetism rationalized by an unexpected metal oxidation state. <i>Dalton Transactions</i> , 2017, 46, 1163-1171.	3.3	25
144	Electronic Structure and Properties of Berkelium Iodates. <i>Journal of the American Chemical Society</i> , 2017, 139, 13361-13375.	13.7	25

#	ARTICLE	IF	CITATIONS
145	Acetate-driven polyoxometalate demetalation: An open-shell diiron polytungstate comprising two rotational Keggin isomers. <i>Dalton Transactions</i> , 2008, , 3150.	3.3	24
146	Nonanuclear Coordination Compounds Featuring {M ₉ L ₁₂ } ⁶⁺ Cores (M = Ni ^{II} , Co ^{II} , or Zn ^{II} ; L = 1,2,3-Benzotriazole). <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 3094-3101.	2.0	24
147	Synergetic activation of Cu^{+} sites leading to a new type of inclusion complex: integration of a 64-membered ring comprising K ⁺ and SO ₄ ²⁻ ions into a molybdenum oxide-based nanoobject. <i>Chemical Communications</i> , 2003, , 2000-2001.	4.1	23
148	Synthesis, structure and magnetism of a new dimeric silicotungstate: K ₉ Na ₂ Cu _{0.5} [³ Cu ₂ (H ₂ O) ₈ SiW ₃₁ O ₁₂₅] ₂ Dalton Transactions, 2008, , 54-58.	2.0	23
149	A C ₂ -symmetric antimonato polyoxovanadate cluster [V ₁₆ Sb ₄ O ₄₂ (H ₂ O)] ₈ ⁷⁻ derived from the {V ₁₈ O ₄₂ } archetype. <i>Dalton Transactions</i> , 2012, 41, 6957.	3.3	23
150	An Ir ^{IV} -containing polyoxometalate. <i>Chemical Communications</i> , 2015, 51, 1222-1225.	4.1	23
151	Tuning the Condensation Degree of {Fe _n In} Oxo Clusters via Ligand Metathesis, Temperature, and Solvents. <i>Inorganic Chemistry</i> , 2018, 57, 7904-7913.	4.0	23
152	Tetranuclear [2Å–2] Square-Grid Lanthanide(III) Complexes: Syntheses, Structures, and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 4159-4167.	2.0	22
153	Lanthanide-Containing 22-Tungsto-2-germanates [Ln(GeW ₁₁ O ₃₉) ₂] ¹³⁻ : Synthesis, Structure, and Magnetic Properties. <i>Inorganic Chemistry</i> , 2020, 59, 4340-4348.	4.0	22
154	Optical properties of the molecule-based magnet K ₆ [V ₁₅ As ₆ O ₄₂ (H ₂ O)] ₈ H ₂ O. <i>Physical Review B</i> , 2003, 68, .	3.2	21
155	Magnetic susceptibility and spin dynamics of a polyoxovanadate cluster: A proton NMR study of a model spin tetramer. <i>Physical Review B</i> , 2004, 69, .	3.2	21
156	A Novel Expansion Mode of Polyoxovanadate Clusters: Synthesis, Crystal Structure and Properties of {[Cu(H ₂ O)(C ₅ H ₁₄ N ₂) ₂] ₂ V ₁₆ O ₃₈ } Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2009, 635, 1094-1099.	2.0	21
157	Synthesis, crystal structure and magnetism of a new mixed germanium polyoxovanadate cluster. <i>Inorganica Chimica Acta</i> , 2010, 363, 4399-4404.	2.4	21
158	Understanding the magnetism of {Fe ₂ Ln} dimers, step-by-step. <i>Inorganic Chemistry Frontiers</i> , 2016, 3, 1071-1075.	6.0	21
159	Wrapping oxometalates with macrocyclic ligands: the decavanadate-cryptand system. <i>Inorganic Chemistry Communication</i> , 1998, 1, 111-114.	3.9	20
160	Electronic structure and exchange interactions in V ₁₅ magnetic molecules: LDA+U results. <i>Journal of Applied Physics</i> , 2003, 93, 7080-7082.	2.5	20
161	Direct estimation of zero-field energy gap in the nano-scale single molecular magnet. <i>Journal of Magnetism and Magnetic Materials</i> , 2007, 310, 1203-1205.	2.3	20
162	Polyoxometalate-stabilized, water dispersible Fe ₂ Pt magnetic nanoparticles. <i>Nanoscale</i> , 2013, 5, 2511.	5.6	20

#	ARTICLE	IF	CITATIONS
163	Iron(Fe_{8}) carboxylate/aminoalcohol coordination clusters with propeller-shaped cores: approaching reasonable exchange energies. <i>Dalton Transactions</i> , 2015, 44, 20753-20762.	3.3	20
164	Observation and Theoretical Analysis of the “Sensitive Coordination Sites” in the Isopolyoxomolybdate Cluster $[\text{Mo}_{36}\text{O}_{112}(\text{H})_2\text{O}]^{14-}$. <i>Journal of Cluster Science</i> , 2006, 17, 257-266.	3.3	19
165	Magnetic Coupling in Enantiomerically Pure Trinuclear Helicate-Type Complexes Formed by Hierarchical Self-Assembly. <i>Chemistry - A European Journal</i> , 2010, 16, 8797-8804.	3.3	19
166	Exploring the thermochromism of sulfite-embedded polyoxometalate capsules. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 7295.	2.8	19
167	Interpenetrated (8,3)-c and (10,3)-b Metal-Organic Frameworks Based on $[\text{Fe}^{\text{III}}_3]_3$ and $[\text{Fe}^{\text{III}}_2\text{Co}^{\text{II}}_2]$ Pivalate Spin Clusters. <i>Crystal Growth and Design</i> , 2014, 14, 4721-4728.	3.0	19
168	Assembly of Cerium(III) 2,2'-Bipyridine-5,5'-dicarboxylate-based Metal-Organic Frameworks by Solvent Tuning. <i>Crystal Growth and Design</i> , 2014, 14, 3541-3548.	3.0	19
169	Effects of Anion and Bipyridyl Bridging Ligand Identity on the Co(II) Coordination Networks. <i>Crystal Growth and Design</i> , 2014, 14, 3015-3025.	3.0	19
170	Heterometallic $[\text{Cu}_2\text{Ln}_3]$ ($\text{Ln} = \text{Dy}^{\text{III}}, \text{Gd}^{\text{III}}$ and Ho^{III}) and $[\text{Cu}_4\text{Ln}_2]$ ($\text{Ln} = \text{Dy}^{\text{III}}$ and Ho^{III}) Compounds: Synthesis, Structure, and Magnetism. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 1129-1142.	2.0	19
171	Acetate-controlled demetalation in multiiron polyoxometalates: A triiron cluster trapped between I^2 - and I^3 -Keggin isomers. <i>Dalton Transactions</i> , 2009, , 5606.	3.3	18
172	Thioether-terminated nickel(Ni_{6}) coordination clusters with $\{\text{Ni}_{8}\}$ horseshoe- and $\{\text{Ni}_{8}\}$ rollercoaster-shaped cores. <i>Inorganic Chemistry Frontiers</i> , 2016, 3, 523-531.	6.0	18
173	Exploring Tuning of Structural and Magnetic Properties by Modification of Ancillary I^2 -Diketonate Co-ligands in a Family of Near-Linear Tetranuclear Dy^{III} Complexes. <i>Crystal Growth and Design</i> , 2018, 18, 4004-4016.	3.0	18
174	Borohydride as Magnetic Superexchange Pathway in Late Lanthanide Borohydrides. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 1776-1783.	2.0	18
175	Unusually Distorted Pseudo-Octahedral Coordination Environment Around Co^{II} from Thioether Schiff Base Ligands in Dinuclear $[\text{CoLn}]$ ($\text{Ln} = \text{La}, \text{Gd}, \text{Tb}, \text{Dy}, \text{Ho}$) Complexes: Synthesis, Structure, and Understanding of Magnetic Behavior. <i>Inorganic Chemistry</i> , 2020, 59, 2387-2405.	4.0	18
176	Synthesis of Cu(I) octamolybdates using tetrakis-acetonitrilecopper(I) hexafluorophosphate. <i>Polyhedron</i> , 2009, 28, 2803-2807.	2.2	17
177	A thioether-decorated $\{\text{Mn}_{11}\text{Tb}_4\}$ coordination cluster with slow magnetic relaxation. <i>Inorganic Chemistry Frontiers</i> , 2015, 2, 1095-1100.	6.0	17
178	Chain and layer networks of germanato-polyoxovanadates. <i>CrystEngComm</i> , 2013, 15, 10238.	2.6	16
179	Tetrapalladium-Containing Polyoxotungstate $[\text{Pd}^{\text{II}}_4(\text{P}_2\text{W}_{15}\text{O}_{56})_2]^{16-}$: A Comparative Study. <i>Inorganic Chemistry</i> , 2014, 53, 11778-11784.	4.0	16
180	Dynamic magnetism of an iron(Fe_{14})-chlorido spin chain and its hexametallic segment. <i>Dalton Transactions</i> , 2015, 44, 1456-1464.	3.3	16

#	ARTICLE	IF	CITATIONS
181	Pentanuclear [2.2] spirocyclic lanthanide(<chem><scp>iii</scp></chem>) complexes: slow magnetic relaxation of the Dy ^{III} analogue. <i>Dalton Transactions</i> , 2015, 44, 19282-19293.	3.3	16
182	Avoiding Magnetochemical Overparametrization, Exemplified by One-Dimensional Chains of Hexanuclear Iron(III) Pivalate Clusters. <i>Inorganic Chemistry</i> , 2013, 52, 4154-4156.	4.0	15
183	{Ce10Mn8}: Cerium Analogues of the Decavanadate Archetype. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 1635-1638.	2.0	15
184	Magnetochemical Complexity of Hexa- and Heptanuclear Wheel Complexes of Late 3d Ions Supported by N,O-Donor Pyridyl-Methanolate Ligands. <i>Chemistry - A European Journal</i> , 2014, 20, 3769-3781.	3.3	15
185	Solvothermal synthesis and crystal structure of a heterometal-bridged {V 15 Sb 6 } dimer: [Ni 2 (tren) 3 (V 15 Sb 6 O 42 (H 2 O) 0.5)] 2 [Ni(trenH) 2]·H 2 O. <i>Inorganica Chimica Acta</i> , 2014, 421, 549-552.	2.4	15
186	Covalent Co-O and Sb-N Bonds Enable Polyoxovanadate Charge Control. <i>Inorganic Chemistry</i> , 2017, 56, 7120-7126.	4.0	15
187	From giant molecular clusters and precursors to solid-state structures. <i>Current Opinion in Solid State and Materials Science</i> , 1999, 4, 141-153.	11.5	14
188	Anion control of isomerism, crystal packing and binding properties in a mononuclear zinc complex. <i>Polyhedron</i> , 2006, 25, 3474-3480.	2.2	14
189	mathvariant="normal">Mo</mml:mi><mml:mn>72</mml:mn><mml:msub><mml:mi>mathvariant="normal">Fe</mml:mi><mml:mn>30</mml:mn><mml:msub><mml:mo></mml:mo></mml:mrow></mml:math>	3.2	14
190	Coordination frameworks assembled from Cu ^{II} ions and H ₂ O ₂ -1,3-bdpb ligands: X-ray and magneto structural investigations, and catalytic activity in the aerobic oxidation of tetralin. <i>Dalton Transactions</i> , 2014, 43, 16846-16856.	3.3	14
191	Host-Guest-Induced Environment Tuning of 3d Ions in a Polyoxopalladate Matrix. <i>Chemistry - A European Journal</i> , 2018, 24, 17767-17778.	3.3	14
192	Molecular Model of a Quantum Dot Beyond the Constant Interaction Approximation. <i>Physical Review Letters</i> , 2018, 120, 206801.	7.8	14
193	Spin structure of the nanoscale molecular magnet V15 cluster revealed by. <i>Journal of Magnetism and Magnetic Materials</i> , 2007, 310, 1429-1431.	2.3	13
194	CVD growth of carbon nanotubes using molecular nanoclusters as catalyst. <i>Physica Status Solidi (B): Basic Research</i> , 2009, 246, 2494-2497.	1.5	13
195	{Fe6O2}-Based Assembly of a Tetradecanuclear Iron Nanocluster. <i>Materials</i> , 2011, 4, 300-310.	2.9	13
196	[V15Ge6O42S6(H ₂ O)] ₁₂ , a Thiogermanatopolyoxovanadate Cluster Featuring the Spin Topology of the Molecular Magnet [V15As6O42(H ₂ O)] ₆ . <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 1237-1242.	2.0	13
197	Cluster-based networks: assembly of a (4,4) layer and a rare T-shaped bilayer from [Mn ₁₁ 2Mn ₁₁ 4O ₂ (RCOO) ₁₀] coordination clusters. <i>CrystEngComm</i> , 2014, 16, 6523.	2.6	13
198	Adsorption phenomena of cubane-type tetranuclear Ni(II) complexes with neutral, thioether-functionalized ligands on Au(111). <i>Surface Science</i> , 2015, 641, 210-215.	1.9	13

#	ARTICLE	IF	CITATIONS
199	Ultrasound-Assisted Formation of {Fe ₆ Ln/Y ₄ } Wheel-Shaped Clusters and Condensed {Fe ₄ Ln/Y ₂ } Aggregates. European Journal of Inorganic Chemistry, 2019, 2019, 2236-2244.	2.0	13
200	Unconventional Heisenberg spin triangle in magnetic molecule {V ₁₅ } : A proton nuclear magnetic resonance study. Journal of Applied Physics, 2003, 93, 7810-7812.	2.5	12
201	Dielectric and transport properties of K ₆ [V ₁₅ As ₆ O ₄₂ (H ₂ O)]·8H ₂ O. Physical Review B, 2005, 71, .	3.2	12
202	Removing Compositional Boundaries in Mixed-Linker Keplerate Clusters. European Journal of Inorganic Chemistry, 2009, 2009, 5071-5074.	2.0	12
203	Heterometallic hexanuclear isobutyrate clusters based on di- and tripodal alcohols. Polyhedron, 2010, 29, 1990-1997.	2.2	12
204	An approach to the magnetic ground state of the molecular magnet {Mo ₇₂ Fe ₃₀ }. New Journal of Physics, 2010, 12, 083044.	2.9	12
205	Polyoxometalate-directed assembly of water-soluble AgCl nanocubes. Chemical Communications, 2012, 48, 2207.	4.1	12
206	A fluorophosphate-based inverse Keggin structure. Dalton Transactions, 2012, 41, 9876.	3.3	12
207	Solid-state coexistence of {Zr ₁₂ } and {Zr ₆ } zirconium oxocarboxylate clusters. CrystEngComm, 2014, 16, 43-46.	2.6	12
208	Undecametallic and hexadecametallic ferric oxo hydroxo/ethoxo pivalate clusters. Dalton Transactions, 2015, 44, 7777-7780.	3.3	12
209	A Layered Manganese(IV)-Containing Heteropolyvanadate with a 1:14 Stoichiometry. Inorganic Chemistry, 2015, 54, 10604-10609.	4.0	12
210	Tin(<i>i</i>)-functionalization of the archetypal {P ₈ W ₄₈ } polyoxotungstate. Dalton Transactions, 2015, 44, 19200-19206.	3.3	12
211	In situ ligand exchange-mediated 0D/1D transformation of a polyoxovanadate. Dalton Transactions, 2017, 46, 1618-1623.	3.3	12
212	Linear, Trinuclear Cobalt Complexes with <i>i</i> -Phenylenebis-Silylamido Ligands. Chemistry - A European Journal, 2017, 23, 6504-6508.	3.3	12
213	Ce ^{III} -Functionalized Polyoxotungstates: Discrete vs Extended Architectures. Crystal Growth and Design, 2019, 19, 4860-4870.	3.0	12
214	A Spontaneous Condensation Sequence from a {Fe ₆ Dy ₃ } Wheel to a {Fe ₇ Dy ₄ } Globe. Crystal Growth and Design, 2019, 19, 2097-2103.	3.0	12
215	Ferromagnetic Cull-Cull exchange interactions in a polyoxomolybdate-based nanocluster. Journal of Applied Physics, 2003, 93, 7101-7102.	2.5	11
216	Pentadecadentate Chelating Ligands as Building Blocks for a {Fe ₆ } Cage with 12 Exo-Coordinated Sodium Cations. Inorganic Chemistry, 2004, 43, 7266-7268.	4.0	11

#	ARTICLE	IF	CITATIONS
217	Spin dynamics and level crossing in nanoscale molecular magnet V15 cluster studied by $^{1}\text{H-NMR}$. <i>Polyhedron</i> , 2005, 24, 2737-2744.	2.2	11
218	Synthesis, structure and magnetism of a linear $\text{Cu}^{\text{+}}\text{Cl}^{\text{-}}\text{Cu}$ entity found in $[(\text{Cu}(\text{tachH})(\text{tach}))_2(\text{I}^{1/4}\text{-Cl})]^{5+}$. <i>Polyhedron</i> , 2005, 24, 1651-1655.	2.2	11
219	Low-lying magnetic excitations and magnetocaloric effect of molecular magnet K 6 [V 15 As 6 O 42 (H 2) Tj ETQq1.1.0.7843]4 rgBT (O_2) $_{11}$		
220	Classical/Non-Electrostatic Polyoxometalate Hybrids. <i>Chemistry - A European Journal</i> , 2016, 22, 16052-16056.	3.3	11
221	Spin-Hybrids: A Single-Molecule Approach to Spintronics. <i>E-Journal of Surface Science and Nanotechnology</i> , 2016, 14, 17-22.	0.4	11
222	Organorarsonate Functionalization of Heteropolyoxotungstates. <i>Inorganic Chemistry</i> , 2017, 56, 13822-13828.	4.0	11
223	Linear Cu_{2}Pd_2 , $\text{Cu}_{2}\text{Pd}_2\text{O}_2$, and $\text{Ag}_{2}\text{Pd}_2\text{O}_2$ Metal Chains Supported by Rigid $\langle\text{i}-\text{N}-\text{i}\rangle,\langle\text{i}-\text{N}-\text{i}\rangle^{\text{2-}}$ Diphenylphosphanyl Heterocyclic Carbene Ligands and Metallophilic Interactions. <i>Chemistry - A European Journal</i> , 2018, 24, 8787-8796.	3.3	11
224	Phthalocyanine-polyoxotungstate lanthanide double deckers. <i>Dalton Transactions</i> , 2020, 49, 16638-16642.	3.3	11
225	Synthesis, structure and magnetism of a one-dimensional silicotungstate array: $\text{K}_3\text{H}_4\text{Cu}_0.5\{\text{Cu}[\text{Cu}7.5\text{Si}2\text{W}16\text{O}60(\text{H}_2\text{O})_4\text{OH}]_2\}\text{-9H}_2\text{O}$. <i>Polyhedron</i> , 2009, 28, 215-220.	2.2	10
226	STRUCTURAL INTEGRITY OF SINGLE BIS(PHTHALOCYANINATO)-NEODYMIUM(III) MOLECULES ON METAL SURFACES WITH DIFFERENT REACTIVITY. <i>Spin</i> , 2014, 04, 1440007.	1.3	10
227	Effective hamiltonian crystal field: Present status and applications to iron compounds. <i>International Journal of Quantum Chemistry</i> , 2016, 116, 282-294.	2.0	10
228	Tetranuclear $\text{Mn}_{2}\text{Co}_{2}$, $\text{Cu}_{2}\text{Mn}_{2}$ and $\text{Zn}_{2}\text{Mn}_{2}$ grid complexes of an unsymmetrical ditopic ligand: synthesis, structure, redox and magnetic properties. <i>Dalton Transactions</i> , 2019, 48, 7766-7777.	3.3	10
229	Proton NMR in the giant paramagnetic molecule $\{\text{Mo}_{72}\text{Fe}_{30}\}$. <i>Journal of Applied Physics</i> , 2002, 91, 7388.	2.5	9
230	A spin-frustrated cobalt(II) carbonate pyrochlore network. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2011, 67, i56-i58.	0.4	9
231	Chiral Hexanuclear Ferric Wheels. <i>Inorganic Chemistry</i> , 2012, 51, 2734-2736.	4.0	9
232	Macrocycles based on magnetically functionalized zirconium oxide clusters. <i>Inorganica Chimica Acta</i> , 2012, 380, 72-77.	2.4	9
233	Polyoxometalates with separate lacuna sites. <i>Chemical Communications</i> , 2020, 56, 14857-14860.	4.1	9
234	Correlation effects in the electronic structure of the $\text{Mn}_{4}\text{O}_{4}$ molecular magnet. <i>Physical Review B</i> , 2008, 77, .	3.2	8

#	ARTICLE	IF	CITATIONS
235	Decanuclear Manganese Isobutyrate Clusters Featuring a Novel Mn ^{II} ₈ Mn ^{III} ₂ Core. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 4209-4212.	2.0	8
236	{Co ^{II} /Li ⁺ } horseshoe and {Ni ^{II} 4} lacunary cubane coordination clusters: the isobutyrate/N-butylidiethanolamine reaction system. <i>RSC Advances</i> , 2016, 6, 100664-100669.	3.6	8
237	Small, beautiful and magnetically exotic: {V ₄ W ₂ }- and {V ₄ W ₄ }-type polyoxometalates. <i>Dalton Transactions</i> , 2016, 45, 10519-10522.	3.3	8
238	Konfigurationsisomerie in Polyoxovanadaten. <i>Angewandte Chemie</i> , 2018, 130, 3024-3028.	2.0	8
239	Triangular {Ni ₃ } coordination cluster with a ferromagnetically coupled metal-ligand core. <i>Polyhedron</i> , 2018, 144, 144-151.	2.2	8
240	The homometallic polyoxotungstate archetype {P ₄ W ₂₄ }. <i>Chemical Communications</i> , 2018, 54, 2216-2219.	4.1	8
241	Element-Selective Molecular Charge Transport Characteristics of Binuclear Copper(II)-Lanthanide(III) Complexes. <i>Inorganic Chemistry</i> , 2018, 57, 9274-9285.	4.0	8
242	A planar decanuclear cobalt(II) coordination cluster. <i>Inorganica Chimica Acta</i> , 2018, 482, 522-525.	2.4	8
243	Cyclophane with eclipsed pyrene units enables construction of spin interfaces with chemical accuracy. <i>Chemical Science</i> , 2021, 12, 8430-8437.	7.4	8
244	[sup 1]H and [sup 23]Na nuclear magnetic resonance study of V ₆ magnetic molecular clusters. <i>Journal of Applied Physics</i> , 2002, 91, 7391.	2.5	7
245	Ultraâ€High Vacuum Deposition of Pyrene Molecules on Metal Surfaces. <i>Physica Status Solidi (B): Basic Research</i> , 2018, 255, 1800235.	1.5	7
246	Versatility of copper(II) coordination compounds with 2,3-bis(2-pyridyl)pyrazine mediated by temperature, solvents and anions choice. <i>Solid State Sciences</i> , 2018, 82, 1-12.	3.2	7
247	Amineâ€Functionalized Spin Crossover Building Blocks. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 4621-4624.	2.0	7
248	Robust and efficient electrocatalyst for water oxidation based on 4,4â€²-oxybis(benzoate)-linked copper(II) hydroxido layers. <i>Inorganica Chimica Acta</i> , 2019, 497, 119080.	2.4	7
249	Metalâ€organic frameworks with solvent-free lanthanide coordination environments: synthesis from aqueous ethanol solutions. <i>CrystEngComm</i> , 2020, 22, 7935-7943.	2.6	7
250	Exploiting complementary ligands for the construction of square antiprismatic monometallic lanthanide SMMs. <i>Dalton Transactions</i> , 2021, 50, 9648-9654.	3.3	7
251	Trigonal Prismatic Coordination of Discrete Rare Earth Ions, Enforced by the Polyoxotungstate [P ₄ W ₂₇ O ₉₉ (H ₂ O) ₁₆]. <i>Chemistry - A European Journal</i> , 2021, 27, 13376-13383.	3.3	7
252	Chemistry with Nanoparticles: Linking of Ring-and Ball-Shaped Species. <i>Nanostructure Science and Technology</i> , 2002, , 1-15.	0.1	6

#	ARTICLE	IF	CITATIONS
253	Combinatorially Linkable Metal-Oxide Based Units: Perspectives for Nano, Supramolecular, and Solid-State Chemistry. , 2003, , 297-323.	6	
254	Heisenberg model of a {Cr8}-cubane magnetic molecule. Journal of Applied Physics, 2003, 93, 7083-7085.	2.5	6
255	Synthetic, structural and magnetic characterisation of a one-dimensional nickel chain constructed using cis,trans-1,3,5-triaminocyclohexane as a building block. Journal of Molecular Structure, 2006, 796, 23-27.	3.6	6
256	A Homochiral 2D Copper(II) Coordination Framework. European Journal of Inorganic Chemistry, 2009, 2009, 717-720.	2.0	6
257	Level crossings and zero-field splitting in the {Cr ₈ }-cubane spin cluster studied using inelastic neutron scattering and magnetization. Journal of Physics Condensed Matter, 2010, 22, 466001.	1.8	6
258	A Heptanuclear Iron(III) Oxo-Carboxylate Cluster. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2011, 637, 821-823.	1.2	6
259	[CoxCu1-x(DDOP)(OH2)(NO3)](NO3): hydrogen bond-driven distortion of cobalt(ii) by solid solution network mismatch™. Dalton Transactions, 2012, 41, 4927.	3.3	6
260	[CoI4MoV12O28(OH)12(H2O)12]·12H2O: facilitating single-crystal growth by deuteration. Acta Crystallographica Section C: Crystal Structure Communications, 2012, 68, i17-i19.	0.4	6
261	Blurring the line between addenda and heteroatoms in a giant polyoxotungstotellurite. Chemical Communications, 2019, 55, 10744-10747.	4.1	6
262	Sequential Isomerization of a Macroyclic Polyoxometalate Archetype. Inorganic Chemistry, 2019, 58, 9378-9386.	4.0	6
263	Polyoxotungstate Archetype {P ₄ W ₂₇ } and its 3d Derivatives. Chemistry - A European Journal, 2021, 27, 8500-8508.	3.3	6
264	Hybrid lanthanide double-deckers based on calixarene and polyoxometalate units. Dalton Transactions, 2022, 51, 5409-5413.	3.3	6
265	NMR and $\frac{1}{4}$ SR investigation of spin dynamics in {Mo ₇₂ Fe ₃₀ } molecular clusters. Journal of Magnetism and Magnetic Materials, 2004, 272-276, 1099-1101.	2.3	5
266	^1H -NMR studies on spin dynamics in molecular nanomagnet V15. Journal of Magnetism and Magnetic Materials, 2005, 294, 141-146.	2.3	5
267	Magnetic properties of the triangular quantum spin tube [(CuCl ₂ tachH) ₃ Cl] _{Cl2} studied by NMR and magnetization. Journal of Physics: Conference Series, 2011, 320, 012047.	0.4	5
268	Covalent functionalization of carbon nanotubes with tetramanganese complexes. Physica Status Solidi (B): Basic Research, 2012, 249, 2412-2415.	1.5	5
269	Zigzag polymer chains in catena-poly[[[triaqua(isobutyrate- $\text{-}^{\circ}\text{O}$)magnesium(II)]- $\frac{1}{4}$ -isobutyrate- $\text{-}^{\circ}\text{O}$] O]. Acta Crystallographica Section C: Crystal Structure Communications, 2013, 69, 1144-1146.	0.4	5
270	Quantum transport in carbon nanotubes covalently functionalized with magnetic molecules. Physica Status Solidi (B): Basic Research, 2016, 253, 2424-2427.	1.5	5

#	ARTICLE	IF	CITATIONS
271	A naphthalene-fused dimer of an anti-aromatic expanded isophlorin. <i>Chemical Communications</i> , 2017, 53, 8211-8214.	4.1	5
272	Kinetics and Mechanism of Pyrrolidine Buffer-Catalyzed Fulvene Formation. <i>Journal of Organic Chemistry</i> , 2019, 84, 486-494.	3.2	5
273	[Mn(terpy)Sb ₂ S ₄] _n , a 1D Network of MnSb ₄ S ₅ Rings Exhibiting a Pronounced Magnetocaloric Effect and Luminescence. <i>European Journal of Inorganic Chemistry</i> , 2020, 2020, 1751-1758.	2.0	5
274	Synthetic diversity and change in nuclearity in [Co-Dy] coordination aggregates: bridge removal, solvent induced structural reorganization and AC susceptibility measurements. <i>Dalton Transactions</i> , 2020, 49, 7576-7591.	3.3	5
275	Magnetic Phase Transitions in a Ni ₄ O ₄ Cubane-Based Metal-Organic Framework. <i>Chemistry - A European Journal</i> , 2020, 26, 7589-7594.	3.3	5
276	Three intersecting {V ₁₂ } rings: {V ₃₀ Sb ₈ }, an ultra-large polyoxovanadate cluster shell. <i>Chemical Communications</i> , 2021, 57, 7661-7664.	4.1	5
277	Inelastic neutron scattering on a mixed-valence dodecanuclear polyoxovanadate cluster. <i>Applied Physics A: Materials Science and Processing</i> , 2002, 74, s734-s736.	2.3	4
278	¹ H NMR study of dodecanuclear polyoxovanadate cluster {V12}. <i>Journal of Magnetism and Magnetic Materials</i> , 2004, 272-276, E759-E761.	2.3	4
279	Inside Cover Picture: Structural and Compositional Control in {M12} Cobalt and Nickel Coordination Clusters Detected Magnetochemically and with Cryospray Mass Spectrometry (<i>Angew. Chem. Int. Ed.</i>) Tj ETQq1 1 03843144gBT /Over		
280	Magnetic properties of Heisenberg triangular antiferromagnet V15 cluster studied by NMR. <i>Hyperfine Interactions</i> , 2007, 176, 65-68.	0.5	4
281	Interconnection of [V ₁₅ As ₆ O ₄₂ (H ₂ O)] ₆ - Clusters by Cu ²⁺ -centered Complexes: Synthesis, Crystal Structure and Selected Properties. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2014, 69, 1306-1314.	0.7	4
282	A Keggin-type Structure Expanded by an Eight-membered Ring of Alternating Edge-sharing VO ₅ and VO ₆ Polyhedra: Solvothermal Synthesis, Crystal Structure, and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 3285-3289.	2.0	4
283	Ordnung muss sein: heteroelement order and disorder in polyoxovanadates. <i>Dalton Transactions</i> , 2018, 47, 6672-6674.	3.3	4
284	Synthesis, structure and magnetic properties of a novel high-nuclearity oxo-carboxylate [Zn _x Co _{13-x} (¹ / ₄ ₄ -O) ₄ (O ₂ CPh) ₁₈] _{3.3} cluster. <i>Dalton Transactions</i> , 2019, 48, 12828-12831.		4
285	Polyoxopalladates as Prototype Molecular Hydrogen Uptake Systems and Novel In situ Hydrogen Detectors on the Nanoscale. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 448-455.	2.0	4
286	Synthesis, structure and magnetic properties of Ni(II) and Cu(II), [2 Å-2] grid complexes of pyrimidine-based symmetric ditopic ligands. <i>Inorganica Chimica Acta</i> , 2019, 486, 88-94.	2.4	4
287	Phosphorylated-calix[4]arene double-deckers of single rare earth metal ions. <i>Chemical Communications</i> , 2021, 57, 8087-8090.	4.1	4
288	Insertion of V ^{IV} Ions into the Polyoxotungstate Archetype {As ₄ W ₄₀ }. <i>Inorganic Chemistry</i> , 2021, 60, 8437-8441.	4.0	4

#	ARTICLE	IF	CITATIONS
289	Classical and Quantum Magnetism in Giant Keplerate Magnetic Molecules. <i>ChemPhysChem</i> , 2001, 2, 517-521.	2.1	4
290	Rb ₃ Er ₄ Cu ₅ Te ₁₀ : exploring the frontier between polar intermetallics and Zintl phases via experimental and quantumchemical approaches. <i>European Journal of Inorganic Chemistry</i> , 0, , .	2.0	4
291	Tetrahedral M ₄ (¹ / ₄ ₄ -O) Motifs Beyond Zn: Efficient One-Pot Synthesis of Oxido-“Amidate Clusters <i>via</i> a Transmetalation/Hydrolysis Approach. <i>Inorganic Chemistry</i> , 2022, 61, 7869-7877.	4.0	4
292	Transition Metal Tetrathiosquarates: One-dimensional Linking in the Iron(II) Salt FeC ₄ S ₄ ²⁻ ·6 H ₂ O. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009, 635, 1991-1996.	1.2	3
293	An octanuclear iron(III) isobutyrate wheel. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2011, 67, m371-m374.	0.4	3
294	Determination of exchange energies in the sawtooth spin ring {Mo ₇₅ V ₂₀ } by ESR. <i>Physical Review B</i> , 2012, 85, .	3.2	3
295	Unprecedented Connection Mode of [V ₁₆ Sb ₄ O ₄₂ (H ₂ O)] ⁸⁻ Cluster Anions by Mn ²⁺ Centered Complexes: Solvothermal Synthesis and Properties of		

#	ARTICLE		IF	CITATIONS
307	MAGNETISM OF KEPLERATES. World Scientific Series in Nanoscience and Nanotechnology, 2013, , 173-200.	0.1	2	
308	Magneto-optical Response of 3d-Decorated Polyoxomolybdates with $\text{I}\mu$ -Keggin Structure. Inorganic Chemistry, 2014, 53, 2892-2898.	4.0	2	
309	Conductive Self-Assembled Monolayers of Paramagnetic $\{\text{CoII}\text{Co4III}\}$ and $\{\text{Co4II}\text{Co2III}\}$ Coordination Clusters on Gold Surfaces. Frontiers in Chemistry, 2019, 7, 681.	3.6	2	
310	A $\{\text{Na}_{2}\text{Fe}_{10}\}$ isobutyrate cluster, interlinked into 1D chains. CrystEngComm, 2021, 23, 5153-5156.	2.6	2	
311	Cluster-Based Coordination Polymers of Mn/Fe-Oxo Pivalates and Isobutyrates. Chemistry, 2021, 3, 314-326.	2.2	2	
312	Expansion of Zirconium Oxide Clusters by 3d/4f Ions. Inorganic Chemistry, 2021, 60, 11599-11608.	4.0	2	
313	Linear $\text{Cu}^{+}\text{I}_{2}\text{Pd}^{0}$, $\text{Cu}^{+}\text{Pd}^{0}\text{I}_{2}$, and $\text{Ag}^{+}\text{I}_{2}\text{Pd}^{0}$ Metal Chains Supported by Rigid $\langle\text{i}\rangle\text{N}\langle/\text{i}\rangle,\langle\text{i}\rangle\text{N}\langle/\text{i}\rangle\text{--Diphosphanyl--Heterocyclic Carbene Ligands and Metallophilic Interactions. Chemistry - A European Journal, 2018, 24, 8697-8697.}$	3.3	2	
314	Cyclodextrin-Templated Co(II) Grids: Symmetry Control over Supramolecular Topology and Magnetic Properties. Inorganic Chemistry, 2022, 61, 2499-2508.	4.0	2	
315	Temperature effects on multi-particle scattering in a gapped quantum magnet. Journal of Magnetism and Magnetic Materials, 2007, 310, 1236-1238.	2.3	1	
316	Synthesis, Characterization, and Quantum-Chemical Studies of $\text{Ni}(\text{CN})_{2}\text{MX}$ ($\text{M} = \text{Rb}, \text{Cs}; \text{X} = \text{Tj ETQq0.0.0 rgBT}$)	4.0	1	
317	Spin dynamics of the giant polyoxometalate molecule $\{\text{Mn40W224}\}$ studied by NMR. Journal of Physics Condensed Matter, 2014, 26, 196003.	1.8	1	
318	Alkoxide bridged Copper(II) Hinokitiolato and Tropolonato Complexes: Polymorphism, Reconstructive Phase Transition, and Magnetic Properties. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2016, 642, 222-230.	1.2	1	
319	Mixing SbIII and GeIV occupancy in the polyoxovanadate $\{\text{V14E8}\}$ archetype. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2018, 73, 773-779.	0.7	1	
320	In-situ Complex and Sb-N Bond Formation in an Antimonato Polyoxovanadate Reaction System. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2018, 644, 1508-1512.	1.2	1	
321	Magnetism of Actinide Coordination Compounds. Topics in Organometallic Chemistry, 2018, , 391-410.	0.7	1	
322	Oxidation of uranium(iv) thiocyanate complexes: cation-cation interactions in mixed-valent uranium coordination chains. Dalton Transactions, 2019, 48, 6704-6708.	3.3	1	
323	Intramolecular crossover from unconventional diamagnetism to paramagnetism of palladium ions probed by soft X-ray magnetic circular dichroism. Communications Chemistry, 2020, 3, .	4.5	1	
324	Sensing alterations of the local environment of 3d, 4d, and 4f central ions in polyoxopalladates with soft X-ray magnetic dichroisms. Journal of Magnetism and Magnetic Materials, 2020, 514, 167063.	2.3	1	

#	ARTICLE	IF	CITATIONS
325	Structural phase transitions and magnetic superexchange in M⁺I⁻Ag⁺II⁺F⁻sub>3</sub> perovskites at high pressure. <i>Chemistry - A European Journal</i> , 2022, , .	3.3	1
326	Infinite octamolybdate chains cross-linked by paramagnetic iron (II) centers. <i>Open Chemistry</i> , 2004, 2, 323-333.	1.9	0
327	Mehr als nur EinzelmolekÃ¼lmagnete. <i>Nachrichten Aus Der Chemie</i> , 2008, 56, 743-746.	0.0	0
328	Local Spin Moment Distribution In Molecular Nanomagnets V15 And Cr7Cd Determined By NMR. <i>AIP Conference Proceedings</i> , 2008, , .	0.4	0
329	Spin freezing in geometrically frustrated magnetic molecule Fe3Orevealed by NMR. <i>Journal of Physics: Conference Series</i> , 2012, 400, 032012.	0.4	0
330	Amine-Functionalized Spin Crossover Building Blocks. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 4606-4606.	2.0	0
331	A phosphonateâ€“lanthanoid polyoxometalate coordination polymer: {Ce₂P₂W₁₆O₆₀L₂}_nⁱ_n</sup> zipper chains. <i>CrystEngComm</i> , 2021, 23, 5989-5993.	2.6	0
332	Mn 2+ substitution within the {V 14 As 8 } polyoxovanadate archetype results in {Mn 2 V 12 As 8 } shells with trans â€¢positioned heterometal positions. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2021, 647, 2098.	1.2	0
333	SPIN DYNAMICS IN HEISENBERG TRIANGULAR SYSTEM V15 CLUSTER STUDIED BY 1H-NMR. , 2006, , .		0
334	⁵¹V-NMR STUDIES OF HEISENBERG TRIANGULAR SYSTEM V15 CLUSTER. , 2007, , .		0
335	Magnetic properties of Heisenberg triangular antiferromagnet V15 cluster studied by NMR. , 2008, , 65-68.		0
336	New iron(III) undeca- and tetradecanuclear carboxylate clusters. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2010, 66, s265-s265.	0.3	0
337	Polyoxometalate Chemistry: a Source for Unusual Spin Topologies. , 2001, , 319-328.		0
338	A standing molecule as a coherent single-electron field emitter. , 2021, , .		0