

Akira Ono

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1361226/publications.pdf>

Version: 2024-02-01

67
papers

5,214
citations

136740

32
h-index

98622

67
g-index

75
all docs

75
docs citations

75
times ranked

3473
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Molecular Determinants in tRNA D-arm Required for Inhibition of HIV-1 Gag Membrane Binding. <i>Journal of Molecular Biology</i> , 2022, 434, 167390. | 2.0 | 4 |
| 2 | Relationship between HIV-1 Gag Multimerization and Membrane Binding. <i>Viruses</i> , 2022, 14, 622. | 1.5 | 13 |
| 3 | Movements of Ancient Human Endogenous Retroviruses Detected in SOX2-Expressing Cells. <i>Journal of Virology</i> , 2022, 96, e0035622. | 1.5 | 9 |
| 4 | Human Respiratory Syncytial Virus Infection in a Human T Cell Line Is Hampered at Multiple Steps. <i>Viruses</i> , 2021, 13, 231. | 1.5 | 1 |
| 5 | Roles of Virion-Incorporated CD162 (PSGL-1), CD43, and CD44 in HIV-1 Infection of T Cells. <i>Viruses</i> , 2021, 13, 1935. | 1.5 | 4 |
| 6 | HIV-1 entry: Duels between Env and host antiviral transmembrane proteins on the surface of virus particles. <i>Current Opinion in Virology</i> , 2021, 50, 59-68. | 2.6 | 7 |
| 7 | <i>Toxoplasma gondii</i> exploits the host ESCRT machinery for parasite uptake of host cytosolic proteins. <i>PLoS Pathogens</i> , 2021, 17, e1010138. | 2.1 | 29 |
| 8 | Introduction to Special Issue “The 11th International Retroviral Nucleocapsid and Assembly Symposium” <i>Viruses</i> , 2020, 12, 1243. | 1.5 | 0 |
| 9 | Rendezvous at Plasma Membrane: Cellular Lipids and tRNA Set up Sites of HIV-1 Particle Assembly and Incorporation of Host Transmembrane Proteins. <i>Viruses</i> , 2020, 12, 842. | 1.5 | 9 |
| 10 | Host Retromer Protein Sorting Nexin 2 Interacts with Human Respiratory Syncytial Virus Structural Proteins and is Required for Efficient Viral Production. <i>MBio</i> , 2020, 11, . | 1.8 | 13 |
| 11 | A molecularly engineered antiviral banana lectin inhibits fusion and is efficacious against influenza virus infection in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 2122-2132. | 3.3 | 58 |
| 12 | Virion-incorporated PSGL-1 and CD43 inhibit both cell-free infection and transinfection of HIV-1 by preventing virus-cell binding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 8055-8063. | 3.3 | 22 |
| 13 | Relationships between MA-RNA Binding in Cells and Suppression of HIV-1 Gag Mislocalization to Intracellular Membranes. <i>Journal of Virology</i> , 2019, 93, . | 1.5 | 23 |
| 14 | Friend or Foe: The Role of the Cytoskeleton in Influenza A Virus Assembly. <i>Viruses</i> , 2019, 11, 46. | 1.5 | 27 |
| 15 | A Defect in Influenza A Virus Particle Assembly Specific to Primary Human Macrophages. <i>MBio</i> , 2018, 9, . | 1.8 | 8 |
| 16 | Secondary lymphoid organ fibroblastic reticular cells mediate trans-infection of HIV-1 via CD44-hyaluronan interactions. <i>Nature Communications</i> , 2018, 9, 2436. | 5.8 | 21 |
| 17 | The tumour suppressor APC promotes HIV-1 assembly via interaction with Gag precursor protein. <i>Nature Communications</i> , 2017, 8, 14259. | 5.8 | 13 |
| 18 | Inhibition of HIV-1 Gag-membrane interactions by specific RNAs. <i>Rna</i> , 2017, 23, 395-405. | 1.6 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Molecular mechanisms by which HERV-K Gag interferes with HIV-1 Gag assembly and particle infectivity. <i>Retrovirology</i> , 2017, 14, 27. | 0.9 | 38 |
| 20 | Molecular Determinants Directing HIV-1 Gag Assembly to Virus-Containing Compartments in Primary Macrophages. <i>Journal of Virology</i> , 2016, 90, 8509-8519. | 1.5 | 11 |
| 21 | Visualization of HIV-1 Gag Binding to Giant Unilamellar Vesicle (GUV) Membranes. <i>Journal of Visualized Experiments</i> , 2016, , . | 0.2 | 2 |
| 22 | Methods to Study Determinants for Membrane Targeting of HIV-1 Gag In Vitro. <i>Methods in Molecular Biology</i> , 2016, 1354, 175-185. | 0.4 | 1 |
| 23 | Characterizing natural hydrogel for reconstruction of three-dimensional lymphoid stromal network to model Tâ€cell interactions. <i>Journal of Biomedical Materials Research - Part A</i> , 2015, 103, 2701-2710. | 2.1 | 15 |
| 24 | Basic Motifs Target PSGL-1, CD43, and CD44 to Plasma Membrane Sites Where HIV-1 Assembles. <i>Journal of Virology</i> , 2015, 89, 454-467. | 1.5 | 24 |
| 25 | Phosphatidylinositol-(4,5)-Bisphosphate Acyl Chains Differentiate Membrane Binding of HIV-1 Gag from That of the Phospholipase CÎ1 Pleckstrin Homology Domain. <i>Journal of Virology</i> , 2015, 89, 7861-7873. | 1.5 | 28 |
| 26 | Membrane Binding and Subcellular Localization of Retroviral Gag Proteins Are Differentially Regulated by MA Interactions with Phosphatidylinositol-(4,5)-Bisphosphate and RNA. <i>MBio</i> , 2014, 5, e02202. | 1.8 | 42 |
| 27 | Roles played by acidic lipids in HIV-1 Gag membrane binding. <i>Virus Research</i> , 2014, 193, 108-115. | 1.1 | 36 |
| 28 | Evidence in Support of RNA-Mediated Inhibition of Phosphatidylserine-Dependent HIV-1 Gag Membrane Binding in Cells. <i>Journal of Virology</i> , 2013, 87, 7155-7159. | 1.5 | 68 |
| 29 | Roles Played by Capsid-Dependent Induction of Membrane Curvature and Gag-ESCRT Interactions in Tetherin Recruitment to HIV-1 Assembly Sites. <i>Journal of Virology</i> , 2013, 87, 4650-4664. | 1.5 | 28 |
| 30 | HIV-1 Gag Associates with Specific Uropod-Directed Microdomains in a Manner Dependent on Its MA Highly Basic Region. <i>Journal of Virology</i> , 2013, 87, 6441-6454. | 1.5 | 42 |
| 31 | Bacterial curli protein promotes the conversion of PAP₂₄₈₋₂₈₆ into the amyloid SEVI: cross-seeding of dissimilar amyloid sequences. <i>PeerJ</i> , 2013, 1, e5. | 0.9 | 73 |
| 32 | Dynamic Association between HIV-1 Gag and Membrane Domains. <i>Molecular Biology International</i> , 2012, 2012, 1-13. | 1.7 | 18 |
| 33 | Human Endogenous Retrovirus K Gag Coassembles with HIV-1 Gag and Reduces the Release Efficiency and Infectivity of HIV-1. <i>Journal of Virology</i> , 2012, 86, 11194-11208. | 1.5 | 60 |
| 34 | Post-digestion 18O Exchange/Labeling for Quantitative Shotgun Proteomics of Membrane Proteins. <i>Methods in Molecular Biology</i> , 2012, 893, 223-240. | 0.4 | 2 |
| 35 | Molecular Determinants that Regulate Plasma Membrane Association of HIV-1 Gag. <i>Journal of Molecular Biology</i> , 2011, 410, 512-524. | 2.0 | 110 |
| 36 | Gag Localization and Virus-Like Particle Release Mediated by the Matrix Domain of Human T-Lymphotropic Virus Type 1 Gag Are Less Dependent on Phosphatidylinositol-(4,5)-Bisphosphate than Those Mediated by the Matrix Domain of HIV-1 Gag. <i>Journal of Virology</i> , 2011, 85, 3802-3810. | 1.5 | 62 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Gag Induces the Coalescence of Clustered Lipid Rafts and Tetraspanin-Enriched Microdomains at HIV-1 Assembly Sites on the Plasma Membrane. <i>Journal of Virology</i> , 2011, 85, 9749-9766. | 1.5 | 101 |
| 38 | Assembly and Replication of HIV-1 in T Cells with Low Levels of Phosphatidylinositol-(4,5)-Bisphosphate. <i>Journal of Virology</i> , 2011, 85, 3584-3595. | 1.5 | 30 |
| 39 | Opposing mechanisms involving RNA and lipids regulate HIV-1 Gag membrane binding through the highly basic region of the matrix domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 1600-1605. | 3.3 | 200 |
| 40 | Nucleocapsid Promotes Localization of HIV-1 Gag to Uropods That Participate in Virological Synapses between T Cells. <i>PLoS Pathogens</i> , 2010, 6, e1001167. | 2.1 | 68 |
| 41 | Viruses and Lipids. <i>Viruses</i> , 2010, 2, 1236-1238. | 1.5 | 11 |
| 42 | Relationships between plasma membrane microdomains and HIV-1 assembly. <i>Biology of the Cell</i> , 2010, 102, 335-350. | 0.7 | 103 |
| 43 | Optimized Method for Computing $^{18}\text{O}/^{16}\text{O}$ Ratios of Differentially Stable-Isotope Labeled Peptides in the Context of Postdigestion ^{18}O Exchange/Labeling. <i>Analytical Chemistry</i> , 2010, 82, 5878-5886. | 3.2 | 22 |
| 44 | HIV-1 assembly at the plasma membrane. <i>Vaccine</i> , 2010, 28, B55-B59. | 1.7 | 36 |
| 45 | HIV-1 assembly at the plasma membrane: Gag trafficking and localization. <i>Future Virology</i> , 2009, 4, 241-257. | 0.9 | 85 |
| 46 | Quantitative Fluorescence Resonance Energy Transfer Microscopy Analysis of the Human Immunodeficiency Virus Type 1 Gag-Gag Interaction: Relative Contributions of the CA and NC Domains and Membrane Binding. <i>Journal of Virology</i> , 2009, 83, 7322-7336. | 1.5 | 62 |
| 47 | Interaction between the Human Immunodeficiency Virus Type 1 Gag Matrix Domain and Phosphatidylinositol-(4,5)-Bisphosphate Is Essential for Efficient Gag Membrane Binding. <i>Journal of Virology</i> , 2008, 82, 2405-2417. | 1.5 | 236 |
| 48 | Inhibition of Human Immunodeficiency Virus Type 1 Assembly and Release by the Cholesterol-Binding Compound Amphotericin B Methyl Ester: Evidence for Vpu Dependence. <i>Journal of Virology</i> , 2008, 82, 9776-9781. | 1.5 | 46 |
| 49 | Dominant Negative Inhibition of Human Immunodeficiency Virus Particle Production by the Nonmyristoylated Form of Gag. <i>Journal of Virology</i> , 2008, 82, 4384-4399. | 1.5 | 16 |
| 50 | Real-Time Visualization of HIV-1 GAG Trafficking in Infected Macrophages. <i>PLoS Pathogens</i> , 2008, 4, e1000015. | 2.1 | 180 |
| 51 | Methods for the Study of HIV-1 Assembly. <i>Methods in Molecular Biology</i> , 2008, 485, 163-184. | 0.4 | 28 |
| 52 | Depletion of cellular cholesterol inhibits membrane binding and higher-order multimerization of human immunodeficiency virus type 1 Gag. <i>Virology</i> , 2007, 360, 27-35. | 1.1 | 93 |
| 53 | Pravastatin does not have a consistent antiviral effect in chronically HIV-infected individuals on antiretroviral therapy. <i>Aids</i> , 2005, 19, 1109-1111. | 1.0 | 28 |
| 54 | Association of Human Immunodeficiency Virus Type 1 Gag with Membrane Does Not Require Highly Basic Sequences in the Nucleocapsid: Use of a Novel Gag Multimerization Assay. <i>Journal of Virology</i> , 2005, 79, 14131-14140. | 1.5 | 82 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Role of Lipid Rafts in Virus Replication. <i>Advances in Virus Research</i> , 2005, 64, 311-358. | 0.9 | 128 |
| 56 | Cell-Type-Dependent Targeting of Human Immunodeficiency Virus Type 1 Assembly to the Plasma Membrane and the Multivesicular Body. <i>Journal of Virology</i> , 2004, 78, 1552-1563. | 1.5 | 239 |
| 57 | Human Apolipoprotein B mRNA-editing Enzyme-catalytic Polypeptide-like 3G (APOBEC3G) Is Incorporated into HIV-1 Virions through Interactions with Viral and Nonviral RNAs. <i>Journal of Biological Chemistry</i> , 2004, 279, 35822-35828. | 1.6 | 250 |
| 58 | Phosphatidylinositol (4,5) biphosphate regulates HIV-1 Gag targeting to the plasma membrane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 14889-14894. | 3.3 | 474 |
| 59 | Defects in Human Immunodeficiency Virus Budding and Endosomal Sorting Induced by TSG101 Overexpression. <i>Journal of Virology</i> , 2003, 77, 6507-6519. | 1.5 | 96 |
| 60 | Overexpression of the N-terminal domain of TSG101 inhibits HIV-1 budding by blocking late domain function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 955-960. | 3.3 | 324 |
| 61 | Plasma membrane rafts play a critical role in HIV-1 assembly and release. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 13925-13930. | 3.3 | 613 |
| 62 | Role of the Gag Matrix Domain in Targeting Human Immunodeficiency Virus Type 1 Assembly. <i>Journal of Virology</i> , 2000, 74, 2855-2866. | 1.5 | 218 |
| 63 | Relationship between Human Immunodeficiency Virus Type 1 Gag Multimerization and Membrane Binding. <i>Journal of Virology</i> , 2000, 74, 5142-5150. | 1.5 | 105 |
| 64 | Binding of Human Immunodeficiency Virus Type 1 Gag to Membrane: Role of the Matrix Amino Terminus. <i>Journal of Virology</i> , 1999, 73, 4136-4144. | 1.5 | 216 |
| 65 | Reversion of a Human Immunodeficiency Virus Type 1 Matrix Mutation Affecting Gag Membrane Binding, Endogenous Reverse Transcriptase Activity, and Virus Infectivity. <i>Journal of Virology</i> , 1999, 73, 4728-4737. | 1.5 | 26 |
| 66 | Role of Matrix in an Early Postentry Step in the Human Immunodeficiency Virus Type 1 Life Cycle. <i>Journal of Virology</i> , 1998, 72, 4116-4126. | 1.5 | 123 |
| 67 | Transport of Envelope Proteins of Sendai Virus, HN and FO, Is Blocked at Different Steps by Thapsigargin and Other Perturbants to Intracellular Ca ²⁺ /11. <i>Journal of Biochemistry</i> , 1994, 116, 649-656. | 0.9 | 14 |