

Monica Bellei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1363509/publications.pdf>

Version: 2024-02-01

53
papers

5,319
citations

236925
25
h-index

197818
49
g-index

53
all docs

53
docs citations

53
times ranked

4535
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Follicular Lymphoma International Prognostic Index. <i>Blood</i> , 2004, 104, 1258-1265. | 1.4 | 1,552 |
| 2 | Follicular Lymphoma International Prognostic Index 2: A New Prognostic Index for Follicular Lymphoma Developed by the International Follicular Lymphoma Prognostic Factor Project. <i>Journal of Clinical Oncology</i> , 2009, 27, 4555-4562. | 1.6 | 613 |
| 3 | Peripheral T-cell lymphoma unspecified (PTCL-U): a new prognostic model from a retrospective multicentric clinical study. <i>Blood</i> , 2004, 103, 2474-2479. | 1.4 | 549 |
| 4 | Early Positron Emission Tomography Responseâ€“Adapted Treatment in Stage I and II Hodgkin Lymphoma: Final Results of the Randomized EORTC/LYSA/FIL H10 Trial. <i>Journal of Clinical Oncology</i> , 2017, 35, 1786-1794. | 1.6 | 397 |
| 5 | Omitting Radiotherapy in Early Positron Emission Tomographyâ€“Negative Stage I/II Hodgkin Lymphoma Is Associated With an Increased Risk of Early Relapse: Clinical Results of the Preplanned Interim Analysis of the Randomized EORTC/LYSA/FIL H10 Trial. <i>Journal of Clinical Oncology</i> , 2014, 32, 1188-1194. | 1.6 | 349 |
| 6 | Clinicopathologic Characteristics of Angioimmunoblastic T-Cell Lymphoma: Analysis of the International Peripheral T-Cell Lymphoma Project. <i>Journal of Clinical Oncology</i> , 2013, 31, 240-246. | 1.6 | 287 |
| 7 | Final Results of the IELSG-19 Randomized Trial of Mucosa-Associated Lymphoid Tissue Lymphoma: Improved Event-Free and Progression-Free Survival With Rituximab Plus Chlorambucil Versus Either Chlorambucil or Rituximab Monotherapy. <i>Journal of Clinical Oncology</i> , 2017, 35, 1905-1912. | 1.6 | 143 |
| 8 | Prognostic value of baseline metabolic tumor volume in early-stage Hodgkin lymphoma in the standard arm of the H10 trial. <i>Blood</i> , 2018, 131, 1456-1463. | 1.4 | 130 |
| 9 | Molecular Profiling Improves Classification and Prognostication of Nodal Peripheral T-Cell Lymphomas: Results of a Phase III Diagnostic Accuracy Study. <i>Journal of Clinical Oncology</i> , 2013, 31, 3019-3025. | 1.6 | 129 |
| 10 | Watchful Waiting in Lowâ€“Tumor Burden Follicular Lymphoma in the Rituximab Era: Results of an F2-Study Database. <i>Journal of Clinical Oncology</i> , 2012, 30, 3848-3853. | 1.6 | 107 |
| 11 | High-Dose Therapy and Autologous Stem-Cell Transplantation Versus Conventional Therapy for Patients With Advanced Hodgkinâ€™s Lymphoma Responding to Front-Line Therapy. <i>Journal of Clinical Oncology</i> , 2003, 21, 2320-2325. | 1.6 | 106 |
| 12 | The outcome of peripheral T-cell lymphoma patients failing first-line therapy: a report from the prospective, International T-Cell Project. <i>Haematologica</i> , 2018, 103, 1191-1197. | 3.5 | 90 |
| 13 | High-dose therapy and autologous stem cell transplantation versus conventional therapy for patients with advanced Hodgkin's lymphoma responding to front-line therapy: long-term results. <i>Haematologica</i> , 2009, 94, 146-148. | 3.5 | 66 |
| 14 | Metabolic heterogeneity on baseline 18FDG-PET/CT scan is a predictor of outcome in primary mediastinal B-cell lymphoma. <i>Blood</i> , 2018, 132, 179-186. | 1.4 | 63 |
| 15 | Incidence, clinical characteristics and survival of malignant lymphomas: a population-based study from a cancer registry in northern Italy. <i>Hematological Oncology</i> , 2007, 25, 189-197. | 1.7 | 49 |
| 16 | Peripheral T cell lymphoma, not otherwise specified (PTCLâ€“NOS). A new prognostic model developed by the International T cell Project Network. <i>British Journal of Haematology</i> , 2018, 181, 760-769. | 2.5 | 49 |
| 17 | Long-Term Follow-Up Analysis of HD9601 Trial Comparing ABVD Versus Stanford V Versus MOPP/EBV/CAD in Patients With Newly Diagnosed Advanced-Stage Hodgkin's Lymphoma: A Study From the Intergruppo Italiano Linfomi. <i>Journal of Clinical Oncology</i> , 2011, 29, 4227-4233. | 1.6 | 47 |
| 18 | Incidence and outcomes of rare T cell lymphomas from the T Cell Project: hepatosplenic, enteropathy associated and peripheral gamma delta T cell lymphomas. <i>American Journal of Hematology</i> , 2020, 95, 151-155. | 4.1 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Efficacy of bendamustine and rituximab in splenic marginal zone lymphoma: results from the phase II BRISMA/IELSG36 study. <i>British Journal of Haematology</i> , 2018, 183, 755-765. | 2.5 | 41 |
| 20 | Concerning the mechanism of increased thermogenesis in rats treated with dehydroepiandrosterone. <i>Journal of Bioenergetics and Biomembranes</i> , 1993, 25, 313-321. | 2.3 | 38 |
| 21 | Prognostic relevance of serum λ 2 microglobulin in patients with follicular lymphoma treated with anthracycline-containing regimens. A GISS study. <i>Haematologica</i> , 2007, 92, 1482-1488. | 3.5 | 38 |
| 22 | Secondary malignant neoplasms, progression-free survival and overall survival in patients treated for Hodgkin lymphoma: a systematic review and meta-analysis of randomized clinical trials. <i>Haematologica</i> , 2017, 102, 1748-1757. | 3.5 | 38 |
| 23 | T-Cell Lymphomas in South America and Europe. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2011, 34, 42-47. | 0.7 | 38 |
| 24 | Changes in Liver Structure and Function after Short-Term and Long-Term Treatment of Rats with Dehydroepiandrosterone. <i>Journal of Nutrition</i> , 1992, 122, 967-976. | 2.9 | 34 |
| 25 | Reduced intensity <sc>VEPEMB</sc> regimen compared with standard <sc>ABVD</sc> in elderly Hodgkin lymphoma patients: results from a randomized trial on behalf of the Fondazione Italiana Linfomi (<sc>FIL</sc>). <i>British Journal of Haematology</i> , 2016, 172, 879-888. | 2.5 | 29 |
| 26 | Long-term overall survival and toxicities of ABVD vs BEACOPP in advanced Hodgkin lymphoma: A pooled analysis of four randomized trials. <i>Cancer Medicine</i> , 2020, 9, 6565-6575. | 2.8 | 29 |
| 27 | Induction of Thermogenic Enzymes by DHEA and Its Metabolites. <i>Annals of the New York Academy of Sciences</i> , 1995, 774, 171-179. | 3.8 | 27 |
| 28 | The Effects of the Ergosteroid 7-Oxo-dehydroepiandrosterone on Mitochondrial Membrane Potential: Possible Relationship to Thermogenesis. <i>Archives of Biochemistry and Biophysics</i> , 1997, 341, 122-128. | 3.0 | 26 |
| 29 | Follicular lymphoma. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2011, 34, 54-59. | 0.7 | 24 |
| 30 | High response rate and improvement of long-term survival with combined treatment modalities in patients with poor-risk primary thyroid diffuse large B-cell lymphoma: an International Extranodal Lymphoma Study Group and Intergruppo Italiano Linfomi study. <i>Leukemia and Lymphoma</i> , 2011, 52, 823-832. | 1.3 | 23 |
| 31 | ALK-negative anaplastic large cell lymphoma: features and outcomes of 235 patients from the International T-Cell Project. <i>Blood Advances</i> , 2021, 5, 640-648. | 5.2 | 22 |
| 32 | Pitfalls and major issues in the histologic diagnosis of peripheral T-cell lymphomas: results of the central review of 573 cases from the T-cell Project, an international, cooperative study. <i>Hematological Oncology</i> , 2017, 35, 630-636. | 1.7 | 19 |
| 33 | Dismal outcome of T-cell lymphoma patients failing first-line treatment: results of a population-based study from the Modena Cancer Registry. <i>Hematological Oncology</i> , 2015, 33, 147-151. | 1.7 | 16 |
| 34 | First Report On the H10 EORTC/GELA/IL Randomized Intergroup Trial On Early FDG-PET Scan Guided Treatment Adaptation Versus Standard Combined Modality Treatment in Patients with Supra-Diaphragmatic Stage I/II Hodgkin's Lymphoma, for the Groupe d'Etude Des Lymphomes De l'Adulte (GELA), European Organisation for the Research and Treatment of Cancer (EORTC) Lymphoma Group and the Intergruppo Italiano Linfomi (IIL).. <i>Blood</i> , 2009, 114, 97-97. | 1.4 | 16 |
| 35 | Prognostic factors in low-grade non-Hodgkin lymphomas. <i>Current Hematologic Malignancy Reports</i> , 2009, 4, 202-210. | 2.3 | 13 |
| 36 | Incidence Clinical Characteristics and Survival of Non Splenic Marginal Zone Lymphomas: A Population Based Study from a Cancer Registry in Northern Italy. <i>Blood</i> , 2008, 112, 3753-3753. | 1.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | PET-Based Response after 2 Cycles of Brentuximab Vedotin in Combination with AVD for First-Line Treatment of Unfavorable Early-Stage Hodgkin Lymphoma: First Analysis of the Primary Endpoint of Breach, a Randomized Phase II Trial of Lysa-FIL-EORTC Intergrupp. Blood, 2017, 130, 736-736. | 1.4 | 11 |
| 38 | The Value and Relevance of the T Cell Lymphoma Registries and International Collaborations: the Case of COMPLETE and the T-Cell Project. Current Hematologic Malignancy Reports, 2015, 10, 448-455. | 2.3 | 10 |
| 39 | BEACOPP or no BEACOPP?. Lancet Oncology, The, 2013, 14, e487-e488. | 10.7 | 9 |
| 40 | The outcome of peripheral T-cell lymphoma patients failing first-line therapy: a report from the prospective International T-Cell Project. Haematologica, 2019, 104, e178.2-e178. | 3.5 | 7 |
| 41 | Effect of cardiolipin on functional properties of isolated rat liver mitochondria. IUBMB Life, 1997, 41, 469-480. | 3.4 | 6 |
| 42 | Comparative studies of effects of dehydroepiandrosterone on rat and chicken liver. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1993, 105, 643-647. | 0.2 | 5 |
| 43 | Chlorambucil Plus Rituximab Produces Better Event-Free Survival in Comparison with Chlorambucil Alone in the Treatment of MALT Lymphoma: 5-Year Analysis of the 2-Arms Part of the IELSG-19 Randomized Study. Blood, 2010, 116, 432-432. | 1.4 | 5 |
| 44 | CD30+ expression in Peripheral T-cell lymphomas (PTCLs): A subset analysis from the international, prospective T-Cell Project.. Journal of Clinical Oncology, 2015, 33, 8552-8552. | 1.6 | 4 |
| 45 | Evaluation of Quality of Biomarker Data Capture by Peripheral Sites in an International, Cooperative Study: Analysis of 104 Cases From the T-Cell Project.. Blood, 2012, 120, 2650-2650. | 1.4 | 3 |
| 46 | T-Cell Project: an international, longitudinal, observational study of patients with aggressive peripheral T-cell lymphoma. Revista Brasileira De Hematologia E Hemoterapia, 2009, 31, . | 0.7 | 2 |
| 47 | Prognostic Value of Baseline Quantitative PET Metrics for Patients with Unfavourable Early Stage Hodgkin Lymphoma Enrolled in the Standard Arm of the EORTC/Lysa/FIL H10 Trial. Blood, 2016, 128, 184-184. | 1.4 | 2 |
| 48 | The Outcome of T-Cell Lymphoma Patients Failing First-Line Treatment: Results of a Population Based-Study From the Modena Cancer Registry. Blood, 2012, 120, 1611-1611. | 1.4 | 1 |
| 49 | The Outcome of Patients with Primary Refractory or Relapsed Peripheral T-Cell Lymphoma: Analysis of 1020 Cases Registered in the Prospective T-Cell Project. Blood, 2016, 128, 921-921. | 1.4 | 1 |
| 50 | When should a watch-and-wait strategy be adopted for follicular lymphoma?. International Journal of Hematologic Oncology, 2013, 2, 91-94. | 1.6 | 0 |
| 51 | A Predictive Model for Limited Stage Diffuse Large B-Cell Lymphoma (DLBCL): A Retrospective Analysis of 1,252 Cases Performed by the Intergruppo Italiano Linfomi (IIL).. Blood, 2004, 104, 3261-3261. | 1.4 | 0 |
| 52 | Incidence, Clinical Characteristics and Survival of Malignant Lymphomas in the Province of Modena (Italy); a Population-Based Study.. Blood, 2006, 108, 4628-4628. | 1.4 | 0 |
| 53 | Primary Thyroid Lymphoma: A Retrospective IELSG and IIL Analysis of Clinical Characteristics, Prognostic Factors, Treatment Outcome and Somatic Hypermutation for Localized Diffuse Large B-Cell Lymphoma (DLBCL).. Blood, 2007, 110, 3432-3432. | 1.4 | 0 |