Susan Graham

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1364052/publications.pdf

Version: 2024-02-01

		126907	182427
150	3,779	33	51
papers	citations	h-index	g-index
157	157	157	4291
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	HIV-1 infection in high risk men who have sex with men in Mombasa, Kenya. Aids, 2007, 21, 2513-2520.	2.2	189
2	A Microchip CD4 Counting Method for HIV Monitoring in Resource-Poor Settings. PLoS Medicine, 2005, 2, e182.	8.4	169
3	High HIV-1 incidence, correlates of HIV-1 acquisition, and high viral loads following seroconversion among MSM. Aids, 2013, 27, 437-446.	2.2	140
4	Initiation of antiretroviral therapy leads to a rapid decline in cervical and vaginal HIV-1 shedding. Aids, 2007, 21, 501-507.	2.2	117
5	Men who have sex with men sensitivity training reduces homoprejudice and increases knowledge among Kenyan healthcare providers in coastal Kenya. Journal of the International AIDS Society, 2013, 16, 18748.	3.0	93
6	Is Audio Computer-Assisted Self-Interview (ACASI) Useful in Risk Behaviour Assessment of Female and Male Sex Workers, Mombasa, Kenya?. PLoS ONE, 2009, 4, e5340.	2.5	80
7	Prospective Study of Vaginal Bacterial Flora and Other Risk Factors for Vulvovaginal Candidiasis. Journal of Infectious Diseases, 2009, 199, 1883-1890.	4.0	77
8	Uptake and Acceptability of Oral HIV Self-Testing among Community Pharmacy Clients in Kenya: A Feasibility Study. PLoS ONE, 2017, 12, e0170868.	2.5	75
9	Depression, substance abuse and stigma among men who have sex with men in coastal Kenya. Aids, 2015, 29, S251-S259.	2.2	74
10	â€~Are you on the market?': a capture–recapture enumeration of men who sell sex to men in and around Mombasa, Kenya. Aids, 2007, 21, 1349-1354.	2.2	66
11	Experiences of Kenyan healthcare workers providing services to men who have sex with men: qualitative findings from a sensitivity training programme. Journal of the International AIDS Society, 2013, 16, 18741.	3.0	63
12	Endothelial activation biomarkers increase after HIV-1 acquisition. Aids, 2013, 27, 1803-1813.	2.2	60
13	Changes in the contribution of genital tract infections to HIV acquisition among Kenyan high-risk women from 1993 to 2012. Aids, 2015, 29, 1077-1085.	2.2	59
14	A Prospective Study of Risk Factors for Bacterial Vaginosis in HIV-1-Seronegative African Women. Sexually Transmitted Diseases, 2008, 35, 617-623.	1.7	58
15	Adherence to Antiretroviral Therapy and Clinical Outcomes Among Young Adults Reporting High-Risk Sexual Behavior, Including Men Who Have Sex with Men, in Coastal Kenya. AIDS and Behavior, 2013, 17, 1255-1265.	2.7	53
16	Challenges in Providing Counselling to MSM in Highly Stigmatized Contexts: Results of a Qualitative Study from Kenya. PLoS ONE, 2013, 8, e64527.	2.5	51
17	Targeted screening of at-risk adults for acute HIV-1 infection in sub-Saharan Africa. Aids, 2015, 29, S221-S230.	2.2	48
18	Pr <scp>EP</scp> interest and <scp>HIV</scp> â€1 incidence among <scp>MSM</scp> and transgender women in coastal Kenya. Journal of the International AIDS Society, 2019, 22, e25323.	3.0	47

#	Article	IF	Citations
19	Detection of bulimia in a primary care setting. Journal of General Internal Medicine, 1993, 8, 236-242.	2.6	45
20	Antiretroviral Adherence and Development of Drug Resistance Are the Strongest Predictors of Genital HIV†Shedding among Women Initiating Treatment. Journal of Infectious Diseases, 2010, 202, 1538-1542.	4.0	45
21	Treatment with antiretroviral therapy is not associated with increased sexual risk behavior in Kenyan female sex workers. Aids, 2010, 24, 891-897.	2.2	44
22	Left Ventricular Ejection Fraction and Risk of Stroke and Cardiac Events in Heart Failure. Stroke, 2016, 47, 2031-2037.	2.0	44
23	Patterns of Gender-Based Violence and Associations with Mental Health and HIV Risk Behavior Among Female Sex Workers in Mombasa, Kenya: A Latent Class Analysis. AIDS and Behavior, 2018, 22, 3273-3286.	2.7	44
24	A prospective study of risk factors for herpes simplex virus type 2 acquisition among high-risk HIV-1 seronegative women in Kenya. Sexually Transmitted Infections, 2009, 85, 489-492.	1.9	43
25	High prevalence of Chlamydia trachomatis and Neisseria gonorrhoeae infections among HIV-1 negative men who have sex with men in coastal Kenya. Sexually Transmitted Infections, 2010, 86, 440-441.	1.9	42
26	Effect of Text Message, Phone Call, and In-Person Appointment Reminders on Uptake of Repeat HIV Testing among Outpatients Screened for Acute HIV Infection in Kenya: A Randomized Controlled Trial. PLoS ONE, 2016, 11, e0153612.	2.5	42
27	Long-Acting Injectable Antiretroviral Treatment Acceptability and Preferences: A Qualitative Study Among US Providers, Adults Living with HIV, and Parents of Youth Living with HIV. AIDS Patient Care and STDs, 2019, 33, 104-111.	2.5	42
28	Health Provider Views on Improving Antiretroviral Therapy Adherence Among Men Who Have Sex with Men in Coastal Kenya. AIDS Patient Care and STDs, 2017, 31, 113-121.	2.5	41
29	Dynamics of HIV DNA reservoir seeding in a cohort of superinfected Kenyan women. PLoS Pathogens, 2020, 16, e1008286.	4.7	41
30	Identification of Novel Neisseria gonorrhoeae Lineages Harboring Resistance Plasmids in Coastal Kenya. Journal of Infectious Diseases, 2018, 218, 801-808.	4.0	40
31	Systematic review of the performance and clinical utility of point of care HIV-1 RNA testing for diagnosis and care. PLoS ONE, 2019, 14, e0218369.	2.5	40
32	Acute HIV-1 infection is as common as malaria in young febrile adults seeking care in coastal Kenya. Aids, 2014, 28, 1357-1363.	2.2	37
33	The plasma virome of febrile adult Kenyans shows frequent parvovirus B19 infections and a novel arbovirus (Kadipiro virus). Journal of General Virology, 2016, 97, 3359-3367.	2.9	37
34	HIV care engagement and ART adherence among Kenyan gay, bisexual, and other men who have sex with men: a multi-level model informed by qualitative research. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, S97-S105.	1.2	35
35	HIV Type 1 Transmission Networks Among Men Having Sex with Men and Heterosexuals in Kenya. AIDS Research and Human Retroviruses, 2014, 30, 118-126.	1.1	34
36	Depressive symptoms and problematic alcohol and other substance use in 1476 gay, bisexual, and other MSM at three research sites in Kenya. Aids, 2018, 32, 1507-1515.	2.2	34

#	Article	IF	Citations
37	Most adults seek urgent healthcare when acquiring HIV-1 and are frequently treated for malaria in coastal Kenya. Aids, 2011, 25, 1219-1224.	2.2	33
38	Development and pilot testing of an intervention to promote care engagement and adherence among HIV-positive Kenyan MSM. Aids, 2015, 29, S241-S249.	2.2	33
39	PrEP uptake and adherence in relation to HIV-1 incidence among Kenyan men who have sex with men. EClinicalMedicine, 2020, 26, 100541.	7.1	33
40	A prospective study of endothelial activation biomarkers, including plasma angiopoietin-1 and angiopoietin-2, in Kenyan women initiating antiretroviral therapy. BMC Infectious Diseases, 2013, 13, 263.	2.9	32
41	Evaluation of an empiric risk screening score to identify acute and early HIV-1 infection among MSM in Coastal Kenya. Aids, 2013, 27, 2163-2166.	2.2	32
42	An Empiric Risk Score to Guide PrEP Targeting Among MSM in Coastal Kenya. AIDS and Behavior, 2018, 22, 35-44.	2.7	32
43	Evaluation of HIV Type 1 Strains in Men Having Sex with Men and in Female Sex Workers in Mombasa, Kenya. AIDS Research and Human Retroviruses, 2010, 26, 123-131.	1.1	30
44	Risk of sexual, physical and verbal assaults on men who have sex with men and female sex workers in coastal Kenya. Aids, 2015, 29, S231-S236.	2.2	29
45	What's PrEP?: peer navigator acceptability among minority MSM in Washington. BMC Public Health, 2020, 20, 248.	2.9	29
46	Clinical utility of biomarkers of endothelial activation and coagulation for prognosis in HIV infection. Virulence, 2013, 4, 564-571.	4.4	28
47	Prevalence, Clinical and Virologic Outcomes of Hepatitis B Virus Co-Infection in HIV-1 Positive Kenyan Women on Antiretroviral Therapy. PLoS ONE, 2013, 8, e59346.	2.5	28
48	Women Who Have Sex with Women Living in Low- and Middle-Income Countries: A Systematic Review of Sexual Health and Risk Behaviors. LGBT Health, 2015, 2, 91-104.	3.4	28
49	Factors Associated With Prevalent HIV Infection Among Kenyan MSM: The Anza Mapema Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 76, 241-249.	2.1	28
50	The green shoots of a novel training programme: progress and identified key actions to providing services to MSM at Kenyan health facilities. Journal of the International AIDS Society, 2015, 18, 20226.	3.0	27
51	Effect of acquisition and treatment of cervical infections on HIV-1 shedding in women on antiretroviral therapy. Aids, 2010, 24, 2733-2737.	2.2	26
52	Evaluation of WHO screening algorithm for the presumptive treatment of asymptomatic rectal gonorrhoea and chlamydia infections in at-risk MSM in Kenya. Sexually Transmitted Infections, 2014, 90, 94-99.	1.9	26
53	Emerging themes for sensitivity training modules of African healthcare workers attending to men who have sex with men: a systematic review. International Health, 2015, 7, 151-162.	2.0	26
54	A Conjoint Analysis of the Acceptability of Targeted Long-Acting Injectable Antiretroviral Therapy Among Persons Living with HIV in the U.S AIDS and Behavior, 2020, 24, 1226-1236.	2.7	26

#	Article	IF	CITATIONS
55	Endothelial activation, haemostasis and thrombosis biomarkers in Ugandan children with severe malaria participating in a clinical trial. Malaria Journal, 2016, 15, 56.	2.3	25
56	A Randomized Controlled Trial of the Shikamana Intervention to Promote Antiretroviral Therapy Adherence Among Gay, Bisexual, and Other Men Who Have Sex with Men in Kenya: Feasibility, Acceptability, Safety and Initial Effect Size. AIDS and Behavior, 2020, 24, 2206-2219.	2.7	25
57	"l wish to remain HIV negativeâ€. Pre-exposure prophylaxis adherence and persistence in transgender women and men who have sex with men in coastal Kenya. PLoS ONE, 2021, 16, e0244226.	2.5	25
58	Factors Associated With Herpes Simplex Virus Type 2 Incidence in a Cohort of Human Immunodeficiency Virus Type 1-Seronegative Kenyan Men and Women Reporting High-Risk Sexual Behavior. Sexually Transmitted Diseases, 2011, 38, 837-844.	1.7	24
59	Depressive Symptoms, Alcohol and Drug Use, and Physical and Sexual Abuse Among Men Who Have Sex with Men in Kisumu, Kenya: The Anza Mapema Study. AIDS and Behavior, 2018, 22, 1517-1529.	2.7	24
60	Screening for genital and anorectal sexually transmitted infections in HIV prevention trials in Africa. Sexually Transmitted Infections, 2008, 84, 364-370.	1.9	23
61	Strengthening healthcare providers' skills to improve HIV services for MSM in Kenya. Aids, 2015, 29, S237-S240.	2.2	23
62	Antiretroviral Treatment Interruptions Predict Female Genital Shedding of Genotypically Resistant HIV-1 RNA. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 60, 511-518.	2.1	22
63	Loss to Follow-Up as a Competing Risk in an Observational Study of HIV-1 Incidence. PLoS ONE, 2013, 8, e59480.	2.5	22
64	Factors associated with viral suppression among HIV-positive Kenyan gay and bisexual men who have sex with men. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, S76-S88.	1.2	22
65	Quality of Anticoagulation Control in Preventing Adverse Events in Patients With Heart Failure in Sinus Rhythm. Circulation: Heart Failure, 2015, 8, 504-509.	3.9	21
66	Hepatitis B Virus Incidence and Risk Factors Among Human Immunodeficiency Virus-1 Negative Men Who Have Sex With Men in Kenya. Open Forum Infectious Diseases, 2017, 4, ofw253.	0.9	21
67	Associations between vaginal bacteria implicated in HIV acquisition risk and proinflammatory cytokines and chemokines. Sexually Transmitted Infections, 2020, 96, 3-9.	1.9	21
68	Short Communication: A Decrease in Albumin in Early HIV Type 1 Infection Predicts Subsequent Disease Progression. AIDS Research and Human Retroviruses, 2007, 23, 1197-1200.	1.1	20
69	Kenyan MSM. Aids, 2015, 29, S195-S199.	2.2	20
70	Heterosexual behaviours among men who sell sex to men in coastal Kenya. Aids, 2015, 29, S201-S210.	2.2	20
71	Dengue and Chikungunya Virus Infections among Young Febrile Adults Evaluated for Acute HIV-1 Infection in Coastal Kenya. PLoS ONE, 2016, 11, e0167508.	2.5	20
72	Cytochrome P450 2B6 genetic variants are associated with plasma nevirapine levels and clinical response in HIV-1 infected Kenyan women: a prospective cohort study. AIDS Research and Therapy, 2015, 12, 10.	1.7	19

#	Article	IF	CITATIONS
73	Association Between Participant Self-Report and Biological Outcomes Used to Measure Sexual Risk Behavior in Human Immunodeficiency Virus-1-Seropositive Female Sex Workers in Mombasa, Kenya. Sexually Transmitted Diseases, 2011, 38, 429-433.	1.7	17
74	Diagnosing acute and prevalent HIV-1 infection in young African adults seeking care for fever: a systematic review and audit of current practice. International Health, 2014, 6, 82-92.	2.0	17
75	HIV-1 superinfection is associated with an accelerated viral load increase but has a limited impact on disease progression. Aids, 2014, 28, 2281-2286.	2.2	17
76	Public/community engagement in health research with men who have sex with men in sub-Saharan Africa: challenges and opportunities. Health Research Policy and Systems, 2016, 14, 40.	2.8	17
77	High prevalence of quinolone resistance in Neisseria gonorrhoeae in coastal Kenya. Sexually Transmitted Infections, 2011, 87, 231-231.	1.9	16
78	Cross-sectional survey of treatment practices for urethritis at pharmacies, private clinics and government health facilities in coastal Kenya: many missed opportunities for HIV prevention. Sexually Transmitted Infections, 2013, 89, 583-589.	1.9	16
79	Changes in sexual risk behavior among MSM participating in a research cohort in coastal Kenya. Aids, 2015, 29, S211-S219.	2.2	16
80	Engaging young adult clients of community pharmacies for HIV screening in Coastal Kenya: a cross-sectional study: TableÂ1. Sexually Transmitted Infections, 2015, 91, 257-259.	1.9	16
81	A prospective study of vaginal trichomoniasis and HIV-1 shedding in women on antiretroviral therapy. BMC Infectious Diseases, 2011, 11, 307.	2.9	15
82	Comprehensive Characterization of Humoral Correlates of Human Immunodeficiency Virus 1 Superinfection Acquisition in High-risk Kenyan Women. EBioMedicine, 2017, 18, 216-224.	6.1	15
83	Risk factors for loss to followâ€up among atâ€risk HIV negative men who have sex with men participating in a research cohort with access to preâ€exposure prophylaxis in coastal Kenya. Journal of the International AIDS Society, 2020, 23, e25593.	3.0	15
84	A Prospective Cohort Study of the Effect of Depot Medroxyprogesterone Acetate on Detection of Plasma and Cervical HIV-1 in Women Initiating and Continuing Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 66, 452-456.	2.1	14
85	Hepatocellular carcinoma among US and non-US-born patients with chronic hepatitis B: Risk factors and age at diagnosis. PLoS ONE, 2018, 13, e0204031.	2.5	14
86	Higher pre-infection vitamin E levels are associated with higher mortality in HIV-1-infected Kenyan women: a prospective study. BMC Infectious Diseases, 2007, 7, 63.	2.9	13
87	Prevalence, Incidence, and Clearance of Anogenital Warts in Kenyan Men Reporting High-Risk Sexual Behavior, Including Men Who Have Sex With Men. Open Forum Infectious Diseases, 2015, 2, ofv070.	0.9	13
88	Von Willebrand Factor Adhesive Activity and ADAMTS13 Protease Activity in HIV-1-Infected Men. International Journal of Medical Sciences, 2019, 16, 276-284.	2.5	13
89	HIV-1 Transmission Patterns Within and Between Risk Groups in Coastal Kenya. Scientific Reports, 2020, 10, 6775.	3.3	13
90	Peer Mobilization and Human Immunodeficiency Virus (HIV) Partner Notification Services Among Gay, Bisexual, and Other Men Who Have Sex With Men and Transgender Women in Coastal Kenya Identified a High Number of Undiagnosed HIV Infections. Open Forum Infectious Diseases, 2021, 8, ofab219.	0.9	12

#	Article	IF	CITATIONS
91	Increased Risk of Genital Ulcer Disease in Women During the First Month After Initiating Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 52, 600-603.	2.1	11
92	A Systematic Review of the Quality of Trials Evaluating Biomedical HIV Prevention Interventions Shows That Many Lack Power. HIV Clinical Trials, 2009, 10, 413-431.	2.0	11
93	HIV-1 RNA May Decline More Slowly in Semen than in Blood following Initiation of Efavirenz-Based Antiretroviral Therapy. PLoS ONE, 2012, 7, e43086.	2.5	11
94	Prevalence and correlates of and a risk score to identify asymptomatic anorectal gonorrhoea and chlamydia infection among men who have sex with men in Kisumu, Kenya. Sexually Transmitted Infections, 2019, 95, 201-211.	1.9	11
95	Platelets in sepsis: beyond hemostasis. Blood, 2016, 127, 2947-2949.	1.4	10
96	Pre-exposure prophylaxis for transgender women and men who have sex with men: qualitative insights from healthcare providers, community organization–based leadership and end users in coastal Kenya. International Health, 2022, 14, 288-294.	2.0	10
97	"Lighten This Burden of Ours†Acceptability and Preferences Regarding Injectable Antiretroviral Treatment Among Adults and Youth Living With HIV in Coastal Kenya. Journal of the International Association of Providers of AIDS Care, 2021, 20, 232595822110005.	1.5	10
98	A Novel HIV-1 RNA Testing Intervention to Detect Acute and Prevalent HIV Infection in Young Adults and Reduce HIV Transmission in Kenya: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e16198.	1.0	10
99	Improving HIV prevention and care for African GBMSM. Lancet HIV,the, 2017, 4, e234-e236.	4.7	9
100	A more responsive, multiâ€pronged strategy is needed to strengthen HIV healthcare for men who have sex with men in a decentralized health system: qualitative insights of a case study in the Kenyan coast. Journal of the International AIDS Society, 2020, 23, e25597.	3.0	9
101	High patient acceptability but low coverage of provider-initiated HIV testing among adult outpatients with symptoms of acute infectious illness in coastal Kenya. PLoS ONE, 2021, 16, e0246444.	2.5	9
102	Perceptions of Sexual Risk, PrEP Services, and Peer Navigation Support Among HIV-Negative Latinx and Black Men who have Sex with Men (MSM) Residing in Western Washington. Sexuality Research and Social Policy, 2022, 19, 1058-1068.	2.3	9
103	Assessment of PrEP eligibility and uptake among at-risk MSM participating in a HIV-1 vaccine feasibility cohort in coastal Kenya. Wellcome Open Research, 2019, 4, 138.	1.8	9
104	Evaluation of the Isoniazid Preventive Therapy Care Cascade Among HIV-Positive Female Sex Workers in Mombasa, Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 76, 74-81.	2.1	8
105	Gender-Based Violence, Physiological Stress, and Inflammation: A Cross-Sectional Study. Journal of Women's Health, 2018, 27, 1152-1161.	3.3	8
106	Enrolment characteristics associated with retention among HIV negative Kenyan gay, bisexual and other men who have sex with men enrolled in the Anza Map ema cohort study. Journal of the International AIDS Society, 2020, 23, e25598.	3.0	8
107	Endothelial Activation, Innate Immune Activation, and Inflammation Are Associated With Postbronchodilator Airflow Limitation and Obstruction Among Adolescents Living With HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 267-277.	2.1	8
108	Incident gonorrhoea and chlamydia among a prospective cohort of men who have sex with men in Kisumu, Kenya. Sexually Transmitted Infections, 2020, 96, 521-527.	1.9	8

#	Article	IF	Citations
109	Effect of an optâ€out pointâ€ofâ€care HIVâ€1 nucleic acid testing intervention to detect acute and prevalent HIV infection in symptomatic adult outpatients and reduce HIV transmission in Kenya: a randomized controlled trial. HIV Medicine, 2022, 23, 16-28.	2.2	8
110	Assessment of PrEP eligibility and uptake among at-risk MSM participating in a HIV-1 vaccine feasibility cohort in coastal Kenya. Wellcome Open Research, 2019, 4, 138.	1.8	8
111	Genital ulceration does not increase HIV-1 shedding in cervical or vaginal secretions of women taking antiretroviral therapy. Sexually Transmitted Infections, 2011, 87, 114-117.	1.9	7
112	Safety and clinical response of intraventricular caspofungin for Scedosporium apiospermum complex central nervous system infection. Medical Mycology Case Reports, 2016, 13, 1-4.	1.3	7
113	Semen Bacterial Concentrations and HIV-1 RNA Shedding Among HIV-1–Seropositive Kenyan Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 74, 250-257.	2.1	7
114	Preference of specimen collection methods for human papillomavirus detection for cervical cancer screening: a cross-sectional study of high-risk women in Mombasa, Kenya. Reproductive Health, 2018, 15, 206.	3.1	7
115	Back Pain in a 23-Year-Old Male With X-Linked Chronic Granulomatous Disease. Open Forum Infectious Diseases, 2019, 6, ofz449.	0.9	7
116	Pilot testing of an online training module about screening for acute HIV infection in adult patients seeking urgent healthcare. International Health, 2019, 11, 93-100.	2.0	7
117	Adjustment to acute or early HIV-1 infection diagnosis to prompt linkage to care and ART initiation: qualitative insights from coastal Kenya. Psychology, Health and Medicine, 2019, 24, 631-641.	2.4	7
118	Short Communication: Effect of Antiretroviral Therapy on Circulating Damage-Associated Molecular Pattern Molecules and CD4 Immune Reconstitution in HIV-Infected Individuals. AIDS Research and Human Retroviruses, 2016, 32, 876-878.	1.1	6
119	Behavior Change and Sexually Transmitted Incidence in Relation to PREP Use Among Men Who Have Sex with Men in Kenya. AIDS and Behavior, 2021, 25, 2219-2229.	2.7	6
120	Changes in Sexual Risk Behavior in the Mombasa Cohort: 1993–2007. PLoS ONE, 2014, 9, e113543.	2.5	6
121	Quantifying rates of HIV-1 flow between risk groups and geographic locations in Kenya: A country-wide phylogenetic study. Virus Evolution, 2022, 8, veac016.	4.9	6
122	Improvements to Survey Design from Pilot Testing a Discrete-Choice Experiment of the Preferences of Persons Living with HIV for Long-Acting Antiretroviral Therapies. Patient, 2022, 15, 513-520.	2.7	6
123	Point-of-care HIV RNA testing and immediate antiretroviral therapy initiation in young adults seeking out-patient care in Kenya. Aids, 2019, 33, 923-926.	2.2	5
124	Tuberculosis-related stigma among adults presenting for HIV testing in KwaZulu-Natal, South Africa. BMC Public Health, 2020, 20, 1338.	2.9	5
125	Multiple HIV testing strategies are necessary to end AIDS. Aids, 2021, 35, 2039-2041.	2.2	5
126	Elevated plasma von Willebrand factor levels are associated with subsequent ischemic stroke in persons with treated HIV infection. Open Forum Infectious Diseases, 2021, 8, ofab521.	0.9	5

#	Article	IF	CITATIONS
127	â€~Facing our Fears': Facilitated Film Viewings as a Community Engagement Tool in Research Involving MSM in Kenya. AIDS Research and Human Retroviruses, 2014, 30, A132-A133.	1.1	4
128	Genital Shedding of Resistant Human Immunodeficiency Virus-1 Among Women Diagnosed With Treatment Failure by Clinical and Immunologic Monitoring. Open Forum Infectious Diseases, 2016, 3, ofw019.	0.9	4
129	Elevation of cervical C-X-C motif chemokine ligand 10 levels is associated with HIV-1 acquisition in pregnant and postpartum women. Aids, 2020, 34, 1725-1733.	2.2	4
130	Trends and predictors of HIV positivity and time since last test at voluntary counselling and testing encounters among adults in Kilifi, Kenya, 2006-2017. Wellcome Open Research, 2019, 4, 127.	1.8	4
131	Trends and predictors of new HIV diagnosis and time since last test at testing encounters among adults in Kilifi, Kenya, 2006-2017. Wellcome Open Research, 2019, 4, 127.	1.8	4
132	A Decrease in Albumin in Early SIV Infection Is Related to Viral Pathogenicity. AIDS Research and Human Retroviruses, 2009, 25, 433-440.	1.1	3
133	Post-prostatic massage fluid/urine as an alternative to semen for studying male genitourinary HIV-1 shedding. Sexually Transmitted Infections, 2011, 87, 232-237.	1.9	3
134	Prevalence and Correlates of Genital Warts in Kenyan Female Sex Workers. Sexually Transmitted Diseases, 2012, 39, 902-905.	1.7	3
135	Genital HSV Shedding among Kenyan Women Initiating Antiretroviral Therapy. PLoS ONE, 2016, 11, e0163541.	2.5	3
136	"God Didn't Make a Mistake in Creating Me†Intrapersonal Resilience Processes among Gay and Bisexual Male Youth in Kenya. Adolescents, 2021, 1, 267-282.	0.8	3
137	Stopping and restarting PrEP and loss to followâ€up among PrEPâ€taking men who have sex with men and transgender women at risk of HIVâ€1 participating in a prospective cohort study in Kenya. HIV Medicine, 2022, , .	2.2	3
138	Predictors of testing history and new HIV diagnosis among adult outpatients seeking care for symptoms of acute HIV infection in coastal Kenya: a cross-sectional analysis of intervention participants in a stepped-wedge HIV testing trial. BMC Public Health, 2022, 22, 280.	2.9	3
139	The systematic development of attributes and levels for a discrete choice experiment of HIV patient preferences for long-acting antiretroviral therapies in the United States. AIDS Research and Therapy, 2022, 19, 13.	1.7	2
140	Phylogeographic Assessment Reveals Geographic Sources of HIV-1 Dissemination Among Men Who Have Sex With Men in Kenya. Frontiers in Microbiology, 2022, 13, 843330.	3.5	2
141	Modeling the Impact of HIV-1 Nucleic Acid Testing Among Symptomatic Adult Outpatients in Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2022, 90, 553-561.	2.1	2
142	Yield and Coverage of Active Case Finding Interventions for Tuberculosis Control: A Systematic Review and Meta-analysis. Tuberculosis Research and Treatment, 2022, 2022, 1-12.	0.6	2
143	Getting to the Heart of the Matter: A 20-Year-Old Man With Fever, Rash, and Chest Pain. Open Forum Infectious Diseases, 2018, 5, ofx272.	0.9	1
144	Symptom-based Scoring for Acute Human Immunodeficiency Virus. Clinical Infectious Diseases, 2019, 69, 736-737.	5.8	1

#	Article	IF	CITATIONS
145	"When you talk it out … you will feel like the burden has somehow gone down, you will feel lightâ€: Social Support Received by Gay, Bisexual, and Other Men Who Have Sex with Men in Western Kenya. International Journal of Environmental Research and Public Health, 2022, 19, 1667.	2.6	1
146	Validity and reliability of the Neilands sexual stigma scale among Kenyan gay, bisexual, and other men who have sex with men. BMC Public Health, 2022, 22, 754.	2.9	1
147	Two-question screen for bulimia. Journal of General Internal Medicine, 1993, 8, 715-716.	2.6	O
148	Elevation of Soluble Intercellular Adhesion Molecule-1 Levels, but Not Angiopoietin 2, in the Plasma of Human Immunodeficiency Virus–Infected African Women with Clinical Kaposi Sarcoma. American Journal of Tropical Medicine and Hygiene, 2014, 91, 705-708.	1.4	0
149	Older age at infection and nulliparity are associated with long-term non-progression in female sex workers infected with non-subtype B HIV-1. International Journal of STD and AIDS, 2020, 31, 510-516.	1.1	O
150	"Facilitating HIV status adjustment: Qualitative insights from the Tambua Mapema proof-of-concept study in Kenya― PLoS ONE, 2022, 17, e0261255.	2.5	0