

Litten Bertelsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1366366/publications.pdf>

Version: 2024-02-01

25
papers

398
citations

759233

12
h-index

794594

19
g-index

25
all docs

25
docs citations

25
times ranked

698
citing authors

#	ARTICLE	IF	CITATIONS
1	Multimodality Cardiac Imaging for the Assessment of Left Atrial Function and the Association With Atrial Arrhythmias. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, .	2.6	57
2	Left Ventricular Hypertrophy Is Associated With Increased Infarct Size and Decreased Myocardial Salvage in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	39
3	Myocardial Damage in Patients With Deferred Stenting After STEMI. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2794-2804.	2.8	37
4	Left atrial volume and function assessed by cardiac magnetic resonance imaging are markers of subclinical atrial fibrillation as detected by continuous monitoring. <i>Europace</i> , 2020, 22, 724-731.	1.7	37
5	Genome-wide association study identifies 18 novel loci associated with left atrial volume and function. <i>European Heart Journal</i> , 2021, 42, 4523-4534.	2.2	30
6	Flow measurement at the aortic root - impact of location of through-plane phase contrast velocity mapping. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 55.	3.3	26
7	Left Atrial Late Gadolinium Enhancement is Associated With Incident Atrial Fibrillation as Detected by Continuous Monitoring With Implantable Loop Recorders. <i>JACC: Cardiovascular Imaging</i> , 2020, 13, 1690-1700.	5.3	22
8	Danegaptide for primary percutaneous coronary intervention in acute myocardial infarction patients: a phase 2 randomised clinical trial. <i>Heart</i> , 2018, 104, 1593-1599.	2.9	20
9	Verification of threshold for image intensity ratio analyses of late gadolinium enhancement magnetic resonance imaging of left atrial fibrosis in 1.5T scans. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 513-520.	1.5	17
10	Safety of magnetic resonance scanning without monitoring of patients with pacemakers. <i>Europace</i> , 2017, 19, euw066.	1.7	16
11	Impact of Multiple Myocardial Scars Detected by CMR in Patients Following STEMI. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 2168-2178.	5.3	15
12	Complete Revascularization Versus Culprit Lesion Only in Patients With ST-Segment Elevation Myocardial Infarction and Multivessel Disease. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 721-730.	2.9	15
13	Importance of elevated heart rate in the very early phase of ST-segment elevation myocardial infarction: Results from the DANAMI-3 trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 318-328.	1.0	12
14	Early-onset atrial fibrillation patients show reduced left ventricular ejection fraction and increased atrial fibrosis. <i>Scientific Reports</i> , 2020, 10, 10039.	3.3	12
15	Association Between Early Q Waves and Reperfusion Success in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	3.9	10
16	Assessment of the myocardial area at risk: comparing T2-weighted cardiovascular magnetic resonance imaging with contrast-enhanced cine (CE-SSFP) imaging—a DANAMI3 substudy. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 361-366.	1.2	10
17	Cardiac magnetic resonance systematically overestimates mitral regurgitations by the indirect method. <i>Open Heart</i> , 2020, 7, e001323.	2.3	5
18	Association between four-dimensional echocardiographic left atrial measures and left atrial fibrosis assessed by left atrial late gadolinium enhancement. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, . .	1.2	5

#	ARTICLE	IF	CITATIONS
19	Impact of age on reperfusion success and long-term prognosis in ST-segment elevation myocardial infarction – A cardiac magnetic resonance imaging study. <i>IJC Heart and Vasculature</i> , 2021, 33, 100731.	1.1	4
20	Sub-acute cardiac magnetic resonance to predict irreversible reduction in left ventricular ejection fraction after ST-segment elevation myocardial infarction: A DANAMI-3 sub-study. <i>International Journal of Cardiology</i> , 2020, 301, 215-219.	1.7	3
21	Ischemia From Nonculprit Stenoses Is Not Associated With Reduced Culprit Infarct Size in Patients with ST-Segment Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Imaging</i> , 2021, 14, e012290.	2.6	2
22	Accuracy, analysis time, and reproducibility of dedicated 4D echocardiographic left atrial volume quantification software. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 1277-1288.	1.5	2
23	Atrial cardiomyopathy in patients with ischaemic stroke: a cross-sectional and prospective cohort study – the COAST study. <i>BMJ Open</i> , 2022, 12, e061018.	1.9	2
24	The Authors Reply:. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 704-705.	5.3	0
25	Left Atrial Remodeling and Cerebrovascular Disease Assessed by Magnetic Resonance Imaging in Continuously Monitored Patients. <i>Cerebrovascular Diseases</i> , 2022, 51, 403-412.	1.7	0