Tadafumi Kato

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1368182/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Intra-individual state-dependent comparison of plasma mitochondrial DNA copy number and IL-6 levels in patients with bipolar disorder. Journal of Affective Disorders, 2022, 299, 644-651.	4.1	8
2	Oxytocin Facilitates Allomaternal Behavior under Stress in Laboratory Mice. ENeuro, 2022, 9, ENEURO.0405-21.2022.	1.9	9
3	Mitochondrial dysfunction in bipolar disorder. , 2022, , 141-156.		4
4	Phenethylamine is a substrate of monoamine oxidase B in the paraventricular thalamic nucleus. Scientific Reports, 2022, 12, 17.	3.3	5
5	Cell-type-specific DNA methylation analysis of the frontal cortices of mutant Polg1 transgenic mice with neuronal accumulation of deleted mitochondrial DNA. Molecular Brain, 2022, 15, 9.	2.6	1
6	Investigating the phenotypic and genetic associations between personality traits and suicidal behavior across major mental health diagnoses. European Archives of Psychiatry and Clinical Neuroscience, 2022, , 1.	3.2	2
7	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. British Journal of Psychiatry, 2022, 220, 219-228.	2.8	11
8	Pre-treatment plasma cytokine levels as potential predictors of short-term remission of depression. World Journal of Biological Psychiatry, 2022, 23, 785-793.	2.6	6
9	Mechanisms of action of anti-bipolar drugs. European Neuropsychopharmacology, 2022, 59, 23-25.	0.7	4
10	Cross-Disorder Analysis of Genic and Regulatory Copy Number Variations in Bipolar Disorder, Schizophrenia, and Autism Spectrum Disorder. Biological Psychiatry, 2022, 92, 362-374.	1.3	26
11	Burden of schizophrenia among Japanese patients: a cross-sectional National Health and Wellness Survey. BMC Psychiatry, 2022, 22, .	2.6	8
12	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. Molecular Psychiatry, 2021, 26, 2457-2470.	7.9	44
13	Lurasidone in the Long-Term Treatment of Bipolar I Depression: A 28-week Open Label Extension Study. Journal of Affective Disorders, 2021, 281, 160-167.	4.1	5
14	From intracellular signaling pathways to neural circuit dysfunction in bipolar disorder. , 2021, , 293-302.		0
15	Prediction of lithium response using genomic data. Scientific Reports, 2021, 11, 1155.	3.3	11
16	Identification and functional characterization of the extremely long allele of the serotonin transporter-linked polymorphic region. Translational Psychiatry, 2021, 11, 119.	4.8	2
17	Nervonic acid level in cerebrospinal fluid is a candidate biomarker for depressive and manic symptoms: A pilot study. Brain and Behavior, 2021, 11, e02075.	2.2	16
18	Tardive Tourette syndrome in a patient with dementia after 3 weeks' treatment with asenapine. Psychiatry and Clinical Neurosciences, 2021, 75, 185-187.	1.8	1

#	Article	IF	CITATIONS
19	Decreased DNA methylation at promoters and gene-specific neuronal hypermethylation in the prefrontal cortex of patients with bipolar disorder. Molecular Psychiatry, 2021, 26, 3407-3418.	7.9	23
20	Impact of endogenous melatonin on rhythmic behaviors, reproduction, and survival revealed in melatoninâ€proficient C57BL/6J congenic mice. Journal of Pineal Research, 2021, 71, e12748.	7.4	16
21	Association of Age, Antipsychotic Medication, and Symptom Severity in Schizophrenia With Proton Magnetic Resonance Spectroscopy Brain Glutamate Level. JAMA Psychiatry, 2021, 78, 667.	11.0	72
22	Brain-specific heterozygous loss-of-function of ATP2A2, endoplasmic reticulum Ca2+ pump responsible for Darier's disease, causes behavioral abnormalities and a hyper-dopaminergic state. Human Molecular Genetics, 2021, 30, 1762-1772.	2.9	18
23	Systematic analysis of exonic germline and postzygotic de novo mutations in bipolar disorder. Nature Communications, 2021, 12, 3750.	12.8	15
24	Functional and behavioral effects of <i>de novo</i> mutations in calcium-related genes in patients with bipolar disorder. Human Molecular Genetics, 2021, 30, 1851-1862.	2.9	4
25	Cell typeâ€specific <scp>DNA</scp> methylation analysis of the prefrontal cortex of patients with schizophrenia. Psychiatry and Clinical Neurosciences, 2021, 75, 297-299.	1.8	3
26	Lurasidone in the long-term treatment of Japanese patients with bipolar I disorder: a 52Âweek open label study. International Journal of Bipolar Disorders, 2021, 9, 25.	2.2	6
27	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. Scientific Reports, 2021, 11, 17823.	3.3	10
28	Impact of bipolar disorder on health-related quality of life and work productivity: Estimates from the national health and wellness survey in Japan. Journal of Affective Disorders, 2021, 295, 203-214.	4.1	14
29	Association of Attention-Deficit/Hyperactivity Disorder and Depression Polygenic Scores with Lithium Response: A Consortium for Lithium Genetics Study. Complex Psychiatry, 2021, 7, 80-89.	0.9	6
30	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. Translational Psychiatry, 2021, 11, 606.	4.8	25
31	Bipolar Disorder: From Pathophysiology to Treatment. Juntendo Medical Journal, 2021, 68, .	0.1	0
32	Reply to "Correspondence to Ant1 mutant mice bridge the mitochondrial and serotonergic dysfunctions in bipolar disorder― Molecular Psychiatry, 2020, 25, 2205-2206.	7.9	1
33	Establishment of Quantitative PCR Assays for Active Long Interspersed Nuclear Element-1 Subfamilies in Mice and Applications to the Analysis of Aging-Associated Retrotransposition. Frontiers in Genetics, 2020, 11, 519206.	2.3	6
34	Ntrk1 mutation co-segregating with bipolar disorder and inherited kidney disease in a multiplex family causes defects in neuronal growth and depression-like behavior in mice. Translational Psychiatry, 2020, 10, 407.	4.8	14
35	Developmental excitation-inhibition imbalance underlying psychoses revealed by single-cell analyses of discordant twins-derived cerebral organoids. Molecular Psychiatry, 2020, 25, 2695-2711.	7.9	73
36	Unbiased PCR-free spatio-temporal mapping of the mtDNA mutation spectrum reveals brain region-specific responses to replication instability. BMC Biology, 2020, 18, 150.	3.8	7

ΤΑΔΑΓΙΜΙ ΚΑΤΟ

#	Article	IF	CITATIONS
37	<scp>Doubleâ€blind</scp> , <scp>placeboâ€controlled</scp> study of lurasidone monotherapy for the treatment of bipolar I depression. Psychiatry and Clinical Neurosciences, 2020, 74, 635-644.	1.8	21
38	<p>Definition and Identification of Patients with Treatment-Resistant Depression in Real-World Clinical Practice Settings Across Asia</p> . Neuropsychiatric Disease and Treatment, 2020, Volume 16, 2929-2941.	2.2	7
39	<p>Management of Treatment-Resistant Depression in Real-World Clinical Practice Settings Across Asia</p> . Neuropsychiatric Disease and Treatment, 2020, Volume 16, 2943-2959.	2.2	5
40	Promoter Activity-Based Case-Control Association Study on <i>SLC6A4</i> Highlighting Hypermethylation and Altered Amygdala Volume in Male Patients With Schizophrenia. Schizophrenia Bulletin, 2020, 46, 1577-1586.	4.3	15
41	Can network analysis shed light on predictors of lithium response in bipolar I disorder?. Acta Psychiatrica Scandinavica, 2020, 141, 522-533.	4.5	13
42	Cardiolipin is essential for early embryonic viability and mitochondrial integrity of neurons in mammals. FASEB Journal, 2020, 34, 1465-1480.	0.5	21
43	Glutamine-induced signaling pathways via amino acid receptors in enteroendocrine L cell lines. Journal of Molecular Endocrinology, 2020, 64, 133-143.	2.5	15
44	Somatic mutations in the human brain: implications for psychiatric research. Molecular Psychiatry, 2019, 24, 839-856.	7.9	29
45	Presynaptic dysregulation of the paraventricular thalamic nucleus causes depression-like behavior. Scientific Reports, 2019, 9, 16506.	3.3	18
46	Excess hydrogen sulfide and polysulfides production underlies a schizophrenia pathophysiology. EMBO Molecular Medicine, 2019, 11, e10695.	6.9	47
47	Current understanding of bipolar disorder: Toward integration of biological basis and treatment strategies. Psychiatry and Clinical Neurosciences, 2019, 73, 526-540.	1.8	80
48	Making psychiatry a clinical neuroscienceâ€based medicine. Psychiatry and Clinical Neurosciences, 2019, 73, 1-1.	1.8	3
49	Mitochondria, Metabolism, and Redox Mechanisms in Psychiatric Disorders. Antioxidants and Redox Signaling, 2019, 31, 275-317.	5.4	112
50	Definition of treatment-resistant depression – Asia Pacific perspectives. Journal of Affective Disorders, 2019, 245, 626-636.	4.1	37
51	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. JAMA Psychiatry, 2018, 75, 65-74.	11.0	102
52	DNA methylation analyses of the candidate genes identified by a methylomeâ€wide association study revealed common epigenetic alterations in schizophrenia and bipolar disorder. Psychiatry and Clinical Neurosciences, 2018, 72, 245-254.	1.8	28
53	The term will survive. Bipolar Disorders, 2018, 20, 277-277.	1.9	1
54	Identification of somatic mutations in postmortem human brains by whole genome sequencing and their implications for psychiatric disorders. Psychiatry and Clinical Neurosciences, 2018, 72, 280-294.	1.8	9

#	Article	IF	CITATIONS
55	A genome-wide association study identifies two novel susceptibility loci and trans population polygenicity associated with bipolar disorder. Molecular Psychiatry, 2018, 23, 639-647.	7.9	159
56	The relationship between circulating mitochondrial DNA and inflammatory cytokines in patients with major depression. Journal of Affective Disorders, 2018, 233, 15-20.	4.1	71
57	Plasma Nervonic Acid Is a Potential Biomarker for Major Depressive Disorder: A Pilot Study. International Journal of Neuropsychopharmacology, 2018, 21, 207-215.	2.1	45
58	What Can Mitochondrial DNA Analysis Tell Us About Mood Disorders?. Biological Psychiatry, 2018, 83, 731-738.	1.3	49
59	Survey on attitudes towards renaming bipolar disorder in Japanese. Psychiatry and Clinical Neurosciences, 2018, 72, 45-45.	1.8	2
60	Mitochondrial dysfunction causes hyperexcitability of serotonergic neurons. Molecular Psychiatry, 2018, 23, 1971-1971.	7.9	1
61	Quantitative evaluation of incomplete preweaning lethality in mice by using the CRISPR/Cas9 system. Scientific Reports, 2018, 8, 16025.	3.3	1
62	Integrative Analyses of De Novo Mutations Provide Deeper Biological Insights into Autism Spectrum Disorder. Cell Reports, 2018, 22, 734-747.	6.4	132
63	Corticotropin-Releasing Factor Receptor 1 in the Anterior Cingulate Cortex Mediates Maternal Absence-Induced Attenuation of Transport Response in Mouse Pups. Frontiers in Cellular Neuroscience, 2018, 12, 204.	3.7	9
64	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. Frontiers in Psychiatry, 2018, 9, 207.	2.6	28
65	Identification of somatic mutations in monozygotic twins discordant for psychiatric disorders. NPJ Schizophrenia, 2018, 4, 7.	3.6	16
66	De novo <i>UNC13B</i> mutation identified in a bipolar disorder patient increases a rare exonâ€skipping variant. Neuropsychopharmacology Reports, 2018, 38, 210-213.	2.3	6
67	Ant1 mutant mice bridge the mitochondrial and serotonergic dysfunctions in bipolar disorder. Molecular Psychiatry, 2018, 23, 2039-2049.	7.9	33
68	A phase I/II trial of intrabone marrow cord blood transplantation and comparison of the hematological recovery with the Japanese nationwide database. Bone Marrow Transplantation, 2017, 52, 574-579.	2.4	14
69	Use of human methylation arrays for epigenome research in the common marmoset (Callithrix) Tj ETQq1 1 0.7	784314 rgB ⁻ 1.9 rgB	[/gverlock]
70	Genome-wide identification of splicing QTLs in the human brain and their enrichment among schizophrenia-associated loci. Nature Communications, 2017, 8, 14519.	12.8	173
71	Randomized clinical trial of landiolol hydrochloride for the prevention of atrial fibrillation and postoperative complications after oesophagectomy for cancer. British Journal of Surgery, 2017, 104, 1003-1009.	0.3	41
72	Enrichment of deleterious variants of mitochondrial DNA polymerase gene (<i>POLG1</i>) in bipolar disorder. Psychiatry and Clinical Neurosciences, 2017, 71, 518-529.	1.8	29

#	Article	IF	CITATIONS
73	DNA methylation and hydroxymethylation analyses of the active LINE-1 subfamilies in mice. Scientific Reports, 2017, 7, 13624.	3.3	7
74	Response to â€~POLG1 mutations in bipolar disorders'. Psychiatry and Clinical Neurosciences, 2017, 71, 569-570.	1.8	1
75	Possibility of overâ€diagnosis of bipolar disorder due to nearâ€infrared spectroscopy. Psychiatry and Clinical Neurosciences, 2017, 71, 843-843.	1.8	11
76	Search for plasma biomarkers in drugâ€free patients with bipolar disorder and schizophrenia using metabolome analysis. Psychiatry and Clinical Neurosciences, 2017, 71, 115-123.	1.8	24
77	Neurobiological basis of bipolar disorder: Mitochondrial dysfunction hypothesis and beyond. Schizophrenia Research, 2017, 187, 62-66.	2.0	80
78	Exome or whole genome sequencing in bipolar disorder. European Neuropsychopharmacology, 2017, 27, S525-S526.	0.7	0
79	Estimation of LINE-1 Copy Number in the Brain Tissue and Isolated Neuronal Nuclei. Neuromethods, 2017, , 209-217.	0.3	0
80	Exome sequencing for bipolar disorder points to roles of de novo loss-of-function and protein-altering mutations. Molecular Psychiatry, 2016, 21, 885-893.	7.9	100
81	Loss of function mutations in <i>ATP2A2</i> and psychoses: <scp>A</scp> case report and literature survey. Psychiatry and Clinical Neurosciences, 2016, 70, 342-350.	1.8	23
82	The pattern of GPI-80 expression is a useful marker for unusual myeloid maturation in peripheral blood. Clinical and Experimental Immunology, 2016, 186, 373-386.	2.6	8
83	Evolving DSM and its Japanese translation. Psychiatry and Clinical Neurosciences, 2016, 70, 369-370.	1.8	0
84	Exome sequencing in the knockin mice generated using the CRISPR/Cas system. Scientific Reports, 2016, 6, 34703.	3.3	34
85	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. Lancet, The, 2016, 387, 1085-1093.	13.7	306
86	Animal models of recurrent or bipolar depression. Neuroscience, 2016, 321, 189-196.	2.3	35
87	Depression-like episodes in mice harboring mtDNA deletions in paraventricular thalamus. Molecular Psychiatry, 2016, 21, 39-48.	7.9	73
88	Cell Type-Specific DNA Methylation Analysis in Neurons and Clia. Neuromethods, 2016, , 115-123.	0.3	2
89	Microendophenotypes of Psychiatric Disorders: Phenotypes of Psychiatric Disorders at the Level of Molecular Dynamics, Synapses, Neurons, and Neural Circuits. Current Molecular Medicine, 2015, 15, 111-118.	1.3	14
90	Conquering depression. Psychiatry and Clinical Neurosciences, 2015, 69, 1-2.	1.8	3

#	Article	IF	CITATIONS
91	Hes1 suppresses acute myeloid leukemia development through FLT3 repression. Leukemia, 2015, 29, 576-585.	7.2	43
92	Searching for the Molecular Basis of Bipolar Disorder. American Journal of Psychiatry, 2015, 172, 1057-1058.	7.2	3
93	Identification of Rare, Single-Nucleotide Mutations in NDE1 and Their Contributions to Schizophrenia Susceptibility. Schizophrenia Bulletin, 2015, 41, 744-753.	4.3	26
94	Whole genome/exome sequencing in mood and psychotic disorders. Psychiatry and Clinical Neurosciences, 2015, 69, 65-76.	1.8	65
95	Effects of quetiapine on DNA methylation in neuroblastoma cells. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2015, 56, 117-121.	4.8	26
96	Variant <i>GADL1</i> and Response to Lithium in Bipolar I Disorder. New England Journal of Medicine, 2014, 370, 1855-1860.	27.0	36
97	Genetic association study between the detected risk variants based upon type II diabetes GWAS and psychotic disorders in the Japanese population. Journal of Human Genetics, 2014, 59, 54-56.	2.3	8
98	Comprehensive survey of CNVs influencing gene expression in the human brain and its implications for pathophysiology. Neuroscience Research, 2014, 79, 22-33.	1.9	20
99	A role of ADAR2 and RNA editing of glutamate receptors in mood disorders and schizophrenia. Molecular Brain, 2014, 7, 5.	2.6	48
100	Increased L1 Retrotransposition in the Neuronal Genome in Schizophrenia. Neuron, 2014, 81, 306-313.	8.1	277
101	Comprehensive DNA methylation and hydroxymethylation analysis in the human brain and its implication in mental disorders. Neuropharmacology, 2014, 80, 133-139.	4.1	84
102	Replication and crossâ€phenotype study based upon schizophrenia GWASs data in the Japanese population: Support for association of MHC region with psychosis. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2014, 165, 421-427.	1.7	26
103	Heterozygous Polg mutation causes motor dysfunction due to mt DNA deletions. Annals of Clinical and Translational Neurology, 2014, 1, 909-920.	3.7	18
104	Guideline for treatment of bipolar disorder by the <scp>J</scp> apanese <scp>S</scp> ociety of <scp>M</scp> ood <scp>D</scp> isorders, 2012. Psychiatry and Clinical Neurosciences, 2013, 67, 285-300.	1.8	59
105	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. American Journal of Psychiatry, 2013, 170, 1249-1262.	7.2	579
106	Transport Response is a filial-specific behavioral response to maternal carrying in C57BL/6 mice. Frontiers in Zoology, 2013, 10, 50.	2.0	16
107	Epigenetic Regulation of Serotonin Transporter in Psychiatric Disorders. Journal of Genetics and Genomics, 2013, 40, 325-329.	3.9	16
108	Lack of association of EGR2 variants with bipolar disorder in Japanese population. Gene, 2013, 526, 246-250.	2.2	1

#	Article	IF	CITATIONS
109	Neuronal cellâ€ŧype specific DNA methylation patterns of the <i>Cacna1c</i> gene. International Journal of Developmental Neuroscience, 2013, 31, 89-95.	1.6	18
110	DNA methylation analysis of BDNF gene promoters in peripheral blood cells of schizophrenia patients. Neuroscience Research, 2013, 77, 208-214.	1.9	111
111	A Population-Specific Uncommon Variant in GRIN3A Associated with Schizophrenia. Biological Psychiatry, 2013, 73, 532-539.	1.3	41
112	Infant Calming Responses during Maternal Carrying in Humans and Mice. Current Biology, 2013, 23, 739-745.	3.9	103
113	Effects of atelocollagen on neural stem cell function and its migrating capacity into brain in psychiatric disease model. Journal of Neural Transmission, 2013, 120, 1491-1498.	2.8	3
114	DNA methylation of the BDNF gene and its relevance to psychiatric disorders. Journal of Human Genetics, 2013, 58, 434-438.	2.3	140
115	Effect of mood stabilizers on DNA methylation in human neuroblastoma cells. International Journal of Neuropsychopharmacology, 2013, 16, 2285-2294.	2.1	54
116	Preoperative routine evaluation of bilateral adrenal glands by endoscopic ultrasound and fine-needle aspiration in patients with potentially resectable lung cancer. Endoscopy, 2013, 45, 195-201.	1.8	53
117	Functional, anatomical, and neurochemical differentiation of medial preoptic area subregions in relation to maternal behavior in the mouse. Journal of Comparative Neurology, 2013, 521, 1633-1663.	1.6	147
118	Genetic Variants on 3q21 and in the Sp8 Transcription Factor Gene (SP8) as Susceptibility Loci for Psychotic Disorders: A Genetic Association Study. PLoS ONE, 2013, 8, e70964.	2.5	17
119	Proteomic Analysis of Lymphoblastoid Cells Derived from Monozygotic Twins Discordant for Bipolar Disorder: A Preliminary Study. PLoS ONE, 2013, 8, e53855.	2.5	26
120	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. PLoS ONE, 2013, 8, e65636.	2.5	156
121	Meta-analysis of genome-wide association studies for panic disorder in the Japanese population. Translational Psychiatry, 2012, 2, e186-e186.	4.8	59
122	An evaluation of polymorphisms in casein kinase 1 delta and epsilon genes in major psychiatric disorders. Neuroscience Letters, 2012, 529, 66-69.	2.1	15
123	GTP cyclohydrolase 1 gene haplotypes as predictors of SSRI response in Japanese patients with major depressive disorder. Journal of Affective Disorders, 2012, 142, 315-322.	4.1	10
124	A systematic evaluation of whole genome amplification of bisulfite-modified DNA. Clinical Epigenetics, 2012, 4, 22.	4.1	23
125	Impaired mitochondrial function in psychiatric disorders. Nature Reviews Neuroscience, 2012, 13, 293-307.	10.2	388
126	Genome-Wide DNA Methylation and Gene Expression Analyses of Monozygotic Twins Discordant for Intelligence Levels. PLoS ONE, 2012, 7, e47081.	2.5	31

#	Article	IF	CITATIONS
127	Neurons show distinctive DNA methylation profile and higher interindividual variations compared with non-neurons. Genome Research, 2011, 21, 688-696.	5.5	176
128	Possible Roles of DNA Methylation in Bipolar Disorder. , 2011, , 41-47.		0
129	The <i>CLOCK</i> Gene and Mood Disorders: A Case-Control Study and Meta-analysis. Chronobiology International, 2011, 28, 825-833.	2.0	38
130	Serotonin 1A receptor gene, schizophrenia and bipolar disorder: An association study and meta-analysis. Psychiatry Research, 2011, 185, 20-26.	3.3	42
131	Exome sequencing identifies a novel missense variant in RRM2B associated with autosomal recessive progressive external ophthalmoplegia. Genome Biology, 2011, 12, R92.	9.6	42
132	Survey of the effect of genetic variations on gene expression in human prefrontal cortex and its application to genetics of psychiatric disorders. Neuroscience Research, 2011, 70, 238-242.	1.9	13
133	Genome-Wide Association Study of Schizophrenia in Japanese Population. PLoS ONE, 2011, 6, e20468.	2.5	73
134	Nominal association between a polymorphism in <i>DGKH</i> and bipolar disorder detected in a metaâ€analysis of East Asian case–control samples. Psychiatry and Clinical Neurosciences, 2011, 65, 280-285.	1.8	11
135	SIRT1 gene, schizophrenia and bipolar disorder in the Japanese population: an association study. Genes, Brain and Behavior, 2011, 10, 257-263.	2.2	51
136	Measuring RNA editing of serotonin 2C receptor. Biochemistry (Moscow), 2011, 76, 912-914.	1.5	3
137	Regional variation in mitochondrial DNA copy number in mouse brain. Biochimica Et Biophysica Acta - Bioenergetics, 2011, 1807, 270-274.	1.0	49
138	Association of <i>ANK3</i> with bipolar disorder confirmed in East Asia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 312-315.	1.7	31
139	Combined endobronchial and endoscopic ultrasound-guided fine needle aspiration for mediastinal nodal staging of lung cancer. Endoscopy, 2011, 43, 1082-1089.	1.8	64
140	A renovation of psychiatry is needed. World Psychiatry, 2011, 10, 198-199.	10.4	2
141	Comprehensive DNA methylation analysis of human peripheral blood leukocytes and lymphoblastoid cell lines. Epigenetics, 2011, 6, 508-515.	2.7	42
142	Hypermethylation of serotonin transporter gene in bipolar disorder detected by epigenome analysis of discordant monozygotic twins. Translational Psychiatry, 2011, 1, e24-e24.	4.8	101
143	Gene expression analysis in lymphoblastoid cells as a potential biomarker of bipolar disorder. Journal of Human Genetics, 2011, 56, 779-783.	2.3	29
144	RNA Editing of 5-HT2C Receptor and Neuropsychiatric Diseases. , 2011, , 157-167.		2

#	Article	IF	CITATIONS
145	International Consensus Group on Depression Prevention in Bipolar Disorder. Journal of Clinical Psychiatry, 2011, 72, 1295-1310.	2.2	27
146	Effect of mood stabilizers on gene expression in lymphoblastoid cells. Journal of Neural Transmission, 2010, 117, 155-164.	2.8	30
147	Measurement and comparison of serum neuregulin 1 immunoreactivity in control subjects and patients with schizophrenia: an influence of its genetic polymorphism. Journal of Neural Transmission, 2010, 117, 887-895.	2.8	47
148	Voxel-based analyses of gray/white matter volume and diffusion tensor data in major depression. Psychiatry Research - Neuroimaging, 2010, 181, 64-70.	1.8	175
149	Association analyses between brainâ€expressed fattyâ€acid binding protein (<i>FABP</i>) genes and schizophrenia and bipolar disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 484-493.	1.7	32
150	Functional (GT)n polymorphisms in promoter region of <i>N</i> â€methylâ€ <scp>d</scp> â€aspartate receptor 2A subunit (<i>GRIN2A</i>) gene affect hippocampal and amygdala volumes. Genes, Brain and Behavior, 2010, 9, 269-275.	2.2	12
151	Mutation screening and assessment of the effect of genetic variations on expression and RNA editing of serotonin receptor 2C in the human brain. Psychiatry and Clinical Neurosciences, 2010, 64, 57-61.	1.8	6
152	The International Consortium on Lithium Genetics (ConLiGen): An Initiative by the NIMH and IGSLI to Study the Genetic Basis of Response to Lithium Treatment. Neuropsychobiology, 2010, 62, 72-78.	1.9	134
153	Genetic variation of melatonin productivity in laboratory mice under domestication. Proceedings of the United States of America, 2010, 107, 6412-6417.	7.1	160
154	Mitochondrial Dysfunction and Bipolar Disorder. Current Topics in Behavioral Neurosciences, 2010, 5, 187-200.	1.7	10
155	FosB Null Mutant Mice Show Enhanced Methamphetamine Neurotoxicity: Potential Involvement of FosB in Intracellular Feedback Signaling and Astroglial Function. Neuropsychopharmacology, 2010, 35, 641-655.	5.4	19
156	Therapeutic implications of down-regulation of cyclophilin D in bipolar disorder. International Journal of Neuropsychopharmacology, 2010, 13, 1355-1368.	2.1	26
157	Association study of ubiquitin-specific peptidase 46 (USP46) with bipolar disorder and schizophrenia in a Japanese population. Journal of Human Genetics, 2010, 55, 133-136.	2.3	17
158	Serotonin 6 receptor gene and mood disorders: Case–control study and meta-analysis. Neuroscience Research, 2010, 67, 250-255.	1.9	15
159	Behavioral and gene expression analyses in heterozygous XBP1 knockout mice: Possible contribution of chromosome 11qA1 locus to prepulse inhibition. Neuroscience Research, 2010, 68, 250-255.	1.9	9
160	Measuement of cerebral blood oxygeneation during a verbal fluency task with juggling by means of fNIRS. , 2010, , .		0
161	Epigenomics in Psychiatry. Neuropsychobiology, 2009, 60, 2-4.	1.9	8
162	Epigenetic Profiling in Schizophrenia and Major Mental Disorders. Neuropsychobiology, 2009, 60, 5-11.	1.9	22

ΤΑΔΑΓΙΜΙ ΚΑΤΟ

#	Article	IF	CITATIONS
163	Serotonin receptor 2C and mental disorders: Genetic, expression, and RNA editing studies. RNA Biology, 2009, 6, 248-253.	3.1	64
164	A 3-bp deletion of mitochondrial DNA tRNALys observed in lymphoblastoid cells. Journal of Human Genetics, 2009, 54, 612-613.	2.3	2
165	Aberrant endoplasmic reticulum stress response in lymphoblastoid cells from patients with bipolar disorder. International Journal of Neuropsychopharmacology, 2009, 12, 33.	2.1	66
166	Mitochondrial DNA haplogroup analysis in patients with bipolar disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 243-247.	1.7	26
167	Preliminary genomeâ€wide association study of bipolar disorder in the Japanese population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 1110-1117.	1.7	67
168	Abnormal Behavior in a Chromosome- Engineered Mouse Model for Human 15q11-13 Duplication Seen in Autism. Cell, 2009, 137, 1235-1246.	28.9	432
169	Expression of mitochondrial complex I subunit gene NDUFV2 in the lymphoblastoid cells derived from patients with bipolar disorder and schizophrenia. Neuroscience Research, 2009, 63, 199-204.	1.9	61
170	Hemodynamic responses of eye movement desensitization and reprocessing in posttraumatic stress disorder. Neuroscience Research, 2009, 65, 375-383.	1.9	37
171	Valproate, a Mood Stabilizer, Induces WFS1 Expression and Modulates Its Interaction with ER Stress Protein GRP94. PLoS ONE, 2009, 4, e4134.	2.5	53
172	Epigenetics in mood disorders. Environmental Health and Preventive Medicine, 2008, 13, 16-24.	3.4	61
173	Upâ€regulation of <i>ADM</i> and <i>SEPX1</i> in the lymphoblastoid cells of patients in monozygotic twins discordant for schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 557-564.	1.7	25
174	Association between mitochondrial DNA 10398A>G polymorphism and the volume of amygdala. Genes, Brain and Behavior, 2008, 7, 698-704.	2.2	12
175	Functional organization of the transcriptome in human brain. Nature Neuroscience, 2008, 11, 1271-1282.	14.8	743
176	Aberrant DNA methylation associated with bipolar disorder identified from discordant monozygotic twins. Molecular Psychiatry, 2008, 13, 429-441.	7.9	180
177	Effect of a functional single nucleotide polymorphism in the 2',3'-cyclic nucleotide 3'-phosphodiesterase gene on the expression of oligodendrocyte-related genes in schizophrenia. Psychiatry and Clinical Neurosciences, 2008, 62, 103-108.	1.8	10
178	Neurobehavioral basis of the impaired nurturing in mice lacking the immediate early gene FosB. Brain Research, 2008, 1211, 57-71.	2.2	31
179	Role of mitochondrial DNA in calcium signaling abnormality in bipolar disorder. Cell Calcium, 2008, 44, 92-102.	2.4	79
180	Genetic analysis of the gene coding for DARPP-32 (PPP1R1B) in Japanese patients with schizophrenia or bipolar disorder. Schizophrenia Research, 2008, 100, 334-341.	2.0	15

#	Article	IF	CITATIONS
181	Methylation Status of the Reelin Promoter Region in the Brain of Schizophrenic Patients. Biological Psychiatry, 2008, 63, 530-533.	1.3	125
182	Relationships between mitochondrial DNA subhaplogroups and intracellular calcium dynamics. Mitochondrion, 2008, 8, 164-169.	3.4	10
183	Quantitative analysis of the 4977-bp common deletion of mitochondrial DNA in postmortem frontal cortex from patients with bipolar disorder and schizophrenia. Neuroscience Letters, 2008, 439, 173-177.	2.1	37
184	Gene expression profiling of major depression and suicide in the prefrontal cortex of postmortem brains. Neuroscience Research, 2008, 60, 184-191.	1.9	137
185	Behavioral and gene expression analyses of Wfs1 knockout mice as a possible animal model of mood disorder. Neuroscience Research, 2008, 61, 143-158.	1.9	46
186	A possible association between missense polymorphism of the breakpoint cluster region gene and lithium prophylaxis in bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 204-208.	4.8	25
187	Molecular neurobiology of bipolar disorder: a disease of â€~mood-stabilizing neurons'?. Trends in Neurosciences, 2008, 31, 495-503.	8.6	94
188	Attenuated BDNF-induced upregulation of GABAergic markers in neurons lacking Xbp1. Biochemical and Biophysical Research Communications, 2008, 376, 758-763.	2.1	41
189	Mitochondrially Mediated Plasticity in the Pathophysiology and Treatment of Bipolar Disorder. Neuropsychopharmacology, 2008, 33, 2551-2565.	5.4	140
190	Genetic Variations of Human Neuropsin Gene and Psychiatric Disorders: Polymorphism Screening and Possible Association with Bipolar Disorder and Cognitive Functions. Neuropsychopharmacology, 2008, 33, 3237-3245.	5.4	30
191	Mitochondrial DNA-dependent effects of valproate on mitochondrial calcium levels in transmitochondrial cybrids. International Journal of Neuropsychopharmacology, 2008, 11, 71-8.	2.1	20
192	A Marked Effect of Electroconvulsive Stimulation on Behavioral Aberration of Mice with Neuron-Specific Mitochondrial DNA Defects. PLoS ONE, 2008, 3, e1877.	2.5	13
193	The Role of Brain-derived Neurotrophic Factor (BDNF)-induced XBP1 Splicing during Brain Development. Journal of Biological Chemistry, 2007, 282, 34525-34534.	3.4	101
194	A Promoter Haplotype of the Inositol Monophosphatase 2 Gene (IMPA2) at 18p11.2 Confers a Possible Risk for Bipolar Disorder by Enhancing Transcription. Neuropsychopharmacology, 2007, 32, 1727-1737.	5.4	34
195	Comprehensive Gene Expression Analysis in Bipolar Disorder. Canadian Journal of Psychiatry, 2007, 52, 763-771.	1.9	31
196	Bridging pharmacology and neurodevelopment in schizophrenia. International Journal of Neuropsychopharmacology, 2007, 10, 713-6.	2.1	3
197	Expression analysis of actin-related genes as an underlying mechanism for mood disorders. Biochemical and Biophysical Research Communications, 2007, 352, 780-786.	2.1	23
198	ERK-FosB signaling in dorsal MPOA neurons plays a major role in the initiation of parental behavior in mice. Molecular and Cellular Neurosciences, 2007, 36, 121-131.	2.2	61

#	Article	IF	CITATIONS
199	Association analysis of ATF4 and ATF5, genes for interacting-proteins of DISC1, in bipolar disorder. Neuroscience Letters, 2007, 417, 316-321.	2.1	29
200	Mitochondrial Dysfunction as the Molecular Basis of Bipolar Disorder. CNS Drugs, 2007, 21, 1-11.	5.9	103
201	Association study between the TNXB locus and schizophrenia in a Japanese population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 305-309.	1.7	23
202	Human brain structural change related to acute single exposure to sarin. Annals of Neurology, 2007, 61, 37-46.	5.3	116
203	Prognostic significance of microvessel density and other variables in Japanese and British patients with primary invasive breast cancer. British Journal of Cancer, 2007, 97, 1277-1286.	6.4	9
204	A nearâ€infrared spectroscopy study of prefrontal cortex activation during a verbal fluency task and carbon dioxide inhalation in individuals with bipolar disorder. Bipolar Disorders, 2007, 9, 876-883.	1.9	55
205	Severe hypoglycaemia in a person with insulin autoimmune syndrome accompanied by insulin receptor anomaly typeAB. Diabetic Medicine, 2007, 24, 1279-1281.	2.3	10
206	Molecular genetics of bipolar disorder and depression. Psychiatry and Clinical Neurosciences, 2007, 61, 3-19.	1.8	264
207	Sequence and functional analyses of mtDNA in a maternally inherited family with bipolar disorder and depression. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2007, 617, 119-124.	1.0	25
208	Association analysis of HSP90B1 with bipolar disorder. Journal of Human Genetics, 2007, 52, 794-803.	2.3	26
209	Evaluation of whole genome amplification methods using postmortem brain samples. Journal of Neuroscience Methods, 2007, 165, 104-110.	2.5	11
210	Animal models of bipolar disorder. Neuroscience and Biobehavioral Reviews, 2007, 31, 832-842.	6.1	74
211	Detection of Chromosomal Structural Alterations in Single Cells by SNP Arrays: A Systematic Survey of Amplification Bias and Optimized Workflow. PLoS ONE, 2007, 2, e1306.	2.5	38
212	A Polymorphism in the PDLIM5 Gene Associated with Gene Expression and Schizophrenia. Biological Psychiatry, 2006, 59, 434-439.	1.3	37
213	No association between the metabotropic glutamate receptor type 3 gene (GRM3) and schizophrenia in a Japanese population. Schizophrenia Research, 2006, 88, 260-264.	2.0	31
214	Genome-wide expression analysis detects eight genes with robust alterations specific to bipolar I disorder: relevance to neuronal network perturbation. Human Molecular Genetics, 2006, 15, 1949-1962.	2.9	134
215	Association study of the dysbindin (DTNBP1) gene in schizophrenia from the Japanese population. Neuroscience Research, 2006, 56, 154-158.	1.9	42
216	Inclusion of Spleen in Pediatric Multivisceral Transplantation. Transplantation Proceedings, 2006, 38, 1709-1710.	0.6	8

#	Article	IF	CITATIONS
217	Expanded Use of Multivisceral Transplantation for Small Children With Concurrent Liver and Intestinal Failure. Transplantation Proceedings, 2006, 38, 1705-1708.	0.6	9
218	Maternal separation stress drastically decreases expression of transthyretin in the brains of adult rat offspring. International Journal of Neuropsychopharmacology, 2006, 9, 201.	2.1	21
219	Lithium response and Val66Met polymorphism of the brain-derived neurotrophic factor gene in Japanese patients with bipolar disorder. Psychiatric Genetics, 2006, 16, 49-50.	1.1	47
220	XBP1 induces WFS1 through an endoplasmic reticulum stress response element-like motif in SH-SY5Y cells. Journal of Neurochemistry, 2006, 97, 545-555.	3.9	65
221	A complex polymorphic region in the brain-derived neurotrophic factor (BDNF) gene confers susceptibility to bipolar disorder and affects transcriptional activity. Molecular Psychiatry, 2006, 11, 695-703.	7.9	66
222	Mice with neuron-specific accumulation of mitochondrial DNA mutations show mood disorder-like phenotypes. Molecular Psychiatry, 2006, 11, 577-593.	7.9	152
223	Genetically modified mice harboring mitochondrial DNA defects show aberrant cyclic change in wheel-running activity, which is improved by lithium. Molecular Psychiatry, 2006, 11, 523-523.	7.9	14
224	Expression of ribosomal subunit genes increased coordinately with postmortem interval in human brain. Molecular Psychiatry, 2006, 11, 1067-1069.	7.9	6
225	Zoom endoscopic monitoring of small bowel allograft rejection. Surgical Endoscopy and Other Interventional Techniques, 2006, 20, 773-782.	2.4	43
226	Association of mitochondrial complex I subunit geneNDUFV2 at 18p11 with schizophrenia in the Japanese population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 301-304.	1.7	51
227	A familyâ€based and caseâ€control association study of <i>SOX10</i> in schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 477-481.	1.7	17
228	Abnormal Ca2+ Dynamics in Transgenic Mice with Neuron-Specific Mitochondrial DNA Defects. Journal of Neuroscience, 2006, 26, 12314-12324.	3.6	40
229	Identification of Mitochondrial DNA Polymorphisms That Alter Mitochondrial Matrix pH and Intracellular Calcium Dynamics. PLoS Genetics, 2006, 2, e128.	3.5	194
230	Gene Expression Profiling in Schizophrenia and Related Mental Disorders. Neuroscientist, 2006, 12, 349-361.	3.5	78
231	The role of mitochondrial dysfunction in bipolar disorder. Drug News and Perspectives, 2006, 19, 597.	1.5	45
232	Quantitative analysis of mitochondrial DNA deletions in the brains of patients with bipolar disorder and schizophrenia. International Journal of Neuropsychopharmacology, 2005, 8, 515.	2.1	65
233	Lithium response and [minus sign]116C/G polymorphism of XBP1 in Japanese patients with bipolar disorder. International Journal of Neuropsychopharmacology, 2005, 8, 631.	2.1	22
234	Expression of mitochondria-related genes in lymphoblastoid cells from patients with bipolar disorder. Bipolar Disorders, 2005, 7, 146-152.	1.9	41

ΤΑΔΑΓΙΜΙ ΚΑΤΟ

#	Article	IF	CITATIONS
235	Mitochondrial DNA sequence analysis of patients with 'atypical psychosis'. Psychiatry and Clinical Neurosciences, 2005, 59, 497-503.	1.8	32
236	Genetic or epigenetic difference causing discordance between monozygotic twins as a clue to molecular basis of mental disorders. Molecular Psychiatry, 2005, 10, 622-630.	7.9	114
237	Gene expression and association analyses of LIM (PDLIM5) in bipolar disorder and schizophrenia. Molecular Psychiatry, 2005, 10, 1045-1055.	7.9	58
238	Is pyrroloquinoline quinone a vitamin? (Reply). Nature, 2005, 433, E11-E12.	27.8	15
239	Co-existing point mutations of mitochondrial DNA in a patient with a heart abnormality and Pearson syndrome-like symptoms. American Journal of Medical Genetics, Part A, 2005, 139A, 162-164.	1.2	4
240	XBP1 gene polymorphism (-116C/G) and personality. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2005, 136B, 103-105.	1.7	11
241	Estimating RNA editing efficiency of five editing sites in the serotonin 2C receptor by pyrosequencing. Rna, 2005, 11, 1596-1603.	3.5	25
242	Mitochondrial Dysfunction in Bipolar Disorder: from 31P-Magnetic Resonance Spectroscopic Findings to their Molecular Mechanisms. International Review of Neurobiology, 2005, 63, 21-40.	2.0	32
243	A quantitative analysis of lymphatic vessels in human breast cancer, based on LYVE-1 immunoreactivity. British Journal of Cancer, 2005, 93, 1168-1174.	6.4	33
244	Altered expression of mitochondria-related genes in postmortem brains of patients with bipolar disorder or schizophrenia, as revealed by large-scale DNA microarray analysis. Human Molecular Genetics, 2005, 14, 241-253.	2.9	436
245	DNA Methylation Status of <i>SOX10</i> Correlates with Its Downregulation and Oligodendrocyte Dysfunction in Schizophrenia. Journal of Neuroscience, 2005, 25, 5376-5381.	3.6	222
246	Hypofrontality and microvascular dysregulation in remitted late-onset depression assessed by functional near-infrared spectroscopy. NeuroImage, 2005, 26, 234-242.	4.2	109
247	Hemodynamic response to emotional memory recall with eye movement. Neuroscience Letters, 2005, 380, 75-79.	2.1	14
248	Relationship between XBP1 genotype and personality traits assessed by TCI and NEO-FFI. Neuroscience Letters, 2005, 391, 7-10.	2.1	16
249	Support for relationship between serum cholinesterase and post-traumatic stress disorder; 5-year follow-ups of victims of the Tokyo subway sarin poisoning. Neuroscience Research, 2005, 52, 129-131.	1.9	7
250	Altered RNA editing of serotonin 2C receptor in a rat model of depression. Neuroscience Research, 2005, 53, 69-76.	1.9	75
251	Functional polymorphisms of HSPA5: Possible association with bipolar disorder. Biochemical and Biophysical Research Communications, 2005, 336, 1136-1143.	2.1	53
252	A family-based association study and gene expression analyses of netrin-G1 and -G2 genes in schizophrenia. Biological Psychiatry, 2005, 57, 382-393.	1.3	92

#	Article	IF	CITATIONS
253	Mitochondrial DNA 3243A>G mutation and increased expression of LARS2 gene in the brains of patients with bipolar disorder and schizophrenia. Biological Psychiatry, 2005, 57, 525-532.	1.3	120
254	The Breakpoint Cluster Region Gene on Chromosome 22q11 is Associated with Bipolar Disorder. Biological Psychiatry, 2005, 57, 1097-1102.	1.3	36
255	Association study of the locus with schizophrenia in a Japanese population. Schizophrenia Research, 2005, 79, 175-180.	2.0	53
256	Genetics of bipolar disorder. Drugs of Today, 2005, 41, 335.	2.4	28
257	Cerebrovascular Response to Cognitive Tasks in Patients With Schizophrenia Measured by Near-Infrared Spectroscopy. Schizophrenia Bulletin, 2004, 30, 435-444.	4.3	59
258	Reduced intracellular pH in the basal ganglia and whole brain measured by 31P-MRS in bipolar disorder. Psychiatry and Clinical Neurosciences, 2004, 58, 82-88.	1.8	134
259	Differences of satisfaction with medication between patients with schizophrenia treated with typical antipsychotics. Psychiatry and Clinical Neurosciences, 2004, 58, 268-273.	1.8	8
260	Association of the XBP1-116C/G polymorphism with schizophrenia in the Japanese population. Psychiatry and Clinical Neurosciences, 2004, 58, 438-440.	1.8	42
261	Post-traumatic stress disorder symptoms in victims of Tokyo subway attack: a 5-year follow-up study. Psychiatry and Clinical Neurosciences, 2004, 58, 624-629.	1.8	59
262	Reply to "Lack of support for a genetic association of the XBP1 promoter polymorphism with bipolar disorder in probands of European origin". Nature Genetics, 2004, 36, 784-785.	21.4	11
263	Molecular characterization of bipolar disorder by comparing gene expression profiles of postmortem brains of major mental disorders. Molecular Psychiatry, 2004, 9, 406-416.	7.9	299
264	Prefrontal hemodynamic response to verbal-fluency task and hyperventilation in bipolar disorder measured by multi-channel near-infrared spectroscopy. Journal of Affective Disorders, 2004, 82, 85-92.	4.1	90
265	Expression of HSPF1 and LIM in the lymphoblastoid cells derived from patients with bipolar disorder and schizophrenia. Journal of Human Genetics, 2004, 49, 227-231.	2.3	47
266	No association between the Val66Met polymorphism of the brain-derived neurotrophic factor gene and bipolar disorder in a Japanese population: A multicenter study. Biological Psychiatry, 2004, 56, 376-378.	1.3	91
267	Genetic and expression analyses of FZD3 in schizophrenia. Biological Psychiatry, 2004, 56, 462-465.	1.3	27
268	Association of mitochondrial complex I subunit gene NDUFV2 at 18p11 with bipolar disorder in Japanese and the National Institute of Mental Health pedigrees. Biological Psychiatry, 2004, 56, 483-489.	1.3	57
269	Mitochondrial DNA 3644T→C mutation associated with bipolar disorder. Genomics, 2004, 84, 1041-1050.	2.9	104
270	Lack of association between XBP1 genotype and calcium signaling in the platelets of healthy subjects. Neuroscience Letters, 2004, 369, 1-3.	2.1	0

#	Article	IF	CITATIONS
271	Decreased expression of NEFH and PCP4/PEP19 in the prefrontal cortex of alcoholics. Neuroscience Research, 2004, 49, 379-385.	1.9	76
272	Hypoactivation of the prefrontal cortex during verbal fluency test in PTSD: a near-infrared spectroscopy study. Psychiatry Research - Neuroimaging, 2003, 124, 1-10.	1.8	86
273	Association of mitochondrial complex I subunit geneNDUFV2 at 18p11 with bipolar disorder. American Journal of Medical Genetics Part A, 2003, 120B, 72-78.	2.4	76
274	Biological predictors of lithium response in bipolar disorder. Psychiatry and Clinical Neurosciences, 2003, 57, 243-250.	1.8	35
275	The combination of angiogenesis and blood vessel invasion as a prognostic indicator in primary breast cancer. British Journal of Cancer, 2003, 88, 1900-1908.	6.4	72
276	A new redox-cofactor vitamin for mammals. Nature, 2003, 422, 832-832.	27.8	179
277	Impaired feedback regulation of XBP1 as a genetic risk factor for bipolar disorder. Nature Genetics, 2003, 35, 171-175.	21.4	257
278	Activation of the prefrontal cortex to trauma-related stimuli measured by near-infrared spectroscopy in posttraumatic stress disorder due to terrorism. Psychophysiology, 2003, 40, 492-500.	2.4	73
279	No association of mutations and mRNA expression of WFS1/wolframin with bipolar disorder in humans. Neuroscience Letters, 2003, 338, 21-24.	2.1	22
280	RNA editing of serotonin 2C receptor in human postmortem brains of major mental disorders. Neuroscience Letters, 2003, 346, 169-172.	2.1	124
281	Smoking habits in Japanese patients with schizophrenia. Psychiatry Research, 2003, 120, 207-209.	3.3	27
282	CD4+ CD25+ T cells responding to serologically defined autoantigens suppress antitumor immune responses. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 10902-10906.	7.1	152
283	Cerebrovascular Response to Cognitive Tasks and Hyperventilation Measured by Multi-Channel Near-Infrared Spectroscopy. Journal of Neuropsychiatry and Clinical Neurosciences, 2003, 15, 442-449.	1.8	44
284	Drug-induced parkinsonism in relation to choline-containing compounds measured by 1H-MR spectroscopy in putamen of chronically medicated patients with schizophrenia. International Journal of Neuropsychopharmacology, 2003, 6, 353-360.	2.1	15
285	Mechanisms of altered Ca2+ signalling in transformed lymphoblastoid cells from patients with bipolar disorder. International Journal of Neuropsychopharmacology, 2003, 6, 379-389.	2.1	63
286	Possible relationship between mitochondrial DNA polymorphisms and lithium response in bipolar disorder. International Journal of Neuropsychopharmacology, 2003, 6, 421-424.	2.1	46
287	Cerebrovascular Response to Cognitive Tasks and Hyperventilation Measured by Multi-Channel Near-Infrared Spectroscopy. Journal of Neuropsychiatry and Clinical Neurosciences, 2003, 15, 442-449.	1.8	16
288	Effects of cocaine and reserpine administration on RNA editing of rat 5-HT2C receptor estimated by primer extension combined with denaturing high-performance liquid chromatography. Pharmacogenomics Journal, 2002, 2, 335-340.	2.0	14

ΤΑΔΑΓΙΜΙ ΚΑΤΟ

#	Article	IF	CITATIONS
289	1H-MR spectroscopy and gray matter volume of the anterior cingulate cortex in schizophrenia. NeuroReport, 2002, 13, 2133-2137.	1.2	64
290	Decreased cerebral haemodynamic response to cognitive and physiological tasks in mood disorders as shown by near-infrared spectroscopy. Psychological Medicine, 2002, 32, 1029-1037.	4.5	144
291	Hand-assisted laparoscopic microwave coagulation therapy for hepatocellular carcinoma. Surgical Endoscopy and Other Interventional Techniques, 2002, 16, 717-717.	2.4	0
292	Mitochondrial calcium response in human transformed lymphoblastoid cells. Life Sciences, 2002, 71, 581-590.	4.3	15
293	Effects of creatine on mental fatigue and cerebral hemoglobin oxygenation. Neuroscience Research, 2002, 42, 279-285.	1.9	150
294	Serum cholesterol, uric acid and cholinesterase in victims of the Tokyo subway sarin poisoning:. Neuroscience Research, 2002, 44, 267-272.	1.9	36
295	Possible relationship between electroencephalogram finding and lithium response in bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2002, 26, 903-907.	4.8	19
296	Association study of C825T polymorphism of the G-protein b3 subunit gene with schizophrenia and mood disorders. Journal of Neural Transmission, 2002, 109, 213-218.	2.8	31
297	Expression of IL-17 mRNA in Ovarian Cancer. Biochemical and Biophysical Research Communications, 2001, 282, 735-738.	2.1	147
298	Human neuroblastomas with unfavorable biologies express high levels of brain-derived neurotrophic factor mRNA and a variety of its variants. Cancer Letters, 2001, 164, 51-60.	7.2	80
299	Molecular genetics of bipolar disorder. Neuroscience Research, 2001, 40, 105-113.	1.9	49
300	Intracranial aneurysms in Ehlers-Danlos syndrome type IV in early childhood. Pediatric Neurology, 2001, 25, 336-339.	2.1	47
301	Use of microwave coagulation therapy in liver transplant candidates with hepatocellular carcinoma: a preliminary report. Transplantation Proceedings, 2001, 33, 1469.	0.6	14
302	Isolation of a Novel Human Gene, MARKLI, Homologous to MARK3 and Its Involvement in Hepatocellular Carcinogenesis. Neoplasia, 2001, 3, 4-9.	5.3	88
303	Angiogenesis and Blood Vessel Invasion as Prognostic Indicators for Node-Negative Breast Cancer. Breast Cancer Research and Treatment, 2001, 65, 203-215.	2.5	15
304	Angiogenesis as a predictor of long-term survival for 377 Japanese patients with breast cancer. Breast Cancer Research and Treatment, 2001, 70, 65-74.	2.5	34
305	The other, forgotten genome: mitochondrial DNA and mental disorders. Molecular Psychiatry, 2001, 6, 625-633.	7.9	68
306	Mitochondrial DNA polymorphisms in bipolar disorder. Journal of Affective Disorders, 2001, 62, 151-164.	4.1	127

#	Article	IF	CITATIONS
307	DNA Polymorphisms and Bipolar Disorder. American Journal of Psychiatry, 2001, 158, 1169-b-1170.	7.2	7
308	Human Leukocyte Antigen and Season of Birth in Japanese Patients With Schizophrenia. American Journal of Psychiatry, 2000, 157, 1173-1175.	7.2	32
309	Prediction of lithium response by 31P-MRS in bipolar disorder. International Journal of Neuropsychopharmacology, 2000, 3, 83-85.	2.1	21
310	Altered brain energy metabolism in lithium-resistant bipolar disorder detected by photic stimulated 31P-MR spectroscopy. Psychological Medicine, 2000, 30, 107-115.	4.5	87
311	Association of bipolar disorder with the 5178 polymorphism in mitochondrial DNA. , 2000, 96, 182-186.		55
312	White matter hyperintensity detected by magnetic resonance imaging and lithium response in bipolar disorder: A preliminary observation. Psychiatry and Clinical Neurosciences, 2000, 54, 117-120.	1.8	15
313	Mitochondrial dysfunction in bipolar disorder. Bipolar Disorders, 2000, 2, 180-190.	1.9	321
314	Clinicopathologic study associated with long-term survival in Japanese patients with node-negative breast cancer. British Journal of Cancer, 2000, 82, 404-411.	6.4	26
315	Pathologic Evaluation of Surgical Margins and Local Recurrences after Breast-conserving Surgery without Irradiation. World Journal of Surgery, 2000, 24, 328-333.	1.6	9
316	Frontal lobe membrane phospholipid metabolism and ventricle to brain ratio in schizophrenia: preliminary 31 P-MRS and CT studies. European Archives of Psychiatry and Clinical Neuroscience, 2000, 250, 169-174.	3.2	11
317	Fate of Newly Formed Periglomerular Cells in the Olfactory Bulb. Acta Oto-Laryngologica, 2000, 120, 876-879.	0.9	14
318	Polarization of Naive CD4+T Cells Toward the Th1 Subset by CTLA-4 Costimulation. Journal of Immunology, 2000, 164, 3554-3562.	0.8	65
319	Alteration of Hemoglobin Oxygenation in the Frontal Region in Elderly Depressed Patients as Measured by Near-infrared Spectroscopy. Journal of Neuropsychiatry and Clinical Neurosciences, 2000, 12, 465-471.	1.8	113
320	Inhibitory mechanisms in hypoxic respiratory depression studied in an in vitro preparation. Neuroscience Research, 2000, 38, 281-288.	1.9	26
321	Association of bipolar disorder with the 5178 polymorphism in mitochondrial DNA. American Journal of Medical Genetics Part A, 2000, 96, 182-186.	2.4	3
322	Portosystemic Shunting in Children During the Era of Endoscopic Therapy: Improved Postoperative Growth Parameters. Journal of Pediatric Gastroenterology and Nutrition, 2000, 30, 419-424.	1.8	42
323	Association of bipolar disorder with the 5178 polymorphism in mitochondrial DNA. American Journal of Medical Genetics Part A, 2000, 96, 182-6.	2.4	19
324	Relationship of Energy Metabolism Detected by ³¹ P-MRS in the Human Brain with Mental Fatigue. Neuropsychobiology, 1999, 39, 214-218.	1.9	19

#	Article	IF	CITATIONS
325	Inclusion of entire pancreas in the composite liver and intestinal graft in pediatric intestinal transplantation. Pediatric Transplantation, 1999, 3, 210-214.	1.0	34
326	Effects of sleep deprivation: The phosphorus metabolism in the human brain measured by 31 Pâ€magnetic resonance spectroscopy. Psychiatry and Clinical Neurosciences, 1999, 53, 199-201.	1.8	10
327	A search for a mutation in the tumour necrosis factor-alpha gene in narcolepsy. Psychiatry and Clinical Neurosciences, 1999, 53, 421-423.	1.8	12
328	Efficacy of media in motivating patients with panic disorder to visit specialists. Psychiatry and Clinical Neurosciences, 1999, 53, 523-526.	1.8	5
329	A functional polymorphism in the promoter region of monoamine oxidase-A gene and mood disorders. Molecular Psychiatry, 1999, 4, 393-395.	7.9	100
330	Age-dependent alteration of metabolic response to photic stimulation in the human brain measured by 31P MR-spectroscopy. Brain Research, 1999, 818, 72-76.	2.2	25
331	Novel polymorphism in the promoter region of the tumor necrosis factor alpha gene: No association with narcolepsy. American Journal of Medical Genetics Part A, 1999, 88, 301-304.	2.4	47
332	Dinucleotide repeat polymorphism in the neurotrophin-3 gene and hippocampal volume in psychoses. Schizophrenia Research, 1999, 37, 271-273.	2.0	14
333	Quantitative proton magnetic resonance spectroscopy of the bilateral frontal lobes in patients with bipolar disorder. Psychological Medicine, 1999, 29, 639-644.	4.5	114
334	No Evidence for an Association of Polymorphisms of the Tryptophan Hydroxylase Gene With Affective Disorders or Attempted Suicide Among Japanese Patients. American Journal of Psychiatry, 1999, 156, 774-776.	7.2	85
335	The monoamine oxidase-a gene and major psychosis in japanese subjects. Biological Psychiatry, 1998, 44, 922-924.	1.3	33
336	C677T polymorphism in methylenetetrahydrofolate reductase gene and psychoses. Molecular Psychiatry, 1998, 3, 435-437.	7.9	77
337	Failure to demonstrate parent-of-origin effect in transmission of bipolar II disorder. Journal of Affective Disorders, 1998, 50, 135-141.	4.1	17
338	Single local injection of recombinant fibroblast growth factor-2 stimulates healing of segmental bone defects in rabbits. Journal of Orthopaedic Research, 1998, 16, 654-659.	2.3	123
339	Quantitative proton magnetic resonance spectroscopy of the basal ganglia in patients with affective disorders. European Archives of Psychiatry and Clinical Neuroscience, 1998, 248, 53-58.	3.2	144
340	Decreased brain intracellular pH measured by. European Archives of Psychiatry and Clinical Neuroscience, 1998, 248, 301.	3.2	102
341	Photic stimulation-induced alteration of brain energy metabolism measured by 31P-MR spectroscopy in patients with MELAS. Journal of the Neurological Sciences, 1998, 155, 182-185.	0.6	17
342	Magnetic Resonance Spectroscopy in Affective Disorders. Journal of Neuropsychiatry and Clinical Neurosciences, 1998, 10, 133-147.	1.8	120

#	Article	IF	CITATIONS
343	A â€~Neural' Response with 3-ms Latency Evoked by Loud Sound in Profoundly Deaf Patients. Audiology and Neuro-Otology, 1998, 3, 253-264.	1.3	18
344	Increased cerebral choline-compounds in Duchenne muscular dystrophy. NeuroReport, 1997, 8, 1435-1437.	1.2	17
345	Multiple regression analysis of relationship between frontal lobe phosphorus metabolism and clinical symptoms in patients with schizophrenia. Psychiatry Research - Neuroimaging, 1997, 76, 113-122.	1.8	31
346	Quantitative analysis of leukocyte mitochondrial DNA deletion in affective disorders. Biological Psychiatry, 1997, 42, 311-316.	1.3	14
347	Increased levels of a mitochondrial DNA deletion in the brain of patients with bipolar disorder. Biological Psychiatry, 1997, 42, 871-875.	1.3	111
348	Phosphorus-31 magnetic resonance spectroscopic observations in 4 cases with anorexia nervosa. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 1997, 21, 719-724.	4.8	18
349	Neuronal maturation and N-acetyl-l-aspartic acid development in human fetal and child brains. Brain and Development, 1997, 19, 131-133.	1.1	54
350	Serotonin transporter gene polymorphisms: ethnic difference and possible association with bipolar affective disorder. Molecular Psychiatry, 1997, 2, 457-462.	7.9	289
351	Costimulatory Effect of IL-12 on the Activation of Naive, Memory CD4+T Cells, and Th1 Clone. Cellular Immunology, 1997, 176, 50-58.	3.0	20
352	Differential Effects of LPS and CD40 Ligand Stimulations on the Induction of IL-12 Production by Dendritic Cells and Macrophages. Cellular Immunology, 1997, 181, 59-67.	3.0	51
353	Improved detection of cortical and subcortical tubers in tuberous sclerosis by fluid-attenuated inversion recovery MRI. Neuroradiology, 1997, 39, 378-380.	2.2	22
354	Prevalence of cavum septum pellucidum detected by MRI in patients with bipolar disorder, major depression and schizophrenia. Psychological Medicine, 1996, 26, 431-434.	4.5	61
355	Proton magnetic resonance spectroscopy of the basal ganglia in patients with schizophrenia: a preliminary report. Schizophrenia Research, 1996, 22, 19-26.	2.0	42
356	High-energy phosphate metabolism in the frontal lobes of patients with panic disorder detected by phase-encoded 31P-MRS. Biological Psychiatry, 1996, 40, 785-793.	1.3	31
357	Characteristic clinical features and clinical course in 270 Japanese outpatients with panic disorder. Journal of Anxiety Disorders, 1996, 10, 163-172.	3.2	5
358	Deletion of leukocyte mitochondrial DNA in bipolar disorder. Journal of Affective Disorders, 1996, 37, 67-73.	4.1	39
359	Lithium side effects in relation to brain lithium concentration measured by lithium-7 magnetic resonance spectroscopy. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 1996, 20, 87-97.	4.8	43
360	Effect of photic stimulation on energy metabolism in the human brain measured by 31P-MR spectroscopy. Journal of Neuropsychiatry and Clinical Neurosciences, 1996, 8, 417-422.	1.8	39

#	Article	IF	CITATIONS
361	Missense mutation of the cholecystokinin B receptor gene: Lack of association with panic disorder. , 1996, 67, 401-405.		39
362	Parent-of-origin effect in transmission of bipolar disorder. , 1996, 67, 546-550.		53
363	Choline-containing compounds detected by proton magnetic resonance spectroscopy in the basal ganglia in bipolar disorder. Journal of Psychiatry and Neuroscience, 1996, 21, 248-54.	2.4	68
364	Induction of IL-12 p40 messenger RNA expression and IL-12 production of macrophages via CD40-CD40 ligand interaction. Journal of Immunology, 1996, 156, 3932-8.	0.8	128
365	Lateralized abnormality of high energy phosphate metabolism in the frontal lobes of patients with bipolar disorder detected by phase-encoded ³¹ P-MRS. Psychological Medicine, 1995, 25, 557-566.	4.5	115
366	Successful treatment of vesicoureteric reflux by subureteric injection of silicone. International Urology and Nephrology, 1995, 27, 709-715.	1.4	1
367	Lateralized abnormality of high-energy phosphate and bilateral reduction of phosphomonoester measured by phosphorus-31 magnetic resonance spectroscopy of the frontal lobes in schizophrenia. Psychiatry Research - Neuroimaging, 1995, 61, 151-160.	1.8	64
368	A Device for Controlling Odorant Stimulation and Olfactory Evoked Responses in Humans. Auris Nasus Larynx, 1995, 22, 103-112.	1.2	4
369	Analysis of Auditory Brainstem Response Waveforms Derived Ipsilaterally and Contralaterally to Monaural Stimulation. Auris Nasus Larynx, 1995, 22, 96-102.	1.2	3
370	Topography of Binaural Interaction in the Auditory Brainstem Response. Auris Nasus Larynx, 1995, 22, 145-150.	1.2	1
371	Reduction of brain phosphocreatine in bipolar II disorder detected by phosphorus-31 magnetic resonance spectroscopy. Journal of Affective Disorders, 1994, 31, 125-133.	4.1	215
372	Linkage studies between affective disorder and dopamine D2, D3, and D4 receptor gene loci in four Japanese pedigrees. Psychiatry Research, 1994, 52, 149-157.	3.3	33
373	Phosphorus-31 magnetic resonance spectroscopy and ventricular enlargement in bipolar disorder. Psychiatry Research - Neuroimaging, 1994, 55, 41-50.	1.8	107
374	Correlations of phosphomonoesters measured by phosphorus-31 magnetic resonance spectroscopy in the frontal lobes and negative symptoms in schizophrenia. Psychiatry Research - Neuroimaging, 1994, 55, 223-235.	1.8	69
375	Evaluation of the Long-Lasting Antihypertensive Action of 7-O-Ethylfangchinoline. The Japanese Journal of Pharmacology, 1994, 66, 35-46.	1.2	6
376	Relationship of Lithium Concentrations. Journal of Clinical Psychopharmacology, 1994, 14, 330???335.	1.4	19
377	Correlations of Phosphomonoesters Measured by Phosphorus-31 Magnetic Resonance Spectroscopy in the Frontal Lobes and Negative Symptoms in Schizophrenia. Psychiatry Research, 1994, 55, 223-235.	3.3	5
378	Relationship of lithium concentrations in the brain measured by lithium-7 magnetic resonance spectroscopy to treatment response in mania. Journal of Clinical Psychopharmacology, 1994, 14, 330-5.	1.4	22

#	Article	IF	CITATIONS
379	Human Visual Cortical Function during Photic Stimulation Monitoring by Means of near-Infrared Spectroscopy. Journal of Cerebral Blood Flow and Metabolism, 1993, 13, 516-520.	4.3	412
380	Alterations in brain phosphorous metabolism in bipolar disorder detected by in vivo 31P and 7Li magnetic resonance spectroscopy. Journal of Affective Disorders, 1993, 27, 53-59.	4.1	222
381	Regional cerebral blood flow in catatonic schizophrenia. Psychiatry Research - Neuroimaging, 1993, 50, 203-216.	1.8	50
382	Brain lithium concentrations measured with lithium-7 magnetic resonance spectroscopy in patients with affective disorders: Relationship to erythrocyte and serum concentrations. Biological Psychiatry, 1993, 33, 147-152.	1.3	46
383	Chondroitin Sulfate Iron Colloid as an MR Contrast Agent for the Hepatic Reticuloendothelial System. Journal of Computer Assisted Tomography, 1993, 17, 603-608.	0.9	13
384	Cystic Adrenal Mass: Pseudocyst Associated with Hemangioma. Urologia Internationalis, 1993, 50, 47-50.	1.3	1
385	Changes in the frequency distribution pattern of body weight in patients with major depression. Acta Psychiatrica Scandinavica, 1993, 88, 356-360.	4.5	17
386	Brain phosphorous metabolism in depressive disorders detected by phosphorus-31 magnetic resonance spectroscopy. Journal of Affective Disorders, 1992, 26, 223-230.	4.1	198
387	Brain lithium concentration by 7Li- and 1H-magnetic resonance spectroscopy in bipolar disorder. Psychiatry Research - Neuroimaging, 1992, 45, 53-63.	1.8	53
388	Vasospastic angina in Crow-Fukase syndrome. American Heart Journal, 1992, 124, 506-507.	2.7	5
389	Asymmetrical FDC-PET and MRI findings of striatonigral system in multiple system atrophy with hemiparkinsonism. Radiation Medicine, 1992, 10, 87-93.	0.8	10
390	Measurement of brain phosphoinositide metabolism in bipolar patients using in vivo 31P-MRS. Journal of Affective Disorders, 1991, 22, 185-190.	4.1	98
391	Measurement of haloperidol reductase activity in red blood cells and reduced haloperidol/ haloperidol ratios in plasma in oriental psychiatric patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 1990, 14, 941-IN6.	4.8	10
392	Anesthesia for a patient with Williams syndrome. Journal of Anesthesia, 1989, 3, 227-228.	1.7	4
393	Role of acetylcholine in pyridostigmine-induced myocardial injury: possible involvement of parasympathetic nervous system in the genesis of cardiomyopathy. Archives of Toxicology, 1989, 63, 137-143.	4.2	11
394	Choline Acetyltransferase Activities in Single Spinal Motor Neurons from Patients with Amyotrophic Lateral Sclerosis. Journal of Neurochemistry, 1989, 52, 636-640.	3.9	46
395	Mechanistic aspects of the cytocidal action of ulithiacyclamide on mouse leukemia L1210 cells in vitro. Biochemical Pharmacology, 1989, 38, 4497-4500.	4.4	29
396	Production of Erythropoietin-Like Activity by Human Renal and Hepatic Carcinomas in Cell Culture. Journal of Urology, 1985, 134, 1306-1306.	0.4	0

#	Article	IF	CITATIONS
397	Mass spectrometric studies of 6-methyl-4-pyrimidones. Organic Mass Spectrometry, 1970, 4, 181-194.	1.3	4
398	Metabolic clearance rate of aldosterone and the electrolyte and water metabolism in hepatic disorders. Gastroenterologia Japonica, 1966, 1, 54-55.	0.3	0