

Tadafumi Kato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1368182/publications.pdf>

Version: 2024-02-01

397
papers

22,016
citations

7551

77
h-index

15683

125
g-index

428
all docs

428
docs citations

428
times ranked

21586
citing authors

#	ARTICLE	IF	CITATIONS
1	Intra-individual state-dependent comparison of plasma mitochondrial DNA copy number and IL-6 levels in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2022, 299, 644-651.	2.0	8
2	Oxytocin Facilitates Allomaternal Behavior under Stress in Laboratory Mice. <i>ENeuro</i> , 2022, 9, ENEURO.0405-21.2022.	0.9	9
3	Mitochondrial dysfunction in bipolar disorder. , 2022, , 141-156.		4
4	Phenethylamine is a substrate of monoamine oxidase B in the paraventricular thalamic nucleus. <i>Scientific Reports</i> , 2022, 12, 17.	1.6	5
5	Cell-type-specific DNA methylation analysis of the frontal cortices of mutant Polg1 transgenic mice with neuronal accumulation of deleted mitochondrial DNA. <i>Molecular Brain</i> , 2022, 15, 9.	1.3	1
6	Investigating the phenotypic and genetic associations between personality traits and suicidal behavior across major mental health diagnoses. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	1.8	2
7	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228.	1.7	11
8	Pre-treatment plasma cytokine levels as potential predictors of short-term remission of depression. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 785-793.	1.3	6
9	Mechanisms of action of anti-bipolar drugs. <i>European Neuropsychopharmacology</i> , 2022, 59, 23-25.	0.3	4
10	Cross-Disorder Analysis of Genic and Regulatory Copy Number Variations in Bipolar Disorder, Schizophrenia, and Autism Spectrum Disorder. <i>Biological Psychiatry</i> , 2022, 92, 362-374.	0.7	26
11	Burden of schizophrenia among Japanese patients: a cross-sectional National Health and Wellness Survey. <i>BMC Psychiatry</i> , 2022, 22, .	1.1	8
12	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	4.1	44
13	Lurasidone in the Long-Term Treatment of Bipolar I Depression: A 28-week Open Label Extension Study. <i>Journal of Affective Disorders</i> , 2021, 281, 160-167.	2.0	5
14	From intracellular signaling pathways to neural circuit dysfunction in bipolar disorder. , 2021, , 293-302.		0
15	Prediction of lithium response using genomic data. <i>Scientific Reports</i> , 2021, 11, 1155.	1.6	11
16	Identification and functional characterization of the extremely long allele of the serotonin transporter-linked polymorphic region. <i>Translational Psychiatry</i> , 2021, 11, 119.	2.4	2
17	Nervonic acid level in cerebrospinal fluid is a candidate biomarker for depressive and manic symptoms: A pilot study. <i>Brain and Behavior</i> , 2021, 11, e02075.	1.0	16
18	Tardive Tourette syndrome in a patient with dementia after 3â€™%weeksâ€™™ treatment with asenapine. <i>Psychiatry and Clinical Neurosciences</i> , 2021, 75, 185-187.	1.0	1

#	ARTICLE	IF	CITATIONS
19	Decreased DNA methylation at promoters and gene-specific neuronal hypermethylation in the prefrontal cortex of patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 3407-3418.	4.1	23
20	Impact of endogenous melatonin on rhythmic behaviors, reproduction, and survival revealed in melatonin-proficient C57BL/6J congenic mice. <i>Journal of Pineal Research</i> , 2021, 71, e12748.	3.4	16
21	Association of Age, Antipsychotic Medication, and Symptom Severity in Schizophrenia With Proton Magnetic Resonance Spectroscopy Brain Glutamate Level. <i>JAMA Psychiatry</i> , 2021, 78, 667.	6.0	72
22	Brain-specific heterozygous loss-of-function of ATP2A2, endoplasmic reticulum Ca ²⁺ pump responsible for Darier's disease, causes behavioral abnormalities and a hyper-dopaminergic state. <i>Human Molecular Genetics</i> , 2021, 30, 1762-1772.	1.4	18
23	Systematic analysis of exonic germline and postzygotic de novo mutations in bipolar disorder. <i>Nature Communications</i> , 2021, 12, 3750.	5.8	15
24	Functional and behavioral effects of de novo mutations in calcium-related genes in patients with bipolar disorder. <i>Human Molecular Genetics</i> , 2021, 30, 1851-1862.	1.4	4
25	Cell type-specific DNA methylation analysis of the prefrontal cortex of patients with schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2021, 75, 297-299.	1.0	3
26	Lurasidone in the long-term treatment of Japanese patients with bipolar I disorder: a 52-week open label study. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 25.	0.8	6
27	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.	1.6	10
28	Impact of bipolar disorder on health-related quality of life and work productivity: Estimates from the national health and wellness survey in Japan. <i>Journal of Affective Disorders</i> , 2021, 295, 203-214.	2.0	14
29	Association of Attention-Deficit/Hyperactivity Disorder and Depression Polygenic Scores with Lithium Response: A Consortium for Lithium Genetics Study. <i>Complex Psychiatry</i> , 2021, 7, 80-89.	1.3	6
30	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	2.4	25
31	Bipolar Disorder: From Pathophysiology to Treatment. <i>Juntendo Medical Journal</i> , 2021, 68, .	0.1	0
32	Reply to "Correspondence to Ant1 mutant mice bridge the mitochondrial and serotonergic dysfunctions in bipolar disorder". <i>Molecular Psychiatry</i> , 2020, 25, 2205-2206.	4.1	1
33	Establishment of Quantitative PCR Assays for Active Long Interspersed Nuclear Element-1 Subfamilies in Mice and Applications to the Analysis of Aging-Associated Retrotransposition. <i>Frontiers in Genetics</i> , 2020, 11, 519206.	1.1	6
34	Ntrk1 mutation co-segregating with bipolar disorder and inherited kidney disease in a multiplex family causes defects in neuronal growth and depression-like behavior in mice. <i>Translational Psychiatry</i> , 2020, 10, 407.	2.4	14
35	Developmental excitation-inhibition imbalance underlying psychoses revealed by single-cell analyses of discordant twins-derived cerebral organoids. <i>Molecular Psychiatry</i> , 2020, 25, 2695-2711.	4.1	73
36	Unbiased PCR-free spatio-temporal mapping of the mtDNA mutation spectrum reveals brain region-specific responses to replication instability. <i>BMC Biology</i> , 2020, 18, 150.	1.7	7

#	ARTICLE	IF	CITATIONS
37	<scp>Double-blind</scp>, <scp>placebo-controlled</scp> study of lurasidone monotherapy for the treatment of bipolar I depression. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 635-644.	1.0	21
38	<p>Definition and Identification of Patients with Treatment-Resistant Depression in Real-World Clinical Practice Settings Across Asia</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 2929-2941.	1.0	7
39	<p>Management of Treatment-Resistant Depression in Real-World Clinical Practice Settings Across Asia</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 2943-2959.	1.0	5
40	Promoter Activity-Based Case-Control Association Study on <i>SLC6A4</i> Highlighting Hypermethylation and Altered Amygdala Volume in Male Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 1577-1586.	2.3	15
41	Can network analysis shed light on predictors of lithium response in bipolar I disorder?. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 522-533.	2.2	13
42	Cardiolipin is essential for early embryonic viability and mitochondrial integrity of neurons in mammals. <i>FASEB Journal</i> , 2020, 34, 1465-1480.	0.2	21
43	Glutamine-induced signaling pathways via amino acid receptors in enteroendocrine L cell lines. <i>Journal of Molecular Endocrinology</i> , 2020, 64, 133-143.	1.1	15
44	Somatic mutations in the human brain: implications for psychiatric research. <i>Molecular Psychiatry</i> , 2019, 24, 839-856.	4.1	29
45	Presynaptic dysregulation of the paraventricular thalamic nucleus causes depression-like behavior. <i>Scientific Reports</i> , 2019, 9, 16506.	1.6	18
46	Excess hydrogen sulfide and polysulfides production underlies a schizophrenia pathophysiology. <i>EMBO Molecular Medicine</i> , 2019, 11, e10695.	3.3	47
47	Current understanding of bipolar disorder: Toward integration of biological basis and treatment strategies. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 526-540.	1.0	80
48	Making psychiatry a clinical neuroscience-based medicine. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 1-1.	1.0	3
49	Mitochondria, Metabolism, and Redox Mechanisms in Psychiatric Disorders. <i>Antioxidants and Redox Signaling</i> , 2019, 31, 275-317.	2.5	112
50	Definition of treatment-resistant depression – Asia Pacific perspectives. <i>Journal of Affective Disorders</i> , 2019, 245, 626-636.	2.0	37
51	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.	6.0	102
52	DNA methylation analyses of the candidate genes identified by a methylome-wide association study revealed common epigenetic alterations in schizophrenia and bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2018, 72, 245-254.	1.0	28
53	The term will survive. <i>Bipolar Disorders</i> , 2018, 20, 277-277.	1.1	1
54	Identification of somatic mutations in postmortem human brains by whole genome sequencing and their implications for psychiatric disorders. <i>Psychiatry and Clinical Neurosciences</i> , 2018, 72, 280-294.	1.0	9

#	ARTICLE	IF	CITATIONS
55	A genome-wide association study identifies two novel susceptibility loci and trans population polygenicity associated with bipolar disorder. <i>Molecular Psychiatry</i> , 2018, 23, 639-647.	4.1	159
56	The relationship between circulating mitochondrial DNA and inflammatory cytokines in patients with major depression. <i>Journal of Affective Disorders</i> , 2018, 233, 15-20.	2.0	71
57	Plasma Nervonic Acid Is a Potential Biomarker for Major Depressive Disorder: A Pilot Study. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 207-215.	1.0	45
58	What Can Mitochondrial DNA Analysis Tell Us About Mood Disorders?. <i>Biological Psychiatry</i> , 2018, 83, 731-738.	0.7	49
59	Survey on attitudes towards renaming bipolar disorder in Japanese. <i>Psychiatry and Clinical Neurosciences</i> , 2018, 72, 45-45.	1.0	2
60	Mitochondrial dysfunction causes hyperexcitability of serotonergic neurons. <i>Molecular Psychiatry</i> , 2018, 23, 1971-1971.	4.1	1
61	Quantitative evaluation of incomplete preweaning lethality in mice by using the CRISPR/Cas9 system. <i>Scientific Reports</i> , 2018, 8, 16025.	1.6	1
62	Integrative Analyses of De Novo Mutations Provide Deeper Biological Insights into Autism Spectrum Disorder. <i>Cell Reports</i> , 2018, 22, 734-747.	2.9	132
63	Corticotropin-Releasing Factor Receptor 1 in the Anterior Cingulate Cortex Mediates Maternal Absence-Induced Attenuation of Transport Response in Mouse Pups. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 204.	1.8	9
64	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.	1.3	28
65	Identification of somatic mutations in monozygotic twins discordant for psychiatric disorders. <i>NPJ Schizophrenia</i> , 2018, 4, 7.	2.0	16
66	De novo <i>UNC13B</i> mutation identified in a bipolar disorder patient increases a rare exon skipping variant. <i>Neuropsychopharmacology Reports</i> , 2018, 38, 210-213.	1.1	6
67	Ant1 mutant mice bridge the mitochondrial and serotonergic dysfunctions in bipolar disorder. <i>Molecular Psychiatry</i> , 2018, 23, 2039-2049.	4.1	33
68	A phase I/II trial of intrabone marrow cord blood transplantation and comparison of the hematological recovery with the Japanese nationwide database. <i>Bone Marrow Transplantation</i> , 2017, 52, 574-579.	1.3	14
69	Use of human methylation arrays for epigenome research in the common marmoset (<i>Callithrix</i>) Tj ETQq1 1 0.784314 rgBT /Qverlock 10	1.0	3
70	Genome-wide identification of splicing QTLs in the human brain and their enrichment among schizophrenia-associated loci. <i>Nature Communications</i> , 2017, 8, 14519.	5.8	173
71	Randomized clinical trial of landiolol hydrochloride for the prevention of atrial fibrillation and postoperative complications after oesophagectomy for cancer. <i>British Journal of Surgery</i> , 2017, 104, 1003-1009.	0.1	41
72	Enrichment of deleterious variants of mitochondrial DNA polymerase gene (<i>POLG1</i>) in bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 518-529.	1.0	29

#	ARTICLE	IF	CITATIONS
73	DNA methylation and hydroxymethylation analyses of the active LINE-1 subfamilies in mice. <i>Scientific Reports</i> , 2017, 7, 13624.	1.6	7
74	Response to 5-HT _{2A} mutations in bipolar disorders. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 569-570.	1.0	1
75	Possibility of overdiagnosis of bipolar disorder due to near-infrared spectroscopy. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 843-843.	1.0	11
76	Search for plasma biomarkers in drug-free patients with bipolar disorder and schizophrenia using metabolome analysis. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 115-123.	1.0	24
77	Neurobiological basis of bipolar disorder: Mitochondrial dysfunction hypothesis and beyond. <i>Schizophrenia Research</i> , 2017, 187, 62-66.	1.1	80
78	Exome or whole genome sequencing in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2017, 27, S525-S526.	0.3	0
79	Estimation of LINE-1 Copy Number in the Brain Tissue and Isolated Neuronal Nuclei. <i>Neuromethods</i> , 2017, , 209-217.	0.2	0
80	Exome sequencing for bipolar disorder points to roles of de novo loss-of-function and protein-altering mutations. <i>Molecular Psychiatry</i> , 2016, 21, 885-893.	4.1	100
81	Loss of function mutations in <i>ATP2A2</i> and psychoses: a case report and literature survey. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 342-350.	1.0	23
82	The pattern of GPI-80 expression is a useful marker for unusual myeloid maturation in peripheral blood. <i>Clinical and Experimental Immunology</i> , 2016, 186, 373-386.	1.1	8
83	Evolving DSM and its Japanese translation. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 369-370.	1.0	0
84	Exome sequencing in the knockin mice generated using the CRISPR/Cas system. <i>Scientific Reports</i> , 2016, 6, 34703.	1.6	34
85	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet</i> , The, 2016, 387, 1085-1093.	6.3	306
86	Animal models of recurrent or bipolar depression. <i>Neuroscience</i> , 2016, 321, 189-196.	1.1	35
87	Depression-like episodes in mice harboring mtDNA deletions in paraventricular thalamus. <i>Molecular Psychiatry</i> , 2016, 21, 39-48.	4.1	73
88	Cell Type-Specific DNA Methylation Analysis in Neurons and Glia. <i>Neuromethods</i> , 2016, , 115-123.	0.2	2
89	Microendophenotypes of Psychiatric Disorders: Phenotypes of Psychiatric Disorders at the Level of Molecular Dynamics, Synapses, Neurons, and Neural Circuits. <i>Current Molecular Medicine</i> , 2015, 15, 111-118.	0.6	14
90	Conquering depression. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 1-2.	1.0	3

#	ARTICLE	IF	CITATIONS
91	Hes1 suppresses acute myeloid leukemia development through FLT3 repression. <i>Leukemia</i> , 2015, 29, 576-585.	3.3	43
92	Searching for the Molecular Basis of Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2015, 172, 1057-1058.	4.0	3
93	Identification of Rare, Single-Nucleotide Mutations in NDE1 and Their Contributions to Schizophrenia Susceptibility. <i>Schizophrenia Bulletin</i> , 2015, 41, 744-753.	2.3	26
94	Whole genome/exome sequencing in mood and psychotic disorders. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 65-76.	1.0	65
95	Effects of quetiapine on DNA methylation in neuroblastoma cells. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 56, 117-121.	2.5	26
96	Variant <i>GADL1</i> and Response to Lithium in Bipolar I Disorder. <i>New England Journal of Medicine</i> , 2014, 370, 1855-1860.	13.9	36
97	Genetic association study between the detected risk variants based upon type II diabetes GWAS and psychotic disorders in the Japanese population. <i>Journal of Human Genetics</i> , 2014, 59, 54-56.	1.1	8
98	Comprehensive survey of CNVs influencing gene expression in the human brain and its implications for pathophysiology. <i>Neuroscience Research</i> , 2014, 79, 22-33.	1.0	20
99	A role of ADAR2 and RNA editing of glutamate receptors in mood disorders and schizophrenia. <i>Molecular Brain</i> , 2014, 7, 5.	1.3	48
100	Increased L1 Retrotransposition in the Neuronal Genome in Schizophrenia. <i>Neuron</i> , 2014, 81, 306-313.	3.8	277
101	Comprehensive DNA methylation and hydroxymethylation analysis in the human brain and its implication in mental disorders. <i>Neuropharmacology</i> , 2014, 80, 133-139.	2.0	84
102	Replication and cross-phenotype study based upon schizophrenia GWASs data in the Japanese population: Support for association of MHC region with psychosis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014, 165, 421-427.	1.1	26
103	Heterozygous Polg mutation causes motor dysfunction due to mt DNA deletions. <i>Annals of Clinical and Translational Neurology</i> , 2014, 1, 909-920.	1.7	18
104	Guideline for treatment of bipolar disorder by the Japanese Society of Mood Disorders, 2012. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 285-300.	1.0	59
105	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. <i>American Journal of Psychiatry</i> , 2013, 170, 1249-1262.	4.0	579
106	Transport Response is a filial-specific behavioral response to maternal carrying in C57BL/6 mice. <i>Frontiers in Zoology</i> , 2013, 10, 50.	0.9	16
107	Epigenetic Regulation of Serotonin Transporter in Psychiatric Disorders. <i>Journal of Genetics and Genomics</i> , 2013, 40, 325-329.	1.7	16
108	Lack of association of EGR2 variants with bipolar disorder in Japanese population. <i>Gene</i> , 2013, 526, 246-250.	1.0	1

#	ARTICLE	IF	CITATIONS
109	Neuronal cell-type specific DNA methylation patterns of the <i>Cacna1c</i> gene. <i>International Journal of Developmental Neuroscience</i> , 2013, 31, 89-95.	0.7	18
110	DNA methylation analysis of BDNF gene promoters in peripheral blood cells of schizophrenia patients. <i>Neuroscience Research</i> , 2013, 77, 208-214.	1.0	111
111	A Population-Specific Uncommon Variant in GRIN3A Associated with Schizophrenia. <i>Biological Psychiatry</i> , 2013, 73, 532-539.	0.7	41
112	Infant Calming Responses during Maternal Carrying in Humans and Mice. <i>Current Biology</i> , 2013, 23, 739-745.	1.8	103
113	Effects of atelocollagen on neural stem cell function and its migrating capacity into brain in psychiatric disease model. <i>Journal of Neural Transmission</i> , 2013, 120, 1491-1498.	1.4	3
114	DNA methylation of the BDNF gene and its relevance to psychiatric disorders. <i>Journal of Human Genetics</i> , 2013, 58, 434-438.	1.1	140
115	Effect of mood stabilizers on DNA methylation in human neuroblastoma cells. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 2285-2294.	1.0	54
116	Preoperative routine evaluation of bilateral adrenal glands by endoscopic ultrasound and fine-needle aspiration in patients with potentially resectable lung cancer. <i>Endoscopy</i> , 2013, 45, 195-201.	1.0	53
117	Functional, anatomical, and neurochemical differentiation of medial preoptic area subregions in relation to maternal behavior in the mouse. <i>Journal of Comparative Neurology</i> , 2013, 521, 1633-1663.	0.9	147
118	Genetic Variants on 3q21 and in the Sp8 Transcription Factor Gene (SP8) as Susceptibility Loci for Psychotic Disorders: A Genetic Association Study. <i>PLoS ONE</i> , 2013, 8, e70964.	1.1	17
119	Proteomic Analysis of Lymphoblastoid Cells Derived from Monozygotic Twins Discordant for Bipolar Disorder: A Preliminary Study. <i>PLoS ONE</i> , 2013, 8, e53855.	1.1	26
120	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636.	1.1	156
121	Meta-analysis of genome-wide association studies for panic disorder in the Japanese population. <i>Translational Psychiatry</i> , 2012, 2, e186-e186.	2.4	59
122	An evaluation of polymorphisms in casein kinase 1 delta and epsilon genes in major psychiatric disorders. <i>Neuroscience Letters</i> , 2012, 529, 66-69.	1.0	15
123	GTP cyclohydrolase 1 gene haplotypes as predictors of SSRI response in Japanese patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2012, 142, 315-322.	2.0	10
124	A systematic evaluation of whole genome amplification of bisulfite-modified DNA. <i>Clinical Epigenetics</i> , 2012, 4, 22.	1.8	23
125	Impaired mitochondrial function in psychiatric disorders. <i>Nature Reviews Neuroscience</i> , 2012, 13, 293-307.	4.9	388
126	Genome-Wide DNA Methylation and Gene Expression Analyses of Monozygotic Twins Discordant for Intelligence Levels. <i>PLoS ONE</i> , 2012, 7, e47081.	1.1	31

#	ARTICLE	IF	CITATIONS
127	Neurons show distinctive DNA methylation profile and higher interindividual variations compared with non-neurons. <i>Genome Research</i> , 2011, 21, 688-696.	2.4	176
128	Possible Roles of DNA Methylation in Bipolar Disorder. , 2011, , 41-47.		0
129	The <i>CLOCK</i> Gene and Mood Disorders: A Case-Control Study and Meta-analysis. <i>Chronobiology International</i> , 2011, 28, 825-833.	0.9	38
130	Serotonin 1A receptor gene, schizophrenia and bipolar disorder: An association study and meta-analysis. <i>Psychiatry Research</i> , 2011, 185, 20-26.	1.7	42
131	Exome sequencing identifies a novel missense variant in <i>RRM2B</i> associated with autosomal recessive progressive external ophthalmoplegia. <i>Genome Biology</i> , 2011, 12, R92.	13.9	42
132	Survey of the effect of genetic variations on gene expression in human prefrontal cortex and its application to genetics of psychiatric disorders. <i>Neuroscience Research</i> , 2011, 70, 238-242.	1.0	13
133	Genome-Wide Association Study of Schizophrenia in Japanese Population. <i>PLoS ONE</i> , 2011, 6, e20468.	1.1	73
134	Nominal association between a polymorphism in <i>DGKH</i> and bipolar disorder detected in a meta-analysis of East Asian case-control samples. <i>Psychiatry and Clinical Neurosciences</i> , 2011, 65, 280-285.	1.0	11
135	<i>SIRT1</i> gene, schizophrenia and bipolar disorder in the Japanese population: an association study. <i>Genes, Brain and Behavior</i> , 2011, 10, 257-263.	1.1	51
136	Measuring RNA editing of serotonin 2C receptor. <i>Biochemistry (Moscow)</i> , 2011, 76, 912-914.	0.7	3
137	Regional variation in mitochondrial DNA copy number in mouse brain. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2011, 1807, 270-274.	0.5	49
138	Association of <i>ANK3</i> with bipolar disorder confirmed in East Asia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 312-315.	1.1	31
139	Combined endobronchial and endoscopic ultrasound-guided fine needle aspiration for mediastinal nodal staging of lung cancer. <i>Endoscopy</i> , 2011, 43, 1082-1089.	1.0	64
140	A renovation of psychiatry is needed. <i>World Psychiatry</i> , 2011, 10, 198-199.	4.8	2
141	Comprehensive DNA methylation analysis of human peripheral blood leukocytes and lymphoblastoid cell lines. <i>Epigenetics</i> , 2011, 6, 508-515.	1.3	42
142	Hypermethylation of serotonin transporter gene in bipolar disorder detected by epigenome analysis of discordant monozygotic twins. <i>Translational Psychiatry</i> , 2011, 1, e24-e24.	2.4	101
143	Gene expression analysis in lymphoblastoid cells as a potential biomarker of bipolar disorder. <i>Journal of Human Genetics</i> , 2011, 56, 779-783.	1.1	29
144	RNA Editing of 5-HT _{2C} Receptor and Neuropsychiatric Diseases. , 2011, , 157-167.		2

#	ARTICLE	IF	CITATIONS
145	International Consensus Group on Depression Prevention in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1295-1310.	1.1	27
146	Effect of mood stabilizers on gene expression in lymphoblastoid cells. <i>Journal of Neural Transmission</i> , 2010, 117, 155-164.	1.4	30
147	Measurement and comparison of serum neuregulin 1 immunoreactivity in control subjects and patients with schizophrenia: an influence of its genetic polymorphism. <i>Journal of Neural Transmission</i> , 2010, 117, 887-895.	1.4	47
148	Voxel-based analyses of gray/white matter volume and diffusion tensor data in major depression. <i>Psychiatry Research - Neuroimaging</i> , 2010, 181, 64-70.	0.9	175
149	Association analyses between brain-expressed fatty acid binding protein (<i>FABP</i>) genes and schizophrenia and bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 484-493.	1.1	32
150	Functional (GT) _n polymorphisms in promoter region of <i>NCAM1</i> methylaspartate receptor 2A subunit (<i>GRIN2A</i>) gene affect hippocampal and amygdala volumes. <i>Genes, Brain and Behavior</i> , 2010, 9, 269-275.	1.1	12
151	Mutation screening and assessment of the effect of genetic variations on expression and RNA editing of serotonin receptor 2C in the human brain. <i>Psychiatry and Clinical Neurosciences</i> , 2010, 64, 57-61.	1.0	6
152	The International Consortium on Lithium Genetics (ConLiGen): An Initiative by the NIMH and IGSLI to Study the Genetic Basis of Response to Lithium Treatment. <i>Neuropsychobiology</i> , 2010, 62, 72-78.	0.9	134
153	Genetic variation of melatonin productivity in laboratory mice under domestication. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 6412-6417.	3.3	160
154	Mitochondrial Dysfunction and Bipolar Disorder. <i>Current Topics in Behavioral Neurosciences</i> , 2010, 5, 187-200.	0.8	10
155	FosB Null Mutant Mice Show Enhanced Methamphetamine Neurotoxicity: Potential Involvement of FosB in Intracellular Feedback Signaling and Astroglial Function. <i>Neuropsychopharmacology</i> , 2010, 35, 641-655.	2.8	19
156	Therapeutic implications of down-regulation of cyclophilin D in bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 1355-1368.	1.0	26
157	Association study of ubiquitin-specific peptidase 46 (USP46) with bipolar disorder and schizophrenia in a Japanese population. <i>Journal of Human Genetics</i> , 2010, 55, 133-136.	1.1	17
158	Serotonin 6 receptor gene and mood disorders: Case-control study and meta-analysis. <i>Neuroscience Research</i> , 2010, 67, 250-255.	1.0	15
159	Behavioral and gene expression analyses in heterozygous XBP1 knockout mice: Possible contribution of chromosome 11qA1 locus to prepulse inhibition. <i>Neuroscience Research</i> , 2010, 68, 250-255.	1.0	9
160	Measurement of cerebral blood oxygenation during a verbal fluency task with juggling by means of fNIRS. , 2010, , .		0
161	Epigenomics in Psychiatry. <i>Neuropsychobiology</i> , 2009, 60, 2-4.	0.9	8
162	Epigenetic Profiling in Schizophrenia and Major Mental Disorders. <i>Neuropsychobiology</i> , 2009, 60, 5-11.	0.9	22

#	ARTICLE	IF	CITATIONS
163	Serotonin receptor 2C and mental disorders: Genetic, expression, and RNA editing studies. <i>RNA Biology</i> , 2009, 6, 248-253.	1.5	64
164	A 3-bp deletion of mitochondrial DNA tRNA ^{Lys} observed in lymphoblastoid cells. <i>Journal of Human Genetics</i> , 2009, 54, 612-613.	1.1	2
165	Aberrant endoplasmic reticulum stress response in lymphoblastoid cells from patients with bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 33.	1.0	66
166	Mitochondrial DNA haplogroup analysis in patients with bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 243-247.	1.1	26
167	Preliminary genome-wide association study of bipolar disorder in the Japanese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 1110-1117.	1.1	67
168	Abnormal Behavior in a Chromosome- Engineered Mouse Model for Human 15q11-13 Duplication Seen in Autism. <i>Cell</i> , 2009, 137, 1235-1246.	13.5	432
169	Expression of mitochondrial complex I subunit gene NDUFV2 in the lymphoblastoid cells derived from patients with bipolar disorder and schizophrenia. <i>Neuroscience Research</i> , 2009, 63, 199-204.	1.0	61
170	Hemodynamic responses of eye movement desensitization and reprocessing in posttraumatic stress disorder. <i>Neuroscience Research</i> , 2009, 65, 375-383.	1.0	37
171	Valproate, a Mood Stabilizer, Induces WFS1 Expression and Modulates Its Interaction with ER Stress Protein GRP94. <i>PLoS ONE</i> , 2009, 4, e4134.	1.1	53
172	Epigenetics in mood disorders. <i>Environmental Health and Preventive Medicine</i> , 2008, 13, 16-24.	1.4	61
173	Up-regulation of <i>ADM</i> and <i>SEPX1</i> in the lymphoblastoid cells of patients in monozygotic twins discordant for schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 557-564.	1.1	25
174	Association between mitochondrial DNA 10398A>G polymorphism and the volume of amygdala. <i>Genes, Brain and Behavior</i> , 2008, 7, 698-704.	1.1	12
175	Functional organization of the transcriptome in human brain. <i>Nature Neuroscience</i> , 2008, 11, 1271-1282.	7.1	743
176	Aberrant DNA methylation associated with bipolar disorder identified from discordant monozygotic twins. <i>Molecular Psychiatry</i> , 2008, 13, 429-441.	4.1	180
177	Effect of a functional single nucleotide polymorphism in the 2',3'-cyclic nucleotide 3'-phosphodiesterase gene on the expression of oligodendrocyte-related genes in schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2008, 62, 103-108.	1.0	10
178	Neurobehavioral basis of the impaired nurturing in mice lacking the immediate early gene FosB. <i>Brain Research</i> , 2008, 1211, 57-71.	1.1	31
179	Role of mitochondrial DNA in calcium signaling abnormality in bipolar disorder. <i>Cell Calcium</i> , 2008, 44, 92-102.	1.1	79
180	Genetic analysis of the gene coding for DARPP-32 (PPP1R1B) in Japanese patients with schizophrenia or bipolar disorder. <i>Schizophrenia Research</i> , 2008, 100, 334-341.	1.1	15

#	ARTICLE	IF	CITATIONS
181	Methylation Status of the Reelin Promoter Region in the Brain of Schizophrenic Patients. <i>Biological Psychiatry</i> , 2008, 63, 530-533.	0.7	125
182	Relationships between mitochondrial DNA subhaplogroups and intracellular calcium dynamics. <i>Mitochondrion</i> , 2008, 8, 164-169.	1.6	10
183	Quantitative analysis of the 4977-bp common deletion of mitochondrial DNA in postmortem frontal cortex from patients with bipolar disorder and schizophrenia. <i>Neuroscience Letters</i> , 2008, 439, 173-177.	1.0	37
184	Gene expression profiling of major depression and suicide in the prefrontal cortex of postmortem brains. <i>Neuroscience Research</i> , 2008, 60, 184-191.	1.0	137
185	Behavioral and gene expression analyses of <i>Wfs1</i> knockout mice as a possible animal model of mood disorder. <i>Neuroscience Research</i> , 2008, 61, 143-158.	1.0	46
186	A possible association between missense polymorphism of the breakpoint cluster region gene and lithium prophylaxis in bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 204-208.	2.5	25
187	Molecular neurobiology of bipolar disorder: a disease of "mood-stabilizing neurons"? <i>Trends in Neurosciences</i> , 2008, 31, 495-503.	4.2	94
188	Attenuated BDNF-induced upregulation of GABAergic markers in neurons lacking <i>Xbp1</i> . <i>Biochemical and Biophysical Research Communications</i> , 2008, 376, 758-763.	1.0	41
189	Mitochondrially Mediated Plasticity in the Pathophysiology and Treatment of Bipolar Disorder. <i>Neuropsychopharmacology</i> , 2008, 33, 2551-2565.	2.8	140
190	Genetic Variations of Human Neuropsin Gene and Psychiatric Disorders: Polymorphism Screening and Possible Association with Bipolar Disorder and Cognitive Functions. <i>Neuropsychopharmacology</i> , 2008, 33, 3237-3245.	2.8	30
191	Mitochondrial DNA-dependent effects of valproate on mitochondrial calcium levels in transmitochondrial cybrids. <i>International Journal of Neuropsychopharmacology</i> , 2008, 11, 71-8.	1.0	20
192	A Marked Effect of Electroconvulsive Stimulation on Behavioral Aberration of Mice with Neuron-Specific Mitochondrial DNA Defects. <i>PLoS ONE</i> , 2008, 3, e1877.	1.1	13
193	The Role of Brain-derived Neurotrophic Factor (BDNF)-induced XBP1 Splicing during Brain Development. <i>Journal of Biological Chemistry</i> , 2007, 282, 34525-34534.	1.6	101
194	A Promoter Haplotype of the Inositol Monophosphatase 2 Gene (<i>IMPA2</i>) at 18p11.2 Confers a Possible Risk for Bipolar Disorder by Enhancing Transcription. <i>Neuropsychopharmacology</i> , 2007, 32, 1727-1737.	2.8	34
195	Comprehensive Gene Expression Analysis in Bipolar Disorder. <i>Canadian Journal of Psychiatry</i> , 2007, 52, 763-771.	0.9	31
196	Bridging pharmacology and neurodevelopment in schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2007, 10, 713-6.	1.0	3
197	Expression analysis of actin-related genes as an underlying mechanism for mood disorders. <i>Biochemical and Biophysical Research Communications</i> , 2007, 352, 780-786.	1.0	23
198	ERK-FosB signaling in dorsal MPOA neurons plays a major role in the initiation of parental behavior in mice. <i>Molecular and Cellular Neurosciences</i> , 2007, 36, 121-131.	1.0	61

#	ARTICLE	IF	CITATIONS
199	Association analysis of ATF4 and ATF5, genes for interacting-proteins of DISC1, in bipolar disorder. <i>Neuroscience Letters</i> , 2007, 417, 316-321.	1.0	29
200	Mitochondrial Dysfunction as the Molecular Basis of Bipolar Disorder. <i>CNS Drugs</i> , 2007, 21, 1-11.	2.7	103
201	Association study between the TNXB locus and schizophrenia in a Japanese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 305-309.	1.1	23
202	Human brain structural change related to acute single exposure to sarin. <i>Annals of Neurology</i> , 2007, 61, 37-46.	2.8	116
203	Prognostic significance of microvessel density and other variables in Japanese and British patients with primary invasive breast cancer. <i>British Journal of Cancer</i> , 2007, 97, 1277-1286.	2.9	9
204	A near-infrared spectroscopy study of prefrontal cortex activation during a verbal fluency task and carbon dioxide inhalation in individuals with bipolar disorder. <i>Bipolar Disorders</i> , 2007, 9, 876-883.	1.1	55
205	Severe hypoglycaemia in a person with insulin autoimmune syndrome accompanied by insulin receptor anomaly type AB. <i>Diabetic Medicine</i> , 2007, 24, 1279-1281.	1.2	10
206	Molecular genetics of bipolar disorder and depression. <i>Psychiatry and Clinical Neurosciences</i> , 2007, 61, 3-19.	1.0	264
207	Sequence and functional analyses of mtDNA in a maternally inherited family with bipolar disorder and depression. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2007, 617, 119-124.	0.4	25
208	Association analysis of HSP90B1 with bipolar disorder. <i>Journal of Human Genetics</i> , 2007, 52, 794-803.	1.1	26
209	Evaluation of whole genome amplification methods using postmortem brain samples. <i>Journal of Neuroscience Methods</i> , 2007, 165, 104-110.	1.3	11
210	Animal models of bipolar disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2007, 31, 832-842.	2.9	74
211	Detection of Chromosomal Structural Alterations in Single Cells by SNP Arrays: A Systematic Survey of Amplification Bias and Optimized Workflow. <i>PLoS ONE</i> , 2007, 2, e1306.	1.1	38
212	A Polymorphism in the PDLIM5 Gene Associated with Gene Expression and Schizophrenia. <i>Biological Psychiatry</i> , 2006, 59, 434-439.	0.7	37
213	No association between the metabotropic glutamate receptor type 3 gene (GRM3) and schizophrenia in a Japanese population. <i>Schizophrenia Research</i> , 2006, 88, 260-264.	1.1	31
214	Genome-wide expression analysis detects eight genes with robust alterations specific to bipolar I disorder: relevance to neuronal network perturbation. <i>Human Molecular Genetics</i> , 2006, 15, 1949-1962.	1.4	134
215	Association study of the dysbindin (DTNBP1) gene in schizophrenia from the Japanese population. <i>Neuroscience Research</i> , 2006, 56, 154-158.	1.0	42
216	Inclusion of Spleen in Pediatric Multivisceral Transplantation. <i>Transplantation Proceedings</i> , 2006, 38, 1709-1710.	0.3	8

#	ARTICLE	IF	CITATIONS
217	Expanded Use of Multivisceral Transplantation for Small Children With Concurrent Liver and Intestinal Failure. <i>Transplantation Proceedings</i> , 2006, 38, 1705-1708.	0.3	9
218	Maternal separation stress drastically decreases expression of transthyretin in the brains of adult rat offspring. <i>International Journal of Neuropsychopharmacology</i> , 2006, 9, 201.	1.0	21
219	Lithium response and Val66Met polymorphism of the brain-derived neurotrophic factor gene in Japanese patients with bipolar disorder. <i>Psychiatric Genetics</i> , 2006, 16, 49-50.	0.6	47
220	XBP1 induces WFS1 through an endoplasmic reticulum stress response element-like motif in SH-SY5Y cells. <i>Journal of Neurochemistry</i> , 2006, 97, 545-555.	2.1	65
221	A complex polymorphic region in the brain-derived neurotrophic factor (BDNF) gene confers susceptibility to bipolar disorder and affects transcriptional activity. <i>Molecular Psychiatry</i> , 2006, 11, 695-703.	4.1	66
222	Mice with neuron-specific accumulation of mitochondrial DNA mutations show mood disorder-like phenotypes. <i>Molecular Psychiatry</i> , 2006, 11, 577-593.	4.1	152
223	Genetically modified mice harboring mitochondrial DNA defects show aberrant cyclic change in wheel-running activity, which is improved by lithium. <i>Molecular Psychiatry</i> , 2006, 11, 523-523.	4.1	14
224	Expression of ribosomal subunit genes increased coordinately with postmortem interval in human brain. <i>Molecular Psychiatry</i> , 2006, 11, 1067-1069.	4.1	6
225	Zoom endoscopic monitoring of small bowel allograft rejection. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2006, 20, 773-782.	1.3	43
226	Association of mitochondrial complex I subunit geneNDUFV2 at 18p11 with schizophrenia in the Japanese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 301-304.	1.1	51
227	A family-based and case-control association study ofSOX10 in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 477-481.	1.1	17
228	Abnormal Ca ²⁺ Dynamics in Transgenic Mice with Neuron-Specific Mitochondrial DNA Defects. <i>Journal of Neuroscience</i> , 2006, 26, 12314-12324.	1.7	40
229	Identification of Mitochondrial DNA Polymorphisms That Alter Mitochondrial Matrix pH and Intracellular Calcium Dynamics. <i>PLoS Genetics</i> , 2006, 2, e128.	1.5	194
230	Gene Expression Profiling in Schizophrenia and Related Mental Disorders. <i>Neuroscientist</i> , 2006, 12, 349-361.	2.6	78
231	The role of mitochondrial dysfunction in bipolar disorder. <i>Drug News and Perspectives</i> , 2006, 19, 597.	1.9	45
232	Quantitative analysis of mitochondrial DNA deletions in the brains of patients with bipolar disorder and schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2005, 8, 515.	1.0	65
233	Lithium response and [minus sign]116C/G polymorphism of XBP1 in Japanese patients with bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2005, 8, 631.	1.0	22
234	Expression of mitochondria-related genes in lymphoblastoid cells from patients with bipolar disorder. <i>Bipolar Disorders</i> , 2005, 7, 146-152.	1.1	41

#	ARTICLE	IF	CITATIONS
235	Mitochondrial DNA sequence analysis of patients with 'atypical psychosis'. <i>Psychiatry and Clinical Neurosciences</i> , 2005, 59, 497-503.	1.0	32
236	Genetic or epigenetic difference causing discordance between monozygotic twins as a clue to molecular basis of mental disorders. <i>Molecular Psychiatry</i> , 2005, 10, 622-630.	4.1	114
237	Gene expression and association analyses of LIM (PDLIM5) in bipolar disorder and schizophrenia. <i>Molecular Psychiatry</i> , 2005, 10, 1045-1055.	4.1	58
238	Is pyrroloquinoline quinone a vitamin? (Reply). <i>Nature</i> , 2005, 433, E11-E12.	13.7	15
239	Co-existing point mutations of mitochondrial DNA in a patient with a heart abnormality and Pearson syndrome-like symptoms. <i>American Journal of Medical Genetics, Part A</i> , 2005, 139A, 162-164.	0.7	4
240	XBP1 gene polymorphism (-116C/G) and personality. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 136B, 103-105.	1.1	11
241	Estimating RNA editing efficiency of five editing sites in the serotonin 2C receptor by pyrosequencing. <i>Rna</i> , 2005, 11, 1596-1603.	1.6	25
242	Mitochondrial Dysfunction in Bipolar Disorder: from 31P-Magnetic Resonance Spectroscopic Findings to their Molecular Mechanisms. <i>International Review of Neurobiology</i> , 2005, 63, 21-40.	0.9	32
243	A quantitative analysis of lymphatic vessels in human breast cancer, based on LYVE-1 immunoreactivity. <i>British Journal of Cancer</i> , 2005, 93, 1168-1174.	2.9	33
244	Altered expression of mitochondria-related genes in postmortem brains of patients with bipolar disorder or schizophrenia, as revealed by large-scale DNA microarray analysis. <i>Human Molecular Genetics</i> , 2005, 14, 241-253.	1.4	436
245	DNA Methylation Status of SOX10 Correlates with Its Downregulation and Oligodendrocyte Dysfunction in Schizophrenia. <i>Journal of Neuroscience</i> , 2005, 25, 5376-5381.	1.7	222
246	Hypofrontality and microvascular dysregulation in remitted late-onset depression assessed by functional near-infrared spectroscopy. <i>NeuroImage</i> , 2005, 26, 234-242.	2.1	109
247	Hemodynamic response to emotional memory recall with eye movement. <i>Neuroscience Letters</i> , 2005, 380, 75-79.	1.0	14
248	Relationship between XBP1 genotype and personality traits assessed by TCI and NEO-FFI. <i>Neuroscience Letters</i> , 2005, 391, 7-10.	1.0	16
249	Support for relationship between serum cholinesterase and post-traumatic stress disorder; 5-year follow-ups of victims of the Tokyo subway sarin poisoning. <i>Neuroscience Research</i> , 2005, 52, 129-131.	1.0	7
250	Altered RNA editing of serotonin 2C receptor in a rat model of depression. <i>Neuroscience Research</i> , 2005, 53, 69-76.	1.0	75
251	Functional polymorphisms of HSPA5: Possible association with bipolar disorder. <i>Biochemical and Biophysical Research Communications</i> , 2005, 336, 1136-1143.	1.0	53
252	A family-based association study and gene expression analyses of netrin-G1 and -G2 genes in schizophrenia. <i>Biological Psychiatry</i> , 2005, 57, 382-393.	0.7	92

#	ARTICLE	IF	CITATIONS
253	Mitochondrial DNA 3243A>G mutation and increased expression of LARS2 gene in the brains of patients with bipolar disorder and schizophrenia. <i>Biological Psychiatry</i> , 2005, 57, 525-532.	0.7	120
254	The Breakpoint Cluster Region Gene on Chromosome 22q11 is Associated with Bipolar Disorder. <i>Biological Psychiatry</i> , 2005, 57, 1097-1102.	0.7	36
255	Association study of the locus with schizophrenia in a Japanese population. <i>Schizophrenia Research</i> , 2005, 79, 175-180.	1.1	53
256	Genetics of bipolar disorder. <i>Drugs of Today</i> , 2005, 41, 335.	2.4	28
257	Cerebrovascular Response to Cognitive Tasks in Patients With Schizophrenia Measured by Near-Infrared Spectroscopy. <i>Schizophrenia Bulletin</i> , 2004, 30, 435-444.	2.3	59
258	Reduced intracellular pH in the basal ganglia and whole brain measured by 31P-MRS in bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 82-88.	1.0	134
259	Differences of satisfaction with medication between patients with schizophrenia treated with typical antipsychotics and atypical antipsychotics. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 268-273.	1.0	8
260	Association of the XBP1-116C/G polymorphism with schizophrenia in the Japanese population. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 438-440.	1.0	42
261	Post-traumatic stress disorder symptoms in victims of Tokyo subway attack: a 5-year follow-up study. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 624-629.	1.0	59
262	Reply to "Lack of support for a genetic association of the XBP1 promoter polymorphism with bipolar disorder in probands of European origin". <i>Nature Genetics</i> , 2004, 36, 784-785.	9.4	11
263	Molecular characterization of bipolar disorder by comparing gene expression profiles of postmortem brains of major mental disorders. <i>Molecular Psychiatry</i> , 2004, 9, 406-416.	4.1	299
264	Prefrontal hemodynamic response to verbal-fluency task and hyperventilation in bipolar disorder measured by multi-channel near-infrared spectroscopy. <i>Journal of Affective Disorders</i> , 2004, 82, 85-92.	2.0	90
265	Expression of HSPF1 and LIM in the lymphoblastoid cells derived from patients with bipolar disorder and schizophrenia. <i>Journal of Human Genetics</i> , 2004, 49, 227-231.	1.1	47
266	No association between the Val66Met polymorphism of the brain-derived neurotrophic factor gene and bipolar disorder in a Japanese population: A multicenter study. <i>Biological Psychiatry</i> , 2004, 56, 376-378.	0.7	91
267	Genetic and expression analyses of FZD3 in schizophrenia. <i>Biological Psychiatry</i> , 2004, 56, 462-465.	0.7	27
268	Association of mitochondrial complex I subunit gene NDUFV2 at 18p11 with bipolar disorder in Japanese and the National Institute of Mental Health pedigrees. <i>Biological Psychiatry</i> , 2004, 56, 483-489.	0.7	57
269	Mitochondrial DNA 3644Tâ†’C mutation associated with bipolar disorder. <i>Genomics</i> , 2004, 84, 1041-1050.	1.3	104
270	Lack of association between XBP1 genotype and calcium signaling in the platelets of healthy subjects. <i>Neuroscience Letters</i> , 2004, 369, 1-3.	1.0	0

#	ARTICLE	IF	CITATIONS
271	Decreased expression of NEFH and PCP4/PEP19 in the prefrontal cortex of alcoholics. <i>Neuroscience Research</i> , 2004, 49, 379-385.	1.0	76
272	Hypoactivation of the prefrontal cortex during verbal fluency test in PTSD: a near-infrared spectroscopy study. <i>Psychiatry Research - Neuroimaging</i> , 2003, 124, 1-10.	0.9	86
273	Association of mitochondrial complex I subunit geneNDUF2 at 18p11 with bipolar disorder. <i>American Journal of Medical Genetics Part A</i> , 2003, 120B, 72-78.	2.4	76
274	Biological predictors of lithium response in bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2003, 57, 243-250.	1.0	35
275	The combination of angiogenesis and blood vessel invasion as a prognostic indicator in primary breast cancer. <i>British Journal of Cancer</i> , 2003, 88, 1900-1908.	2.9	72
276	A new redox-cofactor vitamin for mammals. <i>Nature</i> , 2003, 422, 832-832.	13.7	179
277	Impaired feedback regulation of XBP1 as a genetic risk factor for bipolar disorder. <i>Nature Genetics</i> , 2003, 35, 171-175.	9.4	257
278	Activation of the prefrontal cortex to trauma-related stimuli measured by near-infrared spectroscopy in posttraumatic stress disorder due to terrorism. <i>Psychophysiology</i> , 2003, 40, 492-500.	1.2	73
279	No association of mutations and mRNA expression of WFS1/wolframin with bipolar disorder in humans. <i>Neuroscience Letters</i> , 2003, 338, 21-24.	1.0	22
280	RNA editing of serotonin 2C receptor in human postmortem brains of major mental disorders. <i>Neuroscience Letters</i> , 2003, 346, 169-172.	1.0	124
281	Smoking habits in Japanese patients with schizophrenia. <i>Psychiatry Research</i> , 2003, 120, 207-209.	1.7	27
282	CD4+ CD25+ T cells responding to serologically defined autoantigens suppress antitumor immune responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 10902-10906.	3.3	152
283	Cerebrovascular Response to Cognitive Tasks and Hyperventilation Measured by Multi-Channel Near-Infrared Spectroscopy. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2003, 15, 442-449.	0.9	44
284	Drug-induced parkinsonism in relation to choline-containing compounds measured by 1H-MR spectroscopy in putamen of chronically medicated patients with schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2003, 6, 353-360.	1.0	15
285	Mechanisms of altered Ca ²⁺ signalling in transformed lymphoblastoid cells from patients with bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2003, 6, 379-389.	1.0	63
286	Possible relationship between mitochondrial DNA polymorphisms and lithium response in bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2003, 6, 421-424.	1.0	46
287	Effects of cocaine and reserpine administration on RNA editing of rat 5-HT _{2C} receptor estimated by primer extension combined with denaturing high-performance liquid chromatography. <i>Pharmacogenomics Journal</i> , 2002, 2, 335-340.	0.9	14
288	1H-MR spectroscopy and gray matter volume of the anterior cingulate cortex in schizophrenia. <i>NeuroReport</i> , 2002, 13, 2133-2137.	0.6	64

#	ARTICLE	IF	CITATIONS
289	Decreased cerebral haemodynamic response to cognitive and physiological tasks in mood disorders as shown by near-infrared spectroscopy. <i>Psychological Medicine</i> , 2002, 32, 1029-1037.	2.7	144
290	Hand-assisted laparoscopic microwave coagulation therapy for hepatocellular carcinoma. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2002, 16, 717-717.	1.3	0
291	Mitochondrial calcium response in human transformed lymphoblastoid cells. <i>Life Sciences</i> , 2002, 71, 581-590.	2.0	15
292	Effects of creatine on mental fatigue and cerebral hemoglobin oxygenation. <i>Neuroscience Research</i> , 2002, 42, 279-285.	1.0	150
293	Serum cholesterol, uric acid and cholinesterase in victims of the Tokyo subway sarin poisoning. <i>Neuroscience Research</i> , 2002, 44, 267-272.	1.0	36
294	Possible relationship between electroencephalogram finding and lithium response in bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2002, 26, 903-907.	2.5	19
295	Association study of C825T polymorphism of the G-protein b3 subunit gene with schizophrenia and mood disorders. <i>Journal of Neural Transmission</i> , 2002, 109, 213-218.	1.4	31
296	Expression of IL-17 mRNA in Ovarian Cancer. <i>Biochemical and Biophysical Research Communications</i> , 2001, 282, 735-738.	1.0	147
297	Human neuroblastomas with unfavorable biologies express high levels of brain-derived neurotrophic factor mRNA and a variety of its variants. <i>Cancer Letters</i> , 2001, 164, 51-60.	3.2	80
298	Molecular genetics of bipolar disorder. <i>Neuroscience Research</i> , 2001, 40, 105-113.	1.0	49
299	Intracranial aneurysms in Ehlers-Danlos syndrome type IV in early childhood. <i>Pediatric Neurology</i> , 2001, 25, 336-339.	1.0	47
300	Use of microwave coagulation therapy in liver transplant candidates with hepatocellular carcinoma: a preliminary report. <i>Transplantation Proceedings</i> , 2001, 33, 1469.	0.3	14
301	Isolation of a Novel Human Gene, MARKLI, Homologous to MARK3 and Its Involvement in Hepatocellular Carcinogenesis. <i>Neoplasia</i> , 2001, 3, 4-9.	2.3	88
302	Angiogenesis and Blood Vessel Invasion as Prognostic Indicators for Node-Negative Breast Cancer. <i>Breast Cancer Research and Treatment</i> , 2001, 65, 203-215.	1.1	15
303	Angiogenesis as a predictor of long-term survival for 377 Japanese patients with breast cancer. <i>Breast Cancer Research and Treatment</i> , 2001, 70, 65-74.	1.1	34
304	The other, forgotten genome: mitochondrial DNA and mental disorders. <i>Molecular Psychiatry</i> , 2001, 6, 625-633.	4.1	68
305	Mitochondrial DNA polymorphisms in bipolar disorder. <i>Journal of Affective Disorders</i> , 2001, 62, 151-164.	2.0	127
306	DNA Polymorphisms and Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2001, 158, 1169-b-1170.	4.0	7

#	ARTICLE	IF	CITATIONS
307	Human Leukocyte Antigen and Season of Birth in Japanese Patients With Schizophrenia. American Journal of Psychiatry, 2000, 157, 1173-1175.	4.0	32
308	Prediction of lithium response by 31P-MRS in bipolar disorder. International Journal of Neuropsychopharmacology, 2000, 3, 83-85.	1.0	21
309	Altered brain energy metabolism in lithium-resistant bipolar disorder detected by photic stimulated 31P-MR spectroscopy. Psychological Medicine, 2000, 30, 107-115.	2.7	87
310	Association of bipolar disorder with the 5178 polymorphism in mitochondrial DNA. , 2000, 96, 182-186.		55
311	White matter hyperintensity detected by magnetic resonance imaging and lithium response in bipolar disorder: A preliminary observation. Psychiatry and Clinical Neurosciences, 2000, 54, 117-120.	1.0	15
312	Mitochondrial dysfunction in bipolar disorder. Bipolar Disorders, 2000, 2, 180-190.	1.1	321
313	Clinicopathologic study associated with long-term survival in Japanese patients with node-negative breast cancer. British Journal of Cancer, 2000, 82, 404-411.	2.9	26
314	Pathologic Evaluation of Surgical Margins and Local Recurrences after Breast-conserving Surgery without Irradiation. World Journal of Surgery, 2000, 24, 328-333.	0.8	9
315	Frontal lobe membrane phospholipid metabolism and ventricle to brain ratio in schizophrenia: preliminary 31 P-MRS and CT studies. European Archives of Psychiatry and Clinical Neuroscience, 2000, 250, 169-174.	1.8	11
316	Fate of Newly Formed Periglomerular Cells in the Olfactory Bulb. Acta Oto-Laryngologica, 2000, 120, 876-879.	0.3	14
317	Polarization of Naive CD4+T Cells Toward the Th1 Subset by CTLA-4 Costimulation. Journal of Immunology, 2000, 164, 3554-3562.	0.4	65
318	Alteration of Hemoglobin Oxygenation in the Frontal Region in Elderly Depressed Patients as Measured by Near-infrared Spectroscopy. Journal of Neuropsychiatry and Clinical Neurosciences, 2000, 12, 465-471.	0.9	113
319	Inhibitory mechanisms in hypoxic respiratory depression studied in an in vitro preparation. Neuroscience Research, 2000, 38, 281-288.	1.0	26
320	Association of bipolar disorder with the 5178 polymorphism in mitochondrial DNA. American Journal of Medical Genetics Part A, 2000, 96, 182-186.	2.4	3
321	Portosystemic Shunting in Children During the Era of Endoscopic Therapy: Improved Postoperative Growth Parameters. Journal of Pediatric Gastroenterology and Nutrition, 2000, 30, 419-424.	0.9	42
322	Association of bipolar disorder with the 5178 polymorphism in mitochondrial DNA. American Journal of Medical Genetics Part A, 2000, 96, 182-6.	2.4	19
323	Relationship of Energy Metabolism Detected by ³¹ P-MRS in the Human Brain with Mental Fatigue. Neuropsychobiology, 1999, 39, 214-218.	0.9	19
324	Inclusion of entire pancreas in the composite liver and intestinal graft in pediatric intestinal transplantation. Pediatric Transplantation, 1999, 3, 210-214.	0.5	34

#	ARTICLE	IF	CITATIONS
325	Effects of sleep deprivation: The phosphorus metabolism in the human brain measured by 31 P-magnetic resonance spectroscopy. <i>Psychiatry and Clinical Neurosciences</i> , 1999, 53, 199-201.	1.0	10
326	A search for a mutation in the tumour necrosis factor-alpha gene in narcolepsy. <i>Psychiatry and Clinical Neurosciences</i> , 1999, 53, 421-423.	1.0	12
327	Efficacy of media in motivating patients with panic disorder to visit specialists. <i>Psychiatry and Clinical Neurosciences</i> , 1999, 53, 523-526.	1.0	5
328	A functional polymorphism in the promoter region of monoamine oxidase-A gene and mood disorders. <i>Molecular Psychiatry</i> , 1999, 4, 393-395.	4.1	100
329	Age-dependent alteration of metabolic response to photic stimulation in the human brain measured by 31P MR-spectroscopy. <i>Brain Research</i> , 1999, 818, 72-76.	1.1	25
330	Novel polymorphism in the promoter region of the tumor necrosis factor alpha gene: No association with narcolepsy. , 1999, 88, 301-304.		47
331	Dinucleotide repeat polymorphism in the neurotrophin-3 gene and hippocampal volume in psychoses. <i>Schizophrenia Research</i> , 1999, 37, 271-273.	1.1	14
332	Quantitative proton magnetic resonance spectroscopy of the bilateral frontal lobes in patients with bipolar disorder. <i>Psychological Medicine</i> , 1999, 29, 639-644.	2.7	114
333	No Evidence for an Association of Polymorphisms of the Tryptophan Hydroxylase Gene With Affective Disorders or Attempted Suicide Among Japanese Patients. <i>American Journal of Psychiatry</i> , 1999, 156, 774-776.	4.0	85
334	The monoamine oxidase-a gene and major psychosis in japanese subjects. <i>Biological Psychiatry</i> , 1998, 44, 922-924.	0.7	33
335	C677T polymorphism in methylenetetrahydrofolate reductase gene and psychoses. <i>Molecular Psychiatry</i> , 1998, 3, 435-437.	4.1	77
336	Failure to demonstrate parent-of-origin effect in transmission of bipolar II disorder. <i>Journal of Affective Disorders</i> , 1998, 50, 135-141.	2.0	17
337	Single local injection of recombinant fibroblast growth factor-2 stimulates healing of segmental bone defects in rabbits. <i>Journal of Orthopaedic Research</i> , 1998, 16, 654-659.	1.2	123
338	Quantitative proton magnetic resonance spectroscopy of the basal ganglia in patients with affective disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1998, 248, 53-58.	1.8	144
339	Decreased brain intracellular pH measured by. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1998, 248, 301.	1.8	102
340	Photic stimulation-induced alteration of brain energy metabolism measured by 31P-MR spectroscopy in patients with MELAS. <i>Journal of the Neurological Sciences</i> , 1998, 155, 182-185.	0.3	17
341	Magnetic Resonance Spectroscopy in Affective Disorders. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1998, 10, 133-147.	0.9	120
342	A â€œNeuralâ€™ Response with 3-ms Latency Evoked by Loud Sound in Profoundly Deaf Patients. <i>Audiology and Neuro-Otology</i> , 1998, 3, 253-264.	0.6	18

#	ARTICLE	IF	CITATIONS
343	Increased cerebral choline-compounds in Duchenne muscular dystrophy. <i>NeuroReport</i> , 1997, 8, 1435-1437.	0.6	17
344	Multiple regression analysis of relationship between frontal lobe phosphorus metabolism and clinical symptoms in patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 1997, 76, 113-122.	0.9	31
345	Quantitative analysis of leukocyte mitochondrial DNA deletion in affective disorders. <i>Biological Psychiatry</i> , 1997, 42, 311-316.	0.7	14
346	Increased levels of a mitochondrial DNA deletion in the brain of patients with bipolar disorder. <i>Biological Psychiatry</i> , 1997, 42, 871-875.	0.7	111
347	Phosphorus-31 magnetic resonance spectroscopic observations in 4 cases with anorexia nervosa. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1997, 21, 719-724.	2.5	18
348	Neuronal maturation and N-acetyl-l-aspartic acid development in human fetal and child brains. <i>Brain and Development</i> , 1997, 19, 131-133.	0.6	54
349	Serotonin transporter gene polymorphisms: ethnic difference and possible association with bipolar affective disorder. <i>Molecular Psychiatry</i> , 1997, 2, 457-462.	4.1	289
350	Costimulatory Effect of IL-12 on the Activation of Naive, Memory CD4+T Cells, and Th1 Clone. <i>Cellular Immunology</i> , 1997, 176, 50-58.	1.4	20
351	Differential Effects of LPS and CD40 Ligand Stimulations on the Induction of IL-12 Production by Dendritic Cells and Macrophages. <i>Cellular Immunology</i> , 1997, 181, 59-67.	1.4	51
352	Improved detection of cortical and subcortical tubers in tuberous sclerosis by fluid-attenuated inversion recovery MRI. <i>Neuroradiology</i> , 1997, 39, 378-380.	1.1	22
353	Prevalence of cavum septum pellucidum detected by MRI in patients with bipolar disorder, major depression and schizophrenia. <i>Psychological Medicine</i> , 1996, 26, 431-434.	2.7	61
354	Proton magnetic resonance spectroscopy of the basal ganglia in patients with schizophrenia: a preliminary report. <i>Schizophrenia Research</i> , 1996, 22, 19-26.	1.1	42
355	High-energy phosphate metabolism in the frontal lobes of patients with panic disorder detected by phase-encoded 31P-MRS. <i>Biological Psychiatry</i> , 1996, 40, 785-793.	0.7	31
356	Characteristic clinical features and clinical course in 270 Japanese outpatients with panic disorder. <i>Journal of Anxiety Disorders</i> , 1996, 10, 163-172.	1.5	5
357	Deletion of leukocyte mitochondrial DNA in bipolar disorder. <i>Journal of Affective Disorders</i> , 1996, 37, 67-73.	2.0	39
358	Lithium side effects in relation to brain lithium concentration measured by lithium-7 magnetic resonance spectroscopy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1996, 20, 87-97.	2.5	43
359	Effect of photic stimulation on energy metabolism in the human brain measured by 31P-MR spectroscopy. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1996, 8, 417-422.	0.9	39
360	Missense mutation of the cholecystokinin B receptor gene: Lack of association with panic disorder. , 1996, 67, 401-405.		39

#	ARTICLE	IF	CITATIONS
361	Parent-of-origin effect in transmission of bipolar disorder. , 1996, 67, 546-550.		53
362	Choline-containing compounds detected by proton magnetic resonance spectroscopy in the basal ganglia in bipolar disorder. Journal of Psychiatry and Neuroscience, 1996, 21, 248-54.	1.4	68
363	Induction of IL-12 p40 messenger RNA expression and IL-12 production of macrophages via CD40-CD40 ligand interaction. Journal of Immunology, 1996, 156, 3932-8.	0.4	128
364	Lateralized abnormality of high energy phosphate metabolism in the frontal lobes of patients with bipolar disorder detected by phase-encoded ³¹ P-MRS. Psychological Medicine, 1995, 25, 557-566.	2.7	115
365	Successful treatment of vesicoureteric reflux by subureteric injection of silicone. International Urology and Nephrology, 1995, 27, 709-715.	0.6	1
366	Lateralized abnormality of high-energy phosphate and bilateral reduction of phosphomonoester measured by phosphorus-31 magnetic resonance spectroscopy of the frontal lobes in schizophrenia. Psychiatry Research - Neuroimaging, 1995, 61, 151-160.	0.9	64
367	A Device for Controlling Odorant Stimulation and Olfactory Evoked Responses in Humans. Auris Nasus Larynx, 1995, 22, 103-112.	0.5	4
368	Analysis of Auditory Brainstem Response Waveforms Derived Ipsilaterally and Contralaterally to Monaural Stimulation. Auris Nasus Larynx, 1995, 22, 96-102.	0.5	3
369	Topography of Binaural Interaction in the Auditory Brainstem Response. Auris Nasus Larynx, 1995, 22, 145-150.	0.5	1
370	Reduction of brain phosphocreatine in bipolar II disorder detected by phosphorus-31 magnetic resonance spectroscopy. Journal of Affective Disorders, 1994, 31, 125-133.	2.0	215
371	Linkage studies between affective disorder and dopamine D2, D3, and D4 receptor gene loci in four Japanese pedigrees. Psychiatry Research, 1994, 52, 149-157.	1.7	33
372	Phosphorus-31 magnetic resonance spectroscopy and ventricular enlargement in bipolar disorder. Psychiatry Research - Neuroimaging, 1994, 55, 41-50.	0.9	107
373	Correlations of phosphomonoesters measured by phosphorus-31 magnetic resonance spectroscopy in the frontal lobes and negative symptoms in schizophrenia. Psychiatry Research - Neuroimaging, 1994, 55, 223-235.	0.9	69
374	Evaluation of the Long-Lasting Antihypertensive Action of 7-O-Ethylfangchinoline. The Japanese Journal of Pharmacology, 1994, 66, 35-46.	1.2	6
375	Relationship of Lithium Concentrations. Journal of Clinical Psychopharmacology, 1994, 14, 330-335.	0.7	19
376	Correlations of Phosphomonoesters Measured by Phosphorus-31 Magnetic Resonance Spectroscopy in the Frontal Lobes and Negative Symptoms in Schizophrenia. Psychiatry Research, 1994, 55, 223-235.	1.7	5
377	Relationship of lithium concentrations in the brain measured by lithium-7 magnetic resonance spectroscopy to treatment response in mania. Journal of Clinical Psychopharmacology, 1994, 14, 330-5.	0.7	22
378	Human Visual Cortical Function during Photic Stimulation Monitoring by Means of near-Infrared Spectroscopy. Journal of Cerebral Blood Flow and Metabolism, 1993, 13, 516-520.	2.4	412

#	ARTICLE	IF	CITATIONS
379	Alterations in brain phosphorous metabolism in bipolar disorder detected by in vivo 31P and 7Li magnetic resonance spectroscopy. <i>Journal of Affective Disorders</i> , 1993, 27, 53-59.	2.0	222
380	Regional cerebral blood flow in catatonic schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 1993, 50, 203-216.	0.9	50
381	Brain lithium concentrations measured with lithium-7 magnetic resonance spectroscopy in patients with affective disorders: Relationship to erythrocyte and serum concentrations. <i>Biological Psychiatry</i> , 1993, 33, 147-152.	0.7	46
382	Chondroitin Sulfate Iron Colloid as an MR Contrast Agent for the Hepatic Reticuloendothelial System. <i>Journal of Computer Assisted Tomography</i> , 1993, 17, 603-608.	0.5	13
383	Cystic Adrenal Mass: Pseudocyst Associated with Hemangioma. <i>Urologia Internationalis</i> , 1993, 50, 47-50.	0.6	1
384	Changes in the frequency distribution pattern of body weight in patients with major depression. <i>Acta Psychiatrica Scandinavica</i> , 1993, 88, 356-360.	2.2	17
385	Brain phosphorous metabolism in depressive disorders detected by phosphorus-31 magnetic resonance spectroscopy. <i>Journal of Affective Disorders</i> , 1992, 26, 223-230.	2.0	198
386	Brain lithium concentration by 7Li- and 1H-magnetic resonance spectroscopy in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 1992, 45, 53-63.	0.9	53
387	Vasospastic angina in Crow-Fukase syndrome. <i>American Heart Journal</i> , 1992, 124, 506-507.	1.2	5
388	Asymmetrical FDG-PET and MRI findings of striatonigral system in multiple system atrophy with hemiparkinsonism. <i>Radiation Medicine</i> , 1992, 10, 87-93.	0.8	10
389	Measurement of brain phosphoinositide metabolism in bipolar patients using in vivo 31P-MRS. <i>Journal of Affective Disorders</i> , 1991, 22, 185-190.	2.0	98
390	Measurement of haloperidol reductase activity in red blood cells and reduced haloperidol/haloperidol ratios in plasma in oriental psychiatric patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1990, 14, 941-946.	2.5	10
391	Anesthesia for a patient with Williams syndrome. <i>Journal of Anesthesia</i> , 1989, 3, 227-228.	0.7	4
392	Role of acetylcholine in pyridostigmine-induced myocardial injury: possible involvement of parasympathetic nervous system in the genesis of cardiomyopathy. <i>Archives of Toxicology</i> , 1989, 63, 137-143.	1.9	11
393	Choline Acetyltransferase Activities in Single Spinal Motor Neurons from Patients with Amyotrophic Lateral Sclerosis. <i>Journal of Neurochemistry</i> , 1989, 52, 636-640.	2.1	46
394	Mechanistic aspects of the cytotoxic action of ulithiacyclamide on mouse leukemia L1210 cells in vitro. <i>Biochemical Pharmacology</i> , 1989, 38, 4497-4500.	2.0	29
395	Production of Erythropoietin-Like Activity by Human Renal and Hepatic Carcinomas in Cell Culture. <i>Journal of Urology</i> , 1985, 134, 1306-1306.	0.2	0
396	Mass spectrometric studies of 6-methyl-4-pyrimidones. <i>Organic Mass Spectrometry</i> , 1970, 4, 181-194.	1.3	4

#	ARTICLE	IF	CITATIONS
397	Metabolic clearance rate of aldosterone and the electrolyte and water metabolism in hepatic disorders. <i>Gastroenterologia Japonica</i> , 1966, 1, 54-55.	0.4	0