

# Jan An Haavik

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1372498/publications.pdf>

Version: 2024-02-01

235  
papers

15,288  
citations

28274

55  
h-index

25787

108  
g-index

247  
all docs

247  
docs citations

247  
times ranked

17474  
citing authors

#	ARTICLE	IF	CITATIONS
1	Reproducibility in the absence of selective reporting: An illustration from large-scale brain asymmetry research. <i>Human Brain Mapping</i> , 2022, 43, 244-254.	3.6	16
2	Consortium neuroscience of attention deficit/hyperactivity disorder and autism spectrum disorder: The <scp>ENIGMA</scp> adventure. <i>Human Brain Mapping</i> , 2022, 43, 37-55.	3.6	61
3	Effects of copy number variations on brain structure and risk for psychiatric illness: Large-scale studies from the <scp>ENIGMA</scp> working groups on <scp>CNVs</scp>. <i>Human Brain Mapping</i> , 2022, 43, 300-328.	3.6	30
4	Familial co-aggregation of attention-deficit/hyperactivity disorder and autoimmune diseases: a cohort study based on Swedish population-wide registers. <i>International Journal of Epidemiology</i> , 2022, 51, 898-909.	1.9	12
5	Non-mental diseases associated with ADHD across the lifespan: Fidgety Philipp and Pippi Longstocking at risk of multimorbidity?. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 132, 1157-1180.	6.1	22
6	ADHD symptoms in neurometabolic diseases: Underlying mechanisms and clinical implications. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 132, 838-856.	6.1	18
7	Association of sweetened carbonated beverage consumption during pregnancy and ADHD symptoms in the offspring: a study from the Norwegian Mother, Father and Child Cohort Study (MoBa). <i>European Journal of Nutrition</i> , 2022, 61, 2153-2166.	3.9	3
8	Innovative approaches in investigating inter-beat intervals: Graph theoretical method suggests altered autonomic functioning in adolescents with ADHD. <i>Psychophysiology</i> , 2022, , e14005.	2.4	1
9	Vagally mediated heart rate variability, stress, and perceived social support: a focus on sex differences. <i>Stress</i> , 2022, 25, 113-121.	1.8	7
10	Insulinopathies of the brain? Genetic overlap between somatic insulin-related and neuropsychiatric disorders. <i>Translational Psychiatry</i> , 2022, 12, 59.	4.8	39
11	Virtual Ontogeny of Cortical Growth Preceding Mental Illness. <i>Biological Psychiatry</i> , 2022, 92, 299-313.	1.3	11
12	Gene-Environment Interactions in Attention-Deficit/Hyperactivity Disorder Symptom Dimensions: The Role of Unhealthy Food Habits. <i>Genes</i> , 2022, 13, 47.	2.4	4
13	Druggable genome in attention deficit/hyperactivity disorder and its co-morbid conditions. New avenues for treatment. <i>Molecular Psychiatry</i> , 2021, 26, 4004-4015.	7.9	27
14	Diet quality, stress and common mental health problems: A cohort study of 121,008 adults. <i>Clinical Nutrition</i> , 2021, 40, 901-906.	5.0	29
15	Individual Variability in Reaction Time and Prediction of Clinical Response to Methylphenidate in Adult ADHD: A Prospective Open Label Study Using Conners's™ Continuous Performance Test II. <i>Journal of Attention Disorders</i> , 2021, 25, 657-671.	2.6	9
16	Structure and substrate specificity determinants of the taurine biosynthetic enzyme cysteine sulphinic acid decarboxylase. <i>Journal of Structural Biology</i> , 2021, 213, 107674.	2.8	3
17	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021, 78, 47.	11.0	136
18	Test-Retest Reliability of the 25-item version of Wender Utah Rating Scale. Impact of Current ADHD Severity on Retrospectively Assessed Childhood Symptoms. <i>Journal of Attention Disorders</i> , 2021, 25, 1001-1009.	2.6	8

#	ARTICLE	IF	CITATIONS
19	Characterizing neuroanatomic heterogeneity in people with and without ADHD based on subcortical brain volumes. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 1140-1149.	5.2	14
20	1q21.1 distal copy number variants are associated with cerebral and cognitive alterations in humans. <i>Translational Psychiatry</i> , 2021, 11, 182.	4.8	24
21	Analysis of structural brain asymmetries in attentionâ€deficit/hyperactivity disorder in 39 datasets. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 1202-1219.	5.2	40
22	Cysteine Modification by Ebselen Reduces the Stability and Cellular Levels of 14-3-3 Proteins. <i>Molecular Pharmacology</i> , 2021, 100, 155-169.	2.3	9
23	Comorbidity of ADHD and adult bipolar disorder: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 124, 100-123.	6.1	71
24	Diet, Physical Activity, and Disinhibition in Middle-Aged and Older Adults: A UK Biobank Study. <i>Nutrients</i> , 2021, 13, 1607.	4.1	3
25	Genetic association study of childhood aggression across raters, instruments, and age. <i>Translational Psychiatry</i> , 2021, 11, 413.	4.8	31
26	Continuity of Genetic Risk for Aggressive Behavior Across the Life-Course. <i>Behavior Genetics</i> , 2021, 51, 592-606.	2.1	13
27	Synthetic corticosteroids as tryptophan hydroxylase stabilizers. <i>Future Medicinal Chemistry</i> , 2021, 13, 1465-1474.	2.3	2
28	Male to female ratios in autism spectrum disorders by age, intellectual disability and attentionâ€deficit/hyperactivity disorder. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 635-646.	4.5	41
29	Investigating Shared Genetic Basis Across Tourette Syndrome and Comorbid Neurodevelopmental Disorders Along the Impulsivity-Compulsivity Spectrum. <i>Biological Psychiatry</i> , 2021, 90, 317-327.	1.3	49
30	An Exploratory Investigation of Goal Management Training in Adults With ADHD: Improvements in Inhibition and Everyday Functioning. <i>Frontiers in Psychology</i> , 2021, 12, 659480.	2.1	15
31	The World Federation of ADHD International Consensus Statement: 208 Evidence-based conclusions about the disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 128, 789-818.	6.1	483
32	Sex differences in parentâ€offspring recurrence of attentionâ€deficit/hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 1010-1018.	5.2	10
33	Personalized Medicine to Improve Treatment of Dopa-Responsive Dystoniaâ€”A Focus on Tyrosine Hydroxylase Deficiency. <i>Journal of Personalized Medicine</i> , 2021, 11, 1186.	2.5	6
34	Dose response of the 16p11.2 distal copy number variant on intracranial volume and basal ganglia. <i>Molecular Psychiatry</i> , 2020, 25, 584-602.	7.9	49
35	Identification of ADHD risk genes in extended pedigrees by combining linkage analysis and whole-exome sequencing. <i>Molecular Psychiatry</i> , 2020, 25, 2047-2057.	7.9	17
36	Tyrosinemia Type 1 and symptoms of ADHD: Biochemical mechanisms and implications for treatment and prognosis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 95-105.	1.7	15

#	ARTICLE	IF	CITATIONS
37	Cyclothymic temperament: Associations with ADHD, other psychopathology, and medical morbidity in the general population. <i>Journal of Affective Disorders</i> , 2020, 260, 440-447.	4.1	14
38	Association of Copy Number Variation of the 15q11.2 BP1-BP2 Region With Cortical and Subcortical Morphology and Cognition. <i>JAMA Psychiatry</i> , 2020, 77, 420.	11.0	54
39	Serine 19 phosphorylation and 14-3-3 binding regulate phosphorylation and dephosphorylation of tyrosine hydroxylase on serine 31 and serine 40. <i>Journal of Neurochemistry</i> , 2020, 152, 29-47.	3.9	9
40	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 921-932.	3.2	22
41	Identification of Genetic Loci Shared Between Attention-Deficit/Hyperactivity Disorder, Intelligence, and Educational Attainment. <i>Biological Psychiatry</i> , 2020, 87, 1052-1062.	1.3	13
42	GADL1 is a multifunctional decarboxylase with tissue-specific roles in $\beta$ -alanine and carnosine production. <i>Science Advances</i> , 2020, 6, eabb3713.	10.3	27
43	Inhibition of Tryptophan Hydroxylases and Monoamine Oxidase-A by the Proton Pump Inhibitor, Omeprazole: In Vitro and In Vivo Investigations. <i>Frontiers in Pharmacology</i> , 2020, 11, 593416.	3.5	10
44	Current and Retrospective Childhood Ratings of Emotional Fluctuations in Adults With ADHD. <i>Frontiers in Psychology</i> , 2020, 11, 571101.	2.1	3
45	Discovery and biological characterization of a novel scaffold for potent inhibitors of peripheral serotonin synthesis. <i>Future Medicinal Chemistry</i> , 2020, 12, 1461-1474.	2.3	10
46	Anterior cingulate gamma-aminobutyric acid concentrations and electroconvulsive therapy. <i>Brain and Behavior</i> , 2020, 10, e01833.	2.2	11
47	Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. <i>American Journal of Psychiatry</i> , 2020, 177, 834-843.	7.2	120
48	Involvement of the 14-3-3 Gene Family in Autism Spectrum Disorder and Schizophrenia: Genetics, Transcriptomics and Functional Analyses. <i>Journal of Clinical Medicine</i> , 2020, 9, 1851.	2.4	14
49	Insomnia, Alcohol Consumption and ADHD Symptoms in Adults. <i>Frontiers in Psychology</i> , 2020, 11, 1150.	2.1	6
50	Attention-deficit/hyperactivity disorder and smoking habits in pregnant women. <i>PLoS ONE</i> , 2020, 15, e0234561.	2.5	8
51	Shared genetic background between children and adults with attention deficit/hyperactivity disorder. <i>Neuropsychopharmacology</i> , 2020, 45, 1617-1626.	5.4	72
52	Validity and accuracy of the Adult Attention-Deficit/Hyperactivity Disorder (ADHD) Self-Report Scale (ASRS) and the Wender Utah Rating Scale (WURS) symptom checklists in discriminating between adults with and without ADHD. <i>Brain and Behavior</i> , 2020, 10, e01605.	2.2	39
53	Alcohol and drug use disorders in adult attention-deficit/hyperactivity disorder: Prevalence and associations with attention-deficit/hyperactivity disorder symptom severity and emotional dysregulation. <i>World Journal of Psychiatry</i> , 2020, 10, 202-211.	2.7	19
54	Attention-deficit hyperactivity disorder shares copy number variant risk with schizophrenia and autism spectrum disorder. <i>Translational Psychiatry</i> , 2019, 9, 258.	4.8	75

#	ARTICLE	IF	CITATIONS
55	Patterns of Psychiatric Comorbidity and Genetic Correlations Provide New Insights Into Differences Between Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorder. <i>Biological Psychiatry</i> , 2019, 86, 587-598.	1.3	41
56	The effect of electroconvulsive therapy (ECT) on serum tryptophan metabolites. <i>Brain Stimulation</i> , 2019, 12, 1135-1142.	1.6	20
57	Brain Imaging of the Cortex in ADHD: A Coordinated Analysis of Large-Scale Clinical and Population-Based Samples. <i>American Journal of Psychiatry</i> , 2019, 176, 531-542.	7.2	261
58	Effect of disease-associated SLC9A9 mutations on protein-protein interaction networks: implications for molecular mechanisms for ADHD and autism. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2019, 11, 91-105.	1.7	12
59	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11.	28.9	935
60	Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , 2019, 51, 63-75.	21.4	1,594
61	The quaternary structure of human tyrosine hydroxylase: effects of dystonia-associated missense variants on oligomeric state and enzyme activity. <i>Journal of Neurochemistry</i> , 2019, 148, 291-306.	3.9	20
62	Occupational Status Is Compromised in Adults With ADHD and Psychometrically Defined Executive Function Deficits. <i>Journal of Attention Disorders</i> , 2019, 23, 76-86.	2.6	27
63	Verbal Memory Function in Intellectually Well-Functioning Adults With ADHD: Relations to Working Memory and Response Inhibition. <i>Journal of Attention Disorders</i> , 2019, 23, 1188-1198.	2.6	17
64	Health Care Services for Adults With ADHD: Patient Satisfaction and the Role of Psycho-Education. <i>Journal of Attention Disorders</i> , 2019, 23, 99-108.	2.6	24
65	Females With ADHD Report More Severe Symptoms Than Males on the Adult ADHD Self-Report Scale. <i>Journal of Attention Disorders</i> , 2019, 23, 959-967.	2.6	23
66	Structure of the mouse acidic amino acid decarboxylase GADL1. <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2018, 74, 65-73.	0.8	8
67	Novel Loci Associated With Attention-Deficit/Hyperactivity Disorder Are Revealed by Leveraging Polygenic Overlap With Educational Attainment. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 86-95.	0.5	30
68	Adult ADHD and Comorbid Somatic Disease: A Systematic Literature Review. <i>Journal of Attention Disorders</i> , 2018, 22, 203-228.	2.6	148
69	Moderating effect of mode of delivery on the genetics of intelligence: Explorative genome-wide analyses in ALSPAC. <i>Brain and Behavior</i> , 2018, 8, e01144.	2.2	6
70	Common psychiatric and metabolic comorbidity of adult attention-deficit/hyperactivity disorder: A population-based cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0204516.	2.5	125
71	Live fast, die young? A review on the developmental trajectories of ADHD across the lifespan. <i>European Neuropsychopharmacology</i> , 2018, 28, 1059-1088.	0.7	398
72	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5154-E5163.	7.1	299

#	ARTICLE	IF	CITATIONS
73	Event-Related-Potential (ERP) Correlates of Performance Monitoring in Adults With Attention-Deficit Hyperactivity Disorder (ADHD). <i>Frontiers in Psychology</i> , 2018, 9, 485.	2.1	35
74	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	12.6	1,085
75	Associations between attention-deficit/hyperactivity disorder and autoimmune diseases are modified by sex: a population-based cross-sectional study. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 663-675.	4.7	48
76	Attention-Deficit/Hyperactivity Disorder in Offspring of Mothers With Inflammatory and Immune System Diseases. <i>Biological Psychiatry</i> , 2017, 81, 452-459.	1.3	141
77	<i>SLC2A3</i> single nucleotide polymorphism and duplication influence cognitive processing and population-specific risk for attention-deficit/hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2017, 58, 798-809.	5.2	25
78	Subcortical brain volume differences in participants with attention deficit hyperactivity disorder in children and adults: a cross-sectional mega-analysis. <i>Lancet Psychiatry</i> , 2017, 4, 310-319.	7.4	565
79	Tyrosine and tryptophan hydroxylases as therapeutic targets in human disease. <i>Expert Opinion on Therapeutic Targets</i> , 2017, 21, 167-180.	3.4	52
80	640. Lipidomics in Patients Receiving ECT. <i>Biological Psychiatry</i> , 2017, 81, S259.	1.3	0
81	Implication of the APP Gene in Intellectual Abilities. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 723-735.	2.6	13
82	Adults with Attention Deficit Hyperactivity Disorder Report High Symptom Levels of Troubled Sleep, Restless Legs, and Cataplexy. <i>Frontiers in Psychology</i> , 2017, 8, 1621.	2.1	24
83	Vitamin levels in adults with ADHD. <i>BJPsych Open</i> , 2016, 2, 377-384.	0.7	25
84	A candidate gene investigation of methylphenidate response in adult attention-deficit/hyperactivity disorder patients: results from a naturalistic study. <i>Journal of Neural Transmission</i> , 2016, 123, 859-865.	2.8	12
85	Meta-analysis of the DRD5 VNTR in persistent ADHD. <i>European Neuropsychopharmacology</i> , 2016, 26, 1527-1532.	0.7	4
86	Genome-wide analyses of aggressiveness in attention-deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 733-747.	1.7	40
87	Regulation of tyrosine hydroxylase is preserved across different homo- and heterodimeric 14-3-3 proteins. <i>Amino Acids</i> , 2016, 48, 1221-1229.	2.7	16
88	Personality Traits and Comorbidity in Adults With ADHD. <i>Journal of Attention Disorders</i> , 2016, 20, 845-854.	2.6	24
89	On the role of <i>NOS1</i> ex1f VNTR in ADHD allelic, subgroup, and meta-analysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 445-458.	1.7	20
90	Epistatic and gene wide effects in YWHA and aromatic amino hydroxylase genes across ADHD and other common neuropsychiatric disorders: Association with YWHA E. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 423-432.	1.7	21

#	ARTICLE	IF	CITATIONS
91	Paraneoplastic syndrome-associated neuronal antibodies in adult ADHD. <i>Journal of Neuroimmunology</i> , 2015, 288, 87-91.	2.3	3
92	Mammalian CSAD and GADL1 have distinct biochemical properties and patterns of brain expression. <i>Neurochemistry International</i> , 2015, 90, 173-184.	3.8	26
93	Expanding the toolbox of ADHD genetics. How can we make sense of parent of origin effects in ADHD and related behavioral phenotypes?. <i>Behavioral and Brain Functions</i> , 2015, 11, 33.	3.3	10
94	Serum concentrations of kynurenines in adult patients with attention-deficit hyperactivity disorder (ADHD): a caseâ€“control study. <i>Behavioral and Brain Functions</i> , 2015, 11, 36.	3.3	40
95	Common variants in the ARC gene are not associated with cognitive abilities. <i>Brain and Behavior</i> , 2015, 5, e00376.	2.2	7
96	Genome wide association study identifies variants in NBEA associated with migraine in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 172, 453-461.	4.1	15
97	Dominant Mutations in the Autoimmune Regulator AIRE Are Associated with Common Organ-Specific Autoimmune Diseases. <i>Immunity</i> , 2015, 42, 1185-1196.	14.3	246
98	Arc is a flexible modular protein capable of reversible self-oligomerization. <i>Biochemical Journal</i> , 2015, 468, 145-158.	3.7	69
99	Effects of ECT in treatment of depression: study protocol for a prospective neuroradiological study of acute and longitudinal effects on brain structure and function. <i>BMC Psychiatry</i> , 2015, 15, 94.	2.6	22
100	Caseâ€“Control Genome-Wide Association Study of Persistent Attention-Deficit Hyperactivity Disorder Identifies FBXO33 as a Novel Susceptibility Gene for the Disorder. <i>Neuropsychopharmacology</i> , 2015, 40, 915-926.	5.4	59
101	Genome-Wide Analysis of Attention Deficit Hyperactivity Disorder in Norway. <i>PLoS ONE</i> , 2015, 10, e0122501.	2.5	71
102	Modeling the Dynamics of Dopamine Biosynthesis and its Regulation by Tyrosine Hydroxylase. , 2014, , 30.		0
103	Phosphorylation Dependence and Stoichiometry of the Complex Formed by Tyrosine Hydroxylase and 14-3-3 $\beta$ . <i>Molecular and Cellular Proteomics</i> , 2014, 13, 2017-2030.	3.8	19
104	Effectiveness of one-year pharmacological treatment of adult attention-deficit/hyperactivity disorder (ADHD): An open-label prospective study of time in treatment, dose, side-effects and comorbidity. <i>European Neuropsychopharmacology</i> , 2014, 24, 1873-1884.	0.7	48
105	Decreased serum levels of adiponectin in adult attention deficit hyperactivity disorder. <i>Psychiatry Research</i> , 2014, 216, 123-130.	3.3	17
106	Autoantibodies targeting neurotransmitter biosynthetic enzymes in attention-deficit/hyperactivity disorder (ADHD). <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 115-117.	4.7	9
107	Modelling cellular signal communication mediated by phosphorylation dependent interaction with 14-3-3 proteins. <i>FEBS Letters</i> , 2014, 588, 92-98.	2.8	6
108	Functional Studies of Tyrosine Hydroxylase Missense Variants Reveal Distinct Patterns of Molecular Defects in <sc>Dopa</sc> â€“Responsive Dystonia. <i>Human Mutation</i> , 2014, 35, 880-890.	2.5	46

#	ARTICLE	IF	CITATIONS
109	Effects of Missense Mutations in Tyrosine Hydroxylase (TH) Found in Patients with Neurological Disorders Attributed to TH Deficiency. , 2014, , 25.		0
110	Long-term efficacy and safety of treatment with stimulants and atomoxetine in adult ADHD: A review of controlled and naturalistic studies. European Neuropsychopharmacology, 2013, 23, 508-527.	0.7	125
111	Autoantibodies against aromatic amino acid hydroxylases in patients with autoimmune polyendocrine syndrome type 1 target multiple antigenic determinants and reveal regulatory regions crucial for enzymatic activity. Immunobiology, 2013, 218, 899-909.	1.9	9
112	<i>DISC1</i> in adult ADHD patients: An association study in two European samples. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2013, 162, 227-234.	1.7	16
113	Functional Properties of Rare Missense Variants of Human CDH13 Found in Adult Attention Deficit/Hyperactivity Disorder (ADHD) Patients. PLoS ONE, 2013, 8, e71445.	2.5	29
114	The genetics of attention deficit/hyperactivity disorder in adults, a review. Molecular Psychiatry, 2012, 17, 960-987.	7.9	317
115	Set-Shifting in Adults with ADHD. Journal of the International Neuropsychological Society, 2012, 18, 728-737.	1.8	50
116	The negative impact of attention-deficit/hyperactivity disorder on occupational health in adults and adolescents. International Archives of Occupational and Environmental Health, 2012, 85, 837-847.	2.3	112
117	The impact of cyclothymic temperament in adult ADHD. Journal of Affective Disorders, 2012, 142, 241-247.	4.1	40
118	Pre- and Perinatal Risk Factors in Adults with Attention-Deficit/Hyperactivity Disorder. Biological Psychiatry, 2012, 71, 474-481.	1.3	147
119	Adults with attention-deficit/hyperactivity disorder " A diffusion-tensor imaging study of the corpus callosum. Psychiatry Research - Neuroimaging, 2012, 201, 168-173.	1.8	57
120	DCLK1 Variants Are Associated across Schizophrenia and Attention Deficit/Hyperactivity Disorder. PLoS ONE, 2012, 7, e35424.	2.5	30
121	Cognitive control in adults with attention-deficit/hyperactivity disorder. Psychiatry Research, 2011, 188, 406-410.	3.3	18
122	The 14-3-3 proteins in regulation of cellular metabolism. Seminars in Cell and Developmental Biology, 2011, 22, 713-719.	5.0	131
123	Adults with Attention-Deficit/Hyperactivity Disorder ? A Brain Magnetic Resonance Spectroscopy Study. Frontiers in Psychiatry, 2011, 2, 65.	2.6	30
124	Maternal genotypes as predictors of offspring mental health: the next frontier of genomic medicine?. Future Neurology, 2011, 6, 731-743.	0.5	7
125	Bipolar disorder risk alleles in adult ADHD patients. Genes, Brain and Behavior, 2011, 10, 418-423.	2.2	17
126	No association between the serotonin transporter gene polymorphism 5-HTTLPR and cyclothymic temperament as measured by TEMPS-A. Journal of Affective Disorders, 2011, 129, 308-312.	4.1	11



#	ARTICLE	IF	CITATIONS
127	Glutamate cysteine ligase (GCL) and self reported depression: An association study from the HUNT. <i>Journal of Affective Disorders</i> , 2011, 131, 207-213.	4.1	12
128	Adult attention deficit hyperactivity disorder is associated with migraine headaches. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 595-602.	3.2	42
129	Adult attention deficit hyperactivity disorder is associated with asthma. <i>BMC Psychiatry</i> , 2011, 11, 128.	2.6	43
130	Attention Network Test in adults with ADHD - the impact of affective fluctuations. <i>Behavioral and Brain Functions</i> , 2011, 7, 27.	3.3	54
131	Exploring <i>DRD4</i> and its interaction with <i>SLC6A3</i> as possible risk factors for adult ADHD: A meta-analysis in four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 600-612.	1.7	22
132	DIRAS2 is Associated with Adult ADHD, Related Traits, and Co-Morbid Disorders. <i>Neuropsychopharmacology</i> , 2011, 36, 2318-2327.	5.4	49
133	Meta-analysis of brain-derived neurotrophic factor p.Val66Met in adult ADHD in four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 512-523.	1.7	55
134	Common variants in the TPH1 and TPH2 regions are not associated with persistent ADHD in a combined sample of 1,636 adult cases and 1,923 controls from four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1008-1015.	1.7	18
135	Effect of pharmacological chaperones on brain tyrosine hydroxylase and tryptophan hydroxylase 2. <i>Journal of Neurochemistry</i> , 2010, 114, 853-863.	3.9	29
136	An international multicenter association study of the serotonin transporter gene in persistent ADHD. <i>Genes, Brain and Behavior</i> , 2010, 9, 449-458.	2.2	55
137	A genome-wide association study of bipolar disorder and comorbid migraine. <i>Genes, Brain and Behavior</i> , 2010, 9, 673-680.	2.2	40
138	A common variant of the latrophilin 3 gene, LPHN3, confers susceptibility to ADHD and predicts effectiveness of stimulant medication. <i>Molecular Psychiatry</i> , 2010, 15, 1053-1066.	7.9	245
139	Decorin Accumulation Contributes to the Stromal Opacities Found in Congenital Stromal Corneal Dystrophy. , 2010, 51, 5578.		40
140	Multicenter Analysis of the SLC6A3/DAT1 VNTR Haplotype in Persistent ADHD Suggests Differential Involvement of the Gene in Childhood and Persistent ADHD. <i>Neuropsychopharmacology</i> , 2010, 35, 656-664.	5.4	180
141	Clinical assessment and diagnosis of adults with attention-deficit/hyperactivity disorder. <i>Expert Review of Neurotherapeutics</i> , 2010, 10, 1569-1580.	2.8	100
142	Attention-Deficit/Hyperactivity Disorder Symptoms in Offspring of Mothers With Impaired Serotonin Production. <i>Archives of General Psychiatry</i> , 2010, 67, 1033-1043.	12.3	47
143	Bipolar Symptoms in Adult Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 48-57.	2.2	58
144	Three-way Interaction between 14-3-3 Proteins, the N-terminal Region of Tyrosine Hydroxylase, and Negatively Charged Membranes. <i>Journal of Biological Chemistry</i> , 2009, 284, 32758-32769.	3.4	40

#	ARTICLE	IF	CITATIONS
145	Occupational Outcome in Adult ADHD: Impact of Symptom Profile, Comorbid Psychiatric Problems, and Treatment. <i>Journal of Attention Disorders</i> , 2009, 13, 175-187.	2.6	241
146	Pulmonary autoimmunity as a feature of autoimmune polyendocrine syndrome type 1 and identification of KCNRG as a bronchial autoantigen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 4396-4401.	7.1	98
147	Association between Catechol O-methyltransferase ( <i>COMT</i> ) haplotypes and severity of hyperactivity symptoms in Adults. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 403-410.	1.7	55
148	Functional properties of missense variants of human tryptophan hydroxylase 2. <i>Human Mutation</i> , 2009, 30, 787-794.	2.5	40
149	Case-Control Study of Six Genes Asymmetrically Expressed in the Two Cerebral Hemispheres: Association of BAIAP2 with Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2009, 66, 926-934.	1.3	59
150	Tryptophan as an evolutionarily conserved signal to brain serotonin: Molecular evidence and psychiatric implications. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 258-268.	2.6	59
151	Tryptophan as an evolutionarily conserved signal to brain serotonin: Molecular evidence and psychiatric implications. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 1-11.	2.6	28
152	Oxygen dependence of tyrosine hydroxylase. <i>Amino Acids</i> , 2008, 34, 455-464.	2.7	8
153	Mutations in human monoamine-related neurotransmitter pathway genes. <i>Human Mutation</i> , 2008, 29, 891-902.	2.5	92
154	Genetic analyses of dopamine related genes in adult ADHD patients suggest an association with the DRD5-microsatellite repeat, but not with DRD4 or SLC6A3 VNTRs. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1470-1475.	1.7	72
155	Endogenous tetrahydroisoquinolines associated with Parkinson's disease mimic the feedback inhibition of tyrosine hydroxylase by catecholamines. <i>FEBS Journal</i> , 2008, 275, 2109-2121.	4.7	12
156	A loss-of-function mutation in tryptophan hydroxylase 2 segregating with attention-deficit/hyperactivity disorder. <i>Molecular Psychiatry</i> , 2008, 13, 365-367.	7.9	41
157	Tetrahydrobiopterin shows chaperone activity for tyrosine hydroxylase. <i>Journal of Neurochemistry</i> , 2008, 106, 672-681.	3.9	48
158	Activation and stabilization of human tryptophan hydroxylase 2 by phosphorylation and 14-3-3 binding. <i>Biochemical Journal</i> , 2008, 410, 195-204.	3.7	60
159	Selectivity and Affinity Determinants for Ligand Binding to the Aromatic Amino Acid Hydroxylases. <i>Current Medicinal Chemistry</i> , 2007, 14, 455-467.	2.4	46
160	Brain-specific tryptophan hydroxylase 2 (TPH2): a functional Pro206Ser substitution and variation in the 5'-region are associated with bipolar affective disorder. <i>Human Molecular Genetics</i> , 2007, 17, 87-97.	2.9	109
161	Epitope mapping of human aromatic l-amino acid decarboxylase. <i>Biochemical and Biophysical Research Communications</i> , 2007, 353, 692-698.	2.1	1
162	A systematic intervention to improve patient information routines and satisfaction in a psychiatric emergency unit. <i>Nordic Journal of Psychiatry</i> , 2007, 61, 213-218.	1.3	17

#	ARTICLE	IF	CITATIONS
163	Characterization of wild-type and mutant forms of human tryptophan hydroxylase. Journal of Neurochemistry, 2007, 100, 1648-1657.	3.9	31
164	The regulatory phosphorylated serine in full-length nitrate reductase is necessary for optimal binding to a 14-3-3 protein. Plant Science, 2006, 170, 394-398.	3.6	3
165	An oxygraphic method for determining kinetic properties and catalytic mechanism of aromatic amino acid hydroxylases. Analytical Biochemistry, 2005, 343, 100-105.	2.4	4
166	Different properties of the central and peripheral forms of human tryptophan hydroxylase. Journal of Neurochemistry, 2005, 92, 311-320.	3.9	142
167	Stimulation of hepatic phenylalanine hydroxylase activity but not Pah-mRNA expression upon oral loading of tetrahydrobiopterin in normal mice. Molecular Genetics and Metabolism, 2005, 86, 153-155.	1.1	24
168	Tetrahydrobiopterin Binding to Aromatic Amino Acid Hydroxylases. Ligand Recognition and Specificity. Journal of Medicinal Chemistry, 2004, 47, 5962-5971.	6.4	18
169	Different stabilities and denaturation pathways for structurally related aromatic amino acid hydroxylases. FEBS Letters, 2004, 565, 155-159.	2.8	6
170	Expression and purification of human tryptophan hydroxylase from Escherichia coli and Pichia pastoris. Protein Expression and Purification, 2004, 33, 185-194.	1.3	36
171	Three-Dimensional Structure of Human Tryptophan Hydroxylase and Its Implications for the Biosynthesis of the Neurotransmitters Serotonin and Melatonin. Biochemistry, 2002, 41, 12569-12574.	2.5	164
172	Regulation of tyrosine hydroxylase by stress-activated protein kinases. Journal of Neurochemistry, 2002, 83, 775-783.	3.9	94
173	Phosphorylation of Tyrosine Hydroxylase in Isolated Mice Adrenal Glands. Annals of the New York Academy of Sciences, 2002, 971, 66-68.	3.8	13
174	The Conformation of Tetrahydro-Biopterin Free and Bound to Aromatic Amino Acid Hydroxylases and NOS. , 2002, , 67-72.		0
175	Role of PHE313/TRP326 in Determining Substrate Specificity in Tryptophan and Phenylalanine Hydroxylases. , 2002, , 97-102.		0
176	A Phenylalanine Hydroxylase Amino Acid Polymorphism with Implications for Molecular Diagnostics. Molecular Genetics and Metabolism, 2001, 73, 280-284.	1.1	10
177	Conformation of the Substrate and Pterin Cofactor Bound to Human Tryptophan Hydroxylase. Important Role of Phe313 in Substrate Specificity. Biochemistry, 2001, 40, 15591-15601.	2.5	60
178	Interaction of phosphorylated tyrosine hydroxylase with 14-3-3 proteins: evidence for a phosphoserine 40-dependent association. Journal of Neurochemistry, 2001, 77, 1097-1107.	3.9	62
179	A Structural Approach into Human Tryptophan Hydroxylase and its Implications for the Regulation of Serotonin Biosynthesis. Current Medicinal Chemistry, 2001, 8, 1077-1091.	2.4	61
180	Inhibition of aromatic l -amino acid decarboxylase activity by human autoantibodies. Clinical and Experimental Immunology, 2000, 120, 420-423.	2.6	8

#	ARTICLE	IF	CITATIONS
181	Pteridin-Dependent Hydroxylases as Autoantigens in Autoimmune Polyendocrine Syndrome Type 11. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 2944-2950.	3.6	30
182	Identification of Tyrosine Hydroxylase as an Autoantigen in Autoimmune Polyendocrine Syndrome Type I. <i>Biochemical and Biophysical Research Communications</i> , 2000, 267, 456-461.	2.1	80
183	A Kinetic and Conformational Study on the Interaction of Tetrahydropteridines with Tyrosine Hydroxylase. <i>Biochemistry</i> , 2000, 39, 13676-13686.	2.5	25
184	Pteridin-Dependent Hydroxylases as Autoantigens in Autoimmune Polyendocrine Syndrome Type I. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 2944-2950.	3.6	29
185	Urea-induced Denaturation of Human Phenylalanine Hydroxylase. <i>Journal of Biological Chemistry</i> , 1999, 274, 33251-33258.	3.4	28
186	Iron coordination geometry in full-length, truncated, and dehydrated forms of human tyrosine hydroxylase studied by Mössbauer and X-ray absorption spectroscopy. <i>Journal of Biological Inorganic Chemistry</i> , 1999, 4, 223-231.	2.6	18
187	Tyrosine hydroxylase and Parkinson's disease. <i>Molecular Neurobiology</i> , 1998, 16, 285-309.	4.0	211
188	Identification of tryptophan hydroxylase as an intestinal autoantigen. <i>Lancet</i> , The, 1998, 352, 279-283.	13.7	168
189	Human Tyrosine Hydroxylase Isoforms. <i>Journal of Biological Chemistry</i> , 1998, 273, 10196-10201.	3.4	38
190	15 A stress-activated kinase cascade can mediate the activation of tyrosine hydroxylase in chromaffin cells. <i>Biochemical Society Transactions</i> , 1997, 25, S571-S571.	3.4	3
191	The Effect of Phosphorylation at Ser-40 on the Structure and Thermal Stability of Tyrosine Hydroxylase. <i>Advances in Pharmacology</i> , 1997, 42, 15-18.	2.0	6
192	Crystallization and preliminary diffraction analysis of a truncated homodimer of human phenylalanine hydroxylase. <i>FEBS Letters</i> , 1997, 406, 171-174.	2.8	18
193	Participation of a Stress-Activated Protein Kinase Cascade in the Activation of Tyrosine Hydroxylase in Chromaffin Cells. <i>FEBS Journal</i> , 1997, 247, 1180-1189.	0.2	53
194	Spontaneous mutation frequencies and spectra in p53 (+/+) and p53 (Δ/Δ) mice: A test of the 'guardian of the genome' hypothesis in the Big Blue <sup>®</sup> transgenic mouse mutation detection system. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1997, 379, 13-20.	1.0	39
195	DOPA Is a Substrate for Tyrosine Hydroxylase. <i>Journal of Neurochemistry</i> , 1997, 69, 1720-1728.	3.9	36
196	Generation of Reactive Oxygen Species by Tyrosine Hydroxylase: A Possible Contribution to the Degeneration of Dopaminergic Neurons?. <i>Journal of Neurochemistry</i> , 1997, 68, 328-332.	3.9	69
197	Bi-directional Dideoxy Fingerprinting (Bi-ddF): Rapid and Efficient Screening for Mutations in the Big Blue <sup>™</sup> Transgenic Mouse Mutation Detection System. <i>BioTechniques</i> , 1996, 20, 988-994.	1.8	14
198	Characterization of a novel pterin intermediate formed in the catalytic cycle of tyrosine hydroxylase. <i>Biochemical Journal</i> , 1996, 319, 947-951.	3.7	6

#	ARTICLE	IF	CITATIONS
199	Mossbauer, Electron-Paramagnetic-Resonance and X-ray-Absorption Fine-Structure Studies of the Iron Environment in Recombinant Human Tyrosine Hydroxylase. <i>FEBS Journal</i> , 1996, 241, 432-439.	0.2	41
200	Structure/Function Relationships in Human Phenylalanine Hydroxylase. Effect of Terminal Deletions on the Oligomerization, Activation and Cooperativity of Substrate Binding to the Enzyme. <i>FEBS Journal</i> , 1996, 242, 813-821.	0.2	84
201	System issues: Spontaneous mutation in Big Blue <sup>®</sup> transgenic mice: Analysis of age, gender, and tissue type. <i>Environmental and Molecular Mutagenesis</i> , 1996, 28, 299-312.	2.2	57
202	Mutational specificity: Mutation frequencies but not mutant frequencies in Big Blue <sup>®</sup> mice fit a Poisson distribution. <i>Environmental and Molecular Mutagenesis</i> , 1996, 28, 414-417.	2.2	31
203	Conformational Properties and Stability of Tyrosine Hydroxylase Studied by Infrared Spectroscopy. <i>Journal of Biological Chemistry</i> , 1996, 271, 19737-19742.	3.4	79
204	System issues: Spontaneous mutation in Big Blue <sup>®</sup> transgenic mice: Analysis of age, gender, and tissue type. <i>Environmental and Molecular Mutagenesis</i> , 1996, 28, 299-312.	2.2	0
205	Mutational specificity: Mutation frequencies but not mutant frequencies in Big Blue <sup>®</sup> mice fit a Poisson distribution. <i>Environmental and Molecular Mutagenesis</i> , 1996, 28, 414-417.	2.2	0
206	Pteridines CVII* Synthesis of 6-Azidomethyl-5,6,7,8-tetrahydropterin. Photo degradation Products and Cofactor Properties on Aromatic Amino Acid Monooxygenases. <i>Pteridines</i> , 1995, 6, .	0.5	1
207	XAFS of human tyrosine hydroxylase. <i>Physica B: Condensed Matter</i> , 1995, 208-209, 717-718.	2.7	0
208	XAS studies of human tyrosine hydroxylase. <i>Journal of Inorganic Biochemistry</i> , 1995, 59, 382.	3.5	1
209	Resonance Raman Studies of Catecholate and Phenolate Complexes of Recombinant Human Tyrosine Hydroxylase. <i>Biochemistry</i> , 1995, 34, 5504-5510.	2.5	99
210	Tryptophan Fluorescence of Human Phenylalanine Hydroxylase Produced in <i>Escherichia coli</i> . <i>Biochemistry</i> , 1995, 34, 11790-11799.	2.5	50
211	Phosphorylation and activation of human tyrosine hydroxylase in vitro by mitogen-activated protein (MAP) kinase and MAP-kinase-activated kinases 1 and 2. <i>FEBS Journal</i> , 1993, 217, 715-722.	0.2	164
212	Conformation and interaction of phenylalanine with the divalent cation at the active site of human recombinant tyrosine hydroxylase as determined by proton NMR. <i>Biochemistry</i> , 1993, 32, 6381-6390.	2.5	35
213	Expression of Wild Type and Mutant Forms of Human Phenylalanine Hydroxylase in <i>E. Coli</i> . <i>Advances in Experimental Medicine and Biology</i> , 1993, 338, 59-62.	1.6	21
214	Characterization of the Iron Environment in Recombinant Human Tyrosine Hydroxylase, Using Mössbauer and EPR-Spectroscopy. <i>Advances in Experimental Medicine and Biology</i> , 1993, 338, 71-76.	1.6	2
215	Interaction of Substrate and Pterin Cofactor with the Metal of Human Tyrosine Hydroxylase as Determined by <sup>1</sup> H-NMR. <i>Advances in Experimental Medicine and Biology</i> , 1993, 338, 77-80.	1.6	11
216	Inactivation of purified phenylalanine hydroxylase by dithiothreitol. <i>Biochemical and Biophysical Research Communications</i> , 1992, 182, 92-98.	2.1	16

#	ARTICLE	IF	CITATIONS
217	7-Substituted pterins in humans with suspected pterin-4a-carbinolamine dehydratase deficiency. Mechanism of formation via non-enzymatic transformation from 6-substituted pterins. FEBS Journal, 1992, 208, 139-144.	0.2	35
218	Regulation of recombinant human tyrosine hydroxylase isozymes by catecholamine binding and phosphorylation. Structure/activity studies and mechanistic implications. FEBS Journal, 1992, 209, 249-255.	0.2	82
219	The incorporation of divalent metal ions into recombinant human tyrosine hydroxylase apoenzymes studied by intrinsic fluorescence and <sup>1</sup> H-NMR spectroscopy. FEBS Journal, 1992, 210, 23-31.	0.2	38
220	High-molecular-mass complexes of the regulatory subunits of cyclic AMP-dependent protein kinase. Biochemical Society Transactions, 1991, 19, 1163-1165.	3.4	3
221	EPR and <sup>1</sup> H-NMR spectroscopic studies on the paramagnetic iron at the active site of phenylalanine hydroxylase and its interaction with substrates and inhibitors. FEBS Journal, 1991, 198, 675-682.	0.2	36
222	Recombinant human tyrosine hydroxylase isozymes. Reconstitution with iron and inhibitory effect of other metal ions. FEBS Journal, 1991, 199, 371-378.	0.2	100
223	Cooperative homotropic interaction of l-noradrenaline with the catalytic site of phenylalanine 4-monooxygenase. FEBS Journal, 1990, 193, 211-219.	0.2	32
224	pH-dependent release of catecholamines from tyrosine hydroxylase and the effect of phosphorylation of Ser-40. FEBS Letters, 1990, 262, 363-365.	2.8	65
225	Identification of protein phosphatase 2A as the major tyrosine hydroxylase phosphatase in adrenal medulla and corpus striatum: evidence from the effects of okadaic acid. FEBS Letters, 1989, 251, 36-42.	2.8	102
226	Evidence from EPR spectroscopy that phosphorylation of Ser-40 in bovine adrenal tyrosine hydroxylase facilitates the reduction of high-spin Fe(III) under turnover conditions. FEBS Letters, 1989, 258, 9-12.	2.8	20
227	Native and Phosphorylated Bovine Adrenal Tyrosine 3-Monooxygenase. Interactions with Tetrahydropterins and Substrate and Stability of the Formed 4a-Hydroxy-Tetrahydrobiopterin. Pteridines, 1989, 1, 11-16.	0.5	6
228	Soluble tyrosine hydroxylase (tyrosine 3-monooxygenase) from bovine adrenal medulla: Large-scale purification and physicochemical properties. BBA - Proteins and Proteomics, 1988, 953, 142-156.	2.1	82
229	Isolation and characterization of tetrahydropterin oxidation products generated in the tyrosine 3-monooxygenase (tyrosine hydroxylase) reaction. FEBS Journal, 1987, 168, 21-26.	0.2	48
230	Stereoselective effects in the interactions of pterin cofactors with rat-liver phenylalanine 4-monooxygenase. FEBS Journal, 1986, 160, 1-8.	0.2	37
231	Isolation from the microsomal fraction of rat liver of a subfraction highly enriched in uncoated endocytic vesicles with high H <sup>+</sup> -ATPase activity and a 50 kDa phosphoprotein. FEBS Letters, 1985, 188, 273-280.	2.8	7
232	Isolation and characterization of quinonoid dihydropterins by high-performance liquid chromatography. Journal of Chromatography A, 1983, 257, 361-372.	3.7	19
233	Fluorometric detection of tryptophan, 5-hydroxytryptophan, and 5-hydroxytryptamine (serotonin) in high-performance liquid chromatography. Analytical Biochemistry, 1980, 107, 71-74.	2.4	33
234	Rapid and sensitive assay of tyrosine 3-monooxygenase activity by high-performance liquid chromatography using the native fluorescence of DOPA. Journal of Chromatography A, 1980, 198, 511-515.	3.7	41

#	ARTICLE	IF	CITATIONS
235	Genome Guided Personalized Drug Therapy in Attention Deficit Hyperactivity Disorder. <i>Frontiers in Psychiatry</i> , 0, 13, .	2.6	3