

# Urs D A MÃ¼ller-Richter

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1374634/publications.pdf>

Version: 2024-02-01

80  
papers

1,440  
citations

361413

20  
h-index

454955

30  
g-index

102  
all docs

102  
docs citations

102  
times ranked

1804  
citing authors

#	ARTICLE	IF	CITATIONS
1	PKM2 Modulation in Head and Neck Squamous Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2022, 23, 775.	4.1	8
2	Free Skin Grafting to Reconstruct Donor Sites after Radial Forearm Flap Harvesting: A Prospective Study with Platelet-Rich Fibrin (PRF). <i>Journal of Clinical Medicine</i> , 2022, 11, 3506.	2.4	10
3	Overview of Oral Potentially Malignant Disorders: From Risk Factors to Specific Therapies. <i>Cancers</i> , 2021, 13, 3696.	3.7	30
4	Osteoporosis therapy in patients with inflammatory rheumatic diseases and osteonecrosis of the jaw. <i>Zeitschrift Fur Rheumatologie</i> , 2020, 79, 203-209.	1.0	7
5	Sensitization of head and neck squamous cell carcinoma to apoptosis by combinational SMAC mimetic and Fas ligand-Fc treatment in vitro. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2020, 48, 685-693.	1.7	2
6	The Influence of Met Receptor Level on HGF-Induced Glycolytic Reprogramming in Head and Neck Squamous Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2020, 21, 471.	4.1	18
7	Multi-kinase inhibitors and cisplatin for head and neck cancer treatment in vitro. <i>Oncology Letters</i> , 2019, 18, 2220-2231.	1.8	8
8	Targeting inhibitors of apoptosis in oral squamous cell carcinoma in vitro. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019, 47, 1589-1599.	1.7	8
9	MicroRNA expression correlates with disease recurrence and overall survival in oral squamous cell carcinoma. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019, 47, 523-529.	1.7	12
10	Medical-grade polycaprolactone scaffolds made by melt electrospinning writing for oral bone regeneration – a pilot study in vitro. <i>BMC Oral Health</i> , 2019, 19, 28.	2.3	39
11	S2 Leitlinie Merkelzellkarzinom (MZK, MCC, neuroendokrines Karzinom der Haut) – Update 2018. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 562-577.	0.8	13
12	S2k guidelines for Merkel cell carcinoma (MCC, neuroendocrine carcinoma of the skin) – update 2018. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 562-576.	0.8	27
13	The Selection of NF- $\kappa$ B Inhibitors to Block Inflammation and Induce Sensitisation to FasL-Induced Apoptosis in HNSCC Cell Lines Is Critical for Their Use as a Prospective Cancer Therapy. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1306.	4.1	12
14	A new multilayered membrane for tissue engineering of oral hard- and soft tissue by means of melt electrospinning writing and film casting – An in vitro study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019, 47, 695-703.	1.7	26
15	Apoptosis-sensitizing activity of birinapant in head and neck squamous cell carcinoma cell lines. <i>Oncology Letters</i> , 2018, 15, 4010-4016.	1.8	9
16	Squamous cell carcinoma of the maxilla: Analysis of clinicopathological predictors for disease recurrence and metastatic behavior. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018, 46, 611-616.	1.7	14
17	Melanoma-associated antigen A11 reduces erlotinib and afatinib efficacy in head and neck cancer. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018, 46, 492-497.	1.7	6
18	MAGE-A11 expression contributes to cisplatin resistance in head and neck cancer. <i>Clinical Oral Investigations</i> , 2018, 22, 1477-1486.	3.0	13

#	ARTICLE	IF	CITATIONS
19	MAGE-A9 in head and neck cancer: Prognostic value and preclinical findings in the context of irradiation. <i>Molecular and Clinical Oncology</i> , 2018, 8, 513-519.	1.0	3
20	Targeting VEGFR and FGFR in head and neck squamous cell carcinoma in vitro. <i>Oncology Reports</i> , 2017, 38, 1877-1885.	2.6	25
21	Nutrition management for head and neck cancer patients improves clinical outcome and survival. <i>Nutrition Research</i> , 2017, 48, 1-8.	2.9	73
22	Merkel Cell Carcinoma of the Head and Neck: Recommendations for Diagnostics and Treatment. <i>Annals of Surgical Oncology</i> , 2017, 24, 3430-3437.	1.5	24
23	The prognostic value of GLUT-1 staining in the detection of malignant transformation in oral mucosa. <i>Clinical Oral Investigations</i> , 2017, 21, 1631-1637.	3.0	11
24	The anti-myeloma activity of bone morphogenetic protein 2 predominantly relies on the induction of growth arrest and is apoptosis-independent. <i>PLoS ONE</i> , 2017, 12, e0185720.	2.5	5
25	Utilizing BMP-2 muteins for treatment of multiple myeloma. <i>PLoS ONE</i> , 2017, 12, e0174884.	2.5	9
26	Contrary melanoma-associated antigen-A expression at the tumor front and center: A comparative analysis of stage I and IV head and neck squamous cell carcinoma. <i>Oncology Letters</i> , 2016, 12, 2942-2947.	1.8	7
27	Vermilion Reconstruction with Genital Mucosa. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2016, 4, e701.	0.6	5
28	Co-treatment of wild-type EGFR head and neck cancer cell lines with afatinib and cisplatin. <i>Molecular Medicine Reports</i> , 2016, 13, 2338-2344.	2.4	14
29	Expression of MAGE-A1-A12 subgroups in the invasive tumor front and tumor center in oral squamous cell carcinoma. <i>Oncology Reports</i> , 2016, 35, 1979-1986.	2.6	14
30	Evaluation of miRNA-expression and clinical tumour parameters in oral squamous cell carcinoma (OSCC). <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016, 44, 876-881.	1.7	16
31	Mandibular intraosseous pseudocarcinomatous hyperplasia: a case report. <i>Journal of Medical Case Reports</i> , 2016, 10, 268.	0.8	4
32	Cytotoxic effects of SMAC-mimetic compound LCL161 in head and neck cancer cell lines. <i>Clinical Oral Investigations</i> , 2016, 20, 2325-2332.	3.0	17
33	Erlotinib and gefitinib responsiveness in head and neck cancer cell lines—a comparing analysis with cetuximab. <i>Clinical Oral Investigations</i> , 2016, 20, 759-769.	3.0	7
34	Phosphorylated epidermal growth factor receptor expression and KRAS mutation status in salivary gland carcinomas. <i>Clinical Oral Investigations</i> , 2016, 20, 541-551.	3.0	6
35	Perception of children's faces with unilateral coronal synostosis—an eye-tracking investigation. <i>Child's Nervous System</i> , 2016, 32, 135-141.	1.1	12
36	Melanoma-associated antigen expression and the efficacy of tyrosine kinase inhibitors in head and neck cancer. <i>Oncology Letters</i> , 2015, 10, 1211-1217.	1.8	7

#	ARTICLE	IF	CITATIONS
37	Oral brush biopsy and melanoma-associated antigens A (MAGE-A) staining in clinically suspicious lesions. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2015, 43, 2214-2218.	1.7	5
38	Value of FDG PET/CT in Staging of Oral Cancer. <i>Clinical Nuclear Medicine</i> , 2015, 40, 455-457.	1.3	6
39	MAGE-A expression clusters and antineoplastic treatment in head and neck cancer. <i>International Journal of Molecular Medicine</i> , 2015, 35, 1675-1682.	4.0	8
40	Occipital plagiocephaly: unilateral lambdoid synostosis versus positional plagiocephaly. <i>Archives of Disease in Childhood</i> , 2015, 100, 152-157.	1.9	31
41	In vitro study on proliferation kinetics of oral mucosal keratinocytes. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2015, 120, 429-435.	0.4	5
42	Diagnostic features of prematurely fused cranial sutures on plain skull X-rays. <i>Child's Nervous System</i> , 2015, 31, 2071-2080.	1.1	11
43	Performance of cone beam computed tomography in comparison to conventional imaging techniques for the detection of bone invasion in oral cancer. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2015, 44, 8-15.	1.5	22
44	Three-dimensional analysis of cranial growth from 6 to 12 months of age. <i>European Journal of Orthodontics</i> , 2014, 36, 489-496.	2.4	45
45	Intraoperative 3-D imaging improves sentinel lymph node biopsy in oral cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 2257-2264.	6.4	44
46	Three-Phase Bone Scintigraphy for Imaging Osteoradionecrosis of the Jaw. <i>Clinical Nuclear Medicine</i> , 2014, 39, 21-25.	1.3	13
47	Correlation of MAGE-A tumor antigens and the efficacy of various chemotherapeutic agents in head and neck carcinoma cells. <i>Clinical Oral Investigations</i> , 2014, 18, 189-197.	3.0	21
48	3D stereophotogrammetric analysis of operative effects after broad median craniectomy in premature sagittal craniosynostosis. <i>Child's Nervous System</i> , 2014, 30, 313-318.	1.1	15
49	Freehand SPECTâ€­guided sentinel lymph node biopsy in early oral squamous cell carcinoma. <i>Head and Neck</i> , 2014, 36, E112-6.	2.0	35
50	An adult spindle cell rhabdomyosarcoma in the head and neck region with long-term survival: a case report. <i>Journal of Medical Case Reports</i> , 2014, 8, 208.	0.8	14
51	Influence of epidermal growth factor receptor expression on the cetuximab and panitumumab response rates of head and neck carcinoma cells. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014, 42, 1322-1328.	1.7	16
52	Efficacy of cetuximab and panitumumab in oral squamous cell carcinoma cell lines: Prognostic value of MAGE-A subgroups for treatment success. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2013, 41, 623-629.	1.7	19
53	Mucormycosis of the head and neck. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2012, 40, e321-e327.	1.7	20
54	Hemimandibulectomy after bisphosphonate treatment for complex regional pain syndrome: A case report and review on the prevention and treatment of bisphosphonate-related osteonecrosis of the jaw. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2012, 113, 41-47.	0.4	10

#	ARTICLE	IF	CITATIONS
55	Tissue engineering of human oral mucosa on different scaffolds: in vitro experiments as a basis for clinical applications. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2012, 114, S190-S198.	0.4	16
56	The human HECA interacts with cyclins and CDKs to antagonize Wnt-mediated proliferation and chemoresistance of head and neck cancer cells. <i>Experimental Cell Research</i> , 2012, 318, 489-499.	2.6	15
57	Treatment of Intracapsular Condylar Fractures With Resorbable Pins. <i>Journal of Oral and Maxillofacial Surgery</i> , 2011, 69, 3019-3025.	1.2	22
58	MAGE-A antigens in lesions of the oral mucosa. <i>Clinical Oral Investigations</i> , 2011, 15, 315-320.	3.0	16
59	Kimura's disease in a white man. <i>Head and Neck</i> , 2011, 33, 138-140.	2.0	10
60	MAGE-A antigens in patients with primary oral squamous cell carcinoma. <i>Clinical Oral Investigations</i> , 2010, 14, 291-296.	3.0	8
61	Impact of MAGE-A antigens on taxane response in oral squamous cell carcinoma. <i>Oncology Letters</i> , 2010, 1, 181-185.	1.8	5
62	Cryopreservation of Autologous Bone Grafts: An Experimental Study on a Sheep Animal Model. <i>Cells Tissues Organs</i> , 2010, 191, 394-400.	2.3	5
63	The human homolog of the Drosophila headcase protein slows down cell division of head and neck cancer cells. <i>Carcinogenesis</i> , 2009, 30, 1678-1685.	2.8	13
64	Analysis of expression profiles of MAGE-A antigens in oral squamous cell carcinoma cell lines. <i>Head &amp; Face Medicine</i> , 2009, 5, 10.	2.1	14
65	Historical development of alloplastic temporomandibular joint replacement before 1945. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2009, 38, 301-307.	1.5	17
66	Historical development of alloplastic temporomandibular joint replacement after 1945 and state of the art. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2009, 38, 909-920.	1.5	108
67	SAPHO syndrome with ankylosis of the temporomandibular joint. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2009, 38, 1335-1341.	1.5	28
68	Gene expression of nestin, collagen type I and type III in human dental follicle cells after cultivation in serum-free medium. <i>Oral and Maxillofacial Surgery</i> , 2008, 12, 89-92.	1.3	13
69	Intralesional corticosteroid therapy for mandibular Langerhans cell histiocytosis preserving the intralesional tooth germ. <i>Oral and Maxillofacial Surgery</i> , 2008, 12, 105-111.	1.3	18
70	Oral acantholytic squamous cell carcinoma shares clinical and histological features with angiosarcoma. <i>Head &amp; Face Medicine</i> , 2008, 4, 17.	2.1	38
71	Different expression of MAGE-A-antigens in foetal and adult keratinocyte cell lines. <i>Oral Oncology</i> , 2008, 44, 628-633.	1.5	12
72	The value of Allen's test in harvesting a radial forearm flap: correlation of ex-vivo angiography and histopathological findings. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2008, 37, 672-674.	1.5	19

#	ARTICLE	IF	CITATIONS
73	Undifferentiated pleomorphic sarcoma of the orbital region. British Journal of Oral and Maxillofacial Surgery, 2008, 46, 325-327.	0.8	14
74	Traumatic dislocation of the globe into the maxillary sinus. International Journal of Oral and Maxillofacial Surgery, 2007, 36, 1207-1210.	1.5	13
75	Diagnosis of oral squamous cell carcinoma and its precursor lesions. JDDG - Journal of the German Society of Dermatology, 2007, 5, 1095-1100.	0.8	41
76	Diagnostik des oralen Plattenepithelkarzinoms und seiner Präkursorläsionen. JDDG - Journal of the German Society of Dermatology, 2007, 5, ---.	0.8	0
77	Pharmacokinetics of the Photosensitizers Aminolevulinic Acid and Aminolevulinic Acid Hexylester in Oro-Facial Tumors Embedded in the Chorioallantois Membrane of a Hen's Egg. Cancer Biotherapy and Radiopharmaceuticals, 2006, 21, 569-578.	1.0	3
78	Possibilities and limitations of current stereo-endoscopy. Surgical Endoscopy and Other Interventional Techniques, 2004, 18, 942-947.	2.4	34
79	Comparison between three-dimensional presentation of endoscopic procedures with polarization glasses and an autostereoscopic display. Surgical Endoscopy and Other Interventional Techniques, 2003, 17, 502-504.	2.4	14
80	Three-dimensional analysis of measurements of the Heidelberg Retina Tomograph. Graefe's Archive for Clinical and Experimental Ophthalmology, 2000, 238, 746-751.	1.9	7