

# Witold Szyfter

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1374842/publications.pdf>

Version: 2024-02-01

100  
papers

2,195  
citations

236925

25  
h-index

265206

42  
g-index

132  
all docs

132  
docs citations

132  
times ranked

2867  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hearing Impairment in Infants with Hypoxic Ischemic Encephalopathy Treated with Hypothermia. Therapeutic Hypothermia and Temperature Management, 2022, 12, 8-15.	0.9	3
2	Intracranial otogenic complications in adults: New factors that influenced its onset, frequency and nature. Journal of Otolaryngology - Head and Neck Surgery, 2022, 51, 10.	1.9	0
3	Przewlekłe zapalenie ucha środkowego z perlakiem – czy można przewidzieć wyniki pooperacyjne?. Otolaryngologia Polska, 2022, 76, 1-5.	0.6	1
4	Juvenile nasopharyngeal angiofibroma – 20 years of experience in endoscopic treatment. Otolaryngologia Polska, 2021, 75, 9-14.	0.6	1
5	Otosurgery with the High-Definition Three-Dimensional (3D) Exoscope: Advantages and Disadvantages. Journal of Clinical Medicine, 2021, 10, 777.	2.4	11
6	Efficacy of Surgical Treatment in Patients with Post-traumatic Facial Nerve Palsy. Otolaryngologia Polska, 2021, 75, 1-5.	0.6	0
7	Conductive hearing loss after surgical treatment of otosclerosis – long-term observations. Otolaryngologia Polska, 2020, 74, 1-5.	0.6	3
8	ELS live surgery: a developing story. European Archives of Oto-Rhino-Laryngology, 2019, 276, 897-899.	1.6	2
9	Middle Fossa Approach for Cochlear Implantation. Otology and Neurotology, 2018, 39, e96-e102.	1.3	4
10	Sensorineural and conductive hearing loss in infants diagnosed in the program of universal newborn hearing screening. International Journal of Pediatric Otorhinolaryngology, 2018, 105, 181-186.	1.0	27
11	Simultaneous treatment of intracranial complications of paranasal sinusitis. European Archives of Oto-Rhino-Laryngology, 2018, 275, 1165-1173.	1.6	20
12	Analysis of follow-up at the diagnostic level in the Polish Universal Neonatal Hearing Screening Programme. Journal of Medical Screening, 2018, 25, 13-16.	2.3	4
13	The report of the Polish Universal Neonatal Hearing Screening Program in 2016. Otolaryngologia Polska, 2018, 72, 1-4.	0.6	3
14	Analysis of the changes in the Polish Universal Neonatal Hearing Screening Program over 15 years of activity. Otolaryngologia Polska, 2018, 72, 11-18.	0.6	7
15	Genetic background of Meniere's disease. Journal of Medical Science, 2018, 87, 158-161.	0.7	0
16	The results of newborn hearing screening by means of transient otoacoustic emissions – has anything changed over 10 years?. International Journal of Pediatric Otorhinolaryngology, 2017, 96, 4-10.	1.0	14
17	Universal newborn hearing screening: methods and results, obstacles, and benefits. Pediatric Research, 2017, 81, 415-422.	2.3	101
18	Multicenter experiences in temporal bone cancer surgery based on 89 cases. PLoS ONE, 2017, 12, e0169399.	2.5	15

#	ARTICLE	IF	CITATIONS
19	Preliminary Analysis of Genetic Alterations in Cholesteatoma. Journal of Laryngology and Otology, 2016, 130, S17-S17.	0.8	0
20	The reconstruction of large laryngeal defect with medial condyle femur corticoperiosteal free flap—a case report. Microsurgery, 2016, 36, 157-160.	1.3	5
21	Intracranial complications of chronic otitis media. Journal of Laryngology and Otology, 2016, 130, S154-S154.	0.8	0
22	Sialendoscopy and sialendoscopically-assisted operations in the treatment of lithiasis of the submandibular and parotid glands: our experience of 239 cases. British Journal of Oral and Maxillofacial Surgery, 2016, 54, 767-771.	0.8	21
23	Functional results after total cricoidectomy with medial femoral condyle free flap reconstruction. European Archives of Oto-Rhino-Laryngology, 2016, 273, 3869-3874.	1.6	10
24	Middle fossa approach for cochlear implantation. Journal of Laryngology and Otology, 2016, 130, S31-S31.	0.8	0
25	Live surgery broadcast: who is benefiting?. European Archives of Oto-Rhino-Laryngology, 2016, 273, 1331-1333.	1.6	5
26	The pathophysiological role of bacterial biofilms in chronic sinusitis. European Archives of Oto-Rhino-Laryngology, 2016, 273, 1989-1994.	1.6	59
27	Metal concentrations in hair of patients with various head and neck cancers as a diagnostic aid. BioMetals, 2016, 29, 81-93.	4.1	26
28	The report of the realization of the Universal Neonatal Hearing Screening Program in Poland between 2003 and 2015. Otolaryngologia Polska, 2016, 70, 1-5.	0.6	3
29	Attempt to improve functional outcomes in supracricoid laryngectomy in T2b and T3 glottic cancers. European Archives of Oto-Rhino-Laryngology, 2015, 272, 2925-2931.	1.6	10
30	Treatment of Parotid Malignancies—10 Years of Experience. Journal of Oral and Maxillofacial Surgery, 2015, 73, 1397-1402.	1.2	13
31	Long-term results of the Er-Yag laser used in stapes surgery. European Archives of Oto-Rhino-Laryngology, 2015, 272, 61-75.	1.6	5
32	Classification models based on the level of metals in hair and nails of laryngeal cancer patients: diagnosis support or rather speculation?. Metallomics, 2015, 7, 455-465.	2.4	21
33	Adverse histopathological findings in glottic cancer with anterior commissure involvement. European Archives of Oto-Rhino-Laryngology, 2015, 272, 1973-1981.	1.6	4
34	Is there a place for brachytherapy in the salvage treatment of cervical lymph node metastases of head and neck cancers?. Brachytherapy, 2015, 14, 933-938.	0.5	5
35	Supraclavicular artery pedicled flap in reconstruction of pharyngocutaneous fistulas after total laryngectomy. Otolaryngologia Polska, 2015, 69, 9-13.	0.6	10
36	Intracranial complications from sinusitis. Otolaryngologia Polska, 2015, 69, 6-11.	0.6	9

#	ARTICLE	IF	CITATIONS
37	Sialendoscopy – a diagnostic and therapeutic approach subjectively rated by patients. <i>Wideochirurgia i Inne Techniki Maloinwazyjne</i> , 2014, 4, 505-510.	0.7	5
38	Wolny pŁat przednio-boczny uda w rekonstrukcjach po rozlegŁych ubytkach w obrŁ™bie gŁowy i szyi. , 2014, 3, 189-194.		0
39	Fully endoscopic resection of juvenile nasopharyngeal angiofibroma – Own experience and clinical outcomes. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2014, 78, 1015-1018.	1.0	8
40	The risk factor profile of children covered by the Polish universal neonatal hearing screening program and its impact on hearing loss incidence. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2014, 78, 209-213.	1.0	11
41	Prognostic factors in oral and oropharyngeal cancer based on ultrastructural analysis and DNA methylation of the tumor and surgical margin. <i>Tumor Biology</i> , 2014, 35, 7441-7449.	1.8	6
42	Sonoelastography – A Useful Adjunct for Parotid Gland Ultrasound Assessment in Patients Suffering from Chronic Inflammation. <i>Medical Science Monitor</i> , 2014, 20, 2311-2317.	1.1	22
43	Heterogeneity of 11q13 region rearrangements in laryngeal squamous cell carcinoma analyzed by microarray platforms and fluorescence in situ hybridization. <i>Molecular Biology Reports</i> , 2013, 40, 4161-4171.	2.3	26
44	Algorithm changes in treatment of submandibular gland sialolithiasis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 2089-2093.	1.6	28
45	Observations on hearing preservation in patients with hybrid-L electrode implanted at Poznan University of Medical Sciences in Poland. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 2637-2640.	1.6	3
46	Head and neck squamous carcinomas with exophytic and endophytic type of growth have the same prognosis after surgery and adjuvant radiotherapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 1105-1114.	1.6	9
47	Recommendations for the diagnosis of human papilloma virus (HPV) high and low risk in the prevention and treatment of diseases of the oral cavity, pharynx and larynx. Guide of experts PTORL and KIDL. <i>Otolaryngologia Polska</i> , 2013, 67, 113-134.	0.6	15
48	Sialoendoscopy and combined approach for the management of salivary gland stones. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 219-223.	1.6	41
49	Cervical oesophageal and hypopharyngeal perforations after anterior cervical spine surgery salvaged with regional and free flaps. <i>Neurologia i Neurochirurgia Polska</i> , 2013, 47, 43-48.	1.2	11
50	Obustronne implantacje Źlimakowe – doŹwiadczenia wŹasne. , 2013, 2, 185-188.		2
51	Stenoses of the salivary ducts-sialendoscopy based diagnosis and treatment. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2013, 51, e174-e177.	0.8	46
52	The role of high-dose-rate and pulsed-dose-rate brachytherapy in the management of recurrent or residual stomal tumor after total laryngectomy. <i>Laryngoscope</i> , 2013, 123, 657-661.	2.0	14
53	New Insight Into Baha® Implant Stability Measurements. <i>Otology and Neurotology</i> , 2013, 34, 1018-1020.	1.3	11
54	Value of open horizontal glottectomy in the treatment for T1b glottic cancer with anterior commissure involvement. <i>Head and Neck</i> , 2013, 35, 1738-1744.	2.0	14

#	ARTICLE	IF	CITATIONS
55	Hearing Impairment in Polish Infants. <i>Epidemiology</i> , 2013, 24, 333.	2.7	12
56	Comparison Between 2 Laser Systems, Er-Yag and CO <sub>2</sub> , in Stapes Surgery. <i>Otology and Neurotology</i> , 2013, 34, 29-35.	1.3	10
57	Stensen's duct injuries: the role of sialendoscopy and adjuvant botulinum toxin injection. <i>Wideochirurgia i Inne Techniki Maloinwazyjne</i> , 2013, 2, 112-116.	0.7	4
58	Variable course of progression of oral cavity and oropharyngeal carcinoma in young adults. <i>Wspolczesna Onkologia</i> , 2013, 3, 286-290.	1.4	0
59	Presurgical Evaluation of Retroauricular Subcutaneous Tissue Thickness in BAHA Surgery. <i>Otology and Neurotology</i> , 2012, 33, 421-424.	1.3	9
60	Evolution in Management of Otogenic Brain Abscess. <i>Otology and Neurotology</i> , 2012, 33, 393-395.	1.3	17
61	How to deal with laryngeal amyloidosis? Experience based on 16 cases. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2012, 19, 177-181.	3.0	33
62	High-dose-rate and pulsed-dose-rate brachytherapy in palliative treatment of head and neck cancers. <i>Brachytherapy</i> , 2012, 11, 137-143.	0.5	32
63	Konsensus na temat leczenia niedosłuchów przy zastosowaniu implantów zakotwiczonych w kości. , 2012, 1, 47-50.		3
64	Simple technique for RNA purification from mouse inner ear hair cells. <i>Molecular Biology Reports</i> , 2012, 39, 6467-6469.	2.3	1
65	The presence of facial nerve weakness on diagnosis of a parotid gland malignant process. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012, 269, 1177-1182.	1.6	43
66	The impact of prelaryngeal node metastases on early glottic cancer treatment results. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012, 269, 193-199.	1.6	13
67	Zalecenia diagnostyczno-lecznicze w leczeniu nowotworów głowy i szyi. , 2011, 1, 17-43.		2
68	Czy skleroterapia malformacji limfatycznych głowy i szyi może zastąpić leczenie chirurgiczne?. <i>Pediatrics Polska</i> , 2011, 86, 385-389.	0.2	0
69	The contribution of the mitochondrial COI/tRNASer(UCN) gene mutations to non-syndromic and aminoglycoside-induced hearing loss in Polish patients. <i>Molecular Genetics and Metabolism</i> , 2011, 104, 153-159.	1.1	12
70	Recurrent amplification in the 22q11 region in laryngeal squamous cell carcinoma results in overexpression of the CRKL but not the MAPK1 oncogene. <i>Cancer Biomarkers</i> , 2011, 8, 11-19.	1.7	14
71	Otologic Symptoms as Initial Manifestation of Wegener Granulomatosis. <i>Otology and Neurotology</i> , 2011, 32, 996-1000.	1.3	44
72	Comparison of positron emission tomography/computed tomography imaging and ultrasound in surveillance of head and neck cancer – The 3-year experience of the ENT Department in Poznan. <i>Reports of Practical Oncology and Radiotherapy</i> , 2011, 16, 184-188.	0.6	17

#	ARTICLE	IF	CITATIONS
73	Outcome after supracricoid laryngectomies in the material of ENT Department, Poznan University of Medical Sciences. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 879-883.	1.6	18
74	Effectiveness of cidofovir intralesional treatment in recurrent respiratory papillomatosis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 1305-1311.	1.6	45
75	Exclusively endoscopic approach for juvenile angiofibroma in an adult – a. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2010, 3, 107-109.	0.7	4
76	Screening of the General Polish Population for Deafness-Associated Mutations in Mitochondrial 12S rRNA and tRNASer(UCN) Genes. <i>Genetic Testing and Molecular Biomarkers</i> , 2009, 13, 167-172.	0.7	43
77	An evaluation of the preservation of residual hearing with the Nucleus® Contour Advance™,¢ electrode. <i>Acta Oto-Laryngologica</i> , 2009, 129, 651-664.	0.9	53
78	Clinical Predictors for Germline Mutations in Head and Neck Paraganglioma Patients: Cost Reduction Strategy in Genetic Diagnostic Process as Fall-Out. <i>Cancer Research</i> , 2009, 69, 3650-3656.	0.9	178
79	Triggering of Toll-like Receptor 4 Expressed on Human Head and Neck Squamous Cell Carcinoma Promotes Tumor Development and Protects the Tumor from Immune Attack. <i>Cancer Research</i> , 2009, 69, 3105-3113.	0.9	217
80	Polish Universal Neonatal Hearing Screening Program – 4-year experience (2003 – 2006). <i>International Journal of Pediatric Otorhinolaryngology</i> , 2008, 72, 1783-1787.	1.0	31
81	Comparison of rehabilitation results in deaf patients with and without genetically related hearing loss. <i>Cochlear Implants International</i> , 2008, 9, 132-142.	1.2	5
82	Impact of Screening Kindreds for SDHD p.Cys11X as a Common Mutation Associated with Paraganglioma Syndrome Type 1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 4818-4825.	3.6	28
83	Comparison of rehabilitation results in deaf patients with and without genetically related hearing loss. <i>Cochlear Implants International</i> , 2008, 9, 132-142.	1.2	2
84	Frequent chromosomal gains in recurrent juvenile nasopharyngeal angiofibroma. <i>Cancer Genetics and Cytogenetics</i> , 2007, 175, 138-143.	1.0	26
85	Immunohistochemical analysis of growth mechanisms in juvenile nasopharyngeal angiofibroma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2007, 264, 389-394.	1.6	50
86	The role of genetic factor in etiopathogenesis of squamous cell carcinoma of the head and neck in young adults. <i>European Archives of Oto-Rhino-Laryngology</i> , 2007, 264, 1459-1465.	1.6	20
87	Toll-like receptors 2, 3 and 4 (TLR-2, TLR-3 and TLR-4) are expressed in the microenvironment of human acquired cholesteatoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2006, 263, 603-607.	1.6	29
88	Does loss of heterozygosity in critical genome regions predict a local relapse in patients after laryngectomy?. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2006, 600, 67-76.	1.0	8
89	Squamous cell carcinoma of the head and neck in young adults – a preliminary assessment of genetic factor. <i>Reports of Practical Oncology and Radiotherapy</i> , 2005, 10, 17-21.	0.6	1
90	CYP1A1, CYP2D6, CYP2E1, NAT2, GSTM1 and GSTT1 polymorphisms or their combinations are associated with the increased risk of the laryngeal squamous cell carcinoma. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2005, 574, 112-123.	1.0	102

#	ARTICLE	IF	CITATIONS
91	Stent-graft treatment of extracranial internal carotid artery aneurysm. <i>European Archives of Oto-Rhino-Laryngology</i> , 2005, 262, 826-829.	1.6	8
92	The impact of genetic factors on the incidence of multiple primary tumors (MPT) of the head and neck. <i>Cancer Letters</i> , 2005, 224, 263-278.	7.2	36
93	Reduced DNA Repair Capacity in Laryngeal Cancer Subjects. , 2004, 62, 25-37.		36
94	Vessel Density, Proliferation, and Immunolocalization of Vascular Endothelial Growth Factor in Juvenile Nasopharyngeal Angiofibromas. <i>JAMA Otolaryngology</i> , 2004, 130, 727.	1.2	62
95	Non-random distribution of chromatid breaks in lymphocytes of laryngeal squamous cell carcinoma patients. <i>Oncology Reports</i> , 2004, 12, 153-7.	2.6	4
96	Oxidative DNA Base Modifications and Polycyclic Aromatic Hydrocarbon DNA Adducts in Squamous Cell Carcinoma of Larynx. <i>Free Radical Research</i> , 2003, 37, 231-240.	3.3	36
97	Mutation A1555G in the 12S rRNA gene and its epidemiological importance in German, Hungarian, and Polish patients. <i>Human Mutation</i> , 2002, 19, 308-309.	2.5	79
98	DNA Copy Number Losses Are More Frequent in Primary Larynx Tumors with Lymph Node Metastases Than in Tumors without Metastases. <i>Cancer Genetics and Cytogenetics</i> , 1999, 114, 31-34.	1.0	13
99	Glutathione S transferase M1 and T1 genotypes and susceptibility to smoking related larynx cancer. <i>Biomarkers</i> , 1998, 3, 149-155.	1.9	12
100	Lipid Levels in Patients with Sudden Deafness of Unknown Aetiology. <i>International Journal of Audiology</i> , 1983, 22, 63-72.	1.7	10