
Cheng-Ping Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1375785/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Diagnostic performance of core needle biopsy for nodal recurrences in patients with head and neck squamous cell carcinoma. Scientific Reports, 2022, 12, 2048.	3.3	3
2	Rising incidence of HPV positive oropharyngeal cancer in Taiwan between 1999 and 2014 where betel nut chewing is common. BMC Cancer, 2022, 22, 296.	2.6	11
3	Oral cavity anatomical site image classification and analysis. , 2022, 12037, .		3
4	Epstein-Barr Virus-Based Nasopharyngeal Carcinoma (NPC) Risk Prediction Scores Are Elevated in NPC Multiplex Family Members in Taiwan. Journal of Infectious Diseases, 2021, 223, 441-444.	4.0	5
5	Transcutaneous Sonography for Detection of the Cervical Vagus Nerve. Ear, Nose and Throat Journal, 2021, 100, 155-159.	0.8	6
6	Physical activity and fitness in survivors of head and neck cancer. Supportive Care in Cancer, 2021, 29, 6807-6817.	2.2	9
7	Transcutaneous ultrasound: An adjunct way to evaluate the intra–false vocal cord pathology—learning from a case of laryngeal Rosaiâ€Dorfman disease. Clinical Case Reports (discontinued), 2021, 9, e04493.	0.5	0
8	Adequate surgical margins for oral cancer: A Taiwan cancer registry national database analysis. Oral Oncology, 2021, 119, 105358.	1.5	17
9	Outcomes of salvage treatment in patients with recurrent oral squamous cell carcinoma. Head and Neck, 2021, 43, 3764-3774.	2.0	3
10	Pilot imaging study of o-BMVC foci for discrimination of indeterminate cytology in diagnosing fine-needle aspiration of thyroid nodules. Scientific Reports, 2021, 11, 23475.	3.3	5
11	Patients with oral cancer do not undergo surgery as primary treatment: A population-based study in Taiwan. Journal of the Formosan Medical Association, 2020, 119, 392-398.	1.7	2
12	Cigarette smoking increases the risk of nasopharyngeal carcinoma through the elevated level of IgA antibody against Epsteinâ€Barr virus capsid antigen: A mediation analysis. Cancer Medicine, 2020, 9, 1867-1876.	2.8	14
13	The differences of immunologic and TP53 mutant phenotypes between synchronous and metachronous head and neck cancer and esophageal cancer. Oral Oncology, 2020, 111, 104945.	1.5	4
14	Validation of an Epstein-Barr Virus Antibody Risk Stratification Signature for Nasopharyngeal Carcinoma by Use of Multiplex Serology. Journal of Clinical Microbiology, 2020, 58, .	3.9	14
15	Clinical characteristics and treatment outcome of oropharyngeal squamous cell carcinoma in an endemic betel quid region. Scientific Reports, 2020, 10, 526.	3.3	12
16	Ultrasound examinations of the head and neck – From the Beginning to Now. Journal of Medical Ultrasound, 2020, 28, 5-6.	0.4	0
17	Impact of dysplastic surgical margins for patients with oral squamous cell carcinoma. Oral Oncology, 2019, 97, 1-6.	1.5	19
18	Whole-Exome Sequencing of Nasopharyngeal Carcinoma Families Reveals Novel Variants Potentially Involved in Nasopharyngeal Carcinoma. Scientific Reports, 2019, 9, 9916.	3.3	32

#	Article	IF	CITATIONS
19	Evaluation of Rare and Common Variants from Suspected Familial or Sporadic Nasopharyngeal Carcinoma (NPC) Susceptibility Genes in Sporadic NPC. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1682-1686.	2.5	5
20	Multilaboratory Assessment of Epstein-Barr Virus Serologic Assays: the Case for Standardization. Journal of Clinical Microbiology, 2019, 57, .	3.9	8
21	Impact of varying anatomic sites on advanced stage and survival of oral cancer: 9â€year prospective cohort of 27 717 cases. Head and Neck, 2019, 41, 1475-1483.	2.0	22
22	Risk for a second primary hypopharyngeal and esophageal cancer after an initial primary oral cancer. Oral Diseases, 2019, 25, 1067-1075.	3.0	5
23	Validation of the Supportive Care Needs Survey Screening Tool Chinese Version for Patients With Head and Neck Cancer in Taiwan. The Journal of Nursing Research: JNR, 2019, 27, e50.	1.7	7
24	Identification of a metastatic lung adenocarcinoma of the palate mucosa through genetic and histopathological analysis: a rare case report and literature review. BMC Cancer, 2019, 19, 52.	2.6	5
25	Prevalence of current oral HPV infection among 100 betel nut chewers or cigarette smokers in Northern Taiwan. Journal of the Formosan Medical Association, 2019, 118, 203-208.	1.7	9
26	Assessment of pain score and specimen adequacy for ultrasound-guided fine-needle aspiration biopsy of thyroid nodules. Journal of Pain Research, 2018, Volume 11, 61-66.	2.0	8
27	Identification of a Novel, EBV-Based Antibody Risk Stratification Signature for Early Detection of Nasopharyngeal Carcinoma in Taiwan. Clinical Cancer Research, 2018, 24, 1305-1314.	7.0	52
28	Evaluation of nasal and nasopharyngeal swab collection for the detection of Epsteinâ€Barr virus in nasopharyngeal carcinoma. Journal of Medical Virology, 2018, 90, 191-195.	5.0	15
29	Malignant transformation to oral cancer by subtype of oral potentially malignant disorder: A prospective cohort study of Taiwanese nationwide oral cancer screening program. Oral Oncology, 2018, 87, 58-63.	1.5	39
30	Elevated antibodies against Epstein–Barr virus among individuals predicted to carry nasopharyngeal carcinoma susceptibility variants. Journal of General Virology, 2018, 99, 1268-1273.	2.9	3
31	Populationâ€based screening program for reducing oral cancer mortality in 2,334,299 Taiwanese cigarette smokers and/or betel quid chewers. Cancer, 2017, 123, 1597-1609.	4.1	112
32	Validation of the University of Washington Quality of Life Chinese Version (UWQOL-C) for head and neck cancer patients in Taiwan. Journal of the Formosan Medical Association, 2017, 116, 249-256.	1.7	15
33	The immunologic advantage of recurrent nasopharyngeal carcinoma from the viewpoint of Galectin-9/Tim-3-related changes in the tumour microenvironment. Scientific Reports, 2017, 7, 10349.	3.3	29
34	The application of ultrasound in detecting lymph nodal recurrence in the treated neck of head and neck cancer patients. Scientific Reports, 2017, 7, 3958.	3.3	16
35	A prospective randomized study comparing transnasal and peroral 5-mm ultrathin endoscopy. Journal of the Formosan Medical Association, 2016, 115, 218-219.	1.7	0
36	Regular screening of esophageal cancer for 248 newly diagnosed hypopharyngeal squamous cell carcinoma by unsedated transnasal esophagogastroduodenoscopy. Oral Oncology, 2016, 55, 55-60.	1.5	32

#	Article	IF	CITATIONS
37	Application of ultrasound-guided core biopsy to minimize the non-diagnostic results and the requirement of diagnostic surgery in extrapulmonary tuberculosis of the head and neck. European Radiology, 2016, 26, 2999-3005.	4.5	10
38	Application of Ultrasound-Guided Core Biopsy to Minimal-Invasively Diagnose Supraclavicular Fossa Tumors and Minimize the Requirement of Invasive Diagnostic Surgery. Medicine (United States), 2016, 95, e2172.	1.0	4
39	High Levels of Antibody that Neutralize B-cell Infection of Epstein–Barr Virus and that Bind EBV gp350 Are Associated with a Lower Risk of Nasopharyngeal Carcinoma. Clinical Cancer Research, 2016, 22, 3451-3457.	7.0	33
40	Evaluation of swallowing disorders by use of transnasal esophagoscopy in patients treated for head and neck cancer. Head and Neck, 2016, 38, E1137-43.	2.0	2
41	Associations among pretreatment tumor necrosis and the expression of HIF-1 \hat{l} ± and PD-L1 in advanced oral squamous cell carcinoma and the prognostic impact thereof. Oral Oncology, 2015, 51, 1004-1010.	1.5	61
42	Significance of nuclear p-mTOR expression in advanced oral squamous cell carcinoma with extracapsular extension of lymph node metastases. Oral Oncology, 2015, 51, 493-499.	1.5	4
43	Instability of Succinate Dehydrogenase in SDHD Polymorphism Connects Reactive Oxygen Species Production to Nuclear and Mitochondrial Genomic Mutations in Yeast. Antioxidants and Redox Signaling, 2015, 22, 587-602.	5.4	9
44	Positive immunostaining of thyroid transcription factor-1 in primary nasopharyngeal papillary adenocarcinoma. Journal of the Formosan Medical Association, 2015, 114, 473-474.	1.7	13
45	Diagnosis of Kikuchi-Fujimoto Disease: A Comparison between Open Biopsy and Minimally Invasive Ultrasound-Guided Core Biopsy. PLoS ONE, 2014, 9, e95886.	2.5	18
46	Epstein–Barr Virus Serology as a Potential Screening Marker for Nasopharyngeal Carcinoma among High-Risk Individuals from Multiplex Families in Taiwan. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1213-1219.	2.5	58
47	Use of transnasal endoscopy for screening of esophageal squamous cell carcinoma in highâ€risk patients: Yield rate, completion rate, and safety. Digestive Endoscopy, 2014, 26, 24-31.	2.3	42
48	Lifetime risk of distinct upper aerodigestive tract cancers and consumption of alcohol, betel and cigarette. International Journal of Cancer, 2014, 135, 1480-1486.	5.1	27
49	Meta-tetrahydroxyphenyl chlorine mediated photodynamic therapy inhibits the migrationÂandÂinvasion of a nasopharyngeal carcinoma KJ-1Âcell line. Journal of the Formosan Medical Association, 2014, 113, 173-178.	1.7	8
50	Diagnosis of Giant Cell Tumor of Temporomandibular Joint with Ultrasound-guided Core Needle Biopsy. Journal of Medical Ultrasound, 2014, 22, 164-166.	0.4	2
51	Follicular Lymphoma in Bilateral Submandibular Glands and Thyroid Gland. Journal of Medical Ultrasound, 2014, 22, 170-172.	0.4	1
52	Gland-preserving robotic surgery for benign submandibular gland tumours: a comparison between robotic and open techniques. British Journal of Oral and Maxillofacial Surgery, 2014, 52, 420-424.	0.8	16
53	Magnetic resonance imaging following endoscopic nasopharyngectomy with a potassium-titanyl-phosphate (KTP) laser for early locally recurrent nasopharyngeal carcinoma. Neuroradiology, 2013, 55, 1413-1421.	2.2	4
54	The Impact of Perineural Invasion and/or Lymphovascular Invasion on the Survival of Early-Stage Oral Squamous Cell Carcinoma Patients. Annals of Surgical Oncology, 2013, 20, 2388-2395.	1.5	72

#	Article	IF	CITATIONS
55	Transnasal Esophagogastroduodenoscopy for Evaluation of Upper Gastrointestinal Nonâ€Neoplastic Disorders in Patients With Fresh Hypopharyngeal Cancer. Laryngoscope, 2013, 123, 975-979.	2.0	5
56	Characterization of ELISA detection of broadâ€spectrum antiâ€Epstein–Barr virus antibodies associated with nasopharyngeal carcinoma. Journal of Medical Virology, 2013, 85, 524-529.	5.0	14
57	The clinical predictive factors for subsequent distant metastasis in patients with locoregionally advanced oral squamous cell carcinoma. Oral Oncology, 2013, 49, 367-373.	1.5	23
58	The benefit of pretreatment esophageal screening with image-enhanced endoscopy on the survival of patients with hypopharyngeal cancer. Oral Oncology, 2013, 49, 808-813.	1.5	30
59	Extracapsular dissection for minimal resection of benign parapharyngeal tumor. European Archives of Oto-Rhino-Laryngology, 2012, 269, 2097-2102.	1.6	13
60	Postoperative Intensity-Modulated Radiotherapy for Squamous Cell Carcinoma of the External Auditory Canal and Middle Ear: Treatment Outcomes, Marginal Misses, and Perspective on Target Delineation. International Journal of Radiation Oncology Biology Physics, 2012, 82, 1485-1493.	0.8	17
61	Transcutaneous ultrasound for evaluation of vocal fold movement in patients with thyroid disease. European Journal of Radiology, 2012, 81, e288-e291.	2.6	76
62	Salvage Treatment for Isolated Regional Failure of Nasopharyngeal Carcinoma after Primary Radiotherapy. Annals of Surgical Oncology, 2012, 19, 1001-1008.	1.5	15
63	Neck ultrasonography for the evaluation of the etiology of adult unilateral vocal fold paralysis. Head and Neck, 2012, 34, 643-648.	2.0	20
64	Genetic predisposition factors and nasopharyngeal carcinoma risk: A review of epidemiological association studies, 2000–2011. Seminars in Cancer Biology, 2012, 22, 107-116.	9.6	173
65	Common genetic mutations in the start codon of the SDH subunit D gene among Chinese families with familial head and neck paragangliomas. Oral Oncology, 2012, 48, 125-129.	1.5	9
66	The impact of pathologic close margin on the survival of patients with early stage oral squamous cell carcinoma. Oral Oncology, 2012, 48, 623-628.	1.5	44
67	The Determining Risk Factors for Treatment Outcomes in Patients with Squamous Cell Carcinoma of the Hard Palate. Annals of Surgical Oncology, 2012, 19, 2003-2010.	1.5	20
68	Revisit of Field Cancerization in Squamous Cell Carcinoma of Upper Aerodigestive Tract: Better Risk Assessment with Epigenetic Markers. Cancer Prevention Research, 2011, 4, 1982-1992.	1.5	57
69	Intratympanic Steroid Injections as a Salvage Treatment for Sudden Sensorineural Hearing Loss. Otology and Neurotology, 2011, 32, 774-779.	1.3	68
70	Significance of tumor satellite variables in reflecting the epithelial-mesenchymal transition of tongue cancer. Oral Oncology, 2011, 47, 720-724.	1.5	17
71	Feasibility of Preservation of the Submandibular Gland During Neck Dissection in Patients With Early-Stage Oral Cancer. Annals of Surgical Oncology, 2011, 18, 497-504.	1.5	22
72	Risk factors for developing synchronous esophageal neoplasia in patients with head and neck cancer. Head and Neck, 2011, 33, 77-81.	2.0	70

#	Article	IF	CITATIONS
73	Prognostic Utility of Anti-EBV Antibody Testing for Defining NPC Risk among Individuals from High-Risk NPC Families. Clinical Cancer Research, 2011, 17, 1906-1914.	7.0	58
74	Familial Tendency and Risk of Nasopharyngeal Carcinoma in Taiwan: Effects of Covariates on Risk. American Journal of Epidemiology, 2011, 173, 292-299.	3.4	39
75	Tumor Satellite in Predicting Occult Nodal Metastasis of Tongue Cancer. Otolaryngology - Head and Neck Surgery, 2011, 145, 599-605.	1.9	10
76	Postoperative radiotherapy for primary early oral tongue cancer with pathologic N1 neck. Head and Neck, 2010, 32, 555-561.	2.0	34
77	Resolution of secondary pulmonary alveolar proteinosis following treatment of rhinocerebral aspergillosis. International Journal of Infectious Diseases, 2010, 14, e246-e249.	3.3	7
78	Secondary Prevention of Esophageal Squamous Cell Carcinoma in Areas Where Smoking, Alcohol, and Betel Quid Chewing are Prevalent. Journal of the Formosan Medical Association, 2010, 109, 408-421.	1.7	51
79	Unsedated transnasal esophagogastroduodenoscopy for the evaluation of dysphagia following treatment for previous primary head neck cancer. Oral Oncology, 2009, 45, 615-620.	1.5	21
80	Vocal process granuloma – A result of long-term observation in 53 patients. Oral Oncology, 2009, 45, 821-825.	1.5	52
81	Recurrent Nasopharyngeal Carcinoma Presenting as a Positron Emission Tomography False-negative Scan. Tzu Chi Medical Journal, 2009, 21, 327-330.	1.1	0
82	Application of unsedated transnasal esophagogastroduodenoscopy in the diagnosis of hypopharyngeal cancer. Head and Neck, 2009, 31, 153-157.	2.0	27
83	Malignant fibrous histiocytoma of the sinonasal tract. Head and Neck, 2009, 31, 85-93.	2.0	33
84	Rare involvement of submandibular gland by oral squamous cell carcinoma. Head and Neck, 2009, 31, 877-881.	2.0	38
85	Endoscopic nasopharyngectomy with potassiumâ€ŧitanylâ€phosphate (KTP) laser for early locally recurrent nasopharyngeal carcinoma. Head and Neck, 2009, 31, 1309-1315.	2.0	54
86	Thyroid Cancer Incidentally Found in Radical Surgery for Laryngeal/Hypopharyngeal Cancer. Otolaryngology - Head and Neck Surgery, 2009, 141, 343-346.	1.9	6
87	Transnasal endoscopy with narrow-band imaging and Lugol staining to screen patients with head and neck cancer whose condition limits oral intubation with standard endoscope (with video). Gastrointestinal Endoscopy, 2009, 69, 408-417.	1.0	84
88	Association of tumor satellite distance with prognosis and contralateral neck recurrence of tongue squamous cell carcinoma. Head and Neck, 2008, 30, 631-638.	2.0	30
89	Postirradiated Neuroendocrine Carcinoma of the Sinonasal Tract. Laryngoscope, 2008, 118, 804-809.	2.0	23
90	Malignancies of the Ear in Irradiated Patients of Nasopharyngeal Carcinoma. Laryngoscope, 2008, 118, 2151-2155.	2.0	26

#	Article	IF	CITATIONS
91	Cotton Pledget Method for Nasal Decongestive Anesthesia Prior to Transnasal Endoscopy. American Journal of Gastroenterology, 2008, 103, 3212-3213.	0.4	12
92	Sublingual Gland Sialolithiasis: A Case Report. Kaohsiung Journal of Medical Sciences, 2007, 23, 590-593.	1.9	6
93	Angiomatous type of jugular foramen meningioma with neck extension: Differential diagnosis from paraganglioma and schwannoma. Head and Neck, 2007, 29, 793-798.	2.0	12
94	Ligation of the Internal Maxillary Artery to Reduce Intraoperative Bleeding During Total Maxillectomy. Laryngoscope, 2007, 117, 1978-1981.	2.0	10
95	Photodynamic therapy suppresses the migration and invasion of head and neck cancer cells in vitro. Oral Oncology, 2007, 43, 358-365.	1.5	43
96	Deep neck infection as the main initial presentation of primary head and neck cancer. Journal of Laryngology and Otology, 2006, 120, 305-309.	0.8	28
97	Desmoid tumor of the head and neck. Head and Neck, 2006, 28, 1008-1013.	2.0	60
98	Photodynamic therapy with topical 5-aminolevulinic acid as a post-operative adjuvant therapy for an incompletely resected primary nasopharyngeal papillary adenocarcinoma: A case report. Lasers in Surgery and Medicine, 2006, 38, 435-438.	2.1	30
99	Vestibular Evoked Myogenic Potentials in Neurofibromatosis 2. Annals of Otology, Rhinology and Laryngology, 2005, 114, 69-73.	1.1	16
100	Splaying of the Carotid Bifurcation Caused by a Cervical Sympathetic Chain Schwannoma. Annals of Otology, Rhinology and Laryngology, 2004, 113, 696-699.	1.1	42
101	Vascular Leiomyoma of the Head and Neck. Laryngoscope, 2004, 114, 661-665.	2.0	94
102	Lymphoepithelial carcinoma versus large cell undifferentiated carcinoma of the major salivary glands. Cancer, 2004, 101, 2020-2027.	4.1	63