

Hui-Ling Sun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1376292/publications.pdf>

Version: 2024-02-01

65
papers

3,997
citations

172457

29
h-index

123424

61
g-index

70
all docs

70
docs citations

70
times ranked

5798
citing authors

#	ARTICLE	IF	CITATIONS
1	CircHIPK3 promotes colorectal cancer growth and metastasis by sponging miR-7. <i>Cell Death and Disease</i> , 2018, 9, 417.	6.3	497
2	Upregulated lncRNA-UCA1 contributes to progression of hepatocellular carcinoma through inhibition of miR-216b and activation of FGFR1/ERK signaling pathway. <i>Oncotarget</i> , 2015, 6, 7899-7917.	1.8	329
3	The long noncoding RNA SNHG1 regulates colorectal cancer cell growth through interactions with EZH2 and miR-154-5p. <i>Molecular Cancer</i> , 2018, 17, 141.	19.2	259
4	The pro-metastasis effect of circANKS1B in breast cancer. <i>Molecular Cancer</i> , 2018, 17, 160.	19.2	219
5	LncRNA SATB2-AS1 inhibits tumor metastasis and affects the tumor immune cell microenvironment in colorectal cancer by regulating SATB2. <i>Molecular Cancer</i> , 2019, 18, 135.	19.2	205
6	lncRNA SNHG6 regulates EZH2 expression by sponging miR-26a/b and miR-214 in colorectal cancer. <i>Journal of Hematology and Oncology</i> , 2019, 12, 3.	17.0	175
7	Prognostic value of pre-operative inflammatory response biomarkers in gastric cancer patients and the construction of a predictive model. <i>Journal of Translational Medicine</i> , 2015, 13, 66.	4.4	172
8	SP1-induced lncRNA-ZFAS1 contributes to colorectal cancer progression via the miR-150-5p/VEGFA axis. <i>Cell Death and Disease</i> , 2018, 9, 982.	6.3	165
9	Identification of Serum Exosomal hsa-circ-0004771 as a Novel Diagnostic Biomarker of Colorectal Cancer. <i>Frontiers in Genetics</i> , 2019, 10, 1096.	2.3	157
10	Prognostic value of neutrophil-to-lymphocyte ratio in breast cancer. <i>FEBS Open Bio</i> , 2015, 5, 502-507.	2.3	104
11	Serum and exosome long non coding RNAs as potential biomarkers for hepatocellular carcinoma. <i>Journal of Cancer</i> , 2018, 9, 2631-2639.	2.5	97
12	miR-150-5p suppresses tumor progression by targeting VEGFA in colorectal cancer. <i>Aging</i> , 2018, 10, 3421-3437.	3.1	87
13	Up-Regulation of 91H Promotes Tumor Metastasis and Predicts Poor Prognosis for Patients with Colorectal Cancer. <i>PLoS ONE</i> , 2014, 9, e103022.	2.5	72
14	DNA-methylation-mediated silencing of miR-486-5p promotes colorectal cancer proliferation and migration through activation of PLAGL2/IGF2/I β -catenin signal pathways. <i>Cell Death and Disease</i> , 2018, 9, 1037.	6.3	70
15	P53-induced miR-1249 inhibits tumor growth, metastasis, and angiogenesis by targeting VEGFA and HMGA2. <i>Cell Death and Disease</i> , 2019, 10, 131.	6.3	66
16	miR-375-3p suppresses tumorigenesis and partially reverses chemoresistance by targeting YAP1 and SP1 in colorectal cancer cells. <i>Aging</i> , 2019, 11, 7357-7385.	3.1	66
17	Serum exosomal miR-122 as a potential diagnostic and prognostic biomarker of colorectal cancer with liver metastasis. <i>Journal of Cancer</i> , 2020, 11, 630-637.	2.5	65
18	LACTB, a novel epigenetic silenced tumor suppressor, inhibits colorectal cancer progression by attenuating MDM2-mediated p53 ubiquitination and degradation. <i>Oncogene</i> , 2018, 37, 5534-5551.	5.9	62

#	ARTICLE	IF	CITATIONS
19	Circulating miR-1290 and miR-320d as Novel Diagnostic Biomarkers of Human Colorectal Cancer. <i>Journal of Cancer</i> , 2019, 10, 43-50.	2.5	53
20	microRNA-485-5p Functions as a Tumor Suppressor in Colorectal Cancer Cells by Targeting CD147. <i>Journal of Cancer</i> , 2018, 9, 2603-2611.	2.5	47
21	Differential long noncoding RNA expressions in peripheral blood mononuclear cells for detection of acute ischemic stroke. <i>Clinical Science</i> , 2018, 132, 1597-1614.	4.3	46
22	Analysis of METTL3 and METTL14 in hepatocellular carcinoma. <i>Aging</i> , 2020, 12, 21638-21659.	3.1	44
23	MiR-608, pre-miR-124-1 and pre-miR26a-1 polymorphisms modify susceptibility and recurrence-free survival in surgically resected CRC individuals. <i>Oncotarget</i> , 2016, 7, 75865-75873.	1.8	44
24	Combination of preoperative NLR, PLR and CEA could increase the diagnostic efficacy for III stage CRC. <i>Journal of Clinical Laboratory Analysis</i> , 2017, 31, e22075.	2.1	39
25	Circulating vitamin D binding protein, total, free and bioavailable 25-hydroxyvitamin D and risk of colorectal cancer. <i>Scientific Reports</i> , 2015, 5, 7956.	3.3	38
26	A nomogram based on serum bilirubin and albumin levels predicts survival in gastric cancer patients. <i>Oncotarget</i> , 2017, 8, 41305-41318.	1.8	35
27	Association of the Polymorphisms in the Fas/FasL Promoter Regions with Cancer Susceptibility: A Systematic Review and Meta-Analysis of 52 Studies. <i>PLoS ONE</i> , 2014, 9, e90090.	2.5	34
28	Prognostic Value of Long Non-Coding RNA HOTAIR in Various Cancers. <i>PLoS ONE</i> , 2014, 9, e110059.	2.5	32
29	Association of Genetic Polymorphisms in the LncRNAs with Gastric Cancer Risk in a Chinese Population. <i>Journal of Cancer</i> , 2017, 8, 531-536.	2.5	30
30	MiR-142a-3p functions as a tumor suppressor by targeting RAC1/PAK1 pathway in breast cancer. <i>Journal of Cellular Physiology</i> , 2020, 235, 4928-4940.	4.1	28
31	SNHG15 is a negative regulator of inflammation by mediating TRAF2 ubiquitination in stroke-induced immunosuppression. <i>Journal of Neuroinflammation</i> , 2022, 19, 1.	7.2	28
32	Circulating miR-148/152 family as potential biomarkers in hepatocellular carcinoma. <i>Tumor Biology</i> , 2016, 37, 4945-4953.	1.8	27
33	Association of Clostridium difficile infection in hospital mortality: A systematic review and meta-analysis. <i>American Journal of Infection Control</i> , 2015, 43, 1316-1320.	2.3	26
34	LncRNA SPINT1-AS1 promotes breast cancer proliferation and metastasis by sponging let-7 a/b/i-5p. <i>Pathology Research and Practice</i> , 2021, 217, 153268.	2.3	26
35	Prognostic significance of long noncoding RNA Z38 as a candidate biomarker in breast cancer. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, .	2.1	25
36	Nucleotide excision repair pathway gene polymorphisms are linked to breast cancer risk in a Chinese population. <i>Oncotarget</i> , 2016, 7, 84872-84882.	1.8	25

#	ARTICLE	IF	CITATIONS
37	The effect of BIM deletion polymorphism on intrinsic resistance and clinical outcome of cancer patient with kinase inhibitor therapy. <i>Scientific Reports</i> , 2015, 5, 11348.	3.3	23
38	Association between SNPs in Long Non-coding RNAs and the Risk of Female Breast Cancer in a Chinese Population. <i>Journal of Cancer</i> , 2017, 8, 1162-1169.	2.5	23
39	Polymorphisms of TGFBR1, TLR4 are associated with prognosis of gastric cancer in a Chinese population. <i>Cancer Cell International</i> , 2018, 18, 191.	4.1	21
40	Triglyceride-to-high density lipoprotein cholesterol ratio predicts clinical outcomes in patients with gastric cancer. <i>Journal of Cancer</i> , 2019, 10, 6829-6836.	2.5	21
41	MiR-485-5p as a potential biomarker and tumor suppressor in human colorectal cancer. <i>Biomarkers in Medicine</i> , 2020, 14, 239-248.	1.4	20
42	Novel insights into the interaction between N6-methyladenosine modification and circular RNA. <i>Molecular Therapy - Nucleic Acids</i> , 2022, 27, 824-837.	5.1	19
43	Association of the DISC1 and NRG1 genetic polymorphisms with schizophrenia in a Chinese population. <i>Gene</i> , 2016, 590, 293-297.	2.2	18
44	Prognostic performance of lymphocyte-to-monocyte ratio in diffuse large B-cell lymphoma: an updated meta-analysis of eleven reports. <i>OncoTargets and Therapy</i> , 2016, 9, 3017.	2.0	16
45	The Predictive and Prognostic Role of Stromal Tumor-infiltrating Lymphocytes in HER2-positive Breast Cancer with Trastuzumab-based Treatment: a Meta-analysis and Systematic Review. <i>Journal of Cancer</i> , 2017, 8, 3838-3848.	2.5	16
46	Low triglyceride to high-density lipoprotein cholesterol ratio predicts hemorrhagic transformation in large atherosclerotic infarction of acute ischemic stroke. <i>Aging</i> , 2019, 11, 1589-1601.	3.1	16
47	The association of Phosphatase and tensin homolog (PTEN) deletion and prostate cancer risk: A meta-analysis. <i>Biomedicine and Pharmacotherapy</i> , 2016, 83, 114-121.	5.6	14
48	Gene therapy for human colorectal cancer cell lines with recombinant adenovirus 5 based on loss of the insulin-like growth factor 2 imprinting. <i>International Journal of Oncology</i> , 2015, 46, 1759-1767.	3.3	12
49	Admission blood cell counts are predictive of stroke-associated infection in acute ischemic stroke patients treated with endovascular therapy. <i>Neurological Sciences</i> , 2021, 42, 2397-2409.	1.9	12
50	Inflammatory Factors as Potential Markers of Early Neurological Deterioration in Acute Ischemic Stroke Patients Receiving Endovascular Therapy – The AISRNA Study. <i>Journal of Inflammation Research</i> , 2021, Volume 14, 4399-4407.	3.5	12
51	Association between estrogen receptor 1 (ESR1) genetic variations and cancer risk: a meta-analysis. <i>Journal of B U on</i> , 2015, 20, 296-308.	0.4	12
52	Estrogen Receptor 1 (ESR1) genetic variations in cancer risk: A systematic review and meta-analysis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2015, 39, 127-135.	1.5	11
53	Evaluation the susceptibility of five polymorphisms in microRNA-binding sites to female breast cancer risk in Chinese population. <i>Gene</i> , 2015, 573, 160-165.	2.2	11
54	Gene therapy for colorectal cancer by adenovirus-mediated siRNA targeting CD147 based on loss of the IGF2 imprinting system. <i>International Journal of Oncology</i> , 2015, 47, 1881-1889.	3.3	10

#	ARTICLE	IF	CITATIONS
55	Meta-analysis of prognostic value of inflammation parameter in breast cancer. <i>Journal of Cancer Research and Therapeutics</i> , 2018, 14, S85-S89.	0.9	10
56	Inhibition of CD147 expression by RNA interference reduces proliferation, invasion and increases chemosensitivity in cancer stem cell-like HT-29 cells. <i>International Journal of Oncology</i> , 2015, 47, 1476-1484.	3.3	9
57	<p>MicroRNA-371-3 cluster as biomarkers for the diagnosis and prognosis of cancers</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 5437-5457.	1.9	8
58	<p>Susceptibility of PON1/PON2 Genetic Variations to Ischemic Stroke Risk in a Chinese Han Population</p>. <i>Pharmacogenomics and Personalized Medicine</i> , 2020, Volume 13, 563-570.	0.7	7
59	Polymorphisms of IL-23R predict survival of gastric cancer patients in a Chinese population. <i>Cytokine</i> , 2019, 117, 79-83.	3.2	6
60	The inhibitory role of miRâ€‘485â€‘5p in colorectal cancer proliferation and invasion via targeting of CD147. <i>Oncology Reports</i> , 2018, 39, 2201-2208.	2.6	5
61	Long intergenic non-coding RNA LINC00485 exerts tumor-suppressive activity by regulating miR-581/EDEM1 axis in colorectal cancer. <i>Aging</i> , 2021, 13, 3866-3885.	3.1	5
62	Dual Antiplatelet Therapy in Patients With Minor Stroke Receiving Intravenous Thrombolysis. <i>Frontiers in Neurology</i> , 2022, 13, 819896.	2.4	4
63	Laboratory Testing Implications of Risk-Stratification and Management of COVID-19 Patients. <i>Frontiers in Medicine</i> , 2021, 8, 699706.	2.6	3
64	A Novel Nomogram for Predicting Prognosis after Mechanical Thrombectomy in Patients with Acute Ischemic Stroke. <i>Current Neurovascular Research</i> , 2021, 18, 479-488.	1.1	3
65	Susceptibility of Genetic Variations in Methylation Pathway to Gastric Cancer. <i>Pharmacogenomics and Personalized Medicine</i> , 2022, Volume 15, 441-448.	0.7	1