## Kyle Steenland

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1376430/publications.pdf

Version: 2024-02-01

| 128<br>papers | 8,378<br>citations | 46918<br>47<br>h-index | 88<br>g-index  |
|---------------|--------------------|------------------------|----------------|
| 134           | 134                | 134                    | 8371           |
| all docs      | docs citations     | times ranked           | citing authors |

| #  | Article  | IF          | Citations |
|----|--|-------------|-----------|
| 1  | Epidemiologic Evidence on the Health Effects of Perfluorooctanoic Acid (PFOA). Environmental Health Perspectives, 2010, 118, 1100-1108.  | 2.8         | 509       |
| 2  | Perfluorooctanoic Acid (PFOA) Exposures and Incident Cancers among Adults Living Near a Chemical Plant. Environmental Health Perspectives, 2013, 121, 1313-1318.   | 2.8         | 444       |
| 3  | Rate of Decline in Serum PFOA Concentrations after Granular Activated Carbon Filtration at Two<br>Public Water Systems in Ohio and West Virginia. Environmental Health Perspectives, 2010, 118, 222-228.       | 2.8         | 327       |
| 4  | An Overview of Methods for Calculating the Burden of Disease Due to Specific Risk Factors. Epidemiology, 2006, 17, 512-519.  | 1.2         | 297       |
| 5  | Association of Perfluorooctanoic Acid and Perfluorooctane Sulfonate With Serum Lipids Among Adults Living Near a Chemical Plant. American Journal of Epidemiology, 2009, 170, 1268-1278.                       | 1.6         | 293       |
| 6  | The C8 Health Project: Design, Methods, and Participants. Environmental Health Perspectives, 2009, 117, 1873-1882.   | 2.8         | 262       |
| 7  | Perfluorooctanoic Acid, Perfluorooctanesulfonate, and Serum Lipids in Children and Adolescents. JAMA Pediatrics, 2010, 164, 860-9.   | <b>3.</b> 6 | 230       |
| 8  | Indirect methods of assessing the effects of tobacco use in occupational studies. American Journal of Industrial Medicine, 1988, 13, 105-118.  | 1.0         | 221       |
| 9  | Dioxin Revisited: Developments Since the 1997 IARC Classification of Dioxin as a Human Carcinogen. Environmental Health Perspectives, 2004, 112, 1265-1268.  | 2.8         | 218       |
| 10 | Pooled exposure-response analyses and risk assessment for lung cancer in 10 cohorts of silica-exposed workers: an IARC multicentre study. Cancer Causes and Control, 2001, 12, 773-784.                        | 0.8         | 206       |
| 11 | Serum Perfluorooctanoic Acid and Perfluorooctane Sulfonate Concentrations in Relation to Birth Outcomes in the Mid-Ohio Valley, 2005–2010. Environmental Health Perspectives, 2013, 121, 1207-1213.            | 2.8         | 176       |
| 12 | Monte Carlo Sensitivity Analysis and Bayesian Analysis of Smoking as an Unmeasured Confounder in a Study of Silica and Lung Cancer. American Journal of Epidemiology, 2004, 160, 384-392.                      | 1.6         | 171       |
| 13 | Association of Perfluorooctanoic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS) with Uric Acid among Adults with Elevated Community Exposure to PFOA. Environmental Health Perspectives, 2010, 118, 229-233. | 2.8         | 170       |
| 14 | Silica: A lung carcinogen. Ca-A Cancer Journal for Clinicians, 2014, 64, 63-69.  | 157.7       | 166       |
| 15 | A Meta-Analysis of Alzheimer's Disease Incidence and Prevalence Comparing African-Americans and Caucasians. Journal of Alzheimer's Disease, 2016, 50, 71-76.   | 1.2         | 165       |
| 16 | Environmental Fate and Transport Modeling for Perfluorooctanoic Acid Emitted from the Washington Works Facility in West Virginia. Environmental Science & Enp; Technology, 2011, 45, 1435-1442.                | 4.6         | 154       |
| 17 | Ulcerative Colitis and Perfluorooctanoic Acid (PFOA) in a Highly Exposed Population of Community Residents and Workers in the Mid-Ohio Valley. Environmental Health Perspectives, 2013, 121, 900-905.          | 2.8         | 151       |
| 18 | PFAS and cancer, a scoping review of the epidemiologic evidence. Environmental Research, 2021, 194, 110690.  | 3.7         | 151       |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 19 | Late-Life Depression as a Risk Factor for Mild Cognitive Impairment or Alzheimer's Disease in 30 US Alzheimer's Disease Centers. Journal of Alzheimer's Disease, 2012, 31, 265-275.                             | 1.2 | 147       |
| 20 | A Practical Guide to Dose-Response Analyses and Risk Assessment in Occupational Epidemiology. Epidemiology, 2004, 15, 63-70.  | 1.2 | 130       |
| 21 | Individual- and Area-Level Socioeconomic Status Variables as Predictors of Mortality in a Cohort of 179,383 Persons. American Journal of Epidemiology, 2004, 159, 1047-1056.                                    | 1.6 | 125       |
| 22 | Polychlorinated Biphenyls and Neurodegenerative Disease Mortality in an Occupational Cohort. Epidemiology, 2006, 17, 8-13.  | 1.2 | 123       |
| 23 | Modeled PFOA Exposure and Coronary Artery Disease, Hypertension, and High Cholesterol in Community and Worker Cohorts. Environmental Health Perspectives, 2014, 122, 1299-1305.                                 | 2.8 | 119       |
| 24 | Cohort Mortality Study of Workers Exposed to Perfluorooctanoic Acid. American Journal of Epidemiology, 2012, 176, 909-917.  | 1.6 | 116       |
| 25 | Predictors of PFOA Levels in a Community Surrounding a Chemical Plant. Environmental Health Perspectives, 2009, 117, 1083-1088.   | 2.8 | 115       |
| 26 | All-Cause and Cause-Specific Mortality by Socioeconomic Status Among Employed Persons in 27 US States, 1984–1997. American Journal of Public Health, 2004, 94, 1037-1042.                                       | 1.5 | 112       |
| 27 | One agent, many diseases: Exposure-response data and comparative risks of different outcomes following silica exposure. American Journal of Industrial Medicine, 2005, 48, 16-23.                               | 1.0 | 106       |
| 28 | Retrospective Exposure Estimation and Predicted versus Observed Serum Perfluorooctanoic Acid Concentrations for Participants in the C8 Health Project. Environmental Health Perspectives, 2011, 119, 1760-1765. | 2.8 | 94        |
| 29 | Proton Pump Inhibitors and Risk of Mild Cognitive Impairment and Dementia. Journal of the American Geriatrics Society, 2017, 65, 1969-1974.   | 1.3 | 93        |
| 30 | A national cohort study (2000–2018) of long-term air pollution exposure and incident dementia in older adults in the United States. Nature Communications, 2021, 12, 6754.                                      | 5.8 | 92        |
| 31 | Exposure-Response Analysis and Risk Assessment for Lung Cancer in Relationship to Silica Exposure: A 44-Year Cohort Study of 34,018 Workers. American Journal of Epidemiology, 2013, 178, 1424-1433.            | 1.6 | 91        |
| 32 | Modeled Perfluorooctanoic Acid (PFOA) Exposure and Liver Function in a Mid-Ohio Valley Community. Environmental Health Perspectives, 2016, 124, 1227-1233.  | 2.8 | 89        |
| 33 | Reductions in Serum Lipids with a 4-year Decline in Serum Perfluorooctanoic Acid and Perfluorooctanesulfonic Acid. Epidemiology, 2013, 24, 569-576.   | 1.2 | 88        |
| 34 | Perfluorooctanoic Acid Exposure and Thyroid Disease in Community and Worker Cohorts. Epidemiology, 2014, 25, 255-264.   | 1.2 | 83        |
| 35 | Kidney Disease and Arthritis in a Cohort Study of Workers Exposed to Silica. Epidemiology, 2001, 12, 405-412.   | 1.2 | 79        |
| 36 | Serum Perfluorooctanoic Acid and Birthweight. Epidemiology, 2018, 29, 765-776.  | 1.2 | 77        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Research Recommendations for Selected IARC-Classified Agents. Environmental Health Perspectives, 2010, 118, 1355-1362.   | 2.8 | 75        |
| 38 | The association between late-life depression, mild cognitive impairment and dementia: is inflammation the missing link?. Expert Review of Neurotherapeutics, 2012, 12, 1339-1350.  | 1.4 | 74        |
| 39 | A cohort incidence study of workers exposed to perfluorooctanoic acid (PFOA). Occupational and Environmental Medicine, 2015, 72, 373-380.  | 1.3 | 73        |
| 40 | Review: Evolution of evidence on PFOA and health following the assessments of the C8 Science Panel. Environment International, 2020, 145, 106125.  | 4.8 | 72        |
| 41 | Design and Rationale of the HAPIN Study: A Multicountry Randomized Controlled Trial to Assess the Effect of Liquefied Petroleum Gas Stove and Continuous Fuel Distribution. Environmental Health Perspectives, 2020, 128, 47008. | 2.8 | 72        |
| 42 | A Study of Reverse Causation: Examining the Associations of Perfluorooctanoic Acid Serum Levels with Two Outcomes. Environmental Health Perspectives, 2017, 125, 416-421.  | 2.8 | 69        |
| 43 | Modulation of Reninâ€Angiotensin System May Slow Conversion from Mild Cognitive Impairment to Alzheimer's Disease. Journal of the American Geriatrics Society, 2015, 63, 1749-1756.  | 1.3 | 68        |
| 44 | Update of the NIOSH life table analysis system: A person-years analysis program for the windows computing environment. American Journal of Industrial Medicine, 2011, 54, 915-924.   | 1.0 | 67        |
| 45 | Long-term exposure to nitrogen dioxide and mortality: A systematic review and meta-analysis. Science of the Total Environment, 2021, 776, 145968.  | 3.9 | 67        |
| 46 | Incidence of type II diabetes in a cohort with substantial exposure to perfluorooctanoic acid. Environmental Research, 2014, 128, 78-83.   | 3.7 | 62        |
| 47 | Early life perfluorooctanoic acid (PFOA) exposure and overweight and obesity risk in adulthood in a community with elevated exposure. Environmental Research, 2014, 132, 62-69.  | 3.7 | 58        |
| 48 | Prostate cancer incidence and survival in relation to education (United States). Cancer Causes and Control, 2004, 15, 939-945.   | 0.8 | 51        |
| 49 | Recent Trends in Alzheimer Disease Mortality in the United States, 1999 to 2004. Alzheimer Disease and Associated Disorders, 2009, 23, 165-170.  | 0.6 | 47        |
| 50 | Design, Methods, and Population for a Study of PFOA Health Effects among Highly Exposed Mid-Ohio Valley Community Residents and Workers. Environmental Health Perspectives, 2013, 121, 893-899.                                  | 2.8 | 47        |
| 51 | Modeling the potential health benefits of lower household air pollution after a hypothetical liquified petroleum gas (LPG) cookstove intervention. Environment International, 2018, 111, 71-79.                                  | 4.8 | 44        |
| 52 | Challenges in the diagnosis of paediatric pneumonia in intervention field trials: recommendations from a pneumonia field trial working group. Lancet Respiratory Medicine, the, 2019, 7, 1068-1083.                              | 5.2 | 44        |
| 53 | PFOA and ulcerative colitis. Environmental Research, 2018, 165, 317-321.   | 3.7 | 42        |
| 54 | Factors Affecting Survival of Patients with Neurodegenerative Disease. Neuroepidemiology, 2010, 35, 28-35.   | 1.1 | 41        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 55 | Retrospective Exposure Assessment of Perfluorooctanoic Acid Serum Concentrations at a Fluoropolymer Manufacturing Plant. Annals of Occupational Hygiene, 2012, 56, 1025-1037.  | 1.9 | 41        |
| 56 | Statins and Cognitive Decline in Older Adults with Normal Cognition or Mild Cognitive Impairment. Journal of the American Geriatrics Society, 2013, 61, 1449-1455.   | 1.3 | 41        |
| 57 | Risk of Bias Assessments and Evidence Syntheses for Observational Epidemiologic Studies of Environmental and Occupational Exposures: Strengths and Limitations. Environmental Health Perspectives, 2020, 128, 95002.         | 2.8 | 40        |
| 58 | A cohort mortality study of lead-exposed workers in the USA, Finland and the UK. Occupational and Environmental Medicine, 2017, 74, 785-791.   | 1.3 | 36        |
| 59 | Developing an Advanced PM2.5 Exposure Model in Lima, Peru. Remote Sensing, 2019, 11, 641.  | 1.8 | 36        |
| 60 | Air Pollutant Exposure and Stove Use Assessment Methods for the Household Air Pollution Intervention Network (HAPIN) Trial. Environmental Health Perspectives, 2020, 128, 47009.   | 2.8 | 36        |
| 61 | PFOA and PFOS Serum Levels and Miscarriage Risk. Epidemiology, 2014, 25, 505-512.  | 1.2 | 34        |
| 62 | Biomarkers for Predicting Cognitive Decline in those with Normal Cognition. Journal of Alzheimer's Disease, 2014, 40, 587-594.   | 1.2 | 32        |
| 63 | Effects of a liquefied petroleum gas stove intervention on pollutant exposure and adult cardiopulmonary outcomes (CHAP): study protocol for a randomized controlled trial. Trials, 2017, 18, 518.                            | 0.7 | 31        |
| 64 | Low-Concentration Air Pollution and Mortality in American Older Adults: A National Cohort Analysis (2001–2017). Environmental Science & Echnology, 2022, 56, 7194-7202.  | 4.6 | 29        |
| 65 | The Effect of Race and Rural Residence on Prostate Cancer Treatment Choice Among Men in Georgia.<br>Urology, 2011, 77, 581-587.  | 0.5 | 28        |
| 66 | Mortality among participants in a lead surveillance program. Environmental Research, 2014, 132, 100-104.   | 3.7 | 28        |
| 67 | Inflammation and cognitive functioning in African Americans and Caucasians. International Journal of Geriatric Psychiatry, 2015, 30, 934-941.  | 1.3 | 28        |
| 68 | Association of PM2.5 concentration with health center outpatient visits for respiratory diseases of children under 5 years old in Lima, Peru. Environmental Health, 2020, 19, 7.   | 1.7 | 28        |
| 69 | Analyses of Diagnostic Patterns at 30 Alzheimer's Disease Centers in the US. Neuroepidemiology, 2010, 35, 19-27.   | 1.1 | 27        |
| 70 | Total and Cause-Specific Mortality Risk Associated With Low-Level Exposure to Crystalline Silica: A 44-Year Cohort Study From China. American Journal of Epidemiology, 2017, 186, 481-490.                                   | 1.6 | 23        |
| 71 | Cancer incidence among workers with blood lead measurements in two countries. Occupational and Environmental Medicine, 2019, 76, 603-610.  | 1.3 | 23        |
| 72 | An educational intervention on the risk perception of pesticides exposure and organophosphate metabolites urinary concentrations in rural school children in Maule Region, Chile. Environmental Research, 2019, 176, 108554. | 3.7 | 23        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Incident ESRD Among Participants in a Lead Surveillance Program. American Journal of Kidney Diseases, 2014, 64, 25-31.  | 2.1 | 22        |
| 74 | Lead exposure and mortality among U.S. workers in a surveillance program: Results from 10 additional years of follow-up. Environmental Research, 2019, 177, 108625.   | 3.7 | 22        |
| 75 | Design and Rationale of the Biomarker Center of the Household Air Pollution Intervention Network (HAPIN) Trial. Environmental Health Perspectives, 2020, 128, 47010.  | 2.8 | 22        |
| 76 | Bone lead associations with blood lead, kidney function and blood pressure among US, lead-exposed workers in a surveillance programme. Occupational and Environmental Medicine, 2019, 76, 349-354.  | 1.3 | 21        |
| 77 | Household air pollution exposure and associations with household characteristics among biomass cookstove users in Puno, Peru. Environmental Research, 2020, 191, 110028.  | 3.7 | 21        |
| 78 | Nitrogen dioxide exposures from LPG stoves in a cleaner-cooking intervention trial. Environment International, 2021, 146, 106196.   | 4.8 | 21        |
| 79 | Relation between perfluorooctanoic acid exposure and strokes in a large cohort living near a chemical plant. Environmental Research, 2013, 127, 22-28.  | 3.7 | 19        |
| 80 | Short-term exposure to nitrogen dioxide and mortality: A systematic review and meta-analysis. Environmental Research, 2021, 202, 111766.  | 3.7 | 19        |
| 81 | Perfluorooctanoic acid and chronic kidney disease: Longitudinal analysis of a Mid-Ohio Valley community. Environmental Research, 2016, 145, 85-92.  | 3.7 | 18        |
| 82 | LPG stove and fuel intervention among pregnant women reduce fine particle air pollution exposures in three countries: Pilot results from the HAPIN trial. Environmental Pollution, 2021, 291, 118198.   | 3.7 | 18        |
| 83 | Health Effects of PCBs in Residences and Schools (HESPERUS): PCB – health Cohort Profile. Scientific Reports, 2016, 6, 24571.   | 1.6 | 17        |
| 84 | Estimating the Impact of Changes to Occupational Standards for Silica Exposure on Lung Cancer Mortality. Epidemiology, 2018, 29, 658-665.   | 1.2 | 17        |
| 85 | Nitrogen dioxide exposures from biomass cookstoves in the Peruvian Andes. Indoor Air, 2020, 30, 735-744.  | 2.0 | 17        |
| 86 | Risk Estimation with Epidemiologic Data When Response Attenuates at High-Exposure Levels. Environmental Health Perspectives, 2011, 119, 831-837.  | 2.8 | 16        |
| 87 | The use of bluetooth low energy Beacon systems to estimate indirect personal exposure to household air pollution. Journal of Exposure Science and Environmental Epidemiology, 2020, 30, 990-1000.   | 1.8 | 16        |
| 88 | Neurofibrillary Tangles and Conversion to Mild Cognitive Impairment with Certain Antihypertensives. Journal of Alzheimer's Disease, 2019, 70, 153-161.  | 1.2 | 15        |
| 89 | Exposure contrasts associated with a liquefied petroleum gas (LPG) intervention at potential field sites for the multi-country household air pollution intervention network (HAPIN) trial in India: results from pilot phase activities in rural Tamil Nadu. BMC Public Health, 2020, 20, 1799. | 1.2 | 14        |
| 90 | Cancer Outcomes Research in a Rural Area: A Multi-Institution Partnership Model. Journal of Community Health, 2009, 34, 23-32.  | 1.9 | 13        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Attenuation of Exposure-response Rate Ratios at Higher Exposures. Epidemiology, 2015, 26, 395-401.   | 1.2 | 13        |
| 92  | Perfluorooctanoic acid exposure and natural menopause: A longitudinal study in a community cohort. Environmental Research, 2016, 146, 323-330.   | 3.7 | 13        |
| 93  | Long-term effects of PM2.5 components on incident dementia in the northeastern United States. Innovation(China), 2022, 3, 100208.  | 5.2 | 13        |
| 94  | Biomarker-Based Calibration of Retrospective Exposure Predictions of Perfluorooctanoic Acid. Environmental Science & Environme | 4.6 | 12        |
| 95  | A  Framingham-like' Algorithm for Predicting 4-Year Risk of Progression to Amnestic Mild Cognitive Impairment or Alzheimer's Disease Using Multidomain Information. Journal of Alzheimer's Disease, 2018, 63, 1383-1393.   | 1.2 | 12        |
| 96  | Cooling intervention studies among outdoor occupational groups: A review of the literature. American Journal of Industrial Medicine, 2020, 63, 988-1007.   | 1.0 | 11        |
| 97  | Household air pollution and blood markers of inflammation: A crossâ€sectional analysis. Indoor Air, 2021, 31, 1509-1521.   | 2.0 | 11        |
| 98  | Mortality Patterns following Downsizing at Pan American World Airways. American Journal of Epidemiology, 2007, 167, 1-6.   | 1.6 | 10        |
| 99  | PM2.5 exposure on daily cardio-respiratory mortality in Lima, Peru, from 2010 to 2016. Environmental Health, 2020, 19, 63.   | 1.7 | 10        |
| 100 | Meteorological factors and childhood diarrhea in Peru, 2005–2015: a time series analysis of historic associations, with implications for climate change. Environmental Health, 2021, 20, 22.   | 1.7 | 10        |
| 101 | Occupational secondhand smoke is the main determinant of hair nicotine concentrations in bar and restaurant workers. Environmental Research, 2014, 132, 206-211.   | 3.7 | 9         |
| 102 | Chronic renal disease among lead-exposed workers. Occupational and Environmental Medicine, 2020, 77, 415-417.  | 1.3 | 9         |
| 103 | Arsenic Concentrations in Household Drinking Water: AÂCross-Sectional Survey of Pregnant Women in Tacna, Peru, 2019. Exposure and Health, 2020, 12, 555-560.   | 2.8 | 8         |
| 104 | Commentary. Epidemiology, 2014, 25, 167-169.   | 1.2 | 7         |
| 105 | The association between asthma emergency department visits and satellite-derived PM2.5 in Lima, Peru. Environmental Research, 2021, 199, 111226.   | 3.7 | 7         |
| 106 | Child Survival and Early Lifetime Exposures to Ambient Fine Particulate Matter in India: A Retrospective Cohort Study. Environmental Health Perspectives, 2022, 130, 17009.  | 2.8 | 7         |
| 107 | Association between personal exposure to household air pollution and gestational blood pressure among women using solid cooking fuels in rural Tamil Nadu, India. Environmental Research, 2022, 208, 112756.   | 3.7 | 7         |
| 108 | Effects of a Liquefied Petroleum Gas Stove Intervention on Gestational Blood Pressure: Intention-to-Treat and Exposure-Response Findings From the HAPIN Trial. Hypertension, 2022, 79, 1887-1898.  | 1.3 | 7         |

7

| #   | Article   | IF              | CITATIONS    |
|-----|---|-----------------|--------------|
| 109 | Impact of Rotavirus Vaccination Varies by Level of Access to Piped Water and Sewerage: An Analysis of Childhood Clinic Visits for Diarrhea in Peru, 2005–2015. Pediatric Infectious Disease Journal, 2020, 39, 756-762.   | 1.1             | 6            |
| 110 | Effect modification by maximum temperature of the association between PM2.5 and short-term cardiorespiratory mortality and emergency room visits in Lima, Peru, 2010–2016. Journal of Exposure Science and Environmental Epidemiology, 2022, 32, 590-595.           | 1.8             | 6            |
| 111 | Environmental health in Peru: outdoor and indoor air contamination. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2014, 36, 141.   | 0.6             | 6            |
| 112 | Socioeconomic Status and Non-Fatal Adult Injuries in Selected Atlanta (Georgia USA) Hospitals. Prehospital and Disaster Medicine, 2017, 32, 403-413.  | 0.7             | 5            |
| 113 | Household Air Pollution Concentrations after Liquefied Petroleum Gas Interventions in Rural Peru:<br>Findings from a One-Year Randomized Controlled Trial Followed by a One-Year Pragmatic Crossover<br>Trial. Environmental Health Perspectives, 2022, 130, 57007. | 2.8             | 4            |
| 114 | Survival Patterns of Lead-Exposed Workers With End-Stage Renal Disease From Adult Blood Lead Epidemiology and Surveillance Program. American Journal of the Medical Sciences, 2015, 349, 222-227.   | 0.4             | 3            |
| 115 | Marginal structural models to control for time-varying confounding in occupational and environmental epidemiology. Occupational and Environmental Medicine, 2013, 70, 601-602.  | 1.3             | 2            |
| 116 | Disease fatality and bias in survival cohorts. Environmental Research, 2015, 140, 275-281.  | 3.7             | 2            |
| 117 | Association between maximum temperature and PM2.5 with pregnancy outcomes in Lima, Peru. Environmental Epidemiology, 2021, 5, e179.   | 1.4             | 2            |
| 118 | Cooling Interventions Among Agricultural Workers: Qualitative Field-Based Study. Hispanic Health Care International, 2021, 19, 174-181.   | 0.5             | 1            |
| 119 | Association between iron supplementation and the presence of diarrhoea in Peruvian children aged 6–59 months: analysis of the database of the Demographic and Family Health Survey in Peru (DHS,) Tj ETQq1 1  | <b>0.7</b> 8431 | 4 ngBT /Over |
| 120 | Response to Buslovich and Colleagues. Journal of the American Geriatrics Society, 2014, 62, 790-791.  | 1.3             | 0            |
| 121 | 0427â€A cohort study of workers exposed to PFOA. Occupational and Environmental Medicine, 2014, 71, A55.1-A55.  | 1.3             | 0            |
| 122 | A Letter in Response to Olsen et al. Journal of Occupational and Environmental Medicine, 2015, 57, e60-e61.   | 0.9             | 0            |
| 123 | O1C.4â€Cancer incidence among lead-exposed workers in two countries. Occupational and Environmental Medicine, 2019, 76, A7.3-A8.  | 1.3             | 0            |
| 124 | Cooling Interventions Among Agricultural Workers: A Pilot Study. ISEE Conference Abstracts, 2021, 2021, .   | 0.0             | 0            |
| 125 | Low-concentration air pollution and mortality in American older adults: A national cohort analysis (2001-2017). ISEE Conference Abstracts, 2021, 2021, .  | 0.0             | O            |
| 126 | Effects of an LPG stove intervention on gestational blood pressure: findings from Household Air Pollution Intervention Network randomized controlled trial. ISEE Conference Abstracts, 2021, 2021, .  | 0.0             | 0            |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Long-term air pollution exposure and incident dementia in American elderly population: a national cohort study. ISEE Conference Abstracts, 2021, 2021, . | 0.0 | 0         |
| 128 | Epidemiological Evidence on the Health Effects of Perfluorooctanoic Acid., 0,, 229-253.  |     | 0         |