

# Emilie Friberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1376885/publications.pdf>

Version: 2024-02-01

62  
papers

1,174  
citations

471509

17  
h-index

414414

32  
g-index

64  
all docs

64  
docs citations

64  
times ranked

1803  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diabetes and Risk of Endometrial Cancer: A Population-Based Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 276-280.	2.5	143
2	Cost of Illness of Multiple Sclerosis - A Systematic Review. <i>PLoS ONE</i> , 2016, 11, e0159129.	2.5	131
3	Physical Activity and Risk of Endometrial Cancer: A Population-Based Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2136-2140.	2.5	91
4	The effect of diabetes on the risk of endometrial Cancer: an updated a systematic review and meta-analysis. <i>BMC Cancer</i> , 2019, 19, 527.	2.6	90
5	Sucrose, High-Sugar Foods, and Risk of Endometrial Cancer—a Population-Based Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1831-1837.	2.5	46
6	Coffee drinking and risk of endometrial cancer—a population-based cohort study. <i>International Journal of Cancer</i> , 2009, 125, 2413-2417.	5.1	44
7	Carbohydrate intake, glycemic index and glycemic load in relation to risk of endometrial cancer: A prospective study of Swedish women. <i>International Journal of Cancer</i> , 2006, 120, 1103-1107.	5.1	36
8	Long-term dietary heme iron and red meat intake in relation to endometrial cancer risk. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 848-854.	4.7	34
9	Sickness Absence Due to Otoaudiological Diagnoses and Risk of Disability Pension: A Nationwide Swedish Prospective Cohort Study. <i>PLoS ONE</i> , 2012, 7, e29966.	2.5	31
10	Costs of illness of multiple sclerosis in Sweden: a population-based register study of people of working age. <i>European Journal of Health Economics</i> , 2018, 19, 435-446.	2.8	29
11	Sources and level of income among individuals with multiple sclerosis compared to the general population: A nationwide population-based study. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1730-1741.	3.0	25
12	Dietary, anthropometric, and lifestyle correlates of serum carotenoids in postmenopausal women. <i>European Journal of Nutrition</i> , 2013, 52, 1919-1926.	3.9	24
13	Alcohol intake and endometrial cancer risk: a meta-analysis of prospective studies. <i>British Journal of Cancer</i> , 2010, 103, 127-131.	6.4	23
14	Social insurance literacy: a scoping review on how to define and measure it. <i>Disability and Rehabilitation</i> , 2021, 43, 1776-1785.	1.8	23
15	Trends in Diagnosis-Specific Work Disability Before and After Stroke: A Longitudinal Population-Based Study in Sweden. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	21
16	Validation of multiple sclerosis diagnoses in the Swedish National Patient Register. <i>European Journal of Epidemiology</i> , 2019, 34, 1161-1169.	5.7	19
17	Work disability before and after a major cardiovascular event: a ten-year study using nationwide medical and insurance registers. <i>Scientific Reports</i> , 2017, 7, 1142.	3.3	18
18	Comparing costs of illness of multiple sclerosis in three different years: A population-based study. <i>Multiple Sclerosis Journal</i> , 2018, 24, 520-528.	3.0	16

#	ARTICLE	IF	CITATIONS
19	Long-term Alcohol Consumption and Risk of Endometrial Cancer Incidence: A Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 355-358.	2.5	15
20	Earnings among people with multiple sclerosis compared to references, in total and by educational level and type of occupation: a population-based cohort study at different points in time. <i>BMJ Open</i> , 2019, 9, e024836.	1.9	15
21	Long-term Socioeconomic Outcomes Associated With Pediatric-Onset Multiple Sclerosis. <i>JAMA Neurology</i> , 2021, 78, 478.	9.0	15
22	Permanent work disability before and after ischaemic heart disease or stroke event: a nationwide population-based cohort study in Sweden. <i>BMJ Open</i> , 2017, 7, e017910.	1.9	14
23	Trajectories of disposable income among people of working ages diagnosed with multiple sclerosis: a nationwide register-based cohort study in Sweden 7 years before to 4 years after diagnosis with a population-based reference group. <i>BMJ Open</i> , 2018, 8, e020392.	1.9	13
24	Duration of sickness absence following a bicycle crash, by injury type and injured body region: A nationwide register-based study. <i>Journal of Transport and Health</i> , 2018, 9, 275-281.	2.2	13
25	Women's experiences of encounters with healthcare professionals regarding work after breast-cancer surgery and associations with sickness absence: a 2-year follow-up cohort study. <i>Supportive Care in Cancer</i> , 2019, 27, 1197-1206.	2.2	13
26	Healthcare, Sickness Absence, and Disability Pension Cost Trajectories in the First 5 Years After Diagnosis with Multiple Sclerosis: A Prospective Register-Based Cohort Study in Sweden. <i>PharmacoEconomics - Open</i> , 2020, 4, 91-103.	1.8	13
27	Costs and quality of life by disability among people with multiple sclerosis: a register-based study in Sweden. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2018, 4, 205521731878335.	1.0	12
28	Cognitive function predicts work disability among multiple sclerosis patients. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2019, 5, 205521731882213.	1.0	12
29	Work Disability Trajectories Among Individuals with a Sick-Leave Spell Due to Depressive Episode: A Prospective Cohort Study with 13-Month Follow Up. <i>Journal of Occupational Rehabilitation</i> , 2018, 28, 678-690.	2.2	11
30	Costs of illness progression for different multiple sclerosis phenotypes: a population-based study in Sweden. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2019, 5, 205521731985838.	1.0	11
31	Hearing difficulties, ear-related diagnoses and sickness absence or disability pension - a systematic literature review. <i>BMC Public Health</i> , 2012, 12, 772.	2.9	10
32	Sickness absence, disability pension and permanent medical impairment among 64 000 injured car occupants of working ages: A two-year prospective cohort study. <i>Accident Analysis and Prevention</i> , 2019, 127, 35-41.	5.7	10
33	Trajectories of sickness absence and disability pension before and after opioid initiation for noncancer pain: a 10-year population-based study. <i>Pain</i> , 2019, 160, 1224-1233.	4.2	10
34	How People with Multimorbidity and Psychosocial Difficulties Experience Support by Rehabilitation Coordinators During Sickness Absence. <i>Journal of Multidisciplinary Healthcare</i> , 2021, Volume 14, 1245-1257.	2.7	10
35	Types of working-life sequences among people recently diagnosed with multiple sclerosis in Sweden: a nationwide register-based cohort study. <i>BMJ Open</i> , 2020, 10, e039228.	1.9	10
36	Sickness absence due to otoaudiological diagnoses; a descriptive nationwide study. <i>BMC Public Health</i> , 2013, 13, 635.	2.9	9

#	ARTICLE	IF	CITATIONS
37	A prediction model for duration of sickness absence due to stress-related disorders. <i>Journal of Affective Disorders</i> , 2019, 250, 9-15.	4.1	9
38	Sickness absence and subsequent disposable income: A population-based cohort study. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 432-440.	2.3	8
39	Bicycle crashes and sickness absence - a population-based Swedish register study of all individuals of working ages. <i>BMC Public Health</i> , 2019, 19, 943.	2.9	8
40	Sequence analysis of sickness absence and disability pension in the year before and the three years following a bicycle crash; a nationwide longitudinal cohort study of 6353 injured individuals. <i>BMC Public Health</i> , 2020, 20, 1710.	2.9	8
41	Predicting the duration of sickness absence spells due to back pain: a population-based study from Sweden. <i>Occupational and Environmental Medicine</i> , 2020, 77, 115-121.	2.8	8
42	Trajectories of future sickness absence and disability pension days among individuals with a new sickness absence spell due to osteoarthritis diagnosis â‰¥21 days: a prospective cohort study with 13-month follow-up. <i>BMJ Open</i> , 2019, 9, e030054.	1.9	7
43	Diagnosis-specific sickness absence and disability pension before and after multiple sclerosis diagnosis: An 8-year nationwide longitudinal cohort study with matched references. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 42, 102077.	2.0	7
44	Factors of decisive importance for being in work or not during two years after breast cancer surgery: content analysis of 462 womenâ€™s open answers. <i>BMC Women's Health</i> , 2021, 21, 332.	2.0	7
45	Trends in diagnosis-specific work disability before and after ischaemic heart disease: a nationwide population-based cohort study in Sweden. <i>BMJ Open</i> , 2018, 8, e019749.	1.9	6
46	Cost-of-Illness Progression Before and After Diagnosis of Multiple Sclerosis: A Nationwide Register-Based Cohort Study in Sweden of People Newly Diagnosed with Multiple Sclerosis and a Population-Based Matched Reference Group. <i>Pharmacoeconomics</i> , 2021, 39, 835-851.	3.3	5
47	Disposable income trajectories of working-aged individuals with diagnosed multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2018, 138, 490-499.	2.1	4
48	Sickness absence, disability pension and economic situation after a spontaneous subarachnoid haemorrhage among people of working age: a Swedish longitudinal nationwide cohort study. <i>BMJ Open</i> , 2021, 11, e040941.	1.9	4
49	Sickness absence and disability pension among women with breast cancer: a population-based cohort study from Sweden. <i>BMC Public Health</i> , 2021, 21, 697.	2.9	4
50	Coordination and Perceived Support for Return to Work: A Cross-Sectional Study among Patients in Swedish Healthcare. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4040.	2.6	4
51	Sickness absence and disability pension due to otoaudiological diagnoses: risk of premature death â€™ a nationwide prospective cohort study. <i>BMC Public Health</i> , 2014, 14, 137.	2.9	3
52	Respectful encounters from healthcare professionals and return to work among 9032 long-term sick-listed due to cancer or due to other diagnoses: results from a Swedish population-based survey. <i>Supportive Care in Cancer</i> , 2019, 27, 3555-3561.	2.2	3
53	Predicting the duration of sickness absence due to knee osteoarthritis: a prognostic model developed in a population-based cohort in Sweden. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 603.	1.9	3
54	Trajectories of sickness absence and disability pension days among people with multiple sclerosis by type of occupation. <i>Multiple Sclerosis Journal</i> , 2022, 28, 1402-1413.	3.0	3

#	ARTICLE	IF	CITATIONS
55	Sickness absence and disability pension among injured working-aged pedestrians - a population-based Swedish register study. <i>BMC Public Health</i> , 2021, 21, 2279.	2.9	3
56	Gender differences in treatment with antidepressants during first weeks of a sick-leave spell due to depressive episode. <i>European Journal of Public Health</i> , 2020, 30, 299-304.	0.3	2
57	Oncologists'™ experiences of and prerequisites for sickness certification tasks: A nationwide questionnaire study. <i>European Journal of Cancer Care</i> , 2021, 30, e13414.	1.5	2
58	Early vs. late treatment initiation in multiple sclerosis and its impact on cost of illness: A register-based prospective cohort study in Sweden. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2022, 8, 205521732210924.	1.0	2
59	Self-employment, sickness absence, and disability pension in multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2022, 146, 283-294.	2.1	2
60	Cost-of-illness trajectories among people with multiple sclerosis by comorbidity: A register-based prospective study in Sweden. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2020, 6, 205521732096859.	1.0	1
61	Sickness absence and disability pension among injured car occupants, and associations with injury and car safety factors: A prospective cohort study. <i>Accident Analysis and Prevention</i> , 2021, 159, 106262.	5.7	1
62	Prognostic factors for return to work in breast cancer survivors. <i>The Cochrane Library</i> , 2022, 2022, .	2.8	0