

Emilie Friberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1376885/publications.pdf>

Version: 2024-02-01

62
papers

1,174
citations

471509

17
h-index

414414

32
g-index

64
all docs

64
docs citations

64
times ranked

1803
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Trajectories of sickness absence and disability pension days among people with multiple sclerosis by type of occupation. <i>Multiple Sclerosis Journal</i> , 2022, 28, 1402-1413. | 3.0 | 3 |
| 2 | Prognostic factors for return to work in breast cancer survivors. <i>The Cochrane Library</i> , 2022, 2022, . | 2.8 | 0 |
| 3 | Coordination and Perceived Support for Return to Work: A Cross-Sectional Study among Patients in Swedish Healthcare. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4040. | 2.6 | 4 |
| 4 | Early vs. late treatment initiation in multiple sclerosis and its impact on cost of illness: A register-based prospective cohort study in Sweden. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2022, 8, 205521732210924. | 1.0 | 2 |
| 5 | Self-employment, sickness absence, and disability pension in multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2022, 146, 283-294. | 2.1 | 2 |
| 6 | Social insurance literacy: a scoping review on how to define and measure it. <i>Disability and Rehabilitation</i> , 2021, 43, 1776-1785. | 1.8 | 23 |
| 7 | Sickness absence, disability pension and economic situation after a spontaneous subarachnoid haemorrhage among people of working age: a Swedish longitudinal nationwide cohort study. <i>BMJ Open</i> , 2021, 11, e040941. | 1.9 | 4 |
| 8 | Oncologists' experiences of and prerequisites for sickness certification tasks: A nationwide questionnaire study. <i>European Journal of Cancer Care</i> , 2021, 30, e13414. | 1.5 | 2 |
| 9 | Sickness absence and disability pension among women with breast cancer: a population-based cohort study from Sweden. <i>BMC Public Health</i> , 2021, 21, 697. | 2.9 | 4 |
| 10 | Long-term Socioeconomic Outcomes Associated With Pediatric-Onset Multiple Sclerosis. <i>JAMA Neurology</i> , 2021, 78, 478. | 9.0 | 15 |
| 11 | How People with Multimorbidity and Psychosocial Difficulties Experience Support by Rehabilitation Coordinators During Sickness Absence. <i>Journal of Multidisciplinary Healthcare</i> , 2021, Volume 14, 1245-1257. | 2.7 | 10 |
| 12 | Cost-of-Illness Progression Before and After Diagnosis of Multiple Sclerosis: A Nationwide Register-Based Cohort Study in Sweden of People Newly Diagnosed with Multiple Sclerosis and a Population-Based Matched Reference Group. <i>Pharmacoeconomics</i> , 2021, 39, 835-851. | 3.3 | 5 |
| 13 | Predicting the duration of sickness absence due to knee osteoarthritis: a prognostic model developed in a population-based cohort in Sweden. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 603. | 1.9 | 3 |
| 14 | Sickness absence and disability pension among injured car occupants, and associations with injury and car safety factors: A prospective cohort study. <i>Accident Analysis and Prevention</i> , 2021, 159, 106262. | 5.7 | 1 |
| 15 | Factors of decisive importance for being in work or not during two years after breast cancer surgery: content analysis of 462 women's open answers. <i>BMC Women's Health</i> , 2021, 21, 332. | 2.0 | 7 |
| 16 | Sickness absence and disability pension among injured working-aged pedestrians - a population-based Swedish register study. <i>BMC Public Health</i> , 2021, 21, 2279. | 2.9 | 3 |
| 17 | Healthcare, Sickness Absence, and Disability Pension Cost Trajectories in the First 5 Years After Diagnosis with Multiple Sclerosis: A Prospective Register-Based Cohort Study in Sweden. <i>Pharmacoeconomics - Open</i> , 2020, 4, 91-103. | 1.8 | 13 |
| 18 | Gender differences in treatment with antidepressants during first weeks of a sick-leave spell due to depressive episode. <i>European Journal of Public Health</i> , 2020, 30, 299-304. | 0.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Sequence analysis of sickness absence and disability pension in the year before and the three years following a bicycle crash; a nationwide longitudinal cohort study of 6353 injured individuals. BMC Public Health, 2020, 20, 1710. | 2.9 | 8 |
| 20 | Cost-of-illness trajectories among people with multiple sclerosis by comorbidity: A register-based prospective study in Sweden. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2020, 6, 205521732096859. | 1.0 | 1 |
| 21 | Predicting the duration of sickness absence spells due to back pain: a population-based study from Sweden. Occupational and Environmental Medicine, 2020, 77, 115-121. | 2.8 | 8 |
| 22 | Diagnosis-specific sickness absence and disability pension before and after multiple sclerosis diagnosis: An 8-year nationwide longitudinal cohort study with matched references. Multiple Sclerosis and Related Disorders, 2020, 42, 102077. | 2.0 | 7 |
| 23 | Types of working-life sequences among people recently diagnosed with multiple sclerosis in Sweden: a nationwide register-based cohort study. BMJ Open, 2020, 10, e039228. | 1.9 | 10 |
| 24 | Bicycle crashes and sickness absence - a population-based Swedish register study of all individuals of working ages. BMC Public Health, 2019, 19, 943. | 2.9 | 8 |
| 25 | Costs of illness progression for different multiple sclerosis phenotypes: a population-based study in Sweden. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2019, 5, 205521731985838. | 1.0 | 11 |
| 26 | Validation of multiple sclerosis diagnoses in the Swedish National Patient Register. European Journal of Epidemiology, 2019, 34, 1161-1169. | 5.7 | 19 |
| 27 | The effect of diabetes on the risk of endometrial Cancer: an updated a systematic review and meta-analysis. BMC Cancer, 2019, 19, 527. | 2.6 | 90 |
| 28 | Sickness absence, disability pension and permanent medical impairment among 64 000 injured car occupants of working ages: A two-year prospective cohort study. Accident Analysis and Prevention, 2019, 127, 35-41. | 5.7 | 10 |
| 29 | Respectful encounters from healthcare professionals and return to work among 9032 long-term sick-listed due to cancer or due to other diagnoses: results from a Swedish population-based survey. Supportive Care in Cancer, 2019, 27, 3555-3561. | 2.2 | 3 |
| 30 | Cognitive function predicts work disability among multiple sclerosis patients. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2019, 5, 205521731882213. | 1.0 | 12 |
| 31 | A prediction model for duration of sickness absence due to stress-related disorders. Journal of Affective Disorders, 2019, 250, 9-15. | 4.1 | 9 |
| 32 | Trajectories of future sickness absence and disability pension days among individuals with a new sickness absence spell due to osteoarthritis diagnosis â€” 21 days: a prospective cohort study with 13-month follow-up. BMJ Open, 2019, 9, e030054. | 1.9 | 7 |
| 33 | Earnings among people with multiple sclerosis compared to references, in total and by educational level and type of occupation: a population-based cohort study at different points in time. BMJ Open, 2019, 9, e024836. | 1.9 | 15 |
| 34 | Trajectories of sickness absence and disability pension before and after opioid initiation for noncancer pain: a 10-year population-based study. Pain, 2019, 160, 1224-1233. | 4.2 | 10 |
| 35 | Womenâ€™s experiences of encounters with healthcare professionalsâ€™ regarding work after breast-cancer surgery and associations with sickness absence: a 2-year follow-up cohort study. Supportive Care in Cancer, 2019, 27, 1197-1206. | 2.2 | 13 |
| 36 | Work Disability Trajectories Among Individuals with a Sick-Leave Spell Due to Depressive Episodeâ€” 21 Days: A Prospective Cohort Study with 13-Month Follow Up. Journal of Occupational Rehabilitation, 2018, 28, 678-690. | 2.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Trends in diagnosis-specific work disability before and after ischaemic heart disease: a nationwide population-based cohort study in Sweden. <i>BMJ Open</i> , 2018, 8, e019749. | 1.9 | 6 |
| 38 | Costs of illness of multiple sclerosis in Sweden: a population-based register study of people of working age. <i>European Journal of Health Economics</i> , 2018, 19, 435-446. | 2.8 | 29 |
| 39 | Comparing costs of illness of multiple sclerosis in three different years: A population-based study. <i>Multiple Sclerosis Journal</i> , 2018, 24, 520-528. | 3.0 | 16 |
| 40 | Trajectories of disposable income among people of working ages diagnosed with multiple sclerosis: a nationwide register-based cohort study in Sweden 7 years before to 4 years after diagnosis with a population-based reference group. <i>BMJ Open</i> , 2018, 8, e020392. | 1.9 | 13 |
| 41 | Disposable income trajectories of working-aged individuals with diagnosed multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2018, 138, 490-499. | 2.1 | 4 |
| 42 | Duration of sickness absence following a bicycle crash, by injury type and injured body region: A nationwide register-based study. <i>Journal of Transport and Health</i> , 2018, 9, 275-281. | 2.2 | 13 |
| 43 | Costs and quality of life by disability among people with multiple sclerosis: a register-based study in Sweden. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2018, 4, 205521731878335. | 1.0 | 12 |
| 44 | Trends in Diagnosis-specific Work Disability Before and After Stroke: A Longitudinal Population-based Study in Sweden. <i>Journal of the American Heart Association</i> , 2018, 7, . | 3.7 | 21 |
| 45 | Permanent work disability before and after ischaemic heart disease or stroke event: a nationwide population-based cohort study in Sweden. <i>BMJ Open</i> , 2017, 7, e017910. | 1.9 | 14 |
| 46 | Work disability before and after a major cardiovascular event: a ten-year study using nationwide medical and insurance registers. <i>Scientific Reports</i> , 2017, 7, 1142. | 3.3 | 18 |
| 47 | Cost of Illness of Multiple Sclerosis - A Systematic Review. <i>PLoS ONE</i> , 2016, 11, e0159129. | 2.5 | 131 |
| 48 | Sources and level of income among individuals with multiple sclerosis compared to the general population: A nationwide population-based study. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1730-1741. | 3.0 | 25 |
| 49 | Sickness absence and subsequent disposable income: A population-based cohort study. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 432-440. | 2.3 | 8 |
| 50 | Sickness absence and disability pension due to otoaudiological diagnoses: risk of premature death – a nationwide prospective cohort study. <i>BMC Public Health</i> , 2014, 14, 137. | 2.9 | 3 |
| 51 | Dietary, anthropometric, and lifestyle correlates of serum carotenoids in postmenopausal women. <i>European Journal of Nutrition</i> , 2013, 52, 1919-1926. | 3.9 | 24 |
| 52 | Sickness absence due to otoaudiological diagnoses; a descriptive nationwide study. <i>BMC Public Health</i> , 2013, 13, 635. | 2.9 | 9 |
| 53 | Long-term dietary heme iron and red meat intake in relation to endometrial cancer risk. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 848-854. | 4.7 | 34 |
| 54 | Hearing difficulties, ear-related diagnoses and sickness absence or disability pension - a systematic literature review. <i>BMC Public Health</i> , 2012, 12, 772. | 2.9 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Sickness Absence Due to Otoaudiological Diagnoses and Risk of Disability Pension: A Nationwide Swedish Prospective Cohort Study. PLoS ONE, 2012, 7, e29966. | 2.5 | 31 |
| 56 | Sucrose, High-Sugar Foods, and Risk of Endometrial Cancer—a Population-Based Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 1831-1837. | 2.5 | 46 |
| 57 | Alcohol intake and endometrial cancer risk: a meta-analysis of prospective studies. British Journal of Cancer, 2010, 103, 127-131. | 6.4 | 23 |
| 58 | Long-term Alcohol Consumption and Risk of Endometrial Cancer Incidence: A Prospective Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 355-358. | 2.5 | 15 |
| 59 | Coffee drinking and risk of endometrial cancer—a population-based cohort study. International Journal of Cancer, 2009, 125, 2413-2417. | 5.1 | 44 |
| 60 | Diabetes and Risk of Endometrial Cancer: A Population-Based Prospective Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 276-280. | 2.5 | 143 |
| 61 | Physical Activity and Risk of Endometrial Cancer: A Population-Based Prospective Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 2136-2140. | 2.5 | 91 |
| 62 | Carbohydrate intake, glycemic index and glycemic load in relation to risk of endometrial cancer: A prospective study of Swedish women. International Journal of Cancer, 2006, 120, 1103-1107. | 5.1 | 36 |