

Fumitaka Koga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1383414/publications.pdf>

Version: 2024-02-01

218
papers

4,347
citations

94433

37
h-index

133252

59
g-index

224
all docs

224
docs citations

224
times ranked

5496
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular chaperone TRAP1 regulates a metabolic switch between mitochondrial respiration and aerobic glycolysis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E1604-12.	7.1	217
2	A small molecule cell-impermeant Hsp90 antagonist inhibits tumor cell motility and invasion. <i>Oncogene</i> , 2008, 27, 2478-2487.	5.9	159
3	Diagnostic performance of diffusion-weighted magnetic resonance imaging in bladder cancer: potential utility of apparent diffusion coefficient values as a biomarker to predict clinical aggressiveness. <i>European Radiology</i> , 2011, 21, 2178-2186.	4.5	157
4	Sarcopenia as a Prognostic Biomarker of Advanced Urothelial Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0115895.	2.5	116
5	Impaired p63 expression associates with poor prognosis and uroplakin III expression in invasive urothelial carcinoma of the bladder. <i>Clinical Cancer Research</i> , 2003, 9, 5501-7.	7.0	115
6	Role of Diffusion-Weighted Magnetic Resonance Imaging in Predicting Sensitivity to Chemoradiotherapy in Muscle-Invasive Bladder Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, e21-e27.	0.8	112
7	Hsp90 inhibition transiently activates Src kinase and promotes Src-dependent Akt and Erk activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 11318-11322.	7.1	111
8	Impact of C-Reactive Protein Kinetics on Survival of Patients with Metastatic Renal Cell Carcinoma. <i>European Urology</i> , 2009, 55, 1145-1154.	1.9	104
9	Prognostic Significance of Sarcopenia in Patients with Metastatic Renal Cell Carcinoma. <i>Journal of Urology</i> , 2016, 195, 26-32.	0.4	102
10	Initial Experience of Diffusion-weighted Magnetic Resonance Imaging to Assess Therapeutic Response to Induction Chemoradiotherapy Against Muscle-invasive Bladder Cancer. <i>Urology</i> , 2010, 75, 387-391.	1.0	97
11	Apparent diffusion coefficient value reflects invasive and proliferative potential of bladder cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 172-178.	3.4	97
12	Inhibition of cancer invasion and metastasis by targeting the molecular chaperone heat-shock protein 90. <i>Anticancer Research</i> , 2009, 29, 797-807.	1.1	85
13	Long-term outcome of bladder papillary urothelial neoplasms of low malignant potential. <i>BJU International</i> , 2003, 92, 559-562.	2.5	83
14	Development, Validation, and Head-to-Head Comparison of Logistic Regression-Based Nomograms and Artificial Neural Network Models Predicting Prostate Cancer on Initial Extended Biopsy. <i>European Urology</i> , 2008, 54, 601-611.	1.9	80
15	Impaired p63 expression associates with reduced β -catenin and aggressive phenotypes of urothelial neoplasms. <i>British Journal of Cancer</i> , 2003, 88, 740-747.	6.4	73
16	High Diagnostic Ability of Multiparametric Magnetic Resonance Imaging to Detect Anterior Prostate Cancer Missed by Transrectal 12-Core Biopsy. <i>Journal of Urology</i> , 2013, 190, 867-873.	0.4	69
17	Usefulness of Pre-biopsy Multiparametric Magnetic Resonance Imaging and Clinical Variables to Reduce Initial Prostate Biopsy in Men with Suspected Clinically Localized Prostate Cancer. <i>Journal of Urology</i> , 2013, 190, 502-508.	0.4	65
18	C-reactive protein level predicts prognosis in patients with muscle-invasive bladder cancer treated with chemoradiotherapy. <i>BJU International</i> , 2008, 101, 978-981.	2.5	63

#	ARTICLE	IF	CITATIONS
19	Potential role of Hsp90 inhibitors in overcoming cisplatin resistance of bladder cancer-initiating cells. <i>International Journal of Cancer</i> , 2012, 131, 987-996.	5.1	63
20	New three-dimensional head-mounted display system, TMDU-S-3D system, for minimally invasive surgery application: Procedures for gasless single-port radical nephrectomy. <i>International Journal of Urology</i> , 2012, 19, 886-889.	1.0	60
21	Diffusion-weighted magnetic resonance imaging in the differentiation of angiomyolipoma with minimal fat from clear cell renal cell carcinoma. <i>International Journal of Urology</i> , 2011, 18, 727-730.	1.0	58
22	Selective bladder preservation with curative intent for muscle-invasive bladder cancer: A contemporary review. <i>International Journal of Urology</i> , 2012, 19, 388-401.	1.0	58
23	Risk Factors for the Development of Bladder Transitional Cell Carcinoma following Surgery for Transitional Cell Carcinoma of the Upper Urinary Tract. <i>Urologia Internationalis</i> , 2001, 67, 135-141.	1.3	57
24	Low Dose Geldanamycin Inhibits Hepatocyte Growth Factor- and Hypoxia-Stimulated Invasion of Cancer Cells. <i>Cell Cycle</i> , 2007, 6, 1393-1402.	2.6	57
25	Selective bladder-sparing protocol consisting of induction low-dose chemoradiotherapy plus partial cystectomy with pelvic lymph node dissection against muscle-invasive bladder cancer: oncological outcomes of the initial 46 patients. <i>BJU International</i> , 2012, 109, 860-866.	2.5	55
26	Heat shock protein 90 targeting therapy: state of the art and future perspective. <i>EXCLI Journal</i> , 2015, 14, 48-58.	0.7	54
27	RhoA is associated with invasion and lymph node metastasis in upper urinary tract cancer. <i>BJU International</i> , 2003, 91, 234-238.	2.5	48
28	Loss of β -Np63 Promotes Invasion of Urothelial Carcinomas via N-Cadherin/Src Homology and Collagen/Extracellular Signal-Regulated Kinase Pathway. <i>Cancer Research</i> , 2009, 69, 9263-9270.	0.9	47
29	Gasless single-port access endoscopic surgery in urology: Minimum incision endoscopic surgery, MIES. <i>International Journal of Urology</i> , 2009, 16, 791-800.	1.0	47
30	Risk stratification for bladder recurrence of upper urinary tract urothelial carcinoma after radical nephroureterectomy. <i>BJU International</i> , 2015, 115, 705-712.	2.5	43
31	Bladder Cancer Stem-Like Cells: Their Origin and Therapeutic Perspectives. <i>International Journal of Molecular Sciences</i> , 2016, 17, 43.	4.1	42
32	Impact of Sarcopenia as a Prognostic Biomarker of Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2999.	4.1	42
33	Low-Dose Chemoradiotherapy Followed by Partial or Radical Cystectomy Against Muscle-Invasive Bladder Cancer: An Intent-to-Treat Survival Analysis. <i>Urology</i> , 2008, 72, 384-388.	1.0	40
34	Favourable outcomes of patients with clinical stage T3N0M0 bladder cancer treated with induction low-dose chemo-radiotherapy plus partial or radical cystectomy vs immediate radical cystectomy: a single-institutional retrospective comparative study. <i>BJU International</i> , 2009, 104, 189-194.	2.5	40
35	Prognostic significance of sarcopenia in upper tract urothelial carcinoma patients treated with radical nephroureterectomy. <i>Cancer Medicine</i> , 2016, 5, 2213-2220.	2.8	40
36	Epithelial-mesenchymal transition promotes SOX2 and NANOG expression in bladder cancer. <i>Laboratory Investigation</i> , 2017, 97, 567-576.	3.7	40

#	ARTICLE	IF	CITATIONS
37	Effects of Intravenous Administration of High Dose-Diethylstilbestrol Diphosphate on Serum Hormonal Levels in Patients with Hormone-Refractory Prostate Cancer.. <i>Endocrine Journal</i> , 1999, 46, 659-664.	1.6	39
38	Apparent diffusion coefficient value as a biomarker reflecting morphological and biological features of prostate cancer. <i>International Urology and Nephrology</i> , 2014, 46, 555-561.	1.4	39
39	ErbB2 and NF κ B Overexpression as Predictors of Chemoradiation Resistance and Putative Targets to Overcome Resistance in Muscle-Invasive Bladder Cancer. <i>PLoS ONE</i> , 2011, 6, e27616.	2.5	37
40	Serum concentration of type I collagen metabolites as a quantitative marker of bone metastases in patients with prostate carcinoma. , 1997, 80, 1760-1767.		36
41	Characteristics and clinical significance of prostate cancers missed by initial transrectal 12â€uro euro biopsy. <i>BJU International</i> , 2012, 109, 665-671.	2.5	36
42	Selective tetramodal bladderâ€uro euro preservation therapy, incorporating induction chemoradiotherapy and consolidative partial cystectomy with pelvic lymph node dissection for muscleâ€uro euro invasive bladder cancer: oncological and functional outcomes of 107 patients. <i>BJU International</i> , 2019, 124, 242-250.	2.5	35
43	External Validation of the Mayo Clinic Cancer Specific Survival Score in a Japanese Series of Clear Cell Renal Cell Carcinoma. <i>Journal of Urology</i> , 2008, 180, 1290-1296.	0.4	34
44	Longitudinal Change in Renal Function After Radical Nephrectomy in Japanese Patients With Renal Cortical Tumors. <i>Journal of Urology</i> , 2011, 185, 2066-2071.	0.4	34
45	Significance of ERBB2 Overexpression in Therapeutic Resistance and Cancer-Specific Survival in Muscle-Invasive Bladder Cancer Patients Treated With Chemoradiation-Based Selective Bladder-Sparing Approach. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 303-311.	0.8	34
46	Diffusion-weighted magnetic resonance imaging in management of bladder cancer, particularly with multimodal bladder-sparing strategy. <i>World Journal of Radiology</i> , 2014, 6, 344.	1.1	34
47	Phaseâ€uro euro III trial of combination treatment of interferonâ€uro euro α , cimetidine, cyclooxygenaseâ€uro euro 2 inhibitor and reninâ€uro euro angiotensinâ€uro euro system inhibitor (Iâ€uro euro CCA therapy) for advanced renal cell carcinoma. <i>Cancer Science</i> , 2011, 102, 137-143.	3.9	33
48	Apparent diffusion coefficient as a prognostic biomarker of upper urinary tract cancer: a preliminary report. <i>European Radiology</i> , 2013, 23, 2206-2214.	4.5	33
49	Impact of sarcopenia in the management of urological cancer patients. <i>Expert Review of Anticancer Therapy</i> , 2017, 17, 455-466.	2.4	32
50	Postoperative Changes in Skeletal Muscle Mass Predict Survival of Patients With Metastatic Renal Cell Carcinoma Undergoing Cytoreductive Nephrectomy. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e229-e238.	1.9	32
51	Low-dose Hsp90 inhibitors tumor-selectively sensitize bladder cancer cells to chemoradiotherapy. <i>Cell Cycle</i> , 2011, 10, 4291-4299.	2.6	30
52	Perioperative Complications of Radical Cystectomy After Induction Chemoradiotherapy in Bladder-sparing Protocol Against Muscle-invasive Bladder Cancer: A Single Institutional Retrospective Comparative Study with Primary Radical Cystectomy. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 1373-1379.	1.3	30
53	Prognostic Significance of Endothelial Per-Arnt-Sim Domain Protein 1/Hypoxia-Inducible Factor-2 β Expression in a Subset of Tumor Associated Macrophages in Invasive Bladder Cancer. <i>Journal of Urology</i> , 2004, 171, 1080-1084.	0.4	29
54	Equivalent survival and improved preservation of renal function after distal ureterectomy compared with nephroureterectomy in patients with urothelial carcinoma of the distal ureter: A propensity scoreâ€uro euro matched multicenter study. <i>International Journal of Urology</i> , 2014, 21, 1098-1104.	1.0	29

#	ARTICLE	IF	CITATIONS
55	Combination of Diffusion-weighted Magnetic Resonance Imaging and Extended Prostate Biopsy Predicts Lobes Without Significant Cancer: Application in Patient Selection for Hemiblative Focal Therapy. <i>European Urology</i> , 2014, 65, 186-192.	1.9	28
56	Gasless laparoendoscopic single-port clampless sutureless partial nephrectomy for peripheral renal tumors: Perioperative outcomes. <i>International Journal of Urology</i> , 2015, 22, 349-355.	1.0	27
57	Loss of uroplakin III expression is associated with a poor prognosis in patients with urothelial carcinoma of the upper urinary tract. <i>BJU International</i> , 2006, 97, 1322-1326.	2.5	25
58	Safety of transperineal 14-core systematic prostate biopsy in diabetic men. <i>International Journal of Urology</i> , 2009, 16, 930-935.	1.0	25
59	Antimicrobial Prophylaxis is Not Necessary in Clean Category Minimally Invasive Surgery for Renal and Adrenal Tumors: A Prospective Study of 373 Consecutive Patients. <i>Urology</i> , 2012, 80, 570-575.	1.0	25
60	Young Age as Favorable Prognostic Factor for Cancer-specific Survival in Localized Renal Cell Carcinoma. <i>Urology</i> , 2011, 77, 842-847.	1.0	24
61	Renal function after radical nephrectomy: Development and validation of predictive models in Japanese patients. <i>International Journal of Urology</i> , 2014, 21, 238-242.	1.0	23
62	Role of diffusion-weighted magnetic resonance imaging as an imaging biomarker of urothelial carcinoma. <i>International Journal of Urology</i> , 2014, 21, 1190-1200.	1.0	23
63	A Systematic Review of Serum γ -Glutamyltransferase as a Prognostic Biomarker in Patients with Genitourinary Cancer. <i>Antioxidants</i> , 2021, 10, 549.	5.1	23
64	High Ki-67 Expression Predicts Favorable Survival in Muscle-Invasive Bladder Cancer Patients Treated With Chemoradiation-Based Bladder-Sparing Protocol. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e243-e251.	1.9	22
65	Preoperative chronic kidney disease is predictive of oncological outcome of radical cystectomy for bladder cancer. <i>World Journal of Urology</i> , 2018, 36, 249-256.	2.2	22
66	Prognostic Significance of the Controlling Nutritional Status (CONUT) Score in Patients with Advanced Renal Cell Carcinoma Treated with Nivolumab after Failure of Prior Tyrosine Kinase Inhibitors. <i>Journal of Urology</i> , 2020, 204, 1166-1172.	0.4	22
67	Heat shock factor 1 (HSF1)-targeted anticancer therapeutics: overview of current preclinical progress. <i>Expert Opinion on Therapeutic Targets</i> , 2019, 23, 369-377.	3.4	20
68	Negative p53/Positive p21 Immunostaining Is a Predictor of Favorable Response to Chemotherapy in Patients with Locally Advanced Bladder Cancer. <i>Japanese Journal of Cancer Research</i> , 2000, 91, 416-423.	1.7	19
69	Zoledronic Acid Sensitizes Renal Cell Carcinoma Cells to Radiation by Downregulating STAT1. <i>PLoS ONE</i> , 2013, 8, e64615.	2.5	19
70	Metabolic and Molecular Basis of Sarcopenia: Implications in the Management of Urothelial Carcinoma. <i>International Journal of Molecular Sciences</i> , 2019, 20, 760.	4.1	19
71	Prognostic significance of the controlling nutritional status (CONUT) score in advanced urothelial carcinoma patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 76.e11-76.e17.	1.6	19
72	Discarding antimicrobial prophylaxis for transurethral resection of bladder tumor: A feasibility study. <i>International Journal of Urology</i> , 2009, 16, 61-63.	1.0	18

#	ARTICLE	IF	CITATIONS
73	Impact of bladder neck involvement on progression in patients with primary non-muscle invasive bladder cancer: A prospective validation study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 38.e29-38.e36.	1.6	18
74	Diabetes Mellitus with Obesity is a Predictor of Recurrence in Patients with Non-metastatic Renal Cell Carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2013, 43, 740-746.	1.3	17
75	Impact of Immunohistochemistry-Based Subtypes in Muscle-Invasive Bladder Cancer on Response to Chemoradiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, 1408-1416.	0.8	17
76	Prognostic significance of serum $\hat{1}^3$ -glutamyltransferase in patients with advanced urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 108-115.	1.6	17
77	Detection of Muscle-Invasive Bladder Cancer on Biparametric MRI Using Vesical Imaging-Reporting and Data System and Apparent Diffusion Coefficient Values (VI-RADS/ADC). <i>Bladder Cancer</i> , 2020, 6, 161-169.	0.4	17
78	Posttherapeutic skeletal muscle mass recovery predicts favorable prognosis in patients with advanced urothelial carcinoma receiving first-line platinum-based chemotherapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 156.e9-156.e16.	1.6	15
79	Biomarkers for Predicting Clinical Outcomes of Chemoradiation-Based Bladder Preservation Therapy for Muscle-Invasive Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2777.	4.1	15
80	Higher expression of K-ras is associated with parathyroid hormone-related protein-induced hypercalcaemia in renal cell carcinoma. <i>BJU International</i> , 2001, 88, 960-966.	2.5	14
81	Spatial and Isoform Specific p63 Expression in the Male Human Urogenital Tract. <i>Journal of Urology</i> , 2006, 176, 2268-2273.	0.4	14
82	Ureteral Involvement Is Associated with Poor Prognosis in Upper Urinary Tract Urothelial Carcinoma Patients Treated by Nephroureterectomy: A Multicenter Database Study. <i>European Urology Focus</i> , 2016, 2, 296-302.	3.1	14
83	Favorable Outcome of Preoperative Low Dose Chemoradiotherapy Against Muscle-Invasive Bladder Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2003, 26, 504-507.	1.3	13
84	Effect of Diabetes Mellitus on High-grade Prostate Cancer Detection Among Japanese Obese Patients With Prostate-specific Antigen Less Than 10 ng/mL. <i>Urology</i> , 2012, 79, 1329-1335.	1.0	12
85	Pathology-based risk stratification of muscle-invasive bladder cancer patients undergoing cystectomy for persistent disease after induction chemoradiotherapy in bladder-sparing approaches. <i>BJU International</i> , 2012, 110, E203-8.	2.5	12
86	Successful reduction of hospital-acquired methicillin-resistant <i>Staphylococcus aureus</i> in a urology ward: a 10-year study. <i>BMC Urology</i> , 2013, 13, 35.	1.4	12
87	840 NEW THREE-DIMENSIONAL HEAD-MOUNTED DISPLAY SYSTEM (ROBOSURGEON SYSTEM): APPLICATION TO THE INITIAL 80 CASES OF GASLESS SINGLE-PORT ACCESS UROLOGIC SURGERIES. <i>Journal of Urology</i> , 2013, 189, .	0.4	12
88	Impact of Advanced Age on Biochemical Recurrence After Radical Prostatectomy in Japanese Men According to Pathological Stage. <i>Japanese Journal of Clinical Oncology</i> , 2013, 43, 410-416.	1.3	12
89	Significance of Positive Urine Cytology on Progression and Cancer-Specific Mortality of Non-muscle-Invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2014, 12, e87-e93.	1.9	12
90	Increased expression of sialyl-Lewis A correlates with poor survival in upper urinary tract urothelial cancer patients. <i>Anticancer Research</i> , 2003, 23, 3441-6.	1.1	12

#	ARTICLE	IF	CITATIONS
91	Effects of cholinesterase inhibition in supraspinal and spinal neural pathways on the micturition reflex in rats. <i>BJU International</i> , 2009, 104, 1163-1169.	2.5	11
92	Endoscopic Minilaparotomy Partial Nephrectomy for Solitary Renal Cell Carcinoma Smaller than 4 cm. <i>Japanese Journal of Clinical Oncology</i> , 2002, 32, 417-421.	1.3	10
93	Prostate-specific antigen response to deferred combined androgen blockade therapy using bicalutamide predicts survival after subsequent oestrogen and docetaxel therapies in patients with castration-resistant prostate cancer. <i>BJU International</i> , 2012, 110, 1149-1155.	2.5	10
94	Sensitivity to chemoradiation predicts development of metastasis in muscle-invasive bladder cancer patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1270-1275.	1.6	10
95	Pre-operative Risk Stratification for Cancer-specific Survival in Patients with Renal Cell Carcinoma with Venous Involvement Who Underwent Nephrectomy. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 756-761.	1.3	10
96	Candidate selection for quadrant-based focal ablation through a combination of diffusion-weighted magnetic resonance imaging and prostate biopsy. <i>BJU International</i> , 2016, 117, 94-101.	2.5	10
97	Extended biopsy based criteria incorporating cumulative cancer length for predicting clinically insignificant prostate cancer. <i>BJU International</i> , 2012, 110, E564-9.	2.5	9
98	Diagnostic performance of initial transperineal 14-core prostate biopsy to detect significant cancer. <i>International Urology and Nephrology</i> , 2013, 45, 645-652.	1.4	9
99	Prognostic significance of intensive local therapy to bone lesions in renal cell carcinoma patients with bone metastasis. <i>Clinical and Experimental Metastasis</i> , 2016, 33, 699-705.	3.3	9
100	Impact of Serum $\hat{\gamma}$ -Glutamyltransferase on Overall Survival in Patients with Metastatic Renal Cell Carcinoma in the Era of Targeted Therapy. <i>Targeted Oncology</i> , 2020, 15, 347-356.	3.6	9
101	Preoperative models incorporating the systemic immune-inflammation index for predicting prognosis and muscle invasion in patients with non-metastatic upper tract urothelial carcinoma. <i>International Journal of Clinical Oncology</i> , 2022, 27, 574-584.	2.2	9
102	Deep vein thrombosis during chemotherapy in a patient with advanced testicular cancer: Successful percutaneous thrombectomy under temporary placement of retrievable inferior vena cava filter. <i>International Journal of Urology</i> , 2001, 8, 90-93.	1.0	8
103	Favorable response to combination treatment of cimetidine, cyclooxygenase-2 inhibitor and renin-angiotensin system inhibitor in metastatic renal cell carcinoma: Report of three cases. <i>International Journal of Urology</i> , 2008, 15, 848-850.	1.0	8
104	History of malignancy is a predictor of prostate cancer detection: Incorporation into a pre-biopsy nomogram. <i>International Journal of Urology</i> , 2008, 15, 1055-1060.	1.0	8
105	Serum $\hat{\gamma}$ -Glutamyltransferase as a Prognostic Biomarker in Metastatic Castration-resistant Prostate Cancer Treated With Enzalutamide. <i>Anticancer Research</i> , 2019, 39, 5773-5780.	1.1	8
106	Who Can Avoid Systematic Biopsy Without Missing Clinically Significant Prostate Cancer in Men Who Undergo Magnetic Resonance Imaging-Targeted Biopsy?. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e664-e671.	1.9	8
107	A novel equation and nomogram including body weight for estimating prostate volumes in men with biopsy-proven benign prostatic hyperplasia. <i>Asian Journal of Andrology</i> , 2012, 14, 703-707.	1.6	8
108	Sarcomatoid renal cell carcinoma with scant carcinomatous components. <i>International Journal of Urology</i> , 2000, 7, 58-60.	1.0	7

#	ARTICLE	IF	CITATIONS
109	Female urethral diverticular abscess clearly depicted by diffusion-weighted magnetic resonance imaging. <i>International Journal of Urology</i> , 2008, 15, 460-461.	1.0	7
110	Three-dimensional 26-core biopsy-based patient selection criteria for nerve-sparing radical prostatectomy. <i>International Journal of Urology</i> , 2008, 15, 1061-1066.	1.0	7
111	Small cell carcinoma of the urinary bladder: a contemporary review with a special focus on bladder-sparing treatments. <i>Expert Review of Anticancer Therapy</i> , 2013, 13, 1269-1279.	2.4	7
112	Bimodal pattern of the impact of body mass index on cancer-specific survival of upper urinary tract urothelial carcinoma patients. <i>Anticancer Research</i> , 2014, 34, 5683-8.	1.1	7
113	A Novel Repeat Biopsy Nomogram Based on Three-dimensional Extended Biopsy. <i>Urology</i> , 2011, 77, 915-920.	1.0	6
114	Impact of lower urinary tract symptoms on prostate cancer risk among Japanese men with prostate-specific antigen $\leq 10\text{ ng/mL}$ and non-suspicious digital rectal examination. <i>International Journal of Urology</i> , 2013, 20, 1163-1168.	1.0	5
115	Retroperitoneal Teratoma in an Adult: A Potential Pitfall in the Differential Diagnosis of Adrenal Myelolipoma. <i>Case Reports in Urology</i> , 2016, 2016, 1-3.	0.3	5
116	Multifocal Synchronous Upper Urinary Tract Carcinosarcoma (Sarcomatoid Carcinoma) With Rhabdomyoblastic Differentiation. <i>International Journal of Surgical Pathology</i> , 2019, 27, 547-552.	0.8	5
117	Minimum incision endoscopic nephrectomy for giant hydronephrosis. <i>International Journal of Urology</i> , 2007, 14, 774-776.	1.0	4
118	Interactions between inducible nitric oxide synthase and cyclooxygenase-2 in response to ischaemia-reperfusion of rabbit bladder. <i>BJU International</i> , 2010, 106, 716-722.	2.5	4
119	Bone Abnormal Signal Incidentally Found in Pre-Biopsy Diffusion-Weighted MRI for Suspected Prostate Cancer: What Does It Reflect?. <i>Urologia Internationalis</i> , 2014, 93, 170-175.	1.3	4
120	Standardization of the apparent diffusion coefficient value of bladder cancer across different centers: Applicability in predicting aggressive pathologic phenotypes. <i>Clinical Imaging</i> , 2017, 44, 121-126.	1.5	4
121	Contact with renal sinus is associated with poor prognosis in surgically treated pT1 clear cell renal cell carcinoma. <i>International Journal of Urology</i> , 2020, 27, 657-662.	1.0	4
122	Collecting duct carcinoma with acquired cystic disease of the kidney in a long-term hemodialysis patient. <i>International Journal of Urology</i> , 2008, 15, 93-95.	1.0	3
123	Diagnostic performance and safety of a three-dimensional 14-core systematic biopsy method. <i>BJU International</i> , 2015, 115, 412-418.	2.5	3
124	A Case of Renal Pelvic Cancer Complicated by Horseshoe Kidney Treated with RoboSurgeon Gasless Single-Port Retroperitoneoscopic Nephroureterectomy. <i>Case Reports in Urology</i> , 2018, 2018, 1-4.	0.3	3
125	369 COMBINATION OF 14-CORE BIOPSY AND MAGNETIC RESONANCE IMAGING CAN IDENTIFY APPROPRIATE CANDIDATES FOR HEMIABLATIVE FOCAL THERAPY OF PROSTATE CANCER. <i>Journal of Urology</i> , 2012, 187, .	0.4	2
126	Diagnostic contribution of C-reactive protein kinetics for gastric metastasis from renal cell carcinoma. <i>International Cancer Conference Journal</i> , 2012, 1, 93-95.	0.5	2

#	ARTICLE	IF	CITATIONS
127	Performance of prostate-specific antigen mass in estimation of prostate volume in Japanese men with benign prostate hyperplasia. <i>International Journal of Urology</i> , 2012, 19, 929-935.	1.0	2
128	PD13-06 FAVORABLE OUTCOMES OF GASLESS SINGLE-PORT CLAMPLESS PARTIAL NEPHRECTOMY USING NEW THREE DIMENSIONAL HEAD-MOUNTED DISPLAY SYSTEM (ROBOSURGEON SYSTEM). <i>Journal of Urology</i> , 2014, 191, .	0.4	2
129	Renal Angiomyolipoma Mimicking a Well-Differentiated Retroperitoneal Liposarcoma. <i>Case Reports in Urology</i> , 2020, 2020, 1-5.	0.3	2
130	The Controlling Nutritional Status (CONUT) Score is a Prognostic Biomarker in Advanced Urothelial Carcinoma Patients Treated with First-Line Platinum-Based Chemotherapy. <i>Bladder Cancer</i> , 2021, 7, 13-21.	0.4	2
131	Novel anatomical apical dissection utilizing puboprostatic "open-collar" technique: Impact on apical surgical margin and early continence recovery. <i>PLoS ONE</i> , 2021, 16, e0249991.	2.5	2
132	Gasless Single-Port RoboSurgeon Retroperitoneoscopic Partial Nephrectomy. , 2015, , 43-64.		2
133	Apparent Diffusion Coefficient Value as a Biomarker for Detecting Muscle-Invasive and High-Grade Bladder Cancer: A Systematic Review. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 1278.	2.5	2
134	Prognostic differences among Grade Group 4 subgroups in robotic-assisted radical prostatectomy. <i>BJUI Compass</i> , 0, , .	1.3	2
135	Congestion of the corpus spongiosum and necrosis of the glans penis in systemic vasculitis. <i>BJU International</i> , 1996, 78, 796-797.	2.5	1
136	PROGNOSTIC IMPACT OF C-REACTIVE PROTEIN RESPONSE IN PATIENTS WITH METASTATIC RENAL CELL CARCINOMA. <i>Journal of Urology</i> , 2008, 179, 167-168.	0.4	1
137	False Tumor Marker Surge Evoked by Peripheral Blood Stem Cell Transplantation. <i>Oncologist</i> , 2008, 13, 526-529.	3.7	1
138	506 LOW INCIDENCE OF BENIGN PATHOLOGIC LESIONS AT NEPHRECTOMY FOR RENAL MASSES PRESUMED TO BE STAGE T1NOMO RENAL CELL CARCINOMA IN JAPANESE PATIENTS: INFLUENCE OF SEX, AGE AND TUMOR SIZE. <i>Journal of Urology</i> , 2010, 183, .	0.4	1
139	1172 ANTIBIOTIC PROPHYLAXIS IS NOT NECESSARY IN MINIMALLY INVASIVE SURGERY FOR RENAL AND ADRENAL TUMORS: A PROSPECTIVE STUDY OF 301 CONSECUTIVE PATIENTS. <i>Journal of Urology</i> , 2011, 185, .	0.4	1
140	842 DIAGNOSTIC PERFORMANCE AND OPTIMAL SEQUENCE OF MRI IN DETECTING PROSTATE CANCER. <i>Journal of Urology</i> , 2011, 185, .	0.4	1
141	1105 GASLESS SINGLE-PORT CLAMPLESS PARTIAL NEPHRECTOMY FOR PERIPHERAL RENAL TUMOR SURGICAL, SHORT-TERM ONCOLOGICAL, AND FUNCTIONAL OUTCOMES. <i>Journal of Urology</i> , 2012, 187, .	0.4	1
142	Gasless Single Port Surgery for Renal Cell Carcinoma: Minimum Incision Endoscopic Surgery. , 2012, , .		1
143	Editorial Comment from D K oga to Local control rate and prognosis after sequential chemoradiation for small cell carcinoma of the bladder. <i>International Journal of Urology</i> , 2013, 20, 785-786.	1.0	1
144	49 THE ABNORMALITY OF GLUCOSE TOLERANCE TEST IN PHEOCHROMOCYTOMA: ONE OF THE SIGNIFICANT FINDINGS OF POSTOPERATIVE HYPOGLYCEMIA. <i>Journal of Urology</i> , 2013, 189, .	0.4	1

#	ARTICLE	IF	CITATIONS
145	MP55-09 SELECTIVE BLADDER-SPARING PROTOCOL CONSISTING OF INDUCTION LOW-DOSE CHEMORADIODTHERAPY AND CONSOLIDATIVE PARTIAL CYSTECTOMY IN MUSCLE INVASIVE BLADDER CANCER PATIENTS WITH SYNCHRONOUS OR METACHRONOUS MULTIFOCALITY. <i>Journal of Urology</i> , 2014, 191, .	0.4	1
146	MP8-09 ANTIMICROBIAL PROPHYLAXIS IS AVOIDABLE IN MINIMALLY INVASIVE NEPHROURETERECTOMY WITH NEGATIVE URINE CULTURE. <i>Journal of Urology</i> , 2014, 191, .	0.4	1
147	MP55-01 BLADDER-SPARING THERAPY IN MUSCLE-INVASIVE BLADDER CANCER BY INDUCTION CHEMORADIODTHERAPY PLUS PARTIAL CYSTECTOMY WITH PELVIC LYMPH NODE DISSECTION: ASSESSMENTS OF QUALITY OF LIFE AND URINARY FUNCTIONS. <i>Journal of Urology</i> , 2014, 191, .	0.4	1
148	PD17-07 IMPACT OF BLADDER NECK INVOLVEMENT ON PROGRESSION IN PATIENTS WITH PRIMARY NON-MUSCLE-INVASIVE BLADDER CANCER: A MULTICENTER VALIDATION STUDY. <i>Journal of Urology</i> , 2015, 193, .	0.4	1
149	Editorial Comment to Prognostic significance of visceral obesity in patients with advanced renal cell carcinoma undergoing nephrectomy. <i>International Journal of Urology</i> , 2015, 22, 461-462.	1.0	1
150	What are roles of multiparametric magnetic resonance imaging prior to transurethral resection of bladder tumor?. <i>Translational Andrology and Urology</i> , 2019, 8, 290-291.	1.4	1
151	Jejunal limb obstruction by a tumor thrombus from pancreatic metastasis of renal cell carcinoma: a case report. <i>Surgical Case Reports</i> , 2021, 7, 37.	0.6	1
152	Prognostic significance of the controlling nutritional status score in patients with metastatic renal cell carcinoma diagnosed before an era of first-line immune-oncology combination therapies. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1570-1576.	1.3	1
153	Functional CT and MRI of the Urinary System and Adrenal Glands. , 2014, , 1173-1182.		1
154	Impact of Serum $\hat{\gamma}$ -Glutamyltransferase on Overall Survival in Men with Metastatic Castration-Resistant Prostate Cancer Treated with Docetaxel. <i>Cancers</i> , 2021, 13, 5587.	3.7	1
155	Who Can Avoid Biopsy of Magnetic Resonance Imaging-Negative Lobes without Compromising Significant Cancer Detection among Men with Unilateral Magnetic Resonance Imaging-Positive Lobes?. <i>Urologia Internationalis</i> , 2021, 105, 386-393.	1.3	1
156	PREOPERATIVE C-REACTIVE PROTEIN IS A SIGNIFICANT FACTOR OF PREDICTION MODEL FOR CANCER SPECIFIC SURVIVAL IN PATIENTS WITH CLEAR CELL RENAL CELL CARCINOMA. <i>Journal of Urology</i> , 2008, 179, 413-414.	0.4	0
157	LYMPHOVASCULAR INVASION IS INDEPENDENTLY ASSOCIATED WITH POOR PROGNOSIS IN PATIENTS WITH LOCALIZED UPPER URINARY TRACT UROTHELIAL CARCINOMA TREATED SURGICALLY. <i>Journal of Urology</i> , 2008, 179, 291-291.	0.4	0
158	PREOPERATIVE C-REACTIVE PROTEIN IS A SIGNIFICANT FACTOR OF RECURRENCE PREDICTION MODEL IN PATIENTS WITH NONMETASTATIC CLEAR CELL RENAL CELL CARCINOMA. <i>Journal of Urology</i> , 2009, 181, 217-217.	0.4	0
159	Editorial Comment to Cancer death from non-muscle invasive bladder cancer: Report of the Japanese Urological Association of data from the 1999-2001 registry in Japan. <i>International Journal of Urology</i> , 2010, 17, 913-913.	1.0	0
160	1636 PERFORMANCE OF FREE PSA BETTER THAN TOTAL PSA FOR ESTIMATION OF PROSTATE VOLUME IN ELDERLY MEN WITHOUT PROSTATE CANCER. <i>Journal of Urology</i> , 2010, 183, .	0.4	0
161	2121 MULTI-PARAMETRIC MAGNETIC RESONANCE IMAGING CAN DETECT PROSTATE CANCERS MISSED BY TRANSRECTAL 12-CORE BIOPSY WITH HIGH ACCURACY. <i>Journal of Urology</i> , 2011, 185, .	0.4	0
162	195 NEGATIVE RESULT IN UNILATERAL 13-CORE BIOPSY CAN PREDICT THE ABSENCE OF SIGNIFICANT CANCER ON THE IPSILATERAL LOBE WITH A HIGH ACCURACY. IMPLICATIONS FOR HEMIABLATIVE FOCAL THERAPY. <i>Journal of Urology</i> , 2011, 185, .	0.4	0

#	ARTICLE	IF	CITATIONS
163	2315 CAN MEN WITH A NORMAL DIGITAL RECTAL EXAMINATION AND WITH NEGATIVE FINDINGS ON PRE-BIOPSY MULTI-PARAMETRIC MAGNETIC RESONANCE IMAGING AVOID IMMEDIATE PROSTATE BIOPSY?. Journal of Urology, 2011, 185, .	0.4	0
164	688 NOMOGRAM TO PREDICT MINIMAL-FAT ANGIOMYOLIPOMA AT NEPHRECTOMY FOR RENAL MASSES PRESUMED TO BE STAGE 1 RENAL CELL CARCINOMA: IMPACT OF SEX, AGE, AND TUMOR SIZE. Journal of Urology, 2011, 185, .	0.4	0
165	1894 DIFFUSION-WEIGHTED MAGNETIC RESONANCE IMAGING REFLECTS PATHOLOGIC PHENOTYPES OF BLADDER CANCER. Journal of Urology, 2011, 185, .	0.4	0
166	2300 DIFFUSION-WEIGHTED MAGNETIC RESONANCE IMAGING IN DIFFERENTIATION OF ANGIOMYOLIPOMA WITH MINIMAL FAT FROM CLEAR CELL RENAL CELL CARCINOMA. Journal of Urology, 2011, 185, .	0.4	0
167	1419 PATHOLOGY-BASED RISK STRATIFICATION OF MUSCLE-INVASIVE BLADDER CANCER PATIENTS UNDERGOING CYSTECTOMY FOR PERSISTENT DISEASE AFTER INDUCTION CHEMORADIATION IN BLADDER-SPARING PROTOCOLS. Journal of Urology, 2011, 185, .	0.4	0
168	1054 HSP90 INHIBITORS POTENTIALLY OVERCOME CHEMORADIOTHERAPY RESISTANCE ASSOCIATED WITH HER2 AND NF κ B OVEREXPRESSION IN MIBC. Journal of Urology, 2011, 185, .	0.4	0
169	1084 A NOMOGRAM FOR PREDICTING THE DEVELOPMENT OF CHRONIC KIDNEY DISEASE WITHIN 2 YEARS AFTER RADICAL NEPHRECTOMY IN PATIENTS WITH RENAL CORTICAL TUMOR. Journal of Urology, 2011, 185, .	0.4	0
170	1986 SENSITIVITY TO CHEMORADIATION PREDICTS DEVELOPMENT OF METASTASIS IN MUSCLE-INVASIVE BLADDER CANCER PATIENTS. Journal of Urology, 2011, 185, .	0.4	0
171	909 ANTIMICROBIAL PROPHYLAXIS IS NOT NECESSARY IN MINIMALLY INVASIVE PARTIAL NEPHRECTOMY WITHOUT ENTRY INTO THE URINARY TRACT. Journal of Urology, 2012, 187, .	0.4	0
172	56 SUCCESSFUL CONTROL OF METHICILLIN-RESISTANT STAPHYLOCOCCUS AUREUS IN A UROLOGY WARD POSSIBLY DUE TO AVOIDANCE OF ANTIMICROBIAL PROPHYLAXIS IN MINIMALLY INVASIVE SURGERY: OUR 11 YEARS TRIAL. Journal of Urology, 2012, 187, .	0.4	0
173	633 IMPACT OF PREOPERATIVE C-REACTIVE PROTEIN ON SURVIVAL OF PATIENTS WITH UPPER URINARY TRACT UROTHELIAL CARCINOMA: A MULTICENTER STUDY. Journal of Urology, 2012, 187, .	0.4	0
174	2051 PREBIOPSY MULTI-PARAMETRIC MRI POTENTIALLY REDUCES UNNECESSARY PROSTATE BIOPSY IN MEN WITH PSA LESS THAN 10 NG/ML AND A NORMAL DIGITAL RECTAL EXAMINATION. Journal of Urology, 2012, 187, .	0.4	0
175	1738 PERFORMANCE OF FREE PSA MASS IN ESTIMATION OF PROSTATE VOLUME IN JAPANESE MEN WITH BENIGN PROSTATE HYPERPLASIA. Journal of Urology, 2012, 187, .	0.4	0
176	2211 BETTER PERFORMANCE OF PLASMA VOLUME THAN BODY MASS INDEX FOR HIGH-GRADE PROSTATE CANCER DETECTION AT EXTENDED BIOPSY IN JAPANESE MEN. Journal of Urology, 2012, 187, .	0.4	0
177	2213 CHARACTERISTICS OF PROSTATE CANCERS MISSED BY INITIAL TRANSPERINEAL EXTENDED BIOPSY. Journal of Urology, 2012, 187, .	0.4	0
178	1422 GASLESS LAPAROENDOSCOPIC SINGLE-PORT RETROPERITONEAL RADICAL NEPHRECTOMY IN DIALYSIS PATIENTS: PERIOPERATIVE OUTCOMES OF 82 CONSECUTIVE CASES. Journal of Urology, 2012, 187, .	0.4	0
179	A case of metastatic testicular germ-cell tumor with rhabdomyosarcoma successfully treated with germ-cell tumor-oriented chemotherapy. International Cancer Conference Journal, 2012, 1, 58-62.	0.5	0
180	2193 BONE ABNORMAL SIGNAL INCIDENTALLY FOUND IN PRE-BIOPSY DIFFUSION-WEIGHTED MRI FOR SUSPICIOUS OF PROSTATE CANCER: DOES THE SIGNAL REFLECT METASTASIS FROM PROSTATE CANCER?. Journal of Urology, 2013, 189, .	0.4	0

#	ARTICLE	IF	CITATIONS
181	1700 PROGNOSTIC SIGNIFICANCE OF POSITIVE URINE CYTOLOGY IN NON-MUSCLE INVASIVE BLADDER CANCER PATIENTS. <i>Journal of Urology</i> , 2013, 189, .	0.4	0
182	1207 COMBINATION OF EXTENDED BIOPSY AND MRI IDENTIFIES CANDIDATES FOR QUADRANT-ABLATION FOCAL THERAPY OF PROSTATE CANCER. <i>Journal of Urology</i> , 2013, 189, .	0.4	0
183	400 RISK STRATIFICATION FOR BLADDER RECURRENCE AFTER RADICAL NEPHROURETERECTOMY FOR UPPER URINARY TRACT UROTHELIAL CARCINOMA. <i>Journal of Urology</i> , 2013, 189, .	0.4	0
184	170 RADIOSENSITIZING EFFECT OF ZOLEDRONIC ACID ON RENAL CELL CARCINOMA CELLS BY DOWNREGULATING STAT1. <i>Journal of Urology</i> , 2013, 189, .	0.4	0
185	1428 PREDICTORS OF INTRAVESICAL TUMOR RECURRENCE FOLLOWING SELECTIVE BLADDER PRESERVATION IN MUSCLE-INVASIVE BLADDER CANCER PATIENTS. <i>Journal of Urology</i> , 2013, 189, .	0.4	0
186	48 SERUM C-REACTIVE PROTEIN AS AN INDICATOR OF SURVIVAL AFTER SURGERY FOR ADRENAL METASTASIS FROM MULTIPLE PRIMARY SITES. <i>Journal of Urology</i> , 2013, 189, .	0.4	0
187	682 PRESENCE OF URETERAL TUMOR WAS ASSOCIATED WITH POOR PROGNOSIS IN UPPER URINARY TRACT UROTHELIAL CARCINOMA PATIENTS TREATED BY NEPHROURETERECTOMY: A MULTICENTER DATABASE STUDY OF 1063 PATIENTS. <i>Journal of Urology</i> , 2013, 189, .	0.4	0
188	1468 POTENTIAL OF PREBIOPSY MULTIPARAMETRIC MAGNETIC RESONANCE IMAGING TO REDUCE INITIAL BIOPSIES IN MEN WITH SUSPECTED CLINICALLY LOCALIZED PROSTATE CANCER. <i>Journal of Urology</i> , 2013, 189, .	0.4	0
189	237 IMPACT OF MRI ON THE PREDICTION OF SIDE-SPECIFIC EXTRACAPSULAR EXTENSION: NOMOGRAM BASED ON TUMOR CONTACT LENGTH AND PERCENT POSITIVE BIOPSY CORES. <i>Journal of Urology</i> , 2013, 189, .	0.4	0
190	687 BIMODAL PATTERN OF THE IMPACT OF BODY MASS INDEX ON CANCER-SPECIFIC SURVIVAL OF UPPER URINARY TRACT UROTHELIAL CARCINOMA PATIENTS: MULTI-CENTER STUDY IN A 1114-CASE TOKYO METROPOLITAN DATABASE OF UROLOGIC DISEASE (TMDU) COHORT. <i>Journal of Urology</i> , 2013, 189, .	0.4	0
191	OP1-12 REDUCED TRAP1 EXPRESSION IS ASSOCIATED WITH POOR PROGNOSIS IN UPPER URINARY TRACT UROTHELIAL CARCINOMA PATIENTS: ITS IMPLICATIONS FOR TUMOR INVASION. <i>Journal of Urology</i> , 2014, 191, .	0.4	0
192	MP21-16 ERBB2 OVEREXPRESSION IS RELEVANT TO THERAPEUTIC RESISTANCE AND POOR PROGNOSIS IN MUSCLE-INVASIVE BLADDER CANCER PATIENTS TREATED WITH CHEMORADIATION-BASED BLADDER-SPARING PROTOCOL. <i>Journal of Urology</i> , 2014, 191, .	0.4	0
193	MP55-03 SARCOPENIA IS A PROGNOSTIC BIOMARKER OF ADVANCED UROTHELIAL CARCINOMA. <i>Journal of Urology</i> , 2014, 191, .	0.4	0
194	MP7-09 DIFFUSION-WEIGHTED MRI FOR ASSESSING THE RESPONSE OF MUSCLE-INVASIVE BLADDER CANCER TO CHEMORADIOTHERAPY. <i>Journal of Urology</i> , 2014, 191, .	0.4	0
195	MP69-20 INTENSIVE LOCAL THERAPY TO BONE LESIONS MAY IMPROVE SURVIVAL IN RENAL CELL CARCINOMA PATIENTS WITH BONE METASTASIS. <i>Journal of Urology</i> , 2015, 193, .	0.4	0
196	MP58-08 FAVORABLE SURVIVAL OUTCOMES AFTER A CHEMORADIATION-BASED MULTIMODAL APPROACH AGAINST MUSCLE-INVASIVE BLADDER CANCER WITH HIGH KI-67 EXPRESSION. <i>Journal of Urology</i> , 2015, 193, .	0.4	0
197	MP11-11 SARCOPENIA AS A PROGNOSTIC BIOMARKER OF METASTATIC RENAL CELL CARCINOMA: ITS EFFECT ON SURVIVAL BENEFIT FROM CYTOREDUCTIVE NEPHRECTOMY. <i>Journal of Urology</i> , 2015, 193, .	0.4	0
198	Renal Cell Carcinoma in End-Stage Renal Disease. , 0, , .		0

#	ARTICLE	IF	CITATIONS
199	Editorial Comment to Stratified analysis of 800 Asian patients after robot-assisted radical prostatectomy with a median 64 months of follow up. International Journal of Urology, 2016, 23, 774-775.	1.0	0
200	PD14-03 PROGNOSTIC SIGNIFICANCE OF POSTOPERATIVE SKELETAL MUSCLE MASS RECOVERY IN METASTATIC RENAL CELL CARCINOMA PATIENTS WHO UNDERWENT CYTOREDUCTIVE NEPHRECTOMY. Journal of Urology, 2016, 195, .	0.4	0
201	PD38-05 PREDICTIVE MODEL FOR THERAPEUTIC RESISTANCE USING ERBB2 EXPRESSION STATUS AND KI-67 LABELING INDEX IN MUSCLE-INVASIVE BLADDER CANCER PATIENTS TREATED WITH CHEMORADIOTHERAPY-BASED BLADDER-SPARING PROTOCOL. Journal of Urology, 2016, 195, .	0.4	0
202	MP16-17 CAN SYSTEMATIC BIOPSY BE SAFELY OMITTED IN THE ERA OF MRI/TRUS-FUSION TARGETED PROSTATE BIOPSY?. Journal of Urology, 2016, 195, .	0.4	0
203	MP34-17 PROGNOSTIC SIGNIFICANCE OF SERUM β -GLUTAMYLTRANSFERASE IN ADVANCED UROTHELIAL CARCINOMA PATIENTS. Journal of Urology, 2017, 197, .	0.4	0
204	MP72-14 IMPACT OF CHRONIC KIDNEY DISEASE AND HYPERTENSION ON DECLINE IN REMAINING KIDNEY FUNCTION AFTER RADICAL NEPHRECTOMY. Journal of Urology, 2017, 197, .	0.4	0
205	MP83-13 ZOLEDRONIC ACID SENSITIZES CASTRATION-RESISTANT PROSTATE CANCER CELLS TO RADIOTHERAPY AND CHEMOTHERAPY BY DOWNREGULATING STAT1. Journal of Urology, 2017, 197, .	0.4	0
206	MP21-18 POST-THERAPEUTIC RECOVERY OF SKELETAL MUSCLE MASS PREDICTS FAVORABLE PROGNOSIS IN ADVANCED UROTHELIAL CARCINOMA PATIENTS RECEIVING 1ST-LINE PLATINUM-BASED CHEMOTHERAPY. Journal of Urology, 2017, 197, .	0.4	0
207	Impact of fluorodeoxyglucose uptake on positron emission tomography/computed tomography on chemosensitivity and survival in patients with metastatic urothelial carcinoma. International Journal of Urology, 2019, 26, 820-826.	1.0	0
208	Will chemoradiation-based bladder-sparing therapy become a standard of care for muscle-invasive bladder cancer?. Translational Andrology and Urology, 2020, 9, 981-982.	1.4	0
209	Clinically node-positive micropapillary bladder cancer in a young female desiring to spare functional bladder and fertility. International Cancer Conference Journal, 2020, 9, 151-154.	0.5	0
210	IFN γ enhances the cytotoxicity of 5-fluorouracil against human bladder cancer cells through induction of PD-ECGF / TP. Japanese Journal of Urology, 2002, 93, 323.	0.1	0
211	Platelet-derived endothelial cell growth factor/thymidine phosphorylase expression in primary bladder cancer. Japanese Journal of Urology, 2002, 93, 377.	0.1	0
212	Contribution of C-reactive protein to predicting overall survival in patients with advanced urothelial carcinoma: Development of a nomogram and evaluation by decision curve analysis.. Journal of Clinical Oncology, 2012, 30, 280-280.	1.6	0
213	Gasless Single-Port RoboSurgeon Retroperitoneoscopic Radical Nephrectomy. , 2015, , 23-42.		0
214	Gasless Single-Port RoboSurgeon Retroperitoneoscopic Radical Prostatectomy. , 2015, , 105-126.		0
215	Gasless Single-Port RoboSurgeon Retroperitoneoscopic Pelvic Lymph Node Dissection and Inguinal Hernia Prevention. , 2015, , 159-173.		0
216	Role of cytoreductive nephrectomy in metastatic renal cell carcinoma patients with tumor thrombus: does it change with development of systemic therapy?. Annals of Translational Medicine, 2019, 7, S145-S145.	1.7	0

#	ARTICLE	IF	CITATIONS
217	Editorial Comment to Predicting factor analysis of postoperative complications after robot-assisted radical cystectomy: Multicenter KORARC database study. International Journal of Urology, 2022, 29, 946-946.	1.0	0
218	Clinical Factors Associated With Pathological Grade Group 1 Patients in D'Amico Intermediate-Risk Group Following Robot-Assisted Radical Prostatectomy: A Retrospective Multicenter Cohort Study in Japan (The MSUG94 Group). Clinical Genitourinary Cancer, 2022, 20, 593-600.	1.9	0