

# Jinzu Ji

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1385065/publications.pdf>

Version: 2024-02-01

32  
papers

170  
citations

1307594

7  
h-index

1281871

11  
g-index

33  
all docs

33  
docs citations

33  
times ranked

173  
citing authors

#	ARTICLE	IF	CITATIONS
1	Transparent and electrically tunable electromagnetic wave absorbing metamaterial. Applied Physics Letters, 2022, 120, .	3.3	18
2	Applying PML technique with additional differential equation method in non-uniform mixed-element DGTD method. Optik, 2021, 225, 165219.	2.9	0
3	Tunable Radar Absorber Using Resistive Frequency-Selective Surface and Plasma. , 2021, , .		0
4	Tunable Multi-band plasma FSS realized by artificial defects. , 2021, , .		0
5	Inclusion's distribution pattern's influence on mixture's effective permittivity in two dimension utilizing finite difference method (FDM). Optik, 2020, 200, 163384.	2.9	0
6	Reflection and transmission characteristics of frequency selective surface embedded within a thick plasma layer. Optik, 2020, 200, 163453.	2.9	3
7	Fast finite-difference time-domain (FDTD) method of two dimensional target scattering calculation by two-level hierarchical approach. Optik, 2020, 203, 163951.	2.9	2
8	Study on Tunable Magnetized Plasma Frequency Selective Surface Using JEC-FDTD Method. IEEE Transactions on Plasma Science, 2020, 48, 3479-3486.	1.3	7
9	Analysis and optimization of electromagnetic scattering characteristics of two-dimensional metal airfoil covered with metamaterial. Journal of Physics: Conference Series, 2020, 1633, 012019.	0.4	1
10	Tunability Study of Plasma Frequency Selective Surface Based on FDTD. IEEE Transactions on Plasma Science, 2019, 47, 1500-1504.	1.3	7
11	Three-dimensional thermo-mechanical solutions of cross-ply laminated plates and shells by a differential quadrature hierarchical finite element method. Composite Structures, 2019, 208, 711-724.	5.8	18
12	Numerical calculation of the reflection, absorption and transmission of a nonuniform plasma slab based on FDTD. Optik, 2018, 165, 240-247.	2.9	6
13	Scattering reduction of perfectly electric conductive cylinder by coating plasma and metamaterial. Optik, 2018, 161, 98-105.	2.9	10
14	Research on monostatic and bistatic RCS of cloaking based on coordinate transformation. Optik, 2018, 165, 117-123.	2.9	7
15	Research on scattering characteristics of metamaterials based on ADE-FDTD. Optik, 2018, 164, 402-406.	2.9	5
16	Active cancellation method of the chirp-subpulse stepped frequency (CSSF) based on repeater jamming. Optik, 2018, 154, 692-704.	2.9	2
17	Experimental analysis for electromagnetic scattering characteristics of aluminum-doped zinc oxide (AZO) coated glass. Optik, 2018, 155, 133-138.	2.9	5
18	Comparison of Three Different Styles of Submarine Sails on Electromagnetic Scattering under the Detection of Airborne Radar. ITM Web of Conferences, 2018, 17, 02003.	0.5	1

#	ARTICLE	IF	CITATIONS
19	A novel method in extrapolation from near-zone to far-zone of 2D FDTD scattering. <i>Optik</i> , 2018, 157, 551-555.	2.9	1
20	Piecewise linear recursive convolution (PLRC) implementation of convolution perfectly matched layer (CPML) in finite-difference time-domain (FDTD). <i>Optik</i> , 2017, 140, 459-466.	2.9	4
21	Quadratic recursive convolution (QRC) in dispersive media simulation of finite-difference time-domain (FDTD). <i>Optik</i> , 2017, 138, 542-549.	2.9	7
22	Nutation and geometrical parameters estimation of cone-shaped target based on micro-Doppler effect. <i>Optik</i> , 2017, 150, 1-10.	2.9	5
23	A fast shadowing test algorithm in physical optics based on spherical partition of target. <i>Optik</i> , 2017, 145, 284-291.	2.9	1
24	Study and optimization on the scattering characteristic of two-dimensional metal airfoil covered with plasma using ADE-FDTD. <i>Optik</i> , 2017, 147, 224-231.	2.9	4
25	A feasibility study of elastography based confocal microwave imaging technique for breast cancer detection. <i>Optik</i> , 2017, 144, 108-114.	2.9	6
26	Fast shadowing test algorithm based on target division by cubes. <i>Optik</i> , 2017, 130, 433-440.	2.9	7
27	Triangular ray tubes in electromagnetic scattering calculation using shooting and bouncing ray (SBR). <i>Optik</i> , 2016, 127, 3117-3120.	2.9	3
28	Numerical simulation of the aerodynamic influence of an aircraft on the hose-refueling system during aerial refueling operations. <i>Aerospace Science and Technology</i> , 2016, 49, 34-40.	4.8	9
29	Numerical simulation of RCS for carrier electronic warfare airplanes. <i>Chinese Journal of Aeronautics</i> , 2015, 28, 545-555.	5.3	18
30	Shadowing algorithm of facets in physical optics (PO) based on determinant. <i>Optik</i> , 2015, 126, 1366-1368.	2.9	5
31	Perfectly matched layer's constitutive assignment scheme's influence to absorbing performance. <i>Optik</i> , 2015, 126, 5777-5780.	2.9	5
32	Series expansion feasibility of singular integral in method of moments. <i>Journal of Systems Engineering and Electronics</i> , 2014, 25, 386-392.	2.2	3