

Salvatore Pucciarelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/138711/publications.pdf>

Version: 2024-02-01

213
papers

7,312
citations

71102

41
h-index

66911

78
g-index

223
all docs

223
docs citations

223
times ranked

8897
citing authors

#	ARTICLE	IF	CITATIONS
1	MMR profile and microsatellite instability status in colorectal mucinous adenocarcinoma with synchronous metastasis: a new clue for the clinical practice. <i>Journal of Clinical Pathology</i> , 2023, 76, 492-496.	2.0	5
2	Prognostic significance of pathological sub-classification of pT3 rectal cancer. <i>International Journal of Colorectal Disease</i> , 2022, 37, 131-139.	2.2	0
3	Epstein-Barr virus associated gastric dysplasia: a new rare entity?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 939-944.	2.8	3
4	Rectal Sparing Approach After Neoadjuvant Therapy in Patients with Rectal Cancer: The Preliminary Results of the ReSARCh Trial. <i>Annals of Surgical Oncology</i> , 2022, 29, 1880-1889.	1.5	19
5	Metachronous colorectal cancer have a similar microsatellite instability frequency but a lower infiltration of lymphomononuclear cells than primary lesions. <i>Surgery</i> , 2022, 171, 1605-1611.	1.9	1
6	Crohn's Disease-Related Stoma Complications and Their Impact on Postsurgical Course. <i>Digestive Surgery</i> , 2022, 39, 83-91.	1.2	2
7	A method for assessing plasma free fatty acids from C2 to C18 and its application for the early detection of colorectal cancer. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022, 215, 114762.	2.8	5
8	ASO Author Reflections: Rectal Preservation After Major or Complete Clinical Response to Neoadjuvant Therapy—The Safety of Integrated Approaches. <i>Annals of Surgical Oncology</i> , 2022, 29, 1890-1891.	1.5	0
9	18F-FDG-PET/MRI texture analysis in rectal cancer after neoadjuvant chemoradiotherapy. <i>Nuclear Medicine Communications</i> , 2022, 43, 815-822.	1.1	9
10	Predictors of Metastatic Lymph Nodes at Preoperative Staging CT in Gastric Adenocarcinoma. <i>Tomography</i> , 2022, 8, 1196-1207.	1.8	1
11	Prognostic significance of additional histologic features for subclassification of pathological T3 colon cancer. <i>International Journal of Clinical Oncology</i> , 2022, 27, 1428-1438.	2.2	1
12	The impact of anastomotic leak on long-term oncological outcomes after low anterior resection for mid-low rectal cancer: extended follow-up of a randomised controlled trial. <i>International Journal of Colorectal Disease</i> , 2022, 37, 1689-1698.	2.2	7
13	Long-Term Outcomes of Local Excision Following Neoadjuvant Chemoradiotherapy for Locally Advanced Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 2801-2808.	1.5	14
14	ASO Author Reflections: Local Excision Following Neoadjuvant Therapy for Rectal Cancer: A Compromise Between TME and Watch-and-Wait in Patients with Major Response. <i>Annals of Surgical Oncology</i> , 2021, 28, 2809-2810.	1.5	1
15	Spotlight on Circadian Genes and Colorectal Cancer Crosstalk. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2021, 21, 4-11.	1.2	3
16	More Favorable Short and Long-Term Outcomes for Screen-Detected Colorectal Cancer Patients. <i>Frontiers in Oncology</i> , 2021, 11, 620644.	2.8	8
17	Molecular profiling of appendiceal serrated lesions, polyps and mucinous neoplasms: a single-centre experience. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1897-1904.	2.5	7
18	Definition and management of colorectal polyposis not associated with APC/MUTYH germline pathogenic variants: AIFEG consensus statement. <i>Digestive and Liver Disease</i> , 2021, 53, 409-417.	0.9	9

#	ARTICLE	IF	CITATIONS
19	T2-weighted, apparent diffusion coefficient and 18F-FDG PET histogram analysis of rectal cancer after preoperative chemoradiotherapy. <i>Techniques in Coloproctology</i> , 2021, 25, 569-577.	1.8	2
20	The Authors Reply. <i>Diseases of the Colon and Rectum</i> , 2021, 64, e476-e476.	1.3	0
21	A nomogram to predict overall survival and disease-free survival after curative-intent gastrectomy for gastric cancer. <i>Updates in Surgery</i> , 2021, 73, 1879-1890.	2.0	9
22	Prevalence of nodal involvement in rectal cancer after chemoradiotherapy. <i>British Journal of Surgery</i> , 2021, 108, 1251-1258.	0.3	11
23	Intratumor morphologic and transcriptomic heterogeneity in V600EBRAF-mutated metastatic colorectal adenocarcinomas. <i>ESMO Open</i> , 2021, 6, 100211.	4.5	4
24	Segmental transverse colectomy. Minimally invasive versus open approach: results from a multicenter collaborative study. <i>Updates in Surgery</i> , 2021, , 1.	2.0	3
25	Association of Delayed Surgery With Oncologic Long-term Outcomes in Patients With Locally Advanced Rectal Cancer Not Responding to Preoperative Chemoradiation. <i>JAMA Surgery</i> , 2021, 156, 1141.	4.3	33
26	[18F]FDG PET/MRI in rectal cancer. <i>Annals of Nuclear Medicine</i> , 2021, 35, 281-290.	2.2	20
27	Insulin/IGF-1 Signaling Is Downregulated in Barrett's Esophagus Patients Undergoing a Moderate Calorie and Protein Restriction Program: A Randomized 2-Year Trial. <i>Nutrients</i> , 2021, 13, 3638.	4.1	6
28	Tumor Cells and the Extracellular Matrix Dictate the Pro-Tumoral Profile of Macrophages in CRC. <i>Cancers</i> , 2021, 13, 5199.	3.7	6
29	Association of CLDN18 Protein Expression with Clinicopathological Features and Prognosis in Advanced Gastric and Gastroesophageal Junction Adenocarcinomas. <i>Journal of Personalized Medicine</i> , 2021, 11, 1095.	2.5	42
30	SMAD3 Host and Tumor Profiling to Identify Locally Advanced Rectal Cancer Patients at High Risk of Poor Response to Neoadjuvant Chemoradiotherapy. <i>Frontiers in Pharmacology</i> , 2021, 12, 778781.	3.5	4
31	Impact of laparoscopic approach on the short-term outcomes of elderly patients with colorectal cancer: a nationwide Italian experience. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 4305-4314.	2.4	4
32	BTK inhibitors synergise with 5-FU to treat drug-resistant TP53-null colon cancers. <i>Journal of Pathology</i> , 2020, 250, 134-147.	4.5	23
33	PD-L1 expression in gastroesophageal dysplastic lesions. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 151-156.	2.8	24
34	18F-FDG PET/MRI for Rectal Cancer TNM Restaging After Preoperative Chemoradiotherapy: Initial Experience. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 310-318.	1.3	27
35	Colonic J-Pouch or Straight Colorectal Reconstruction After Low Anterior Resection For Rectal Cancer: Impact on Quality of Life and Bowel Function: A Multicenter Prospective Randomized Study. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 1511-1523.	1.3	21
36	Intrinsic and Extrinsic Modulators of the Epithelial to Mesenchymal Transition: Driving the Fate of Tumor Microenvironment. <i>Frontiers in Oncology</i> , 2020, 10, 1122.	2.8	18

#	ARTICLE	IF	CITATIONS
37	Tryptophan Catabolism and Response to Therapy in Locally Advanced Rectal Cancer (LARC) Patients. <i>Frontiers in Oncology</i> , 2020, 10, 583228.	2.8	6
38	Genetic Variants of the TERT Gene, Telomere Length, and Circulating TERT as Prognostic Markers in Rectal Cancer Patients. <i>Cancers</i> , 2020, 12, 3115.	3.7	12
39	Non-Operative Management Versus Total Mesorectal Excision for Locally Advanced Rectal Cancer with Clinical Complete Response After Neoadjuvant Chemoradiotherapy: a GRADE Approach by the Rectal Cancer Guidelines Writing Group of the Italian Association of Medical Oncology (AIOM). <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 2150-2159.	1.7	15
40	MRI T2-weighted sequences-based texture analysis (TA) as a predictor of response to neoadjuvant chemo-radiotherapy (nCRT) in patients with locally advanced rectal cancer (LARC). <i>Radiologia Medica</i> , 2020, 125, 1216-1224.	7.7	44
41	Immunogenetic markers in IL17F predict the risk of metastases spread and overall survival in rectal cancer patients treated with neoadjuvant chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2020, 149, 30-37.	0.6	6
42	The management of surgical patients during the coronavirus disease 2019 (COVID-19) pandemic. <i>Surgery</i> , 2020, 168, 4-10.	1.9	23
43	Recellularized Colorectal Cancer Patient-Derived Scaffolds as In Vitro Pre-Clinical 3D Model for Drug Screening. <i>Cancers</i> , 2020, 12, 681.	3.7	32
44	Mid-transverse colon cancer and extended versus transverse colectomy: Results of the Italian society of surgical oncology colorectal cancer network (SICO CCN) multicenter collaborative study. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1683-1688.	1.0	24
45	miR-27a is a master regulator of metabolic reprogramming and chemoresistance in colorectal cancer. <i>British Journal of Cancer</i> , 2020, 122, 1354-1366.	6.4	38
46	Italian multi-society modified Delphi consensus on the definition and management of anastomotic leakage in colorectal surgery. <i>Updates in Surgery</i> , 2020, 72, 781-792.	2.0	32
47	Analysis of morbidity and mortality, quality of life and bowel function after total colectomy with ileorectal anastomosis versus right and left hemicolectomy: A study to optimise the treatment of lynch syndrome and attenuated polyposis coli. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1613-1619.	1.0	6
48	Predictors of Early Distant Relapse in Rectal Cancer Patients Submitted to Preoperative Chemoradiotherapy. <i>Oncology Research and Treatment</i> , 2020, 43, 146-152.	1.2	15
49	Recent Advances in Understanding the Protein Corona of Nanoparticles and in the Formulation of "Stealthy" Nanomaterials. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 166.	4.1	212
50	Italian society of colorectal surgery recommendations for good clinical practice in colorectal surgery during the novel coronavirus pandemic. <i>Techniques in Coloproctology</i> , 2020, 24, 501-505.	1.8	41
51	Gene and protein expression of mTOR and LC3 in hepatocellular carcinoma, colorectal liver metastasis and "normal" liver tissues. <i>PLoS ONE</i> , 2020, 15, e0244356.	2.5	3
52	Circulating Biomarkers for Response Prediction of Rectal Cancer to Neoadjuvant Chemoradiotherapy. <i>Current Medicinal Chemistry</i> , 2020, 27, 4274-4294.	2.4	10
53	Isoperistaltic Jejunal Loop Interposition after Total Gastrectomy for Gastric Cancer in Patients with Familial Adenomatous Polyposis. <i>Journal of Gastric Cancer</i> , 2020, 20, 225.	2.5	1
54	Title is missing!. , 2020, 15, e0244356.		0

#	ARTICLE	IF	CITATIONS
55	Title is missing!. , 2020, 15, e0244356.		0
56	Title is missing!. , 2020, 15, e0244356.		0
57	Title is missing!. , 2020, 15, e0244356.		0
58	Defunctioning stoma in young patients affected by rectal cancer: a delicate balance. British Journal of Surgery, 2020, 107, e639.	0.3	0
59	Pathological Tumor Regression Grade Classifications in Gastrointestinal Cancers: Role on Patients' Prognosis. International Journal of Surgical Pathology, 2019, 27, 816-835.	0.8	8
60	PV-0627 IL17F-rs641701 polymorphism as prognostic factor in rectal cancer after preoperative chemoradiation. Radiotherapy and Oncology, 2019, 133, S333-S334.	0.6	0
61	Invite comment on Pucciarelli and Spolverato: The fate of the rectum after organ sparing approach to rectal cancer. Techniques in Coloproctology, 2019, 23, 807-808.	1.8	1
62	Nanovectors Design for Theranostic Applications in Colorectal Cancer. Journal of Oncology, 2019, 2019, 1-27.	1.3	20
63	Local excision in rectal cancer patients with major or complete clinical response after neoadjuvant therapy: a case-matched study. International Journal of Colorectal Disease, 2019, 34, 2129-2136.	2.2	9
64	Multicentre randomized clinical trial of colonic J pouch or straight stapled colorectal reconstruction after low anterior resection for rectal cancer. British Journal of Surgery, 2019, 106, 1147-1155.	0.3	27
65	Claudin-18 expression in oesophagogastric adenocarcinomas: a tissue microarray study of 523 molecularly profiled cases. British Journal of Cancer, 2019, 121, 257-263.	6.4	53
66	Failure to rescue as a source of variation in hospital mortality after rectal surgery: The Italian experience. European Journal of Surgical Oncology, 2019, 45, 1219-1224.	1.0	8
67	The INTERACT Trial: Long-term results of a randomised trial on preoperative capecitabine-based radiochemotherapy intensified by concomitant boost or oxaliplatin, for cT2 (distal) cT3 rectal cancer. Radiotherapy and Oncology, 2019, 134, 110-118.	0.6	48
68	miR-224 Is Significantly Upregulated and Targets Caspase-3 and Caspase-7 During Colorectal Carcinogenesis. Translational Oncology, 2019, 12, 282-291.	3.7	14
69	Colorectal cancer screening: The surgery rates they are a-changing. A nationwide study on surgical resections in Italy. Digestive and Liver Disease, 2019, 51, 304-309.	0.9	4
70	Neoadjuvant epirubicin, oxaliplatin, capecitabine and radiation therapy (NEOX-RT) followed by surgery for locally advanced gastric cancer (LAGC): A phase II multicentric study.. Journal of Clinical Oncology, 2019, 37, 4066-4066.	1.6	2
71	The predictive and prognostic potential of plasma telomerase reverse transcriptase (TERT) RNA in rectal cancer patients. British Journal of Cancer, 2018, 118, 878-886.	6.4	20
72	Number of lymph nodes assessed has no prognostic impact in node-negative rectal cancers after neoadjuvant therapy. Results of the Italian Society of Surgical Oncology (S.I.C.O.) Colorectal Cancer Network (SICO-CCN) multicentre collaborative study. European Journal of Surgical Oncology, 2018, 44, 1233-1240.	1.0	15

#	ARTICLE	IF	CITATIONS
73	Authors'™ reply to "Rectal sparing approach after preoperative radio- and/or chemotherapy (RESARCH) in patients with rectal cancer: potential pitfalls of a multicentre observational study". <i>Techniques in Coloproctology</i> , 2018, 22, 143-144.	1.8	0
74	miR-194 as predictive biomarker of responsiveness to neoadjuvant chemoradiotherapy in patients with locally advanced rectal adenocarcinoma. <i>Journal of Clinical Pathology</i> , 2018, 71, 344-350.	2.0	29
75	Decellularized colorectal cancer matrix as bioactive microenvironment for in vitro 3D cancer research. <i>Journal of Cellular Physiology</i> , 2018, 233, 5937-5948.	4.1	61
76	Failure-to-Rescue as a Source of Variation in Hospital Mortality after Rectal Surgery: the Italian Experience. <i>Journal of the American College of Surgeons</i> , 2018, 227, e106-e107.	0.5	0
77	Elevated platelet count is a negative predictive and prognostic marker in locally advanced rectal cancer undergoing neoadjuvant chemoradiation: a retrospective multi-institutional study on 965 patients. <i>BMC Cancer</i> , 2018, 18, 1094.	2.6	19
78	Predictors of Early Distant Relapse in Rectal Cancer Patients Submitted to Preoperative Chemo Radiotherapy. <i>Journal of the American College of Surgeons</i> , 2018, 227, e12-e13.	0.5	0
79	Metastatic pattern and new primary tumours after neoadjuvant therapy and surgery in rectal cancer. <i>Colorectal Disease</i> , 2018, 20, O326-O334.	1.4	17
80	Assessment of intratumor immune-microenvironment in colorectal cancers with extranodal extension of nodal metastases. <i>Cancer Cell International</i> , 2018, 18, 131.	4.1	7
81	Relationship between hospital volume and short-term outcomes: a nationwide population-based study including 75,280 rectal cancer surgical procedures. <i>Oncotarget</i> , 2018, 9, 17149-17159.	1.8	11
82	Gene and MicroRNA Expression Are Predictive of Tumor Response in Rectal Adenocarcinoma Patients Treated With Preoperative Chemoradiotherapy. <i>Journal of Cellular Physiology</i> , 2017, 232, 426-435.	4.1	54
83	T1 colon cancer in the era of screening: risk factors and treatment. <i>Techniques in Coloproctology</i> , 2017, 21, 139-147.	1.8	8
84	In-hospital mortality, 30-day readmission, and length of hospital stay after surgery for primary colorectal cancer: A national population-based study. <i>European Journal of Surgical Oncology</i> , 2017, 43, 1312-1323.	1.0	38
85	Diagnostic and prognostic role of cell-free DNA testing for colorectal cancer patients. <i>International Journal of Cancer</i> , 2017, 140, 1888-1898.	5.1	96
86	Rectal sparing approach after preoperative radio- and/or chemotherapy (RESARCH) in patients with rectal cancer: a multicentre observational study. <i>Techniques in Coloproctology</i> , 2017, 21, 633-640.	1.8	31
87	Tryptophan metabolism along the kynurenine and serotonin pathways reveals substantial differences in colon and rectal cancer. <i>Metabolomics</i> , 2017, 13, 1.	3.0	20
88	Serp1B3 upregulates the Cyclooxygenase-2 / β -Catenin positive loop in colorectal cancer. <i>Oncotarget</i> , 2017, 8, 15732-15743.	1.8	15
89	Pharmacogenetics Biomarkers and Their Specific Role in Neoadjuvant Chemoradiotherapy Treatments: An Exploratory Study on Rectal Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1482.	4.1	12
90	Altered plasma levels of decanoic acid in colorectal cancer as a new diagnostic biomarker. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 6321-6328.	3.7	37

#	ARTICLE	IF	CITATIONS
91	Alterations of the Plasma Peptidome Profiling in Colorectal Cancer Progression. <i>Journal of Cellular Physiology</i> , 2016, 231, 915-925.	4.1	15
92	Surgical Unit volume and 30-day reoperation rate following primary resection for colorectal cancer in the Veneto Region (Italy). <i>Techniques in Coloproctology</i> , 2016, 20, 31-40.	1.8	7
93	Bowel function and quality of life after local excision or total mesorectal excision following chemoradiotherapy for rectal cancer. <i>British Journal of Surgery</i> , 2016, 104, 138-147.	0.3	42
94	Second St. Gallen European Organisation for Research and Treatment of Cancer Gastrointestinal Cancer Conference: consensus recommendations on controversial issues in the primary treatment of rectal cancer. <i>European Journal of Cancer</i> , 2016, 63, 11-24.	2.8	73
95	Peptide Patterns as Discriminating Biomarkers in Plasma of Patients With Familial Adenomatous Polyposis. <i>Clinical Colorectal Cancer</i> , 2016, 15, e75-e92.	2.3	7
96	Predictive role of microRNA-related genetic polymorphisms in the pathological complete response to neoadjuvant chemoradiotherapy in locally advanced rectal cancer patients. <i>Oncotarget</i> , 2016, 7, 19781-19793.	1.8	14
97	Serum miR-125b is a non-invasive predictive biomarker of the pre-operative chemoradiotherapy responsiveness in patients with rectal adenocarcinoma. <i>Oncotarget</i> , 2016, 7, 28647-28657.	1.8	61
98	Local Failure After Conservative Treatment of Rectal Cancer. <i>Updates in Surgery Series</i> , 2016, , 169-178.	0.1	0
99	Abstract 1420: IL17F-rs9463772 independently predicts long-term outcome in locally advanced rectal cancer. , 2016, , .		0
100	An integrative approach for the identification of prognostic and predictive biomarkers in rectal cancer. <i>Oncotarget</i> , 2015, 6, 32561-32574.	1.8	45
101	Incidence and risk factors for venous thromboembolism after laparoscopic surgery for colorectal cancer. <i>Haematologica</i> , 2015, 100, e35-e38.	3.5	20
102	A rise in NAD precursor nicotinamide mononucleotide (NMN) after injury promotes axon degeneration. <i>Cell Death and Differentiation</i> , 2015, 22, 731-742.	11.2	202
103	Colorectal polyposis: clinical presentation and surgical treatment. <i>Colorectal Disease</i> , 2015, 17, 61-66.	1.4	7
104	Outcome and prognostic factors of local recurrent rectal cancer: a pooled analysis of 150 patients. <i>Techniques in Coloproctology</i> , 2015, 19, 135-144.	1.8	31
105	A functional biological network centered on XRCC3: a new possible marker of chemoradiotherapy resistance in rectal cancer patients. <i>Cancer Biology and Therapy</i> , 2015, 16, 1160-1171.	3.4	49
106	Clinical Predictive Circulating Peptides in Rectal Cancer Patients Treated with Neoadjuvant Chemoradiotherapy. <i>Journal of Cellular Physiology</i> , 2015, 230, 1822-1828.	4.1	17
107	Quality of life after surgery for rectal cancer: a systematic review of comparisons with the general population. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015, 9, 1227-1242.	3.0	28
108	The impact of colorectal screening program on the detection of right-sided colorectal cancer. A 5-year cohort study in the Mantua District. <i>International Journal of Colorectal Disease</i> , 2015, 30, 1627-1637.	2.2	8

#	ARTICLE	IF	CITATIONS
109	Adjuvant chemotherapy in rectal cancer: Defining subgroups who may benefit after neoadjuvant chemoradiation and resection: A pooled analysis of 3,313 patients. <i>International Journal of Cancer</i> , 2015, 137, 212-220.	5.1	94
110	Are circulating tumor cells (CTCs) a feasible tool for predicting disease recurrence and survival in nonmetastatic (MO) colorectal cancer (CRC)?. <i>Journal of Clinical Oncology</i> , 2015, 33, 650-650.	1.6	0
111	Patient-reported outcomes after neoadjuvant therapy for rectal cancer: a systematic review. <i>Expert Review of Anticancer Therapy</i> , 2014, 14, 901-918.	2.4	17
112	A Randomized Study on 1-Week Versus 4-Week Prophylaxis for Venous Thromboembolism After Laparoscopic Surgery for Colorectal Cancer. <i>Annals of Surgery</i> , 2014, 259, 665-669.	4.2	162
113	Large-scale phylogenomic analysis reveals the phylogenetic position of the problematic taxon <i>Protocruzia</i> and unravels the deep phylogenetic affinities of the ciliate lineages. <i>Molecular Phylogenetics and Evolution</i> , 2014, 78, 36-42.	2.7	71
114	Predicting response to neoadjuvant therapy for rectal cancer. <i>Techniques in Coloproctology</i> , 2014, 18, 683-684.	1.8	0
115	PG 5.2 Quality of life after surgery for rectal cancer. <i>European Journal of Cancer</i> , 2014, 50, S5.	2.8	0
116	The Authors Reply. <i>Diseases of the Colon and Rectum</i> , 2014, 57, e360-e361.	1.3	0
117	Quality of Life After Surgery for Rectal Cancer. <i>Recent Results in Cancer Research</i> , 2014, 203, 117-149.	1.8	8
118	Predictive response biomarkers in rectal cancer neoadjuvant treatment. <i>Frontiers in Bioscience - Scholar</i> , 2014, S6, 110-119.	2.1	26
119	Telomeres, telomerase and colorectal cancer. <i>World Journal of Gastroenterology</i> , 2014, 20, 1940.	3.3	59
120	Factors affecting the treatment of multiple colorectal adenomas. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013, 27, 207-213.	2.4	5
121	Quality of Life and Functions After Chemoradiation for Rectal Cancer: A Review of Recent Publications. <i>Current Colorectal Cancer Reports</i> , 2013, 9, 157-167.	0.5	7
122	Which is the best surgical approach for anorectal gastrointestinal stromal tumors in the post-imatinib era?. <i>Techniques in Coloproctology</i> , 2013, 17, 477-478.	1.8	0
123	PDCD4/miR-21 dysregulation in inflammatory bowel disease-associated carcinogenesis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 462, 57-63.	2.8	55
124	Clinical and molecular features of attenuated adenomatous polyposis in northern Italy. <i>Techniques in Coloproctology</i> , 2013, 17, 79-87.	1.8	12
125	Local Excision After Preoperative Chemoradiotherapy for Rectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2013, 56, 1349-1356.	1.3	157
126	Telomerase is an independent prognostic marker of overall survival in patients with colorectal cancer. <i>British Journal of Cancer</i> , 2013, 108, 278-284.	6.4	56

#	ARTICLE	IF	CITATIONS
127	High Risk of Rectal Cancer and of Metachronous Colorectal Cancer in Probandes of Families Fulfilling the Amsterdam Criteria. <i>Annals of Surgery</i> , 2013, 257, 900-904.	4.2	27
128	Isolated Tumor Cells in Regional Lymph Nodes as Relapse Predictors in Stage I and II Colorectal Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 965-971.	1.6	47
129	Hypoxia-Related Proteins in Patients With Rectal Cancer Undergoing Neoadjuvant Combined Modality Therapy. <i>Diseases of the Colon and Rectum</i> , 2012, 55, 990-995.	1.3	23
130	APC1307K Mutations and Forkhead Box Gene (FOXO1A): Another Piece of an Interesting Correlation. <i>International Journal of Biological Markers</i> , 2012, 27, 13-19.	1.8	4
131	Telomere-Specific Reverse Transcriptase (hTERT) and Cell-free RNA in Plasma as Predictors of Pathologic Tumor Response in Rectal Cancer Patients Receiving Neoadjuvant Chemoradiotherapy. <i>Annals of Surgical Oncology</i> , 2012, 19, 3089-3096.	1.5	61
132	Comparison between CT volume measurement and histopathological assessment of response to neoadjuvant therapy in rectal cancer. <i>European Journal of Radiology</i> , 2012, 81, 3918-3924.	2.6	11
133	Serum seleno-proteins status for colorectal cancer screening explored by data mining techniques - a multidisciplinary pilot study. <i>Microchemical Journal</i> , 2012, 105, 124-132.	4.5	17
134	Multiplexed Protein Signal Pathway Mapping Identifies Patients With Rectal Cancer That Responds to Neoadjuvant Treatment. <i>Clinical Colorectal Cancer</i> , 2012, 11, 268-274.	2.3	6
135	Soft tissue sarcoma and the hereditary non-polyposis colorectal cancer (HNPCC) syndrome: formulation of an hypothesis. <i>Molecular Biology Reports</i> , 2012, 39, 9307-9310.	2.3	13
136	Clinical and molecular detection of inherited colorectal cancers in northeast Italy. <i>Tumor Biology</i> , 2012, 33, 857-864.	1.8	3
137	Significance of pulmonary nodules in patients with colorectal cancer. <i>European Radiology</i> , 2012, 22, 1680-1686.	4.5	16
138	Isolated Tumor Cells (ITC) in Regional Lymph Nodes Predict Colorectal Cancer (CRC) Relapse. <i>Gastroenterology</i> , 2011, 140, S-338.	1.3	0
139	Tumor response is predicted by patient genetic profile in rectal cancer patients treated with neo-adjuvant chemo-radiotherapy. <i>Pharmacogenomics Journal</i> , 2011, 11, 214-226.	2.0	63
140	Validity and reliability of the MSKCC Bowel Function instrument in a sample of Italian rectal cancer patients. <i>European Journal of Surgical Oncology</i> , 2011, 37, 589-596.	1.0	18
141	Patient-Reported Outcomes After Neoadjuvant Chemoradiotherapy for Rectal Cancer. <i>Annals of Surgery</i> , 2011, 253, 71-77.	4.2	95
142	Development of a questionnaire (EORTC module) to measure quality of life in patients with cholangiocarcinoma and gallbladder cancer, the EORTC QLQ-BIL21. <i>British Journal of Cancer</i> , 2011, 104, 587-592.	6.4	23
143	Prospective assessment of imaging after preoperative chemoradiotherapy for rectal cancer. <i>Surgery</i> , 2011, 149, 56-64.	1.9	63
144	Circulating Cell-Free DNA: A Promising Marker of Pathologic Tumor Response in Rectal Cancer Patients Receiving Preoperative Chemoradiotherapy. <i>Annals of Surgical Oncology</i> , 2011, 18, 2461-2468.	1.5	114

#	ARTICLE	IF	CITATIONS
145	PDCD4 nuclear loss inversely correlates with miR-21 levels in colon carcinogenesis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 413-419.	2.8	72
146	Psychological well-being outcomes in disease-free survivors of mid- to low rectal cancer following curative surgery. <i>Psycho-Oncology</i> , 2011, 20, 706-714.	2.3	21
147	Predictive Factors of the Response of Rectal Cancer to Neoadjuvant Radiochemotherapy. <i>Cancers</i> , 2011, 3, 2176-2194.	3.7	30
148	Clinical significance of magnetic resonance imaging findings in rectal cancer. <i>World Journal of Radiology</i> , 2011, 3, 92.	1.1	17
149	Abstract 3219: Isolated tumor cells (ITC) in regional lymph nodes predict colorectal cancer (CRC) relapse. , 2011, , .		0
150	Rectum-Sparing Surgery May be Appropriate for Biallelic MutYH-Associated Polyposis. <i>Diseases of the Colon and Rectum</i> , 2010, 53, 1670-1675.	1.3	13
151	A nationwide audit of the use of radiotherapy for rectal cancer in Italy. <i>Techniques in Coloproctology</i> , 2010, 14, 229-235.	1.8	19
152	Health-related quality of life, faecal continence and bowel function in rectal cancer patients after chemoradiotherapy followed by radical surgery. <i>Supportive Care in Cancer</i> , 2010, 18, 601-608.	2.2	50
153	Relationship between telomere shortening, genetic instability, and site of tumour origin in colorectal cancers. <i>British Journal of Cancer</i> , 2010, 102, 1300-1305.	6.4	110
154	A ten markers panel provides a more accurate and complete microsatellite instability analysis in mismatch repair-deficient colorectal tumors. <i>Cancer Biomarkers</i> , 2010, 6, 49-61.	1.7	22
155	OC.10.3 LONG-TERM PROGNOSTIC IMPACT OF ISOLATED TUMOUR CELLS IN PNO COLORECTAL CANCER: A PROSPECTIVE MONOINSTITUTIONAL STUDY. <i>Digestive and Liver Disease</i> , 2010, 42, S93-S94.	0.9	0
156	miRNAs in colon and rectal cancer: A consensus for their true clinical value. <i>Clinica Chimica Acta</i> , 2010, 411, 1181-1186.	1.1	40
157	Long-term outcome in patients with a pathological complete response after chemoradiation for rectal cancer: a pooled analysis of individual patient data. <i>Lancet Oncology, The</i> , 2010, 11, 835-844.	10.7	1,532
158	M30 Neoepitope Expression in Epithelial Cancer: Quantification of Apoptosis in Circulating Tumor Cells by CellSearch Analysis. <i>Clinical Cancer Research</i> , 2010, 16, 5233-5243.	7.0	124
159	Plasma levels of total RNA and hTERT mRNA as biomarkers of response in rectal cancer patients receiving preoperative chemoradiotherapy.. <i>Journal of Clinical Oncology</i> , 2010, 28, 3648-3648.	1.6	1
160	Abstract LB-214: Identification of patients with adenomas or early- and late-stage colon carcinomas using nanoporous silica chips for protein profiling. , 2010, , .		0
161	MALDI-MS-NIST library approach for colorectal cancer diagnosis. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 2839-2845.	1.5	13
162	Long-Term Oncologic Results and Complications After Preoperative Chemoradiotherapy for Rectal Cancer: A Single-Institution Experience After a Median Follow-Up of 95 Months. <i>Annals of Surgical Oncology</i> , 2009, 16, 893-899.	1.5	26

#	ARTICLE	IF	CITATIONS
163	Prediction of rectal lymph node metastasis by pelvic computed tomography measurement. <i>European Journal of Surgical Oncology</i> , 2009, 35, 168-173.	1.0	29
164	Anastomotic leaks after anterior resection for mid and low rectal cancer: survey of the Italian Society of Colorectal Surgery. <i>Techniques in Coloproctology</i> , 2008, 12, 103-110.	1.8	44
165	Proximal colon cancer in patients aged 51-60 years of age should be tested for microsatellites instability. A comment on the Revised Bethesda Guidelines. <i>International Journal of Colorectal Disease</i> , 2008, 23, 801-806.	2.2	17
166	Health-Related Quality of Life Outcomes in Disease-Free Survivors of Mid-Low Rectal Cancer After Curative Surgery. <i>Annals of Surgical Oncology</i> , 2008, 15, 1846-1854.	1.5	50
167	Glutathione S-Transferase P170 Ile105Val Polymorphism is Associated with Haematological Toxicity in Elderly Rectal Cancer Patients Receiving Preoperative Chemoradiotherapy. <i>Drugs and Aging</i> , 2008, 25, 531-539.	2.7	14
168	The role of MYH gene in genetic predisposition to colorectal cancer: Another piece of the puzzle. <i>Cancer Letters</i> , 2008, 268, 308-313.	7.2	23
169	Relationship Between Tumor and Plasma Levels of hTERT mRNA in Patients with Colorectal Cancer: Implications for Monitoring of Neoplastic Disease. <i>Clinical Cancer Research</i> , 2008, 14, 7444-7451.	7.0	82
170	cT3N0 Rectal Cancer: Potential Overtreatment With Preoperative Chemoradiotherapy Is Warranted. <i>Journal of Clinical Oncology</i> , 2008, 26, 368-373.	1.6	214
171	Multidisciplinary management is strongly suggested in elderly patients with rectal carcinoma. <i>Aging Health</i> , 2008, 4, 287-298.	0.3	0
172	Long-term follow-up after endoscopic forceps biopsies for early stage duodenal carcinoid: case report and review of endoscopic treatments. <i>Endoscopy</i> , 2007, 39, E128-E128.	1.8	4
173	P72 FOXO1A and plasma low molecular weight proteins determination: a promising diagnostic approach and biomarker for colorectal tumors. <i>European Journal of Cancer, Supplement</i> , 2007, 5, 19.	2.2	0
174	Determining Therapeutic Approaches in the Elderly with Rectal Cancer. <i>Drugs and Aging</i> , 2007, 24, 781-790.	2.7	9
175	An investigation on the nature of the peptide atm/z 904, overexpressed in plasma of patients with colorectal cancer and familial adenomatous polyposis. <i>Journal of Mass Spectrometry</i> , 2007, 42, 1606-1612.	1.6	7
176	The Potential of Restaging in the Prediction of Pathologic Response After Preoperative Chemoradiotherapy for Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2007, 14, 455-461.	1.5	125
177	Complications, functional outcome and quality of life after intensive preoperative chemoradiotherapy for rectal cancer. <i>European Journal of Surgical Oncology</i> , 2006, 32, 1201-1208.	1.0	36
178	A haplotype of the methylenetetrahydrofolate reductase gene predicts poor tumor response in rectal cancer patients receiving preoperative chemoradiation. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 817-824.	1.5	54
179	5-Fluorouracil and Weekly Oxaliplatin Combined with Radiotherapy for Locally Advanced Rectal Cancer: Surgical Complications and Long-term Results. <i>Archives of Medical Research</i> , 2006, 37, 860-865.	3.3	10
180	Multivariate analysis approach to the plasma protein profile of patients with advanced colorectal cancer. <i>Journal of Mass Spectrometry</i> , 2006, 41, 1546-1553.	1.6	25

#	ARTICLE	IF	CITATIONS
181	High prevalence of isolated tumour cells in regional lymph nodes from pN0 colorectal cancer. <i>Journal of Clinical Pathology</i> , 2006, 59, 870-874.	2.0	12
182	Reply to Letter to the Editor "Weekly oxaliplatin and pre-operative radiotherapy as a new neoadjuvant therapy for locally advanced rectal cancer"™, by T. Watanabe et al. (<i>Ann Oncol</i> 2006; 17: 1173). <i>Annals of Oncology</i> , 2006, 17, 1173-1174.	1.2	0
183	Rectal cancer neoadjuvant treatment in elderly patients. <i>Anticancer Research</i> , 2006, 26, 3913-23.	1.1	24
184	Relationship Between Pathologic T-Stage and Nodal Metastasis After Preoperative Chemoradiotherapy for Locally Advanced Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2005, 12, 111-116.	1.5	92
185	Modulation of tumor hypoxia proteins in rectal cancer undergoing preoperative chemoradiation. <i>Journal of the American College of Surgeons</i> , 2005, 201, S18-S19.	0.5	0
186	Search of plasma markers for colorectal cancer by matrix-assisted laser desorption/ionization mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2005, 40, 123-126.	1.6	15
187	Two PMS2 Mutations in a Turcot Syndrome Family with Small Bowel Cancers. <i>American Journal of Gastroenterology</i> , 2005, 100, 1886-1891.	0.4	65
188	A phase Iâ€”II study of weekly oxaliplatin, 5-fluorouracil continuous infusion and preoperative radiotherapy in locally advanced rectal cancer. <i>Annals of Oncology</i> , 2005, 16, 1140-1146.	1.2	133
189	Insufficient evidence to compare clinical effectiveness and safety of self-expanding metal stents with other treatments for malignant colorectal obstruction. <i>Cancer Treatment Reviews</i> , 2005, 31, 226-229.	7.7	0
190	Genetic Heterogeneity of Variable Number Tandem Repeats in Thymidylate Synthase Gene in Colorectal Cancer Patients. <i>International Journal of Biological Markers</i> , 2004, 19, 332-336.	1.8	4
191	Complete Pathologic Response Following Preoperative Chemoradiation Therapy for Middle to Lower Rectal Cancer Is Not a Prognostic Factor for a Better Outcome. <i>Diseases of the Colon and Rectum</i> , 2004, 47, 1798-1807.	1.3	149
192	Neoadjuvant treatment for locally advanced rectal carcinoma. <i>Critical Reviews in Oncology/Hematology</i> , 2004, 52, 61-71.	4.4	11
193	Curative surgery for obstruction from primary left colorectal carcinoma: Primary or staged resection?. <i>The Cochrane Library</i> , 2004, , CD002101.	2.8	67
194	Genetic heterogeneity of variable number tandem repeats in thymidylate synthase gene in colorectal cancer patients. <i>International Journal of Biological Markers</i> , 2004, 19, 332-336.	1.8	4
195	Early-Age-at-Onset Colorectal Cancer and Microsatellite Instability as Markers of Hereditary Nonpolyposis Colorectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2003, 46, 305-312.	1.3	22
196	Effect of antiadhesive agents on peritoneal carcinomatosis in an experimental model. <i>British Journal of Surgery</i> , 2003, 90, 66-71.	0.3	33
197	Multimodality Management of Recurrent Rectal Cancer. <i>Clinics in Colon and Rectal Surgery</i> , 2002, 15, 063-070.	1.1	6
198	Different molecular mechanisms underlie genomic deletions in the MLH1 Gene. <i>Human Mutation</i> , 2002, 20, 368-374.	2.5	34

#	ARTICLE	IF	CITATIONS
199	Curative Surgery for Obstruction from Primary Left Colorectal Carcinoma: Primary or Staged Resection?. , 2001, , CD002101.		5
200	Rectal cancer: CT local staging with histopathologic correlation. <i>Abdominal Imaging</i> , 2001, 26, 134-138.	2.0	69
201	p27kip1 Expression Is Associated With Tumor Response to Preoperative Chemoradiotherapy in Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2001, 8, 311-318.	1.5	60
202	Four novelMSH2 andMLH1 frameshift mutations and occurrence of a breast cancer phenocopy in hereditary nonpolyposis colorectal cancer. <i>Human Mutation</i> , 2001, 17, 521-521.	2.5	17
203	p27kip1 Expression Is Associated With Tumor Response to Preoperative Chemoradiotherapy in Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2001, 8, 311-318.	1.5	3
204	Preoperative Combined Radiotherapy and Chemotherapy for Middle and Lower Rectal Cancer: Preliminary Results. <i>Annals of Surgical Oncology</i> , 2000, 7, 38-44.	1.5	57
205	Late morbidity following neoadjuvant chemoradiotherapy for middle and lower rectal cancer: A prospective study. <i>Gastroenterology</i> , 2000, 118, A1527.	1.3	0
206	Long-term functional results of low anterior resection following preoperative radiochemoterapy for rectal cancer. <i>Gastroenterology</i> , 2000, 118, A1028.	1.3	3
207	p27kip1 protein expression: an independent prognostic factor in rectal carcinoma stages I-III. <i>Colorectal Disease</i> , 1999, 1, 315-323.	1.4	1
208	Preoperative combined radiotherapy and chemotherapy for rectal cancer does not affect early postoperative morbidity and mortality in low anterior resection. <i>Diseases of the Colon and Rectum</i> , 1999, 42, 1276-1283.	1.3	43
209	Preoperative chemoradiation for T3â€“T4 rectal cancer acute toxicity and tumor response our experience. <i>European Journal of Cancer</i> , 1999, 35, S76.	2.8	0
210	Percutaneous Endoscopic Gastrostomy for Feeding. <i>Orl</i> , 1996, 58, 253-257.	1.1	4
211	Efficacy of dilatations for anastomotic colorectal stenoses: prognostic factors. <i>International Journal of Colorectal Disease</i> , 1994, 9, 149-152.	2.2	12
212	Feasibility of Outpatient Surgery in the Tropics. <i>Tropical Doctor</i> , 1990, 20, 18-20.	0.5	0
213	Temporary occlusion of the hepatic artery plus infusion and systemic chemotherapy for inoperable cancer of the liver. <i>International Surgery</i> , 1980, 65, 315-23.	0.1	9