
Martyn Lewis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/139087/publications.pdf Version: 2024-02-01



MADTVN LEWIS

#	Article	IF	CITATIONS
1	The relationship between multisite peripheral joint pain and physical activity levels in older adults: A crossâ€sectional survey. Musculoskeletal Care, 2022, 20, 341-348.	1.4	4
2	Integrating case-finding and initial management for osteoarthritis, anxiety, and depression into primary care long-term condition reviews: results from the ENHANCE pilot trial. Family Practice, 2022, 39, 592-602.	1.9	3
3	Risk-based stratified primary care for common musculoskeletal pain presentations (STarT MSK): a cluster-randomised, controlled trial. Lancet Rheumatology, The, 2022, 4, e591-e602.	3.9	23
4	Exercise Interventions for Persistent Non-Specific Low Back Pain – Does Matching Outcomes to Treatment Targets Make a Difference? A Systematic Review and Meta-Analysis. Journal of Pain, 2021, 22, 107-126.	1.4	14
5	Providing patients with direct access to musculoskeletal physiotherapy: the impact on general practice musculoskeletal workload and resource use. The STEMS-2 study. Physiotherapy, 2021, 111, 48-56.	0.4	4
6	Rehabilitation following rotator cuff repair: A multi-centre pilot & feasibility randomised controlled trial (RaCeR). Clinical Rehabilitation, 2021, 35, 829-839.	2.2	11
7	Determining sample size for progression criteria for pragmatic pilot RCTs: the hypothesis test strikes back!. Pilot and Feasibility Studies, 2021, 7, 40.	1.2	94
8	Self-management advice, exercise and foot orthoses for plantar heel pain: the TREADON pilot and feasibility randomised trial. Pilot and Feasibility Studies, 2021, 7, 92.	1.2	3
9	Refinement and validation of a tool for stratifying patients with musculoskeletal pain. European Journal of Pain, 2021, 25, 2081-2093.	2.8	36
10	Treatment targets of exercise for persistent non-specific low back pain: a consensus study. Physiotherapy, 2021, 112, 78-86.	0.4	11
11	The STarT Back stratified care model for nonspecific low back pain: a model-based evaluation of long-term cost-effectiveness. Pain, 2021, 162, 702-710.	4.2	10
12	Predictors of functional outcome in musculoskeletal healthcare: An umbrella review. European Journal of Pain, 2020, 24, 51-70.	2.8	24
13	Computer-Based Stratified Primary Care for Musculoskeletal Consultations Compared With Usual Care: Study Protocol for the STarT MSK Cluster Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e17939.	1.0	13
14	Can patients with low health literacy be identified from routine primary care health records? A cross-sectional and prospective analysis. BMC Family Practice, 2019, 20, 101.	2.9	39
15	Protocol for a multi-centre pilot and feasibility randomised controlled trial with a nested qualitative study: rehabilitation following rotator cuff repair (the RaCeR study). Trials, 2019, 20, 328.	1.6	11
16	Systematic Review of Decision Analytic Modelling in Economic Evaluations of Low Back Pain and Sciatica. Applied Health Economics and Health Policy, 2019, 17, 467-491.	2.1	22
17	Cost-effectiveness of a model consultation to support self-management in patients with osteoarthritis. Rheumatology, 2018, 57, 1056-1063.	1.9	9
18	Effectiveness and costs of a vocational advice service to improve work outcomes in patients with musculoskeletal pain in primary care: a cluster randomised trial (SWAP trial ISRCTN 52269669). Pain, 2018, 159, 128-138.	4.2	38

MARTYN LEWIS

IF

CITATIONS

19	Prognosis of sciatica and back-related leg pain in primary care: the ATLAS cohort. Spine Journal, 2018, 18, 1030-1040.	1.3	57
20	A randomised controlled trial of the clinical and cost-effectiveness of ultrasound-guided intra-articular corticosteroid and local anaesthetic injections: the hip injection trial (HIT) protocol. BMC Musculoskeletal Disorders, 2018, 19, 218.	1.9	7
21	The INCLUDE study. Journal of Comorbidity, 2018, 8, 2235042X1879237.	3.9	5
22	Uptake of the NICE osteoarthritis guidelines in primary care: a survey of older adults with joint pain. BMC Musculoskeletal Disorders, 2018, 19, 295.	1.9	47
23	The clinical and cost-effectiveness of stratified care for patients with sciatica: the SCOPiC randomised controlled trial protocol (ISRCTN75449581). BMC Musculoskeletal Disorders, 2017, 18, 172.	1.9	12
24	Multisite peripheral joint pain: a cross-sectional study of prevalence and impact on general health, quality of life, pain intensity and consultation behaviour. BMC Musculoskeletal Disorders, 2017, 18, 535.	1.9	32
25	176. REFINEMENT AND VALIDATION OF THE KEELE START MSK TOOL FOR MUSCULOSKELETAL PAIN IN PRIMA CARE. Rheumatology, 2017, 56, .	RY 1.9	5
26	The effects of implementing a point-of-care electronic template to prompt routine anxiety and depression screening in patients consulting for osteoarthritis (the Primary Care Osteoarthritis) Tj ETQq0 0 0 rgBT	/@værlock	1202Tf 50
27	Keele Aches and Pains Study protocol: validity, acceptability, and feasibility of the Keele STarT MSK tool for subgrouping musculoskeletal patients in primary care. Journal of Pain Research, 2016, Volume 9, 807-818.	2.0	41
28	Evaluating acupuncture and standard care for pregnant women with back pain: the EASE Back pilot randomised controlled trial (ISRCTN49955124). Pilot and Feasibility Studies, 2016, 2, 72.	1.2	18
29	Reliability among clinicians diagnosing low back-related leg pain. European Spine Journal, 2016, 25, 2734-2740.	2.2	12
30	Evaluating Acupuncture and Standard carE for pregnant women with Back pain (EASE Back): a feasibility study and pilot randomised trial. Health Technology Assessment, 2016, 20, 1-236.	2.8	31
31	Improving the Care of People with Long-Term Conditions in Primary Care: Protocol for the Enhance Pilot Trial. Journal of Comorbidity, 2015, 5, 135-149.	3.9	5
32	An Economic Evaluation of TENS in Addition to Usual Primary Care Management for the Treatment of Tennis Elbow: Results from the TATE Randomized Controlled Trial. PLoS ONE, 2015, 10, e0135460.	2.5	8
33	A systematic review finds variable use of the intention-to-treat principle in musculoskeletal randomized controlled trials with missing data. Journal of Clinical Epidemiology, 2015, 68, 15-24.	5.0	31
34	40. The Increased Risk of Self-Reported Primary Care Consultations Attributable to Multisite Peripheral Joint Pain. Rheumatology, 2014, 53, i70-i71.	1.9	0
35	Implementing the NICE osteoarthritis guidelines: a mixed methods study and cluster randomised trial of a model osteoarthritis consultation in primary care - the Management of OsteoArthritis In Consultations (MOSAICS) study protocol. Implementation Science, 2014, 9, 95.	6.9	53
36	Effect of Stratified Care for Low Back Pain in Family Practice (IMPaCT Back): A Prospective Population-Based Sequential Comparison. Annals of Family Medicine, 2014, 12, 102-111.	1.9	226

ARTICLE

#

MARTYN LEWIS

#	Article	IF	CITATIONS
37	Rationale, design and methods of the Study of Work and Pain (SWAP): a cluster randomised controlled trial testing the addition of a vocational advice service to best current primary care for patients with musculoskeletal pain (ISRCTN 52269669). BMC Musculoskeletal Disorders, 2014, 15, 232.	1.9	18
38	Comparison of stratified primary care management for low back pain with current best practice (STarT Back): a randomised controlled trial. Lancet, The, 2011, 378, 1560-1571.	13.7	1,082
39	A primary care back pain screening tool: Identifying patient subgroups for initial treatment. Arthritis and Rheumatism, 2008, 59, 632-641.	6.7	834
40	Content and outcome of usual primary care for back pain: a systematic review. British Journal of General Practice, 2008, 58, 790-797.	1.4	64
41	A Case-Control Study of Differences between Regular and Casual Adult Attenders in General Dental Practice. Primary Dental Care, 2001, os8, 35-40.	0.3	23
42	North Staffordshire Community Beds Study: Longitudinal evaluation of psychiatric in-patient units attached to community mental health centres. British Journal of Psychiatry, 1999, 175, 70-78.	2.8	40
43	North Staffordshire Community Beds Study: Longitudinal evaluation of psychiatric in-patient units attached to community mental health centres. British Journal of Psychiatry, 1999, 175, 79-86.	2.8	10
44	Social indicators and the prediction of psychiatric admission in different diagnostic groups. British Journal of Psychiatry, 1997, 171, 457-462.	2.8	43
45	Psychiatric beds attached to a community mental health centre. Psychiatric Bulletin, 1997, 21, 202-204.	0.3	2