

# Xinping Qiu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/139561/publications.pdf>

Version: 2024-02-01

121  
papers

8,808  
citations

36303

51  
h-index

42399

92  
g-index

124  
all docs

124  
docs citations

124  
times ranked

8101  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhance performances of Co-free Li-rich cathode by eutectic melting salt treatment. <i>Nano Energy</i> , 2022, 92, 106760.	16.0	40
2	Quantification of lithium dendrite and solid electrolyte interphase (SEI) in lithium-ion batteries. <i>Journal of Power Sources</i> , 2022, 529, 231219.	7.8	26
3	Impacts of Dissolved Ni <sup>2+</sup> on the Solid Electrolyte Interphase on a Graphite Anode. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	4
4	Impacts of Dissolved Ni <sup>2+</sup> on the Solid Electrolyte Interphase on a Graphite Anode. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	31
5	Stabilized cobalt-free lithium-rich cathode materials with an artificial lithium fluoride coating. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2022, 29, 917-924.	4.9	11
6	Low-cost and high-rate porous carbon anode material for potassium-ion batteries. <i>Solid State Ionics</i> , 2022, 381, 115944.	2.7	5
7	InnenÃ¼cktitelbild: Impacts of Dissolved Ni <sup>2+</sup> on the Solid Electrolyte Interphase on a Graphite Anode ( <i>Angew. Chem.</i> 30/2022). <i>Angewandte Chemie</i> , 2022, 134, .	2.0	0
8	Effects of Mn(II) on nano silicon@polyaniline electrodes in both half and full cells. <i>International Journal of Energy Research</i> , 2021, 45, 4357-4369.	4.5	1
9	Substituents and the induced partial charge effects on cobalt porphyrins catalytic oxygen reduction reactions in acidic medium. <i>Journal of Colloid and Interface Science</i> , 2021, 597, 269-277.	9.4	16
10	Interfacial charge transfer mechanism of oxygen reduction reaction in alkali media: Effects of molecular charge states and triphenylamine substituent on cobalt porphyrin electrocatalysts. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 629, 127435.	4.7	11
11	Cr-Doped Fe <sub>1-x</sub> Cr <sub>x</sub> F <sub>3</sub> ·0.33H <sub>2</sub> O Nanomaterials as Cathode Materials for Sodium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 48653-48660.	8.0	3
12	Characterizing the Onset Potential Distribution of Pt/C Catalyst Deposition by a Total Internal Reflection Imaging Method. <i>Small</i> , 2021, 17, e2102407.	10.0	6
13	Structural transformation and electrochemical properties of a nanosized flower-like R-MnO <sub>2</sub> cathode in a sodium battery. <i>Physical Chemistry Chemical Physics</i> , 2021, 24, 551-559.	2.8	2
14	Inhibition of transition metals dissolution in cobalt-free cathode with ultrathin robust interphase in concentrated electrolyte. <i>Nature Communications</i> , 2020, 11, 3629.	12.8	137
15	Hard carbon derived from rice husk as anode material for high performance potassium-ion batteries. <i>Solid State Ionics</i> , 2020, 351, 115319.	2.7	28
16	Hierarchical Mesoporous Iron Fluoride and Reduced Graphene Oxide Nanocomposite as Cathode Materials for High-Performance Sodium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 17538-17546.	8.0	32
17	Na/K Diffusion in FeP as an Anode Material for Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2020, 124, 6495-6501.	3.1	7
18	Quantification on Growing Mass of Solid Electrolyte Interphase and Deposited Mn(II) on the Silicon Anode of LiMn <sub>2</sub> O <sub>4</sub> Full Lithium-Ion Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 27839-27845.	8.0	8

#	ARTICLE	IF	CITATIONS
19	Displacement reaction-based Ag <sub>2</sub> S electrode for lithium batteries with high volumetric energy density. <i>Solid State Ionics</i> , 2019, 340, 115015.	2.7	6
20	Sodium storage performance and mechanism of Ag <sub>2</sub> S nanospheres as electrode material for sodium-ion batteries. <i>Solid State Ionics</i> , 2019, 343, 115071.	2.7	10
21	Structural Transformation and Cycling Improvement of Nanosized Flower-like $\text{Fe}^{3+}\text{-MnO}_2$ in a Sodium Battery. <i>ACS Applied Energy Materials</i> , 2019, 2, 5050-5056.	5.1	13
22	FeP/C Composites as an Anode Material for K-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 22364-22370.	8.0	56
23	Bilayer Designed Hydrocarbon Membranes for All-Climate Vanadium Flow Batteries To Shield Catholyte Degradation and Mitigate Electrolyte Crossover. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 13285-13294.	8.0	30
24	A Cobalt-Free Li(Li <sub>0.17</sub> Ni <sub>0.17</sub> Fe <sub>0.17</sub> Mn <sub>0.49</sub> )O <sub>2</sub> Cathode with More Oxygen-Involving Charge Compensation for Lithium-Ion Batteries. <i>ChemSusChem</i> , 2019, 12, 2471-2479.	6.8	20
25	In situ mapping of activity distribution and oxygen evolution reaction in vanadium flow batteries. <i>Nature Communications</i> , 2019, 10, 5286.	12.8	45
26	A Cobalt-Free Li(Li <sub>0.16</sub> Ni <sub>0.19</sub> Fe <sub>0.18</sub> Mn <sub>0.46</sub> )O <sub>2</sub> Cathode for Lithium-Ion Batteries with Anionic Redox Reactions. <i>ChemSusChem</i> , 2019, 12, 1162-1168.	6.8	20
27	Lithiation Behavior of Coaxial Hollow Nanocables of Carbon-Silicon Composite. <i>ACS Nano</i> , 2019, 13, 2274-2280.	14.6	47
28	Broad temperature adaptability of vanadium redox flow battery-Part 3: The effects of total vanadium concentration and sulfuric acid concentration. <i>Electrochimica Acta</i> , 2018, 259, 11-19.	5.2	56
29	Holey-engineered electrodes for advanced vanadium flow batteries. <i>Nano Energy</i> , 2018, 43, 55-62.	16.0	127
30	Study on solid electrolyte interphase excessive growth caused by Mn (II) deposition on silicon anode. <i>Electrochimica Acta</i> , 2018, 282, 602-608.	5.2	9
31	N-doped graphene-based copper nanocomposite with ultralow electrical resistivity and high thermal conductivity. <i>Scientific Reports</i> , 2018, 8, 9248.	3.3	32
32	Mechanism of capacity fading caused by Mn (II) deposition on anodes for spinel lithium manganese oxide cell. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2017, 32, 1-10.	1.0	11
33	Reduction of capacity decay in vanadium flow batteries by an electrolyte-reflow method. <i>Journal of Power Sources</i> , 2017, 338, 17-25.	7.8	73
34	High Volumetric Capacity of Hollow Structured SnO <sub>2</sub> @Si Nanospheres for Lithium-Ion Batteries. <i>Nano Letters</i> , 2017, 17, 3959-3964.	9.1	161
35	Confined Solid Electrolyte Interphase Growth Space with Solid Polymer Electrolyte in Hollow Structured Silicon Anode for Li-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 13247-13254.	8.0	30
36	A Well-Defined Silicon Nanocone-Carbon Structure for Demonstrating Exclusive Influences of Carbon Coating on Silicon Anode of Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 2806-2814.	8.0	29

#	ARTICLE	IF	CITATIONS
37	Rapid detection of the positive side reactions in vanadium flow batteries. <i>Applied Energy</i> , 2017, 185, 452-462.	10.1	23
38	The benefits and limitations of electrolyte mixing in vanadium flow batteries. <i>Applied Energy</i> , 2017, 204, 373-381.	10.1	76
39	Tuning the Mn Deposition on the Anode to Improve the Cycle Performance of the Mn-Based Lithium Ion Battery. <i>Advanced Materials Interfaces</i> , 2016, 3, 1500856.	3.7	35
40	Insights into the Impact of the Nafion Membrane Pretreatment Process on Vanadium Flow Battery Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 12228-12238.	8.0	166
41	Alcohol electro-oxidation on platinum-ceria/graphene nanosheet in alkaline solutions. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 20709-20719.	7.1	46
42	High capacity lithium-manganese-nickel-oxide composite cathodes with low irreversible capacity loss and good cycle life for lithium ion batteries. <i>Science China Chemistry</i> , 2016, 59, 1479-1485.	8.2	13
43	Insights into the endurance promotion of PtSn/CNT catalysts by thermal annealing for ethanol electro-oxidation. <i>Electrochimica Acta</i> , 2016, 213, 578-586.	5.2	26
44	Toxicity, a serious concern of thermal runaway from commercial Li-ion battery. <i>Nano Energy</i> , 2016, 27, 313-319.	16.0	186
45	Polysulfides Capture-Copper Additive for Long Cycle Life Lithium Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 30248-30255.	8.0	54
46	Hierarchical Mesoporous Iron Fluoride with Superior Rate Performance for Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 32869-32874.	8.0	26
47	Silicon dioxide molecular sieve with mono-layer carbon deposited in the channels and carbon nanotubes on the outside for lithium-sulfur batteries. <i>RSC Advances</i> , 2016, 6, 60550-60555.	3.6	4
48	ZrO <sub>2</sub> -Nanoparticle-Modified Graphite Felt: Bifunctional Effects on Vanadium Flow Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 15369-15378.	8.0	234
49	Ternary Platinum-Copper-Nickel Nanoparticles Anchored to Hierarchical Carbon Supports as Free-Standing Hydrogen Evolution Electrodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 3464-3472.	8.0	93
50	A facile approach to fabricate free-standing hydrogen evolution electrodes: riveting tungsten carbide nanocrystals to graphite felt fabrics by carbon nanosheets. <i>Journal of Materials Chemistry A</i> , 2016, 4, 5817-5822.	10.3	39
51	A comparative study of Nafion series membranes for vanadium redox flow batteries. <i>Journal of Membrane Science</i> , 2016, 510, 18-26.	8.2	384
52	Improve First-Cycle Efficiency and Rate Performance of Layered-Layered Li <sub>1.2</sub> Mn <sub>0.6</sub> Ni <sub>0.2</sub> O <sub>2</sub> Using Oxygen Stabilizing Dopant. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 16040-16045.	8.0	42
53	Effect of degree of sulfonation and casting solvent on sulfonated poly(ether ether ketone) membrane for vanadium redox flow battery. <i>Journal of Power Sources</i> , 2015, 285, 195-204.	7.8	167
54	Hollow Structured Silicon Anodes with Stabilized Solid Electrolyte Interphase Film for Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 23501-23506.	8.0	45

#	ARTICLE	IF	CITATIONS
55	Effectively suppressing dissolution of manganese from spinel lithium manganate via a nanoscale surface-doping approach. <i>Nature Communications</i> , 2014, 5, 5693.	12.8	255
56	SPEEK/Graphene oxide nanocomposite membranes with superior cyclability for highly efficient vanadium redox flow battery. <i>Journal of Materials Chemistry A</i> , 2014, 2, 12423-12432.	10.3	244
57	Sulfonated poly(ether ether ketone)/mesoporous silica hybrid membrane for high performance vanadium redox flow battery. <i>Journal of Power Sources</i> , 2014, 257, 221-229.	7.8	113
58	CeO <sub>2</sub> decorated graphite felt as a high-performance electrode for vanadium redox flow batteries. <i>RSC Advances</i> , 2014, 4, 61912-61918.	3.6	128
59	Properties Investigation of Sulfonated Poly(ether ether ketone)/Polyacrylonitrile Acid-Base Blend Membrane for Vanadium Redox Flow Battery Application. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 18885-18893.	8.0	162
60	Characterization of sulfonated poly(ether ether ketone)/poly(vinylidene fluoride-co-hexafluoroisopropylene) blend membrane for vanadium redox flow battery application. <i>Journal of Power Sources</i> , 2014, 272, 427-435.	7.8	63
61	Preparation and characterization of sulfonated poly(ether ether ketone)/poly(vinylidene fluoride) blend membrane for vanadium redox flow battery application. <i>Journal of Power Sources</i> , 2013, 237, 132-140.	7.8	94
62	Mn(II) deposition on anodes and its effects on capacity fade in spinel lithium manganate-carbon systems. <i>Nature Communications</i> , 2013, 4, 2437.	12.8	409
63	Improving coulombic efficiency by confinement of solid electrolyte interphase film in pores of silicon/carbon composite. <i>Journal of Materials Chemistry A</i> , 2013, 1, 14075.	10.3	24
64	State of charge monitoring for vanadium redox flow batteries by the transmission spectra of V(IV)/V(V) electrolytes. <i>Journal of Applied Electrochemistry</i> , 2012, 42, 1025-1031.	2.9	55
65	New Anhydrous Proton Exchange Membrane for Intermediate Temperature Proton Exchange Membrane Fuel Cells. <i>ChemPhysChem</i> , 2011, 12, 1196-1201.	2.1	3
66	Study on the co-catalytic effect of titanate nanotubes on Pt-based catalysts in direct alcohol fuel cells. <i>Applied Catalysis B: Environmental</i> , 2010, 97, 204-212.	20.2	18
67	Design and preparation of highly active carbon nanotube-supported sulfated TiO <sub>2</sub> and platinum catalysts for methanol electrooxidation. <i>Journal of Power Sources</i> , 2010, 195, 1610-1614.	7.8	30
68	Electrochemical characters and structure changes of electrochemically treated Pt nanoparticles. <i>Electrochemistry Communications</i> , 2010, 12, 14-17.	4.7	11
69	New insight into the discharge process of sulfur cathode by electrochemical impedance spectroscopy. <i>Journal of Power Sources</i> , 2009, 189, 127-132.	7.8	345
70	Development of composite anode electrocatalyst for direct methanol fuel cells. <i>Journal of Applied Electrochemistry</i> , 2009, 39, 1779-1787.	2.9	4
71	Research on catalysis of sodium-metallochlorophylls in Ni/MH battery. <i>Science Bulletin</i> , 2009, 54, 3005-3013.	1.7	0
72	Nafion/organic silica modified TiO <sub>2</sub> composite membrane for vanadium redox flow battery via in situ sol-gel reactions. <i>Journal of Membrane Science</i> , 2009, 341, 149-154.	8.2	206

#	ARTICLE	IF	CITATIONS
73	Influence of metal oxides on Pt catalysts for methanol electrooxidation using electrochemical impedance spectroscopy. <i>Journal of Power Sources</i> , 2009, 188, 8-13.	7.8	69
74	Nafion/organically modified silicate hybrids membrane for vanadium redox flow battery. <i>Journal of Power Sources</i> , 2009, 189, 1240-1246.	7.8	170
75	Promotion of carbon nanotube-supported Pt catalyst for methanol and ethanol electro-oxidation by ZrO <sub>2</sub> in acidic media. <i>Applied Catalysis A: General</i> , 2009, 364, 1-7.	4.3	71
76	A Micro Direct Methanol Fuel Cell Integrated with a Temperature Control System for Extreme Environments. , 2009, , .		0
77	Role of structural H <sub>2</sub> O in TiO <sub>2</sub> nanotubes in enhancing Pt/C direct ethanol fuel cell anode electro-catalysts. <i>Journal of Power Sources</i> , 2008, 178, 97-102.	7.8	42
78	Size-effect on the activity of anodic catalysts in alcohol and CO electrooxidation. <i>Journal of Power Sources</i> , 2008, 184, 353-360.	7.8	25
79	Steam reforming of ethanol for hydrogen production over NiO/ZnO/ZrO <sub>2</sub> catalysts. <i>International Journal of Hydrogen Energy</i> , 2008, 33, 1008-1008.	7.1	25
80	Thermal behaviors of Ni-MH batteries using a novel impedance spectroscopy. <i>Journal of Power Sources</i> , 2008, 182, 377-382.	7.8	10
81	Effect of heat treatment on the performance of TiO <sub>2</sub> -Pt/CNT catalysts for methanol electro-oxidation. <i>Electrochimica Acta</i> , 2008, 53, 3708-3713.	5.2	91
82	A silicon-based micro direct methanol fuel cell with microblocks in anode structure. <i>Proceedings of the IEEE International Conference on Micro Electro Mechanical Systems (MEMS)</i> , 2008, , .	0.0	2
83	Self-assembled polyelectrolyte multilayer modified Nafion membrane with suppressed vanadium ion crossover for vanadium redox flow batteries. <i>Journal of Materials Chemistry</i> , 2008, 18, 1232.	6.7	277
84	A silicon-based micro direct methanol fuel cell stack with compact structure and PDMS packaging. , 2007, , .		3
85	Preparation of Pt@CeO <sub>2</sub> /CNTs Through Spontaneous Adsorbing Pt Nanoparticles onto CNTs Aided by CeO <sub>2</sub> . <i>Electrochemical and Solid-State Letters</i> , 2007, 10, B114.	2.2	9
86	Facile approach to enhance the Pt utilization and CO-tolerance of Pt/C catalysts by physically mixing with transition-metal oxide nanoparticles. <i>Chemical Communications</i> , 2007, , 1656.	4.1	63
87	Ethanol electro-oxidation on catalysts with TiO <sub>2</sub> coated carbon nanotubes as support. <i>Electrochemistry Communications</i> , 2007, 9, 1416-1421.	4.7	87
88	A new proton conducting membrane based on copolymer of methyl methacrylate and 2-acrylamido-2-methyl-1-propanesulfonic acid for direct methanol fuel cells. <i>Electrochimica Acta</i> , 2007, 52, 6956-6961.	5.2	41
89	Structural designing of Pt-CeO <sub>2</sub> /CNTs for methanol electro-oxidation. <i>Journal of Power Sources</i> , 2007, 164, 555-560.	7.8	127
90	Preparation and characterization of tin-based three-dimensional cellular anode for lithium ion battery. <i>Journal of Power Sources</i> , 2007, 166, 503-508.	7.8	48

#	ARTICLE	IF	CITATIONS
91	Nafion/SiO <sub>2</sub> hybrid membrane for vanadium redox flow battery. Journal of Power Sources, 2007, 166, 531-536.	7.8	416
92	Promoting the current for methanol electro-oxidation by mixing Pt-based catalysts with CeO <sub>2</sub> nanoparticles. Journal of Power Sources, 2007, 170, 297-302.	7.8	43
93	Electrochemical characterization of Pt-CeO <sub>2</sub> /C and Pt-Ce <sub>x</sub> Zr <sub>1-x</sub> O <sub>2</sub> /C catalysts for ethanol electro-oxidation. Applied Catalysis B: Environmental, 2007, 73, 144-149.	20.2	89
94	Mesocarbon microbeads supported PtSn catalysts for electrochemical oxidation of ethanol. Journal of Materials Science, 2007, 42, 4508-4512.	3.7	10
95	A comparison of iron phthalocyanine and cobalt porphyrin on the electrochemical catalysis in Ni-MH battery. Science Bulletin, 2007, 52, 71-77.	1.7	3
96	TiO <sub>2</sub> nanotubes promoting Pt/C catalysts for ethanol electro-oxidation in acidic media. Journal of Power Sources, 2007, 170, 50-54.	7.8	71
97	Enhanced electrochemical properties of poly(ethylene oxide)-based composite polymer electrolyte with ordered mesoporous materials for lithium polymer battery. Microporous and Mesoporous Materials, 2006, 88, 1-7.	4.4	56
98	ESR and vibrational spectroscopy study on poly(vinylidene fluoride) membranes with alkaline treatment. Journal of Power Sources, 2006, 153, 234-238.	7.8	84
99	Enhanced electrochemical properties of PEO-based composite polymer electrolyte with shape-selective molecular sieves. Journal of Power Sources, 2006, 156, 581-588.	7.8	84
100	PVDF/PEO blends based microporous polymer electrolyte: Effect of PEO on pore configurations and ionic conductivity. Journal of Power Sources, 2006, 157, 501-506.	7.8	171
101	A nanocomposite proton exchange membrane based on PVDF, poly(2-acrylamido-2-methyl propylene) Tj ETQq1 1 0.784314 rgBT /Overle 894-899.	7.8	46
102	PVDF-g-PSSA and Al <sub>2</sub> O <sub>3</sub> composite proton exchange membranes. Journal of Power Sources, 2006, 161, 54-60.	7.8	59
103	The effects of composition and thermal treatment on the magnetic properties of Fe <sub>100-x</sub> Cox nanowire arrays based on AAO templates. Journal of Materials Science, 2006, 41, 2211-2218.	3.7	21
104	Novel Nanocomposite Pt/RuO <sub>2</sub> -xH <sub>2</sub> O/Carbon Nanotube Catalysts for Direct Methanol Fuel Cells. Angewandte Chemie - International Edition, 2006, 45, 5315-5319.	13.8	220
105	Synthesis of hydrous ruthenium oxide supported platinum catalysts for direct methanol fuel cells. Electrochemistry Communications, 2005, 7, 593-596.	4.7	79
106	Electrochemical oxidation of ethanol on Pt-ZrO <sub>2</sub> /C catalyst. Electrochemistry Communications, 2005, 7, 1087-1090.	4.7	150
107	Monodispersed hard carbon spherules as a catalyst support for the electrooxidation of methanol. Carbon, 2005, 43, 11-16.	10.3	132
108	Nanocomposite polymer electrolyte comprising PEO/LiClO <sub>4</sub> and solid super acid: effect of sulphated-zirconia on the crystallization kinetics of PEO. Polymer, 2005, 46, 5702-5706.	3.8	53

#	ARTICLE	IF	CITATIONS
109	Composite polymer electrolyte doped with mesoporous silica SBA-15 for lithium polymer battery. <i>Solid State Ionics</i> , 2005, 176, 1249-1260.	2.7	91
110	Conductivities and transport properties of microporous molecular sieves doped composite polymer electrolyte used for lithium polymer battery. <i>New Journal of Chemistry</i> , 2005, 29, 1454.	2.8	20
111	Influences of Permeation of Vanadium Ions through PVDF-g-PSSA Membranes on Performances of Vanadium Redox Flow Batteries. <i>Journal of Physical Chemistry B</i> , 2005, 109, 20310-20314.	2.6	166
112	Amperometric glucose sensor based on enzyme-modified boron-doped diamond electrode by cross-linking method. <i>Sensors and Actuators B: Chemical</i> , 2004, 99, 499-504.	7.8	41
113	Hydrogen from steam reforming of ethanol in low and middle temperature range for fuel cell application. <i>International Journal of Hydrogen Energy</i> , 2004, 29, 1075-1081.	7.1	127
114	High performance lithium cobalt oxides prepared in molten KCl for rechargeable lithium-ion batteries. <i>Electrochemistry Communications</i> , 2004, 6, 505-509.	4.7	43
115	Analysis of high rate performance of nanoparticled lithium cobalt oxides prepared in molten KNO <sub>3</sub> for rechargeable lithium-ion batteries. <i>Electrochemistry Communications</i> , 2004, 6, 789-794.	4.7	41
116	The Microstructure and Character of the PVDF-g-PSSA Membrane Prepared by Solution Grafting. <i>Journal of the Electrochemical Society</i> , 2003, 150, A917.	2.9	54
117	Synthesis and high rate properties of nanoparticled lithium cobalt oxides as the cathode material for lithium-ion battery. <i>Electrochemistry Communications</i> , 2002, 4, 488-491.	4.7	91
118	A new supported catalyst for methanol oxidation prepared by a reverse micelles method. <i>Electrochemistry Communications</i> , 2002, 4, 550-553.	4.7	43
119	Effects of Cl <sup>-</sup> and F <sup>-</sup> Adsorption on Methanol Oxidation on Polycrystalline Platinum Electrode. , 2000, , .		0
120	Methanol Permeability and Conductivity of Alkali Ion-doped Nafion Membrane. , 2000, , .		0
121	A micro direct methanol fuel cell using PDMS assembly technology. , 0, , .		4