

# Hui xuan Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1396015/publications.pdf>

Version: 2024-02-01

134  
papers

1,941  
citations

279798

23  
h-index

395702

33  
g-index

134  
all docs

134  
docs citations

134  
times ranked

1985  
citing authors

#	ARTICLE	IF	CITATIONS
1	Direct polymerization of a novel sulfonated poly(arylene ether ketone sulfone)/sulfonated poly(vinylalcohol) crosslinked membrane for direct methanol fuel cell applications. <i>Journal of Membrane Science</i> , 2015, 492, 505-517.	8.2	67
2	Structure evolution and mechanism of polyacrylonitrile and related copolymers during the stabilization. <i>Journal of Materials Science</i> , 2014, 49, 2864-2874.	3.7	59
3	A rapid self-healing hydrogel based on PVA and sodium alginate with conductive and cold-resistant properties. <i>Soft Matter</i> , 2020, 16, 3319-3324.	2.7	52
4	The influence of core-shell structured modifiers on the toughness of poly (vinyl chloride). <i>European Polymer Journal</i> , 2004, 40, 2451-2456.	5.4	50
5	Rapidly recoverable, anti-fatigue, super-tough double-network hydrogels reinforced by macromolecular microspheres. <i>Soft Matter</i> , 2017, 13, 1357-1363.	2.7	47
6	Effect of Miscibility and Crystallization on the Mechanical Properties and Transparency of PVDF/PMMA Blends. <i>Polymer-Plastics Technology and Engineering</i> , 2013, 52, 221-227.	1.9	44
7	Enhanced properties of poly(lactic acid) with silica nanoparticles. <i>Polymers for Advanced Technologies</i> , 2016, 27, 1156-1163.	3.2	44
8	Study on the thermal oxidative stabilization reactions and the formed structures in polyacrylonitrile during thermal treatment. <i>Polymer Degradation and Stability</i> , 2017, 140, 104-113.	5.8	44
9	Toughening of nylon-6 with epoxy-functionalized acrylonitrile-butadiene-styrene copolymer. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 2170-2180.	2.1	41
10	Assessment of miscibility, crystallization behaviors, and toughening mechanism of polylactide/acrylate copolymer blends. <i>Polymer Engineering and Science</i> , 2015, 55, 386-396.	3.1	40
11	Initiator Systems Effect on Particle Coagulation and Particle Size Distribution in One-Step Emulsion Polymerization of Styrene. <i>Polymers</i> , 2016, 8, 55.	4.5	37
12	Synthesis and properties of novel cross-linked composite sulfonated poly (aryl ether ketone sulfone) containing multiple sulfonic side chains for high-performance proton exchange membranes. <i>Renewable Energy</i> , 2019, 138, 1104-1113.	8.9	37
13	Synthesis and properties of a novel sulfonated poly(arylene ether ketone sulfone) membrane with a high $\lambda^2$ -value for direct methanol fuel cell applications. <i>Electrochimica Acta</i> , 2014, 146, 688-696.	5.2	35
14	Effect of ABS grafting degree and compatibilization on the properties of PBT/ABS blends. <i>Polymer Composites</i> , 2007, 28, 484-492.	4.6	33
15	Brittle-ductile transition in high-density polyethylene/glass-bead blends: Effects of interparticle distance and temperature. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2001, 39, 1855-1859.	2.1	31
16	Deformation mechanism of polystyrene toughened with sub-micrometer monodisperse rubber particles. <i>Polymer International</i> , 2006, 55, 1215-1221.	3.1	29
17	Toughening of Polyamide-6 with a Maleic Anhydride Functionalized Acrylonitrile-Styrene-Butyl Acrylate Copolymer. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 9235-9240.	3.7	29
18	Direct polymerization of novel functional sulfonated poly(arylene ether ketone sulfone)/sulfonated poly(vinyl alcohol) with high selectivity for fuel cells. <i>RSC Advances</i> , 2016, 6, 27725-27737.	3.6	27

#	ARTICLE	IF	CITATIONS
19	Detailed Cyclization Pathways Identification of Polyacrylonitrile and Poly(acrylonitrile-co-itaconic acid) by in Situ FTIR and Two-Dimensional Correlation analysis. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 8348-8359.	3.7	27
20	The effects of chemical reaction on the microstructure and mechanical properties of polyacrylonitrile (PAN) precursor fibers. <i>Journal of Materials Science</i> , 2019, 54, 12592-12604.	3.7	27
21	Toughening of polyamide 6 with a maleic anhydride functionalized acrylonitrile-butadiene-styrene copolymer. <i>Journal of Applied Polymer Science</i> , 2008, 109, 2482-2490.	2.6	26
22	Cenozoic tectonic migration in the Bohai Bay Basin, East China. <i>Geological Journal</i> , 2016, 51, 188-202.	1.3	26
23	A facile functionalized routine for the synthesis of side-chain sulfonated poly(arylene ether ketone) Tj ETQq1 1 0.784314 rgBT/Overlo	7.1	26
24	Effect of wood flour as nucleating agent on the isothermal crystallization of poly(lactic acid). <i>Polymers for Advanced Technologies</i> , 2017, 28, 252-260.	3.2	25
25	Synthesis and characterization of PMMA/SiO <sub>2</sub> organic-inorganic hybrid materials via RAFT-mediated miniemulsion polymerization. <i>Polymer Composites</i> , 2013, 34, 626-633.	4.6	24
26	In-situ Forming Composite Coating by Laser Cladding C/B <sub>4</sub> C. <i>Materials and Manufacturing Processes</i> , 2015, 30, 743-747.	4.7	23
27	Transition from crazing to shear deformation in ABS/PVC blends. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 687-695.	2.1	22
28	Influence of core-shell particles structure on the morphology and brittle-ductile transition of PBT/ABS-g-GMA blends. <i>Polymer Composites</i> , 2013, 34, 15-21.	4.6	22
29	Thermal, rheological, and mechanical properties of polylactide/poly(diethylene glycol adipate). <i>Polymer Bulletin</i> , 2013, 70, 3487-3500.	3.3	22
30	Effects of an itaconic acid comonomer on the structural evolution and thermal behaviors of polyacrylonitrile used for polyacrylonitrile-based carbon fibers. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	22
31	Facile synthesis of large scale and narrow particle size distribution polymer particles via control particle coagulation during one-step emulsion polymerization. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 484, 81-88.	4.7	22
32	Independence of the brittle-ductile transition from the rubber particle size for impact-modified poly(vinyl chloride). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 696-702.	2.1	21
33	Large-scale and narrow dispersed latex formation in batch emulsion polymerization of styrene in methanol-water solution. <i>Colloid and Polymer Science</i> , 2014, 292, 519-525.	2.1	21
34	Super-tough, ultra-stretchable and strongly compressive hydrogels with core-shell latex particles inducing efficient aggregation of hydrophobic chains. <i>Soft Matter</i> , 2017, 13, 3352-3358.	2.7	21
35	Compatibilization of PP/EPDM blends by grafting acrylic acid to polypropylene and epoxidizing the diene in EPDM. <i>Journal of Applied Polymer Science</i> , 2006, 102, 3949-3954.	2.6	20
36	The suitable itaconic acid content in polyacrylonitrile copolymers used for PAN-based carbon fibers. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	2.6	20

#	ARTICLE	IF	CITATIONS
37	Effect of aqueous phase composition on particle coagulation behavior in batch emulsion polymerization of styrene. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014, 452, 159-164.	4.7	19
38	The role of structural evolution of polyacrylonitrile fibers during thermal oxidative stabilization on mechanical properties. <i>Journal of Applied Polymer Science</i> , 2021, 138, .	2.6	19
39	Influence of core-shell rubber particles synthesized with different initiation systems on the impact toughness of modified polystyrene. <i>Journal of Applied Polymer Science</i> , 2007, 103, 738-744.	2.6	18
40	Properties of Poly(butylene terephthalate)/Bisphenol A Polycarbonate Blends Toughening with Epoxy-Functionalized Acrylonitrile-Butadiene-Styrene Particles. <i>Journal of Macromolecular Science - Physics</i> , 2013, 52, 861-872.	1.0	18
41	Submicrometer-sized rubber particles as craze-bridge for toughening polystyrene/high impact polystyrene. <i>Journal of Applied Polymer Science</i> , 2013, 129, 224-229.	2.6	18
42	Effect of mixing poly(lactic acid) with glycidyl methacrylate grafted poly(ethylene octene) on optical and mechanical properties of the blown films. <i>Polymer Engineering and Science</i> , 2015, 55, 2801-2813.	3.1	18
43	In situ charge neutralization-controlled particle coagulation and its effects on the particle size distribution in the one-step emulsion polymerization. <i>European Polymer Journal</i> , 2016, 83, 278-287.	5.4	18
44	Morphology and mechanical properties of ABS blends prepared from emulsion-polymerized PB-g-SAN impact modifier with AIBN as initiator. <i>Journal of Applied Polymer Science</i> , 2007, 105, 1237-1243.	2.6	17
45	Toughening of polyvinylchloride by methyl methacrylate-butadiene-styrene core-shell rubber particles: Influence of rubber particle size. <i>Polymer Engineering and Science</i> , 2012, 52, 2523-2529.	3.1	17
46	Modification of the grafting character to prepare PA6/ABS-g-MA blends with higher toughness and stiffness. <i>Polymer Bulletin</i> , 2013, 70, 1853-1862.	3.3	17
47	Compatibilization effect of MMA-co-GMA copolymers on the properties of polyamide 6/Poly(vinylidene fluoride) blends. <i>Polymer Engineering and Science</i> , 2014, 54, 1078-1084.	1.0	17
48	Simulation of oil-gas migration and accumulation in the East China Sea Continental Shelf Basin: a case study from the Xihu Depression. <i>Geological Journal</i> , 2016, 51, 229-243.	1.3	17
49	Structure and performance of waterborne polyurethane-acrylate composite emulsions for industrial coatings: effect of preparation methods. <i>Colloid and Polymer Science</i> , 2020, 298, 139-149.	2.1	15
50	Environmental pH-responsive fluorescent PEG-polyurethane for potential optical imaging. <i>Journal of Applied Polymer Science</i> , 2013, 129, 846-852.	2.6	14
51	Gravity anomaly in the southern South China Sea: a connection of Moho depth to the nature of the sedimentary basins' crust. <i>Geological Journal</i> , 2016, 51, 244-262.	1.3	14
52	Modification of the core-shell ratio to prepare PB-g-(MMA-co-St-co-GMA) particle-toughened poly(butylene terephthalate) and polycarbonate blends with balanced stiffness and toughness. <i>RSC Advances</i> , 2014, 4, 58880-58887.	3.6	13
53	Mechanical properties, miscibility, thermal stability, and rheology of poly(propylene carbonate) and poly(ethylene-co-vinyl acetate) blends. <i>Polymer Bulletin</i> , 2015, 72, 851-865.	3.3	13
54	Structural evolution of poly(acrylonitrile-co-dimethyl itaconate) copolymer during thermal oxidative stabilization. <i>Polymers for Advanced Technologies</i> , 2015, 26, 322-329.	3.2	13

#	ARTICLE	IF	CITATIONS
55	Solid-Liquid Equilibrium of Isomaltulose in Five Pure Solvents and Four Binary Solvents from (283.15) Tj ETQq1 1.0,784314 rgBT /Over	1.9	13
56	Effects of the polybutadiene/poly(styrene-co-acrylonitrile) ratio in a polybutadiene-g-poly(styrene-co-acrylonitrile) impact modifier on the morphology and mechanical behavior of acrylonitrile-butadiene-styrene blends. Journal of Applied Polymer Science, 2005, 98, 2165-2171.	2.6	12
57	Structure-properties relationship in toughening of poly(butylene terephthalate) with core-shell modifier. Journal of Applied Polymer Science, 2006, 102, 5363-5371.	2.6	12
58	Hydrophilicity of polymer effects on controlled particle coagulation in batch emulsion polymerization. Colloid and Polymer Science, 2014, 292, 1347-1353.	2.1	12
59	The surface modification of diatomite, thermal, and mechanical properties of poly(vinyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	3.4	12
60	Waterborne polyurethane-acrylate-polyaniline: Interfacial hydrogen bonding for enhancing the antistatic, damping, and mechanical properties. Polymers for Advanced Technologies, 2022, 33, 2667-2681.	3.2	12
61	Synthesis of montmorillonite-modified acrylic impact modifiers and toughening of poly(vinyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	2.9	11
62	Synthesis and characterization of fluorescent PEG-polyurethane with free carboxyl groups. Journal of Polymer Research, 2012, 19, 1.	2.4	11
63	Rapid formation of highly stretchable and notch-insensitive hydrogels. RSC Advances, 2016, 6, 30570-30576.	3.6	11
64	Facile synthesis of large sized and monodispersed polymer particles using particle coagulation mechanism: an overview. Colloid and Polymer Science, 2017, 295, 749-757.	2.1	11
65	Comprehensive and quantitative study on the thermal oxidative stabilization reactions in poly(acrylonitrile-co-itaconic acid) copolymer. Journal of Applied Polymer Science, 2018, 135, 45934.	2.6	11
66	Effects of the molecular structure on the vibration reduction and properties of hyperbranched waterborne polyurethane-acrylate for damping coatings. Journal of Applied Polymer Science, 2019, 136, 47733.	2.6	11
67	Sustainable composites from biodegradable poly(butylene succinate) modified with thermoplastic starch and poly(butylene adipate-co-terephthalate): preparation and performance. New Journal of Chemistry, 2021, 45, 17384-17397.	2.8	11
68	Properties of rubber-toughened Polyvinyl chloride blends based on core-shell modifier with different particle morphology. Polymer Bulletin, 2007, 59, 699-708.	3.3	10
69	Core-shell particles designed for toughening poly(vinyl chloride). Polymer International, 2010, 59, 980-985.	3.1	10
70	Sulfonated poly (arylene ether ketone sulfone)/ZrP composite membranes for medium-high temperature operation of PEMFC. Journal of Polymer Research, 2013, 20, 1.	2.4	10
71	Particle Nucleation and Growth in the Emulsion Polymerization of Styrene: Effect of Monomer/Water Ratio and Electrolyte Concentration. Journal of Macromolecular Science - Pure and Applied Chemistry, 2015, 52, 147-154.	2.2	10
72	Effect of the matrix plasticization behavior on mechanical properties of PVC/ABS blends. Journal of Polymer Engineering, 2017, 37, 239-245.	1.4	10

#	ARTICLE	IF	CITATIONS
73	Preparation of monodisperse, sub-micrometer polymer particles by one-step emulsion polymerization under particle coagulation. <i>Colloid and Polymer Science</i> , 2016, 294, 787-793.	2.1	9
74	Modification of the reactive core-shell particles properties to prepare PBT/PC blends with higher toughness and stiffness. <i>Journal of Polymer Research</i> , 2017, 24, 1.	2.4	9
75	Preparation and Characterization of PMMA/MMT Organic-Inorganic Hybrid Materials via RAFT Polymerization. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2013, 50, 653-660.	2.2	8
76	Toughening polystyrene by core-shell grafting copolymer polybutadiene-graft-polystyrene with potassium persulfate as initiator. <i>Journal of Industrial and Engineering Chemistry</i> , 2013, 19, 823-828.	5.8	8
77	The influence of the arrangement of styrene in methyl methacrylate/butadiene/styrene on the properties of PMMA/SAN/MBS blends. <i>Polymers for Advanced Technologies</i> , 2014, 25, 273-278.	3.2	8
78	Toughening of Poly(ethylene terephthalate) and Optimizing of the Compatibilization Between PET and EPDM by Functionalized EPDM. <i>Polymer-Plastics Technology and Engineering</i> , 2014, 53, 141-149.	1.9	8
79	Poly(methyl methacrylate)-b-poly(butyl acrylate) Block Copolymers Synthesized via RAFT Emulsion Polymerization. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2014, 51, 279-285.	2.2	8
80	Synergistic Effect of Polycarbonate on Reactive Core-Shell Particles Toughened Poly(Butylene) Terephthalate. <i>Polymer-Plastics Technology and Engineering</i> , 2016, 55, 1010-1018.	1.0	8
81	Toughness, dynamic mechanical property, and morphology of polyvinylchloride/acrylonitrile-styrene-butyl acrylate blends. <i>Journal of Vinyl and Additive Technology</i> , 2016, 22, 43-50.	3.4	8
82	Preparation, characterization and enhanced performance of functional crosslinked membranes using poly(vinyl alcohol) as macromolecular crosslinker for fuel cells. <i>RSC Advances</i> , 2016, 6, 41428-41438.	3.6	8
83	Effect of core-shell particles dispersed morphology on the toughening behavior of PBT/PC blends. <i>Journal of Polymer Research</i> , 2016, 23, 1.	2.4	8
84	Study on the multiple cyclization reactions and the formed structures in poly(acrylonitrile-co-maleic acid) copolymers during thermal treatment. <i>Polymers for Advanced Technologies</i> , 2017, 28, 1662-1669.	3.2	8
85	Study on thermal oxidative stabilization reactions of poly(acrylonitrile-co-maleic acid) copolymers synthesized at different polymerization stages. <i>Journal of Applied Polymer Science</i> , 2017, 134, 45245.	2.6	8
86	Toughness and Transparency of Poly(vinyl chloride)/Methyl Methacrylate-Butadiene-Styrene Blends with Varied Shell Phase Composition of Core-Shell Theories. <i>Polymer-Plastics Technology and Engineering</i> , 2009, 48, 953-957.	1.9	7
87	Toughening Poly (Vinyl Chloride) by PS/PB/PMMA Three-Layer Particles. <i>Polymer-Plastics Technology and Engineering</i> , 2013, 52, 814-819.	1.9	7
88	Co-toughened Polystyrene by Submicrometer-Sized Core-shell Rubber Particles and Micrometer-Sized Salami Rubber Particles. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 5079-5084.	3.7	7
89	Enhanced properties of poly(vinylidene fluoride) with low filler content SiO <sub>2</sub> -g-(MMA-co-BA) core-shell nanoparticles. <i>Journal of Polymer Research</i> , 2016, 23, 1.	2.4	7
90	Different deformation mechanisms of two modified polystyrene bimodal systems. <i>Polymer International</i> , 2010, 59, 738-742.	3.1	6

#	ARTICLE	IF	CITATIONS
91	High efficiency impact modifier prepared by coagulation emulsion polymerization through internal voiding toughening mechanism. <i>Polymers for Advanced Technologies</i> , 2015, 26, 182-189.	3.2	6
92	Crosslinking network structure effects on particle coagulation in the emulsion polymerization of styrene in methanol solution. <i>Colloid and Polymer Science</i> , 2015, 293, 1577-1581.	2.1	6
93	Inhibited transesterification on the properties of reactive core-shell particles toughened poly(butylene terephthalate) and polycarbonate blends. <i>Journal of Polymer Research</i> , 2015, 22, 1.	2.4	6
94	Lipophilic modification of T-ZnOw and optical properties of T-ZnOw/PVB composite films. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1.	2.3	6
95	Hydroxyl terminated polybutadiene based waterborne polyurethane acrylate emulsions: Synthesis, characterization, and damping property. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50300.	2.6	6
96	Effect of aging time on properties of acrylic impact modifier modified bisphenol A polycarbonate. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 2715-2724.	2.1	5
97	A modified poly(aryle ether ketone sulfone) proton exchange membrane with <i>in situ</i> polymerized polypyrrole for the direct methanol fuel cells. <i>Journal of Applied Polymer Science</i> , 2011, 120, 914-920.	2.6	5
98	Investigation on the miscibility of the blends of poly(methyl methacrylate) and poly(styrene-co-acrylonitrile). <i>Journal of Applied Polymer Science</i> , 2012, 123, 292-298.	2.6	5
99	Phase separation of impact modified PVC/PMMA blends under melt blending conditions. <i>Journal of Vinyl and Additive Technology</i> , 2013, 19, 11-17.	3.4	5
100	Preparation and characterization of poly(methyl methacrylate)/SiO <sub>2</sub> organic-inorganic hybrid materials via RAFT-mediated miniemulsion Polymerization. <i>Journal of Polymer Research</i> , 2014, 21, 1.	2.4	5
101	Toughening Polystyrene by Core-Shell Rubber Particles: Analysis of the Internal Structure and Properties. <i>Polymers and Polymer Composites</i> , 2015, 23, 317-324.	1.9	5
102	MICROSTRUCTURE AND WEAR RESISTANCE OF COMPOSITE COATING BY LASER CLADDING Al/TiN ON THE Ti-6Al-4V SUBSTRATE. <i>Surface Review and Letters</i> , 2015, 22, 1550044.	1.1	5
103	Kinetic investigations of RAFT polymerization: Difunctional RAFT agent mediated polymerization of methyl methacrylate and styrene. <i>Macromolecular Research</i> , 2015, 23, 67-73.	2.4	5
104	Exothermal Behavior and Particle Scale Evolution in High Solid Content One-Step Batch Emulsion Polymerization. <i>Journal of Dispersion Science and Technology</i> , 2015, 36, 205-212.	2.4	5
105	Kinetic study of RAFT homopolymerization and copolymerization in emulsion. <i>Iranian Polymer Journal (English Edition)</i> , 2015, 24, 113-122.	2.4	4
106	Effect of matrix chain entanglement on toughening mechanism evolution of acrylic impact modifier toughened methyl methacrylate-N-phenylmaleimide copolymers. <i>Journal of Polymer Research</i> , 2016, 23, 1.	2.4	4
107	Contribution of Ungrafted Segments in Core-Shell Impact Modifier in the Toughening of PBT Resins by Epoxy Functionalized Poly(Butadiene- <i>graft</i> -Styrene). <i>Polymer-Plastics Technology and Engineering</i> , 2018, 57, 1697-1705.	1.9	4
108	Effect of nitrogen pretreatment on the skin-core structure of thermal oxidative stabilization polyacrylonitrile fibers. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50920.	2.6	4



#	ARTICLE	IF	CITATIONS
109	Effect of the composition of $\text{PVC}/\text{MSAN}$ copolymer on the miscibility of $\text{PVC}/\text{MSAN}$ blends. <i>Journal of Applied Polymer Science</i> , 2008, 108, 3016-3023.	2.6	3
110	Effect of Epoxy-Functionalised Core-Shell Particles on Properties of Poly(Butylene Terephthalate) (PBT). <i>Polymers and Polymer Composites</i> , 2008, 16, 271-276.	1.9	3
111	Photoacoustic Study of $\text{Y}^{3+}$ , $\text{Tb}^{3+}$ , and $\text{Er}^{3+}$ -Doped Zinc Oxide Nanocrystals. <i>International Journal of Thermophysics</i> , 2015, 36, 1336-1341.	2.1	3
112	A novel approach to prepare large-scale and narrow-dispersed latex particles by emulsion polymerization based on particle coagulation mechanism. <i>Designed Monomers and Polymers</i> , 2016, 19, 119-127.	1.6	3
113	Stabilizing effect of oxygen on the initial stages of poly(methyl methacrylate) degradation. <i>Journal of Thermal Analysis and Calorimetry</i> , 2016, 123, 1459-1467.	3.6	3
114	Origin and model of transform faults in the Okinawa Trough. <i>Marine Geophysical Researches</i> , 2017, 38, 137-147.	1.2	3
115	Improved compatibility of PET/HDPE blend by using GMA grafted thermoplastic elastomer. <i>Polymer-Plastics Technology and Materials</i> , 2020, 59, 1887-1898.	1.3	3
116	Preparation and Characterization of Glucose and Sulfamate Double-Modified Biodegradable Waterborne Polyurethane. <i>ChemistrySelect</i> , 2021, 6, 8140-8149.	1.5	3
117	Synthesis of sub-micrometer core-shell rubber particles with 1,2-azobisisobutyronitrile as initiator and deformation mechanisms of modified polystyrene under various conditions. <i>Polymer International</i> , 2009, 58, 1196-1201.	3.1	2
118	The preparation and thermodynamic behaviors of chlorosulfonated polyethylene. <i>Journal of Applied Polymer Science</i> , 2010, 116, 2095-2100.	2.6	2
119	Study on modification of polylactide by functional polymer. , 2011, , .		2
120	The influence of the internal structure of core-shell particles on poly(vinyl chloride)/(methyl Tj ETQqO O O rgBT /Qverlock 10 Tf 50 302	3.1	2
121	Kinetics study of living microemulsion polymerization mediated by reversible addition-fragmentation chain transfer. <i>Journal of Polymer Research</i> , 2014, 21, 1.	2.4	2
122	Effect of Polymer Characteristics on Particle Formation and Growth in Batch Emulsion Polymerization. <i>Journal of Dispersion Science and Technology</i> , 2015, 36, 1320-1326.	2.4	2
123	In situ charge neutralization on governing particle coagulation nucleation and size distribution in macroemulsion polymerization. <i>RSC Advances</i> , 2016, 6, 88701-88706.	3.6	2
124	Study of Lanthanide Complexes with BTFA in Silica Gels by Photoacoustic Spectroscopy. <i>International Journal of Thermophysics</i> , 2016, 37, 1.	2.1	2
125	Toughening of chlorinated polyvinylchloride with acrylonitrile-butadiene-styrene graft copolymers. <i>Journal of Vinyl and Additive Technology</i> , 2016, 22, 13-18.	3.4	2
126	Synthesis of Sub-100Ånm and Narrow Particle Size Distribution Cationic Latex by One-Step Emulsion Polymerization. <i>Journal of Dispersion Science and Technology</i> , 2016, 37, 48-55.	2.4	2



#	ARTICLE	IF	CITATIONS
127	Tuning Molecular Composition for Better Cross-section Homogeneity of Thermal Oxidative Stabilized Polyacrylonitrile for Carbon Materials. <i>Fibers and Polymers</i> , 2022, 23, 1515-1524.	2.1	2
128	Influence of the tert -dodecyl mercaptan content in poly(acrylonitrile-butadiene-styrene) on properties of chlorinated polyvinyl chloride/poly(acrylonitrile-butadiene-styrene) blends. <i>Polymer Engineering and Science</i> , 2012, 52, 820-825.	3.1	1
129	Mechanical and Morphological Properties and Deformation Mechanisms of Acrylonitrile-Butadiene-Styrene/Poly( $\mu$ -Caprolactone) Blends with Varied Matrix Composition. <i>Journal of Macromolecular Science - Physics</i> , 2014, 53, 1533-1542.	1.0	1
130	Cavitation in hard/soft/hard three-layer core-shell structural rubber particles. <i>Journal of Polymer Research</i> , 2014, 21, 1.	2.4	1
131	Research of the synthesis and film performance of silica/poly(St-BA-MPS) core-shell latexes obtained by miniemulsion co-polymerization. <i>Macromolecular Research</i> , 2017, 25, 408-414.	2.4	1
132	Synthesis of large-scale, narrowly dispersed, highly cross-linked, and spherical latex particles via one-step emulsion polymerization through particle coagulation. <i>Journal of Dispersion Science and Technology</i> , 2017, 38, 1147-1153.	2.4	1
133	Crosslinking network structure governing particle shape and size distribution by one-step emulsion polymerization in the presence of particle coagulation. <i>Journal of Dispersion Science and Technology</i> , 2017, 38, 1295-1301.	2.4	1
134	Photoacoustic Study on the Structural Variation of Titania Nanomaterials Using the Pr (III) Ion as a Spectral Probe. <i>International Journal of Thermophysics</i> , 2016, 37, 1.	2.1	0