


## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1397039/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Identification of type 2 diabetes loci in 433,540 East Asian individuals. Nature, 2020, 582, 240-245.	27.8	282
2	Sleep patterns, genetic susceptibility, and incident cardiovascular disease: a prospective study of 385 292 UK biobank participants. European Heart Journal, 2020, 41, 1182-1189.	2.2	280
3	Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation. Nature Genetics, 2022, 54, 560-572.	21.4	250
4	Association of Solid Fuel Use With Risk of Cardiovascular and All-Cause Mortality in Rural China. JAMA - Journal of the American Medical Association, 2018, 319, 1351.	7.4	202
5	Causal associations of blood lipids with risk of ischemic stroke and intracerebral hemorrhage in Chinese adults. Nature Medicine, 2019, 25, 569-574.	30.7	200
6	Identification of risk loci and a polygenic risk score for lung cancer: a large-scale prospective cohort study in Chinese populations. Lancet Respiratory Medicine,the, 2019, 7, 881-891.	10.7	167
7	Adherence to Healthy Lifestyle and Cardiovascular Diseases in the ChineseÂPopulation. Journal of the American College of Cardiology, 2017, 69, 1116-1125.	2.8	161
8	Association of Depression With All-Cause and Cardiovascular Disease Mortality Among Adults in China. JAMA Network Open, 2020, 3, e1921043.	5.9	143
9	Consumption of spicy foods and total and cause specific mortality: population based cohort study. BMJ, The, 2015, 351, h3942.	6.0	138
10	Mortality and recurrent vascular events after first incident stroke: a 9-year community-based study of 0·5 million Chinese adults. The Lancet Global Health, 2020, 8, e580-e590.	6.3	137
11	Frailty index and all-cause and cause-specific mortality in Chinese adults: a prospective cohort study. Lancet Public Health, The, 2020, 5, e650-e660.	10.0	134
12	Cancer incidence and mortality: A cohort study in China, 2008–2013. International Journal of Cancer, 2017, 141, 1315-1323.	5.1	124
13	Genetic risk, incident gastric cancer, and healthy lifestyle: a meta-analysis of genome-wide association studies and prospective cohort study. Lancet Oncology, The, 2020, 21, 1378-1386.	10.7	123
14	Associations Between Hepatitis B Virus Infection and Risk of All Cancer Types. JAMA Network Open, 2019, 2, e195718.	5.9	114
15	Risk Factors for Human Illness with Avian Influenza A (H5N1) Virus Infection in China. Journal of Infectious Diseases, 2009, 199, 1726-1734.	4.0	110
16	Age-specific association between blood pressure and vascular and non-vascular chronic diseases in OA·5 million adults in China: a prospective cohort study. The Lancet Global Health, 2018, 6, e641-e649.	6.3	110
17	Lifestyle, cardiometabolic disease, and multimorbidity in a prospective Chinese study. European Heart Journal, 2021, 42, 3374-3384.	2.2	105
18	Associations of egg consumption with cardiovascular disease in a cohort study of 0.5 million Chinese adults. Heart, 2018, 104, 1756-1763.	2.9	101

#	Article	IF	CITATIONS
19	Metabolically healthy obesity, transition to unhealthy metabolic status, and vascular disease in Chinese adults: A cohort study. PLoS Medicine, 2020, 17, e1003351.	8.4	100
20	Association between perceived urban built environment attributes and leisure-time physical activity among adults in Hangzhou, China. Preventive Medicine, 2014, 66, 60-64.	3.4	89
21	Cooking fuels and risk of all-cause and cardiopulmonary mortality in urban China: a prospective cohort study. The Lancet Global Health, 2020, 8, e430-e439.	6.3	85
22	Adherence to a healthy lifestyle and the risk of type 2 diabetes in Chinese adults. International Journal of Epidemiology, 2017, 46, 1410-1420.	1.9	84
23	Insomnia symptoms and risk of cardiovascular diseases among 0.5 million adults. Neurology, 2019, 93, e2110-e2120.	1.1	81
24	Hot Tea Consumption and Its Interactions With Alcohol and Tobacco Use on the Risk for Esophageal Cancer. Annals of Internal Medicine, 2018, 168, 489.	3.9	80
25	The relative and attributable risks of cardia and non-cardia gastric cancer associated with Helicobacter pylori infection in China: a case-cohort study. Lancet Public Health, The, 2021, 6, e888-e896.	10.0	78
26	Association Between Angiotensinogen, Angiotensin II Receptor Genes, and Blood Pressure Response to an Angiotensin-Converting Enzyme Inhibitor. Circulation, 2007, 115, 725-732.	1.6	77
27	Prenatal famine exposure, adulthood obesity patterns and risk of type 2 diabetes. International Journal of Epidemiology, 2018, 47, 399-408.	1.9	72
28	Diabetes, plasma glucose and incidence of pancreatic cancer: A prospective study of 0.5 million <scp>C</scp> hinese adults and a metaâ€analysis of 22 cohort studies. International Journal of Cancer, 2017, 140, 1781-1788.	5.1	71
29	Smoking and smoking cessation in relation to risk of diabetes in Chinese men and women: a 9-year prospective study of 0·5 million people. Lancet Public Health, The, 2018, 3, e167-e176.	10.0	65
30	Adherence to a healthy lifestyle and all-cause and cause-specific mortality in Chinese adults: a 10-year prospective study of 0.5 million people. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 98.	4.6	62
31	Enhanced production of natural yellow pigments from Monascus purpureus by liquid culture: The relationship between fermentation conditions and mycelial morphology. Journal of Bioscience and Bioengineering, 2017, 124, 452-458.	2.2	61
32	Implementation of the WHO Framework Convention on Tobacco Control in mainland China. Tobacco Control, 2011, 20, 309-314.	3.2	60
33	Major Dietary Patterns in Relation to General and Central Obesity among Chinese Adults. Nutrients, 2015, 7, 5834-5849.	4.1	60
34	Solid Fuel Use and Risks of Respiratory Diseases. A Cohort Study of 280,000 Chinese Never-Smokers. American Journal of Respiratory and Critical Care Medicine, 2019, 199, 352-361.	5.6	60
35	Adiposity and risk of ischaemic and haemorrhagic stroke in 0·5 million Chinese men and women: a prospective cohort study. The Lancet Global Health, 2018, 6, e630-e640.	6.3	59
36	Solid Fuel Use and Incident COPD in Chinese Adults: Findings from the China Kadoorie Biobank. Environmental Health Perspectives, 2019, 127, 57008.	6.0	57

#	Article	IF	CITATIONS
37	Association between Ambient Temperature and Blood Pressure and Blood Pressure Regulators: 1831 Hypertensive Patients Followed Up for Three Years. PLoS ONE, 2013, 8, e84522.	2.5	50
38	Gender-Specific Association between Tobacco Smoking and Central Obesity among 0.5 Million Chinese People: The China Kadoorie Biobank Study. PLoS ONE, 2015, 10, e0124586.	2.5	49
39	Sleep behavior and depression: Findings from the China Kadoorie Biobank of 0.5 million Chinese adults. Journal of Affective Disorders, 2018, 229, 120-124.	4.1	47
40	Spicy food consumption is associated with adiposity measures among half a million Chinese people: the China Kadoorie Biobank study. BMC Public Health, 2014, 14, 1293.	2.9	46
41	Socio-demographic association of multiple modifiable lifestyle risk factors and their clustering in a representative urban population of adults: a cross-sectional study in Hangzhou, China. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 40.	4.6	44
42	Vitamin D and cause-specific vascular disease and mortality: a Mendelian randomisation study involving 99,012 Chinese and 106,911 European adults. BMC Medicine, 2019, 17, 160.	5.5	44
43	Tea consumption and risk of ischaemic heart disease. Heart, 2017, 103, 783-789.	2.9	43
44	Age at natural menopause and associated factors in adult women: Findings from the China Kadoorie Biobank study in Zhejiang rural area. PLoS ONE, 2018, 13, e0195658.	2.5	43
45	Gallstone Disease and the Risk of Ischemic Heart Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 35, 2232-2237.	2.4	42
46	Genetic Predisposition to Type 2 Diabetes and Risk of Subclinical Atherosclerosis and Cardiovascular Diseases Among 160,000 Chinese Adults. Diabetes, 2019, 68, 2155-2164.	0.6	42
47	Soy intake and breast cancer risk: a prospective study of 300,000 Chinese women and a dose–response meta-analysis. European Journal of Epidemiology, 2020, 35, 567-578.	5.7	41
48	<scp>PCDH</scp> 20 functions as a tumourâ€suppressor gene through antagonizing the <scp>W</scp> nt/l²â€€atenin signalling pathway in hepatocellular carcinoma. Journal of Viral Hepatitis, 2015, 22, 201-211.	2.0	40
49	Genetic Contribution to the Variance of Blood Pressure and Heart Rate: A Systematic Review and Meta-Regression of Twin Studies. Twin Research and Human Genetics, 2015, 18, 158-170.	0.6	39
50	Red meat, poultry and fish consumption and risk of diabetes: a 9Âyear prospective cohort study of the China Kadoorie Biobank. Diabetologia, 2020, 63, 767-779.	6.3	39
51	Role of asymptomatic and pre-symptomatic infections in covid-19 pandemic. BMJ, The, 2021, 375, n2342.	6.0	39
52	Genetic risk, adherence to a healthy lifestyle, and type 2 diabetes risk among 550,000 Chinese adults: results from 2 independent Asian cohorts. American Journal of Clinical Nutrition, 2020, 111, 698-707.	4.7	38
53	The improvement of the shape memory function of poly(ε-caprolactone)/nano-crystalline cellulose nanocomposites via recrystallization under a high-pressure environment. Journal of Materials Chemistry A, 2016, 4, 5984-5992.	10.3	37
54	Menopause Characteristics, Total Reproductive Years, and Risk of Cardiovascular Disease Among Chinese Women. Circulation: Cardiovascular Quality and Outcomes, 2017, 10, .	2.2	37

#	Article	IF	CITATIONS
55	Associations of Adiposity, Circulating Protein Biomarkers, and Risk of Major Vascular Diseases. JAMA Cardiology, 2021, 6, 276.	6.1	36
56	Genetic and environmental influences on blood pressure and body mass index in Han Chinese: a twin study. Hypertension Research, 2011, 34, 173-179.	2.7	35
57	Dietary Patterns and Insomnia Symptoms in Chinese Adults: The China Kadoorie Biobank. Nutrients, 2017, 9, 232.	4.1	35
58	Family influences on physical activity and sedentary behaviours in Chinese junior high school students: a cross-sectional study. BMC Public Health, 2015, 15, 287.	2.9	34
59	Association between tea consumption and risk of cancer: a prospective cohort study of 0.5 million Chinese adults. European Journal of Epidemiology, 2019, 34, 753-763.	5.7	34
60	Association between adiposity measures and COPD risk in Chinese adults. European Respiratory Journal, 2020, 55, 1901899.	6.7	34
61	Type 2 Diabetes and Risk of Incident Cancer in China: A Prospective Study Among 0.5 Million Chinese Adults. American Journal of Epidemiology, 2018, 187, 1380-1391.	3.4	33
62	Association of Major Depression With Risk of Ischemic Heart Disease in a Mega ohort of Chinese Adults: The China Kadoorie Biobank Study. Journal of the American Heart Association, 2016, 5, .	3.7	32
63	Central adiposity in relation to risk of liver cancer in Chinese adults: A prospective study of 0.5 million people. International Journal of Cancer, 2019, 145, 1245-1253.	5.1	30
64	A large-scale genome-wide association analysis of lung function in the Chinese population identifies novel loci and highlights shared genetic aetiology with obesity. European Respiratory Journal, 2021, 58, 2100199.	6.7	30
65	Limb development genes underlie variation in human fingerprint patterns. Cell, 2022, 185, 95-112.e18.	28.9	30
66	Tea consumption and long-term risk of type 2 diabetes and diabetic complications: a cohort study of 0.5 million Chinese adults. American Journal of Clinical Nutrition, 2021, 114, 194-202.	4.7	29
67	Stroke risk prediction using machine learning: a prospective cohort study of 0.5 million Chinese adults. Journal of the American Medical Informatics Association: JAMIA, 2021, 28, 1719-1727.	4.4	29
68	Consumption of Tea, Alcohol, and Fruits and Risk of Kidney Stones: A Prospective Cohort Study in 0.5 Million Chinese Adults. Nutrients, 2021, 13, 1119.	4.1	28
69	The Chinese National Twin Registry: An Update. Twin Research and Human Genetics, 2013, 16, 86-90.	0.6	27
70	Association of Major Depressive Episodes With Stroke Risk in a Prospective Study of 0.5 Million Chinese Adults. Stroke, 2016, 47, 2203-2208.	2.0	27
71	Chronic hepatitis B virus infection and risk of chronic kidney disease: a population-based prospective cohort study of 0.5 million Chinese adults. BMC Medicine, 2018, 16, 93.	5.5	27
72	Tea consumption and risk of stroke in Chinese adults: a prospective cohort study of 0.5 million men and women. American Journal of Clinical Nutrition, 2020, 111, 197-206.	4.7	27

#	Article	IF	CITATIONS
73	Determination of Zygosity in Adult Chinese Twins Using the 450K Methylation Array versus Questionnaire Data. PLoS ONE, 2015, 10, e0123992.	2.5	27
74	Polygenic risk scores for prediction of breast cancer risk in Asian populations. Genetics in Medicine, 2022, 24, 586-600.	2.4	27
75	Determination of Zygosity by Questionnaire and Physical Features Comparison in Chinese Adult Twins. Twin Research and Human Genetics, 2006, 9, 266-271.	0.6	26
76	Associations of Body Composition Measurements with Serum Lipid, Glucose and Insulin Profile: A Chinese Twin Study. PLoS ONE, 2015, 10, e0140595.	2.5	26
77	Chronic hepatitis B virus infection and total and cause-specific mortality: a prospective cohort study of 0.5 million people. BMJ Open, 2019, 9, e027696.	1.9	26
78	Tea consumption and bone health in Chinese adults: a population-based study. Osteoporosis International, 2019, 30, 333-341.	3.1	26
79	Association between multiple comorbidities and self-rated health status in middle-aged and elderly Chinese: the China Kadoorie Biobank study. BMC Public Health, 2018, 18, 744.	2.9	25
80	A community-based multilevel intervention for smoking, physical activity and diet: short-term findings from the Community Interventions for Health programme in Hangzhou, China. Journal of Epidemiology and Community Health, 2014, 68, 333-339.	3.7	24
81	Physical Activity, Sedentary Leisure Time, Circulating Metabolic Markers, and Risk of Major Vascular Diseases. Circulation Genomic and Precision Medicine, 2019, 12, 386-396.	3.6	24
82	Prevalence and risk factors of atrioventricular block among 15 million Chinese health examination participants in 2018: a nation-wide cross-sectional study. BMC Cardiovascular Disorders, 2021, 21, 289.	1.7	24
83	Current Status of the Chinese National Twin Registry. Twin Research and Human Genetics, 2006, 9, 747-752.	0.6	23
84	A survey of core and support activities of communicable disease surveillance systems at operating-level CDCs in China. BMC Public Health, 2010, 10, 704.	2.9	23
85	Effect of total, domain-specific, and intensity-specific physical activity on all-cause and cardiovascular mortality among hypertensive adults in China. Journal of Hypertension, 2018, 36, 793-800.	0.5	23
86	The Chinese National Twin Registry: a â€~gold mine' for scientific research. Journal of Internal Medicine, 2019, 286, 299-308.	6.0	23
87	Incidence and Risk Factors of Hyperuricemia among 2.5 Million Chinese Adults during the Years 2017–2018. International Journal of Environmental Research and Public Health, 2021, 18, 2360.	2.6	23
88	Factors associated with suicide risk among Chinese adults: A prospective cohort study of 0.5 million individuals. PLoS Medicine, 2021, 18, e1003545.	8.4	23
89	Association of lowâ€activity ALDH2 and alcohol consumption with risk of esophageal cancer in Chinese adults: A populationâ€based cohort study. International Journal of Cancer, 2018, 143, 1652-1661.	5.1	22
90	Association of Educational Level and Marital Status With Obesity: A Study of Chinese Twins. Twin Research and Human Genetics, 2018, 21, 126-135.	0.6	22

#	Article	IF	CITATIONS
91	Age prediction of children and adolescents aged 6-17 years: an epigenome-wide analysis of DNA methylation. Aging, 2018, 10, 1015-1026.	3.1	22
92	Association Between Active Commuting and Incident Cardiovascular Diseases in Chinese: A Prospective Cohort Study. Journal of the American Heart Association, 2019, 8, e012556.	3.7	22
93	Alcohol drinking and risks of liver cancer and non-neoplastic chronic liver diseases in China: a 10-year prospective study of 0.5 million adults. BMC Medicine, 2021, 19, 216.	5.5	22
94	The Relative Validity and Reproducibility of Food Frequency Questionnaires in the China Kadoorie Biobank Study. Nutrients, 2022, 14, 794.	4.1	22
95	Audit of tobacco retail outlets in Hangzhou, China. Tobacco Control, 2013, 22, 245-249.	3.2	21
96	The association of cigarette smoking and alcohol drinking with body mass index: a cross-sectional, population-based study among Chinese adult male twins. BMC Public Health, 2016, 16, 311.	2.9	21
97	Gallstone Disease and the Risk of Type 2 Diabetes. Scientific Reports, 2017, 7, 15853.	3.3	21
98	Habitual Tea Consumption and Risk of Fracture in 0.5 Million Chinese Adults: A Prospective Cohort Study. Nutrients, 2018, 10, 1633.	4.1	21
99	Long-term solid fuel use and risks of major eye diseases in China: A population-based cohort study of 486,532 adults. PLoS Medicine, 2021, 18, e1003716.	8.4	21
100	Family History and Stroke Risk in China: Evidence from a Large Cohort Study. Journal of Stroke, 2017, 19, 188-195.	3.2	21
101	Physical activity, sedentary leisure-time and risk of incident type 2 diabetes: a prospective study of 512 000 Chinese adults. BMJ Open Diabetes Research and Care, 2019, 7, e000835.	2.8	20
102	Early famine exposure and adult disease risk based on a 10-year prospective study of Chinese adults. Heart, 2020, 106, heartjnl-2019-315750.	2.9	20
103	Association of Sleep Duration with Weight Gain and General and Central Obesity Risk in Chinese Adults: A Prospective Study. Obesity, 2020, 28, 468-474.	3.0	20
104	Factors related to age at natural menopause in China: results from the China Kadoorie Biobank. Menopause, 2021, 28, 1130-1142.	2.0	20
105	Gender, Age, and Education Level Modify the Association between Body Mass Index and Physical Activity: A Cross-Sectional Study in Hangzhou, China. PLoS ONE, 2015, 10, e0125534.	2.5	20
106	Dairy consumption and risks of total and site-specific cancers in Chinese adults: an 11-year prospective study of 0.5 million people. BMC Medicine, 2022, 20, 134.	5.5	20
107	A Survey of Nutrition Labels and Fats, Sugars, and Sodium Ingredients in Commercial Packaged Foods in Hangzhou, China. Public Health Reports, 2011, 126, 116-122.	2.5	19
108	Cancer incidence in relation to body fatness among 0.5 million men and women: Findings from the China Kadoorie Biobank. International Journal of Cancer, 2020, 146, 987-998.	5.1	19

#	Article	IF	CITATIONS
109	Association of physical activity with risk of hepatobiliary diseases in China: a prospective cohort study of 0.5 million people. British Journal of Sports Medicine, 2021, 55, 1024-1033.	6.7	19
110	Socioeconomic differences in health-care use and outcomes for stroke and ischaemic heart disease in China during 2009–16: a prospective cohort study of 0·5 million adults. The Lancet Global Health, 2020, 8, e591-e602.	6.3	19
111	Habitual snoring, adiposity measures and risk of type 2 diabetes in 0.5 million Chinese adults: a 10-year cohort. BMJ Open Diabetes Research and Care, 2020, 8, e001015.	2.8	19
112	Alcohol metabolism genes and risks of siteâ€specific cancers in Chinese adults: An 11â€year prospective study. International Journal of Cancer, 2022, 150, 1627-1639.	5.1	19
113	Objective assessment of urban built environment related to physical activity — development, reliability and validity of the China Urban Built Environment Scan Tool (CUBEST). BMC Public Health, 2014, 14, 109.	2.9	18
114	Associations of domainâ€specific physical activities with insomnia symptoms among 0.5 million Chinese adults. Journal of Sleep Research, 2017, 26, 330-337.	3.2	18
115	Heritability of Obesityâ€related Phenotypes and Association with Adiponectin Gene Polymorphisms in the Chinese National Twin Registry. Annals of Human Genetics, 2010, 74, 146-154.	0.8	17
116	Successful Up-Scaled Population Interventions to Reduce Risk Factors for Non-Communicable Disease in Adults: Results from the International Community Interventions for Health (CIH) Project in China, India and Mexico. PLoS ONE, 2015, 10, e0120941.	2.5	17
117	A History of Asthma From Childhood andÂLeft Ventricular Mass in AsymptomaticÂYoung Adults. JACC: Heart Failure, 2017, 5, 497-504.	4.1	17
118	Association between major depressive episode and risk of type 2 diabetes: A large prospective cohort study in Chinese adults. Journal of Affective Disorders, 2018, 234, 59-66.	4.1	17
119	Birthweight and cardiometabolic risk patterns in multiracial children. International Journal of Obesity, 2018, 42, 20-27.	3.4	17
120	Body-mass index and long-term risk of sepsis-related mortality: a population-based cohort study of 0.5 million Chinese adults. Critical Care, 2020, 24, 534.	5.8	17
121	Spicy food consumption and risk of gastrointestinal-tract cancers: findings from the China Kadoorie Biobank. International Journal of Epidemiology, 2021, 50, 199-211.	1.9	17
122	Fluoride exposure, dopamine relative gene polymorphism and intelligence: A cross-sectional study in China. Ecotoxicology and Environmental Safety, 2021, 209, 111826.	6.0	17
123	Validation of the Simplified Chinese-character Version of the International Physical Activity Questionnaire-Long Form in Urban Community-dwelling Adults: a Cross-sectional Study in Hangzhou, China. Biomedical and Environmental Sciences, 2017, 30, 255-263.	0.2	17
124	Self-Rated Health Status and Risk of Incident Stroke in 0.5 Million Chinese Adults: The China Kadoorie Biobank Study. Journal of Stroke, 2018, 20, 247-257.	3.2	17
125	The need for integration in health sciences sets the future direction for public health education. Public Health, 2011, 125, 20-24.	2.9	16
126	Epigenome-wide analysis of DNA methylation and coronary heart disease: a nested case-control study. ELife, 2021, 10, .	6.0	16

#	Article	IF	CITATIONS
127	Circulating Metabolites and the Development of Type 2 Diabetes in Chinese Adults. Diabetes Care, 2022, 45, 477-480.	8.6	16
128	Menopausal status, age at natural menopause and risk of diabetes in China: a 10-year prospective study of 300,000 women. Nutrition and Metabolism, 2022, 19, 7.	3.0	16
129	The S447X polymorphism of the lipoprotein lipase gene is associated with lipoprotein lipid and blood pressure levels in Chinese patients with essential hypertension. Journal of Hypertension, 2004, 22, 1503-1509.	0.5	15
130	The Genetic Correlation Between Cigarette Smoking and Alcohol Drinking Among Chinese Adult Male Twins: An Ordinal Bivariate Genetic Analysis. Twin Research and Human Genetics, 2012, 15, 483-490.	0.6	15
131	Solid fuels for cooking and tobacco use and risk of major chronic liver disease mortality: a prospective cohort study of 0.5 million Chinese adults. International Journal of Epidemiology, 2020, 49, 45-55.	1.9	15
132	Problem drinking, wellbeing and mortality risk in Chinese men: findings from the China Kadoorie Biobank. Addiction, 2020, 115, 850-862.	3.3	15
133	Systemic inflammation is associated with incident stroke and heart disease in East Asians. Scientific Reports, 2020, 10, 5605.	3.3	15
134	Improved lipidomic profile mediates the effects of adherence to healthy lifestyles on coronary heart disease. ELife, 2021, 10, .	6.0	15
135	Adherence to Healthy Lifestyle and Attenuation of Biological Aging in Middle-Aged and Older Chinese Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 2232-2241.	3.6	15
136	Age-Specific Associations Between Habitual Snoring and Cardiovascular Diseases in China. Chest, 2021, 160, 1053-1063.	0.8	15
137	Adherence to Healthy Lifestyle and Liver cancer in Chinese: a prospective cohort study of 0.5 million people. British Journal of Cancer, 2022, 126, 815-821.	6.4	15
138	The Associations of Month of Birth With Body Mass Index, Waist Circumference, and Leg Length: Findings From the China Kadoorie Biobank of 0.5 Million Adults. Journal of Epidemiology, 2015, 25, 221-230.	2.4	14
139	City Level of Income and Urbanization and Availability of Food Stores and Food Service Places in China. PLoS ONE, 2016, 11, e0148745.	2.5	14
140	Characteristics of spicy food consumption and its relation to lifestyle behaviours: results from 0.5 million adults. International Journal of Food Sciences and Nutrition, 2021, 72, 569-576.	2.8	14
141	Natural history of silent lacunar infarction: 10-year follow-up of a community-based prospective study of 0.5 million Chinese adults. The Lancet Regional Health - Western Pacific, 2021, 17, 100309.	2.9	14
142	Blood DNA methylation markers associated with type 2 diabetes, fasting glucose, and HbA1c levels: An epigenome-wide association study in 316 adult twin pairs. Genomics, 2021, 113, 4206-4213.	2.9	14
143	Adiposity, metabolomic biomarkers, and risk of nonalcoholic fatty liver disease: a case-cohort study. American Journal of Clinical Nutrition, 2022, 115, 799-810.	4.7	14
144	FCGR3B copy number variation is not associated with lupus nephritis in a Chinese population. Lupus, 2010, 19, 158-161.	1.6	13

#	Article	IF	CITATIONS
145	Genetic and Environmental Influences on Obesity-Related Phenotypes in Chinese Twins Reared Apart and Together. Behavior Genetics, 2015, 45, 427-437.	2.1	13
146	Cycle Tracks and Parking Environments in China: Learning from College Students at Peking University. International Journal of Environmental Research and Public Health, 2017, 14, 930.	2.6	13
147	The Paradox Association between Smoking and Blood Pressure among Half Million Chinese People. International Journal of Environmental Research and Public Health, 2020, 17, 2824.	2.6	13
148	Causal effects of gallstone disease on risk of gastrointestinal cancer in Chinese. British Journal of Cancer, 2021, 124, 1864-1872.	6.4	13
149	Alcohol drinking and risks of total and siteâ€specific cancers in China: A 10â€year prospective study of 0.5 million adults. International Journal of Cancer, 2021, 149, 522-534.	5.1	13
150	Causal Associations of Anthropometric Measurements With Fracture Risk and Bone Mineral Density: A Mendelian Randomization Study. Journal of Bone and Mineral Research, 2020, 36, 1281-1287.	2.8	13
151	Reducing Health Risk Factors in Workplaces of Low and Middleâ€Income Countries. Public Health Nursing, 2015, 32, 478-487.	1.5	12
152	Physical activity attenuates genetic effects on <scp>BMI</scp> : Results from a study of <scp>C</scp> hinese adult twins. Obesity, 2016, 24, 750-756.	3.0	12
153	Season of birth and the risk of type 2 diabetes in adulthood: a prospective cohort study of 0.5 million Chinese adults. Diabetologia, 2017, 60, 836-842.	6.3	12
154	Asymptomatic and pre-symptomatic infection in Coronavirus Disease 2019 pandemic. Medical Review, 2022, 2, 66-88.	1.2	12
155	Evaluation of Immunogenicity and Safety of Vero Cell-Derived Inactivated COVID-19 Vaccine in Older Patients with Hypertension and Diabetes Mellitus. Vaccines, 2022, 10, 1020.	4.4	12
156	Suppression of breast tumor growth by DNA vaccination against phosphatase of regenerating liver 3. Gene Therapy, 2013, 20, 834-845.	4.5	11
157	Observational and Genetic Associations of Body Mass Index and Hepatobiliary Diseases in a Relatively Lean Chinese Population. JAMA Network Open, 2020, 3, e2018721.	5.9	11
158	Association between blood pressure levels and cardiovascular deaths: a 20-year follow-up study in rural China. BMJ Open, 2020, 10, e035190.	1.9	11
159	Combined healthy lifestyle score and risk of epigenetic aging: a discordant monozygotic twin study. Aging, 2021, 13, 14039-14052.	3.1	11
160	Association of Red Meat Consumption, Metabolic Markers, and Risk of Cardiovascular Diseases. Frontiers in Nutrition, 2022, 9, 833271.	3.7	11
161	Prevention and control of major non-communicable diseases in China from 1990 to 2009: results of a two-round Delphi survey. Global Health Action, 2013, 6, 20004.	1.9	10
162	Associations between stressful life events and diabetes: Findings from the China Kadoorie Biobank study of 500,000 adults. Journal of Diabetes Investigation, 2019, 10, 1215-1222.	2.4	10

#	Article	IF	CITATIONS
163	Socioeconomic Status in Relation to Risks of Major Gastrointestinal Cancers in Chinese Adults: A Prospective Study of 0.5 Million People. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 823-831.	2.5	10
164	Lifestyle factors and fetal and childhood origins of type 2 diabetes: a prospective study of Chinese and European adults. American Journal of Clinical Nutrition, 2022, 115, 749-758.	4.7	10
165	Place of death and phenomenon of going home to die in Chinese adults: A prospective cohort study. The Lancet Regional Health - Western Pacific, 2022, 18, 100301.	2.9	10
166	Metabolically healthy obesity, transition to unhealthy phenotypes, and type 2 diabetes in 0.5 million Chinese adults: the China Kadoorie Biobank. European Journal of Endocrinology, 2022, 186, 233-244.	3.7	10
167	The Changes of Nutrition Labeling of Packaged Food in Hangzhou in China during 2008â^1⁄42010. PLoS ONE, 2011, 6, e28443.	2.5	9
168	Blood pressure and cardiovascular diseases in Chinese adults with type 2 diabetes: A prospective cohort study. The Lancet Regional Health - Western Pacific, 2021, 7, 100085.	2.9	9
169	Circulating proteins and risk of pancreatic cancer: a case-subcohort study among Chinese adults. International Journal of Epidemiology, 2022, 51, 817-829.	1.9	9
170	Genetic associations of adult height with risk of cardioembolic and other subtypes of ischemic stroke: A mendelian randomization study in multiple ancestries. PLoS Medicine, 2022, 19, e1003967.	8.4	9
171	Association between involuntary smoking and risk of cervical cancer in Chinese female never smokers: A prospective cohort study. Environmental Research, 2022, 212, 113371.	7.5	9
172	Selfâ€Rated Health Status and Risk of Ischemic Heart Disease in the China Kadoorie Biobank Study: A Populationâ€Based Cohort Study. Journal of the American Heart Association, 2017, 6, .	3.7	8
173	Association between <i>Helicobacter pylori</i> Infection and Diabetes: A Cross-Sectional Study in China. Journal of Diabetes Research, 2020, 2020, 1-8.	2.3	8
174	Weight loss since early adulthood, later life risk of fracture hospitalizations, and bone mineral density: a prospective cohort study of 0.5 million Chinese adults. Archives of Osteoporosis, 2020, 15, 60.	2.4	8
175	Associations of Metabolic/Obesity Phenotypes with Insulin Resistance and C-Reactive Protein: Results from the CNTR Study. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2021, Volume 14, 1141-1151.	2.4	8
176	Associations of muscle mass, strength, and quality with all-cause mortality in China: a population-based cohort study. Chinese Medical Journal, 2022, 135, 1358-1368.	2.3	8
177	Associations Between Obesity Indicators and Blood Pressure in Chinese Adult Twins. Twin Research and Human Genetics, 2017, 20, 28-35.	0.6	7
178	Bowel movement frequency and risks of major vascular and non-vascular diseases: a population-based cohort study among Chinese adults. BMJ Open, 2020, 10, e031028.	1.9	7
179	Association between blood pressure categories and cardiovascular disease mortality in China. PLoS ONE, 2021, 16, e0255373.	2.5	7
180	Urinary element profiles and associations with cardiometabolic diseases: A cross-sectional study across ten areas in China. Environmental Research, 2022, 205, 112535.	7.5	7

#	Article	lF	CITATIONS
181	Coarse Grain Consumption and Risk of Cardiometabolic Diseases: A Prospective Cohort Study of Chinese Adults. Journal of Nutrition, 2022, 152, 1476-1486.	2.9	7
182	Diagnostic accuracy of major stroke types in Chinese adults: A clinical adjudication study involving 40,000 stroke cases. The Lancet Regional Health - Western Pacific, 2022, 21, 100415.	2.9	7
183	The hospitalization burden of all-cause pneumonia in China: A population-based study, 2009–2017. The Lancet Regional Health - Western Pacific, 2022, 22, 100443.	2.9	7
184	The complete chloroplast genome sequence of <i>Schefflera octophylla</i> . Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis, 2016, 27, 4685-4686.	0.7	6
185	The Chinese National Twin Registry: A Unique Data Source for Systems Epidemiology of Complex Disease. Twin Research and Human Genetics, 2019, 22, 482-485.	0.6	6
186	Reply: Interaction or mediation by adult obesity of the relation between fetal famine exposure and type 2 diabetes?. International Journal of Epidemiology, 2019, 48, 656-657.	1.9	6
187	Association of exhaled carbon monoxide with risk of cardio-cerebral-vascular disease in the China Kadoorie Biobank cohort study. Scientific Reports, 2020, 10, 19507.	3.3	6
188	The Association Between Age at Initiation of Alcohol Consumption and Type 2 Diabetes Mellitus: A Cohort Study of 0.5 Million Persons in China. American Journal of Epidemiology, 2020, 189, 1478-1491.	3.4	6
189	Prediction and clinical utility of a liver cancer risk model in Chinese adults: A prospective cohort study of 0.5 million people. International Journal of Cancer, 2021, 148, 2924-2934.	5.1	6
190	Educational disparities in ischaemic heart disease among 0.5 million Chinese adults: a cohort study. Journal of Epidemiology and Community Health, 2021, 75, 1033-1043.	3.7	6
191	Development and external validation of a breast cancer absolute risk prediction model in Chinese population. Breast Cancer Research, 2021, 23, 62.	5.0	6
192	Associations of toothbrushing behaviour with risks of vascular and nonvascular diseases in Chinese adults. European Journal of Clinical Investigation, 2021, 51, e13634.	3.4	6
193	Dietary patterns and cardiometabolic diseases in 0.5 million Chinese adults: a 10-year cohort study. Nutrition Journal, 2021, 20, 74.	3.4	6
194	Family History, Tobacco Smoking, and Risk of Ischemic Stroke. Journal of Stroke, 2019, 21, 175-183.	3.2	6
195	The Roles of Genetic and Early-Life Environmental Factors in the Association Between Overweight or Obesity and Hypertension: A Population-Based Twin Study. Frontiers in Endocrinology, 2021, 12, 743962.	3.5	6
196	Conventional and Bidirectional Genetic Evidence on Resting Heart Rate and Cardiometabolic Traits. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e1518-e1527.	3.6	6
197	Determination of Zygosity by Questionnaire and Physical Features Comparison in Chinese Adult Twins. Twin Research and Human Genetics, 2006, 9, 266-271.	0.6	6
198	Size, Composition, and Strength of Ties of Personal Social Support Networks Among Adult People Living with HIV/AIDS in Henan and Beijing, China. AIDS and Behavior, 2012, 16, 911-919.	2.7	5

#	Article	IF	CITATIONS
199	The distribution and correlates of self-rated health in elderly Chinese: the China Kadoorie Biobank study. BMC Geriatrics, 2019, 19, 168.	2.7	5
200	Metabolic Signatures of Genetically Elevated Vitamin D Among Chinese: Observational and Mendelian Randomization Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e3249-e3260.	3.6	5
201	Pneumonia hospitalizations and the subsequent risk of incident ischaemic cardiovascular disease in Chinese adults. International Journal of Epidemiology, 2021, 50, 1698-1707.	1.9	5
202	Consumption of soy products and cardiovascular mortality in people with and without cardiovascular disease: a prospective cohort study of 0.5 million individuals. European Journal of Nutrition, 2021, 60, 4429-4438.	3.9	5
203	Overweight and risk of type 2 diabetes: A prospective Chinese twin study. Diabetes and Metabolism, 2022, 48, 101278.	2.9	5
204	Public health in China: history and contemporary challenges. , 2009, , 185-208.		5
205	An Assessment of Health Behavior Peer Effects in Peking University Dormitories: A Randomized Cluster-Assignment Design for Interference. PLoS ONE, 2013, 8, e75009.	2.5	5
206	Importance of healthy lifestyle factors and ideal cardiovascular health metrics for risk of heart failure in Chinese adults. International Journal of Epidemiology, 2022, 51, 567-578.	1.9	5
207	Dietary Patterns and Risk of Chronic Obstructive Pulmonary Disease among Chinese Adults: An 11-Year Prospective Study. Nutrients, 2022, 14, 996.	4.1	5
208	Education, income, and obesity: A nationwide Chinese twinÂstudy. Obesity, 2022, 30, 931-942.	3.0	5
209	Development of a Model to Predict 10-Year Risk of Ischemic and Hemorrhagic Stroke and Ischemic Heart Disease Using the China Kadoorie Biobank. Neurology, 2022, 98, .	1.1	5
210	Sero-prevalence of 19 infectious pathogens and associated factors among middle-aged and elderly Chinese adults: a cross-sectional study. BMJ Open, 2022, 12, e058353.	1.9	5
211	Interactions of renin–angiotensin system gene polymorphisms and antihypertensive effect of benazepril in Chinese population. Pharmacogenomics, 2011, 12, 735-743.	1.3	4
212	Utilizing the Resource of Twins Reared Apart: Their Distribution Across Nine Provinces or Cities of China. Twin Research and Human Genetics, 2015, 18, 210-216.	0.6	4
213	Association of heart rate and diabetes among 0.5 million adults in the China Kadoorie biobank: Results from observational and Mendelian randomization analyses. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 2328-2337.	2.6	4
214	Impact of COVID-19 Pandemic on the Clinical Activities in Obstetrics and Gynecology: A National Survey in China. Frontiers in Medicine, 2021, 8, 633477.	2.6	4
215	Modification effect of ideal cardiovascular health metrics on genetic association with incident heart failure in the China Kadoorie Biobank and the UK Biobank. BMC Medicine, 2021, 19, 259.	5.5	4
216	Metabolically healthy obesity was significantly associated with increased risk of gallstones. European Journal of Endocrinology, 2022, 186, 275-283.	3.7	4

#	Article	IF	CITATIONS
217	Tobacco smoking and solid fuels for cooking and risk of liver cancer: A prospective cohort study of 0.5 million Chinese adults. International Journal of Cancer, 2022, 151, 181-190.	5.1	4
218	Low-risk Lifestyle and Health Factors and Risk of Mortality and Vascular Complications in Chinese Patients With Diabetes. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e3919-e3928.	3.6	4
219	Independent and Joint Associations of Tea Consumption and Smoking with Parkinson's Disease Risk in Chinese Adults. Journal of Parkinson's Disease, 2022, 12, 1693-1702.	2.8	4
220	Metabolic risk factors, genetic predisposition, and risk of severe liver disease in Chinese: a prospective study of 0.5 million people. American Journal of Clinical Nutrition, 2021, 114, 496-504.	4.7	3
221	Gender differences in use of invasive diagnostic and therapeutic procedures for acute ischaemic heart disease in Chinese adults. Heart, 2021, , heartjnl-2021-318988.	2.9	3
222	Random plasma glucose levels and cause-specific mortality among Chinese adults without known diabetes: an 11-year prospective study of 450,000 people. BMJ Open Diabetes Research and Care, 2021, 9, e002495.	2.8	3
223	Adiposity and risks of vascular and non-vascular mortality among Chinese adults with type 2 diabetes: a 10-year prospective study. BMJ Open Diabetes Research and Care, 2022, 10, e002489.	2.8	3
224	Current Status of the Chinese National Twin Registry. Twin Research and Human Genetics, 2006, 9, 747-752.	0.6	3
225	Community Interventions for Health can support clinicians in advising patients to reduce tobacco use, improve dietary intake and increase physical activity. Journal of Clinical Nursing, 2016, 25, 3167-3175.	3.0	2
226	Association between Ambient Air Pollution and MRI-Defined Brain Infarcts in Health Examinations in China. International Journal of Environmental Research and Public Health, 2021, 18, 4325.	2.6	2
227	A Comparison of Preterm Birth Rate and Growth from Birth to 18 Years Old between in Vitro Fertilization and Spontaneous Conception of Twins. Twin Research and Human Genetics, 2021, 24, 1-6.	0.6	2
228	252Development and validation of a breast cancer absolute risk prediction model in Chinese population. International Journal of Epidemiology, 2021, 50, .	1.9	2
229	The Prospective Associations of Lipid Metabolism-Related Dietary Patterns with the Risk of Diabetes in Chinese Adults. Nutrients, 2022, 14, 980.	4.1	2
230	Gender differences in modifiable risk factors for hip fracture: 10â€year followâ€up of a prospective study of 0.5 million Chinese adults. Journal of Internal Medicine, 2022, 291, 481-492.	6.0	2
231	Frequency and types of clusters of major chronic diseases in 0.5 million adults in urban and rural China. Journal of Multimorbidity and Comorbidity, 2022, 12, 263355652210983.	2.2	2
232	Association of egg consumption, metabolic markers, and risk of cardiovascular diseases: A nested case-control study. ELife, 0, 11, .	6.0	2
233	Increased knowledge of the effects of smoking and second-hand smoke encourages smoke-free homes. Journal of Research in Nursing, 2014, 19, 373-387.	0.9	1
234	Associations of Obesity Measurements with Serum Metabolomic Profile: A Chinese Twin Study. Twin Research and Human Genetics, 2021, 24, 14-21.	0.6	1

#	Article	IF	CITATIONS
235	Dietary Soy Consumption and Cardiovascular Mortality among Chinese People with Type 2 Diabetes. Nutrients, 2021, 13, 2513.	4.1	1
236	Abstract 5259: Cancer incidence in relation to body fatness in China: Evidence from a large population-based cohort study. , 2018, , .		1
237	Development, validation and comparison of multivariable risk scores for prediction of total stroke and stroke types in Chinese adults: a prospective study of 0.5 million adults. Stroke and Vascular Neurology, 2022, , svn-2021-001251.	3.3	1
238	An Investigation of the Elemental Composition, Surface Properties, and Soluble Fraction of Kaiyang Bituminous Coal Chars. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2014, 36, 2246-2253.	2.3	0
239	Reply. Journal of the American College of Cardiology, 2017, 70, 910-911.	2.8	0
240	A community-based non-randomised controlled intervention programme for blood pressure control in China. Lancet, The, 2017, 390, S98.	13.7	0
241	A16122 A community-based intervention program for blood pressure control in China. Journal of Hypertension, 2018, 36, e328.	0.5	0
242	A Large-Scale Genome-Wide Association Analysis of Lung Function in Chinese and European Populations Identifies Novel Loci and Highlights Shared Genetic Etiology with Obesity. , 2021, , .		0
243	Establishment of reference intervals of ten commonly used clinical chemistry analytes: a real-world study in China. Biomarkers in Medicine, 2021, 15, 797-806.	1.4	0
244	200Pneumonia hospitalization and the subsequent risk of incident ischemic cardiovascular disease in Chinese adults. International Journal of Epidemiology, 2021, 50, .	1.9	0
245	Utility of single versus sequential measurements of risk factors for prediction of stroke in Chinese adults. Scientific Reports, 2021, 11, 17575.	3.3	0
246	279GWAS of heart rate in 87,759 Chinese subjects highlighted its genetic correlations with cardiometabolic traits. International Journal of Epidemiology, 2021, 50, .	1.9	0
247	Associations of erythrocyte polyunsaturated fatty acids with incidence of stroke and stroke types in adult Chinese: a prospective study of over 8000 individuals. European Journal of Nutrition, 2022, , 1.	3.9	0
248	Title is missing!. , 2020, 17, e1003351.		0
249	Title is missing!. , 2020, 17, e1003351.		0
250	Title is missing!. , 2020, 17, e1003351.		0
251	Title is missing!. , 2020, 17, e1003351.		0
252	Title is missing!. , 2020, 17, e1003351.		0

		JUN LV		
#	Article		IF	CITATIONS
253	Title is missing!. , 2020, 17, e1003351.			0
254	Title is missing!. , 2020, 17, e1003351.			0
255	Title is missing!. , 2020, 17, e1003351.			0
256	Investigation into the Health Effects of Reduced Chymase Function Using Predicted Loss-of-Funct Mutations in CMA1. Journal of Cardiovascular Translational Research, 2022, , 1.	ion	2.4	0