

Ralf Gutzmer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1399412/publications.pdf>

Version: 2024-02-01

204
papers

23,582
citations

24978

57
h-index

8370

147
g-index

220
all docs

220
docs citations

220
times ranked

24957
citing authors

#	ARTICLE	IF	CITATIONS
1	Dabrafenib in BRAF-mutated metastatic melanoma: a multicentre, open-label, phase 3 randomised controlled trial. <i>Lancet, The</i> , 2012, 380, 358-365.	6.3	2,691
2	Nivolumab versus chemotherapy in patients with advanced melanoma who progressed after anti-CTLA-4 treatment (CheckMate 037): a randomised, controlled, open-label, phase 3 trial. <i>Lancet Oncology, The</i> , 2015, 16, 375-384.	5.1	2,353
3	Genomic correlates of response to CTLA-4 blockade in metastatic melanoma. <i>Science</i> , 2015, 350, 207-211.	6.0	2,275
4	Adjuvant Pembrolizumab versus Placebo in Resected Stage III Melanoma. <i>New England Journal of Medicine</i> , 2018, 378, 1789-1801.	13.9	1,441
5	Melanoma. <i>Lancet, The</i> , 2018, 392, 971-984.	6.3	1,016
6	Encorafenib plus binimetinib versus vemurafenib or encorafenib in patients with BRAF -mutant melanoma (COLUMBUS): a multicentre, open-label, randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2018, 19, 603-615.	5.1	751
7	Cutaneous, gastrointestinal, hepatic, endocrine, and renal side-effects of anti-PD-1 therapy. <i>European Journal of Cancer</i> , 2016, 60, 190-209.	1.3	546
8	Integrative molecular and clinical modeling of clinical outcomes to PD1 blockade in patients with metastatic melanoma. <i>Nature Medicine</i> , 2019, 25, 1916-1927.	15.2	541
9	Neurological, respiratory, musculoskeletal, cardiac and ocular side-effects of anti-PD-1 therapy. <i>European Journal of Cancer</i> , 2016, 60, 210-225.	1.3	490
10	Baseline Biomarkers for Outcome of Melanoma Patients Treated with Pembrolizumab. <i>Clinical Cancer Research</i> , 2016, 22, 5487-5496.	3.2	480
11	Overall survival in patients with BRAF-mutant melanoma receiving encorafenib plus binimetinib versus vemurafenib or encorafenib (COLUMBUS): a multicentre, open-label, randomised, phase 3 trial. <i>Lancet Oncology, The</i> , 2018, 19, 1315-1327.	5.1	469
12	International Union of Basic and Clinical Pharmacology. XCVIII. Histamine Receptors. <i>Pharmacological Reviews</i> , 2015, 67, 601-655.	7.1	457
13	Atezolizumab, vemurafenib, and cobimetinib as first-line treatment for unresectable advanced BRAFV600 mutation-positive melanoma (IMspire150): primary analysis of the randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet, The</i> , 2020, 395, 1835-1844.	6.3	423
14	The Price of Tumor Control: An Analysis of Rare Side Effects of Anti-CTLA-4 Therapy in Metastatic Melanoma from the Ipilimumab Network. <i>PLoS ONE</i> , 2013, 8, e53745.	1.1	414
15	Binimetinib versus dacarbazine in patients with advanced NRAS-mutant melanoma (NEMO): a multicentre, open-label, randomised, phase 3 trial. <i>Lancet Oncology, The</i> , 2017, 18, 435-445.	5.1	399
16	Diagnosis, monitoring and management of immune-related adverse drug reactions of anti-PD-1 antibody therapy. <i>Cancer Treatment Reviews</i> , 2016, 45, 7-18.	3.4	354
17	Treatment with two different doses of sonidegib in patients with locally advanced or metastatic basal cell carcinoma (BOLT): a multicentre, randomised, double-blind phase 2 trial. <i>Lancet Oncology, The</i> , 2015, 16, 716-728.	5.1	325
18	Association Between Immune-Related Adverse Events and Recurrence-Free Survival Among Patients With Stage III Melanoma Randomized to Receive Pembrolizumab or Placebo. <i>JAMA Oncology</i> , 2020, 6, 519.	3.4	287

#	ARTICLE	IF	CITATIONS
19	Acquired BRAF inhibitor resistance: A multicenter meta-analysis of the spectrum and frequencies, clinical behaviour, and phenotypic associations of resistance mechanisms. <i>European Journal of Cancer</i> , 2015, 51, 2792-2799.	1.3	269
20	Combined immune checkpoint blockade (anti-PD-1/anti-CTLA-4): Evaluation and management of adverse drug reactions. <i>Cancer Treatment Reviews</i> , 2017, 57, 36-49.	3.4	257
21	Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): distant metastasis-free survival results from a double-blind, randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2021, 22, 643-654.	5.1	224
22	Histamine H4 Receptor Stimulation Suppresses IL-12p70 Production and Mediates Chemotaxis in Human Monocyte-Derived Dendritic Cells. <i>Journal of Immunology</i> , 2005, 174, 5224-5232.	0.4	210
23	The histamine H4 receptor is functionally expressed on TH2 cells. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 619-625.	1.5	199
24	Acquired IFN γ resistance impairs anti-tumor immunity and gives rise to T-cell-resistant melanoma lesions. <i>Nature Communications</i> , 2017, 8, 15440.	5.8	195
25	Longer Follow-Up Confirms Recurrence-Free Survival Benefit of Adjuvant Pembrolizumab in High-Risk Stage III Melanoma: Updated Results From the EORTC 1325-MG/KEYNOTE-054 Trial. <i>Journal of Clinical Oncology</i> , 2020, 38, 3925-3936.	0.8	192
26	Adjuvant nivolumab plus ipilimumab or nivolumab monotherapy versus placebo in patients with resected stage IV melanoma with no evidence of disease (IMMUNED): a randomised, double-blind, placebo-controlled, phase 2 trial. <i>Lancet</i> , The, 2020, 395, 1558-1568.	6.3	188
27	Myositis and neuromuscular side-effects induced by immune checkpoint inhibitors. <i>European Journal of Cancer</i> , 2019, 106, 12-23.	1.3	171
28	Programmed cell death protein-1 (PD-1) inhibitor therapy in patients with advanced melanoma and preexisting autoimmunity or ipilimumab-triggered autoimmunity. <i>European Journal of Cancer</i> , 2017, 75, 24-32.	1.3	162
29	Cemiplimab in locally advanced basal cell carcinoma after hedgehog inhibitor therapy: an open-label, multi-centre, single-arm, phase 2 trial. <i>Lancet Oncology</i> , The, 2021, 22, 848-857.	5.1	150
30	Ipilimumab alone or in combination with nivolumab after progression on anti-PD-1 therapy in advanced melanoma. <i>European Journal of Cancer</i> , 2017, 75, 47-55.	1.3	145
31	Tolerability of BRAF/MEK inhibitor combinations: adverse event evaluation and management. <i>ESMO Open</i> , 2019, 4, e000491.	2.0	140
32	The 12-month analysis from Basal Cell Carcinoma Outcomes with LDE225 Treatment (BOLT): A phase II, randomized, double-blind study of sonidegib in patients with advanced basal cell carcinoma. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 113-125.e5.	0.6	133
33	MAGE-A3 immunotherapeutic as adjuvant therapy for patients with resected, MAGE-A3-positive, stage III melanoma (DERMA): a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2018, 19, 916-929.	5.1	131
34	Update on tolerability and overall survival in COLUMBUS: landmark analysis of a randomised phase 3 trial of encorafenib plus binimetinib vs vemurafenib or encorafenib in patients with BRAF V600E mutant melanoma. <i>European Journal of Cancer</i> , 2020, 126, 33-44.	1.3	130
35	Histamine H ₄ receptor antagonism reduces hapten-induced scratching behaviour but not inflammation. <i>Experimental Dermatology</i> , 2009, 18, 57-63.	1.4	125
36	Malignant Melanoma S3-Guideline – Diagnosis, Therapy and Follow-up of Melanoma – JDDG - <i>Journal of the German Society of Dermatology</i> , 2013, 11, 1-116.	0.4	122

#	ARTICLE	IF	CITATIONS
37	Histamine downregulates monocyte CCL2 production through the histamine H4 receptor. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 120, 300-307.	1.5	115
38	Phase 2 study of cemiplimab in patients with metastatic cutaneous squamous cell carcinoma: primary analysis of fixed-dosing, long-term outcome of weight-based dosing. , 2020, 8, e000775.		113
39	Advanced cutaneous squamous cell carcinoma: A retrospective analysis of patient profiles and treatment patterns—Results of a non-interventional study of the DeCOG. <i>European Journal of Cancer</i> , 2018, 96, 34-43.	1.3	97
40	Anti-PD-1/PD-L1 immunotherapy in patients with solid organ transplant, HIV or hepatitis B/C infection. <i>European Journal of Cancer</i> , 2018, 104, 137-144.	1.3	97
41	Human Inflammatory Dendritic Epidermal Cells Express a Functional Histamine H4 Receptor. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1696-1703.	0.3	96
42	Human Keratinocytes Respond to Interleukin-18: Implication for the Course of Chronic Inflammatory Skin Diseases. <i>Journal of Investigative Dermatology</i> , 2005, 124, 1225-1233.	0.3	94
43	Ipilimumab in metastatic melanoma patients with pre-existing autoimmune disorders. <i>Cancer Immunology, Immunotherapy</i> , 2018, 67, 825-834.	2.0	91
44	Hedgehog signaling inhibitors in solid and hematological cancers. <i>Cancer Treatment Reviews</i> , 2019, 76, 41-50.	3.4	90
45	Neurological Immune Related Adverse Events Associated with Nivolumab, Ipilimumab, and Pembrolizumab Therapy—Review of the Literature and Future Outlook. <i>Journal of Clinical Medicine</i> , 2019, 8, 1777.	1.0	87
46	Expression and function of histamine receptors 1 and 2 on human monocyte-derived dendritic cells. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, 524-531.	1.5	83
47	Human Dendritic Cells Express the IL-18R and Are Chemoattracted to IL-18. <i>Journal of Immunology</i> , 2003, 171, 6363-6371.	0.4	83
48	Targeted Therapy in Advanced Melanoma With Rare <i>BRAF</i> Mutations. <i>Journal of Clinical Oncology</i> , 2019, 37, 3142-3151.	0.8	83
49	Histamine induces proliferation in keratinocytes from patients with atopic dermatitis through the histamine 4 receptor. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 1358-1367.	1.5	81
50	Intralesional Treatment of Stage III Metastatic Melanoma Patients with L19—IL2 Results in Sustained Clinical and Systemic Immunologic Responses. <i>Cancer Immunology Research</i> , 2014, 2, 668-678.	1.6	81
51	The hand-foot syndrome associated with medical tumor therapy—classification and management. <i>JDDG - Journal of the German Society of Dermatology</i> , 2010, 8, 652-661.	0.4	77
52	Prognostic factors and treatment outcomes in 444 patients with mucosal melanoma. <i>European Journal of Cancer</i> , 2017, 81, 36-44.	1.3	76
53	Adverse events associated with encorafenib plus binimetinib in the COLUMBUS study: incidence, course and management. <i>European Journal of Cancer</i> , 2019, 119, 97-106.	1.3	75
54	An update on BREAK-3, a phase III, randomized trial: Dabrafenib (DAB) versus dacarbazine (DTIC) in patients with <i>BRAF</i> V600E-positive mutation metastatic melanoma (MM).. <i>Journal of Clinical Oncology</i> , 2013, 31, 9013-9013.	0.8	68

#	ARTICLE	IF	CITATIONS
55	Human Memory Th17 Cells Express a Functional Histamine H4 Receptor. American Journal of Pathology, 2012, 180, 177-185.	1.9	65
56	Human Plasmacytoid Dendritic Cells Express Receptors for Anaphylatoxins C3a and C5a and Are Chemoattracted to C3a and C5a. Journal of Investigative Dermatology, 2006, 126, 2422-2429.	0.3	64
57	Basal Cell Carcinoma. Deutsches Ärztblatt International, 2014, 111, 389-95.	0.6	64
58	Prognostic and predictive value of AJCC-8 staging in the phase III EORTC1325/KEYNOTE-054 trial of pembrolizumab vs placebo in resected high-risk stage III melanoma. European Journal of Cancer, 2019, 116, 148-157.	1.3	64
59	Safety and efficacy of nivolumab in patients with rare melanoma subtypes who progressed on or after ipilimumab treatment: a single-arm, open-label, phase II study (CheckMate 172). European Journal of Cancer, 2019, 119, 168-178.	1.3	61
60	Human monocyte-derived dendritic cells are chemoattracted to C3a after up-regulation of the C3a receptor with interferons. Immunology, 2004, 111, 435-443.	2.0	60
61	The Histamine H4 Receptor Is Highly Expressed on Plasmacytoid Dendritic Cells in Psoriasis and Histamine Regulates Their Cytokine Production and Migration. Journal of Investigative Dermatology, 2011, 131, 1668-1676.	0.3	58
62	Sentinel lymph node status is the most important prognostic factor for thick (â‰¥ 4 mm) melanomas. JDDG - Journal of the German Society of Dermatology, 2008, 6, 198-203.	0.4	57
63	S3 guideline for actinic keratosis and cutaneous squamous cell carcinoma â€“ short version, part 1: diagnosis, interventions for actinic keratoses, care structures and qualityâ€“ofâ€“care indicators. JDDG - Journal of the German Society of Dermatology, 2020, 18, 275-294.	0.4	57
64	Pharmacological characterization of the new histamine H₄ receptor agonist VUF 8430. British Journal of Pharmacology, 2009, 157, 34-43.	2.7	56
65	Combined immunotherapy with nivolumab and ipilimumab with and without local therapy in patients with melanoma brain metastasis: a DeCOC* study in 380 patients. , 2020, 8, e000333.		55
66	Melanoma brain metastases â€“ Interdisciplinary management recommendations 2020. Cancer Treatment Reviews, 2020, 89, 102083.	3.4	52
67	The role of the histamine H₄ receptor in atopic dermatitis and psoriasis. British Journal of Pharmacology, 2020, 177, 490-502.	2.7	51
68	Histamine Upregulates Keratinocyte MMP-9 Production via the Histamine H1 Receptor. Journal of Investigative Dermatology, 2008, 128, 2783-2791.	0.3	50
69	Clinics, prognosis and new therapeutic options in patients with mucosal melanoma. Medicine (United Tj ETQq1 1 0,784314 ggBT /Overl	0,4	50
70	Das Hand-FuÃŸ-Syndrom als Nebenwirkung der medikamentÃŸsen Tumortherapie - Klassifikation und Management. JDDG - Journal of the German Society of Dermatology, 2010, 8, 652-662.	0.4	49
71	Allelic loss at the neurofibromatosis type 1 (NF1) gene locus is frequent in desmoplastic neurotropic melanoma. Human Genetics, 2000, 107, 357-361.	1.8	48
72	Successful treatment of anogenital Bowen's disease with the immunomodulator imiquimod, and monitoring of therapy by DNA image cytometry. British Journal of Dermatology, 2002, 147, 160-165.	1.4	47

#	ARTICLE	IF	CITATIONS
73	Long-term outcomes in patients with BRAF V600-mutant metastatic melanoma receiving dabrafenib monotherapy: Analysis from phase 2 and 3 clinical trials. <i>European Journal of Cancer</i> , 2020, 125, 114-120.	1.3	47
74	Current diagnosis and treatment of basal cell carcinoma. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015, 13, 863-875.	0.4	45
75	Hedgehog Pathway Inhibition for the Treatment of Basal Cell Carcinoma. <i>Targeted Oncology</i> , 2019, 14, 253-267.	1.7	45
76	Impact of American Joint Committee on Cancer 8th edition classification on staging and survival of patients with melanoma. <i>European Journal of Cancer</i> , 2019, 119, 18-29.	1.3	44
77	Impact of radiation, systemic therapy and treatment sequencing on survival of patients with melanoma brain metastases. <i>European Journal of Cancer</i> , 2019, 110, 11-20.	1.3	44
78	Programmed cell death protein 1 inhibitors in advanced cutaneous squamous cell carcinoma: real-world data of a retrospective, multicenter study. <i>European Journal of Cancer</i> , 2020, 138, 125-132.	1.3	44
79	Treatment-related hemophagocytic lymphohistiocytosis secondary to checkpoint inhibition with nivolumab plus ipilimumab. <i>European Journal of Cancer</i> , 2018, 93, 150-153.	1.3	43
80	Clinical Models to Define Response and Survival With Anti-â€œPD-1 Antibodies Alone or Combined With Ipilimumab in Metastatic Melanoma. <i>Journal of Clinical Oncology</i> , 2022, 40, 1068-1080.	0.8	43
81	Pathogenetic and therapeutic implications of the histamine H4 receptor in inflammatory skin diseases and pruritus. <i>Frontiers in Bioscience - Scholar</i> , 2011, S3, 985.	0.8	40
82	Cutaneous Side Effects of New Antitumor Drugs. <i>Deutsches A&#x0308;rztblatt International</i> , 2012, 109, 133-40.	0.6	40
83	Combination of denosumab and immune checkpoint inhibition: experience in 29 patients with metastatic melanoma and bone metastases. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 1187-1194.	2.0	40
84	Immune checkpoint inhibition therapy for advanced skin cancer in patients with concomitant hematological malignancy: a retrospective multicenter DeCOG study of 84 patients. , 2020, 8, e000897.		40
85	Induction of C3 and CCL2 by C3a in Keratinocytes: A Novel Autocrine Amplification Loop of Inflammatory Skin Reactions. <i>Journal of Immunology</i> , 2006, 177, 4444-4450.	0.4	39
86	Overall survival at 5 years of follow-up in a phase III trial comparing ipilimumab 10 mg/kg with 3 mg/kg in patients with advanced melanoma. , 2020, 8, e000391.		39
87	S3 guideline for actinic keratosis and cutaneous squamous cell carcinoma (cSCC) â€œ short version, part 2: epidemiology, surgical and systemic treatment of cSCC, followâ€œup, prevention and occupational disease. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020, 18, 400-413.	0.4	39
88	Histamine H4 receptor activation on human slan-dendritic cells down-regulates their pro-inflammatory capacity. <i>Immunology</i> , 2011, 132, 49-56.	2.0	38
89	Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): health-related quality-of-life results from a double-blind, randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2021, 22, 655-664.	5.1	37
90	Autoimmunity as a prognostic factor in melanoma patients treated with adjuvant lowâ€œdose interferon alpha. <i>International Journal of Cancer</i> , 2007, 121, 2562-2566.	2.3	36

#	ARTICLE	IF	CITATIONS
91	First-line therapy-stratified survival in BRAF-mutant melanoma: a retrospective multicenter analysis. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 765-772.	2.0	35
92	Clinical outcome of concomitant vs interrupted BRAF inhibitor therapy during radiotherapy in melanoma patients. <i>British Journal of Cancer</i> , 2018, 118, 785-792.	2.9	34
93	Talimogene laherparepvec upregulates immune-cell populations in non-injected lesions: findings from a phase II, multicenter, open-label study in patients with stage III/IV melanoma. <i>Journal of Clinical Investigation</i> , 2021, 131, e001621.		32
94	Phase 1b/2 trial of ribociclib+binimetinib in metastatic NRAS-mutant melanoma: Safety, efficacy, and recommended phase 2 dose (RP2D). <i>Journal of Clinical Oncology</i> , 2017, 35, 9519-9519.	0.8	32
95	Association of baseline systemic corticosteroid use with overall survival and time to next treatment in patients receiving immune checkpoint inhibitor therapy in real-world US oncology practice for advanced non-small cell lung cancer, melanoma, or urothelial carcinoma. <i>Oncology</i> , 2020, 9, 1824645.	2.1	31
96	The Role of the Histamine H4 Receptor in Atopic Dermatitis. <i>Current Allergy and Asthma Reports</i> , 2011, 11, 21-28.	2.4	30
97	Specificity of tyrosinase and HMB45 PCR in the detection of melanoma metastases in sentinel lymph node biopsies. <i>Histopathology</i> , 2002, 41, 510-518.	1.6	29
98	Histamine down-regulates IL-27 production in antigen-presenting cells. <i>Journal of Leukocyte Biology</i> , 2012, 92, 21-29.	1.5	29
99	Intermittent High-Dose Intravenous Interferon Alfa-2b for Adjuvant Treatment of Stage III Melanoma: Final Analysis of a Randomized Phase III Dermatologic Cooperative Oncology Group Trial. <i>Journal of Clinical Oncology</i> , 2015, 33, 4077-4084.	0.8	29
100	Management of cutaneous side effects of EGFR inhibitors: recommendations from a German expert panel for the primary treating physician. <i>JDDG - Journal of the German Society of Dermatology</i> , 2011, 9, 195-202.	0.4	28
101	Chemotherapy after immune checkpoint inhibitor failure in metastatic melanoma: a retrospective multicentre analysis. <i>European Journal of Cancer</i> , 2022, 162, 22-33.	1.3	28
102	Safety and efficacy of nivolumab in challenging subgroups with advanced melanoma who progressed on or after ipilimumab treatment: A single-arm, open-label, phase II study (CheckMate 172). <i>European Journal of Cancer</i> , 2019, 121, 144-153.	1.3	27
103	Phase 2 study of cemiplimab, a human monoclonal anti-PD-1, in patients (pts) with metastatic cutaneous squamous cell carcinoma (mCSCC; Group 1): 12-month follow-up. <i>Journal of Clinical Oncology</i> , 2019, 37, 9526-9526.	0.8	27
104	Non-melanoma skin cancer is reduced after switch of immunosuppression to mTOR inhibitors in organ transplant recipients. <i>JDDG - Journal of the German Society of Dermatology</i> , 2014, 12, 480-488.	0.4	26
105	Anti-PD-1 antibodies in metastatic uveal melanoma: a treatment option?. <i>Cancer Medicine</i> , 2017, 6, 1581-1586.	1.3	26
106	Allele frequencies of BRAF V600 mutations in primary melanomas and matched metastases and their relevance for BRAF inhibitor therapy in metastatic melanoma. <i>Oncotarget</i> , 2015, 6, 37895-37905.	0.8	26
107	Adjuvant ipilimumab compared with observation in completely resected Merkel cell carcinoma (ADMEC): A randomized, multicenter DeCOG/ADO study. <i>Journal of Clinical Oncology</i> , 2018, 36, 9527-9527.	0.8	25
108	Side effect management during immune checkpoint blockade using CTLA-4 and PD-1 antibodies for metastatic melanoma: an update. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020, 18, 582-609.	0.4	24

#	ARTICLE	IF	CITATIONS
109	Retrospective Analysis of Checkpoint Inhibitor Therapy-Associated Cases of Bullous Pemphigoid From Six German Dermatology Centers. <i>Frontiers in Immunology</i> , 2020, 11, 588582.	2.2	24
110	Acute progressive neuropathyâ€“myositisâ€“myasthenia-like syndrome associated with immune-checkpoint inhibitor therapy in patients with metastatic melanoma. <i>Melanoma Research</i> , 2019, 29, 435-440.	0.6	23
111	Overall survival in COLUMBUS: A phase 3 trial of encorafenib (ENCO) plus binimetinib (BINI) vs vemurafenib (VEM) or enco in <i>BRAF</i>-mutant melanoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 9504-9504.	0.8	23
112	Stimulation of the histamine 4 receptor upregulates thymic stromal lymphopoietin (TSLP) in human and murine keratinocytes. <i>Pharmacological Research</i> , 2016, 113, 209-215.	3.1	22
113	Up-regulation of C5a receptor expression and function on human monocyte derived dendritic cells by prostaglandin E2. <i>Immunology</i> , 2003, 110, 458-465.	2.0	21
114	Histamine Downregulates the Th1-Associated Chemokine IP-10 in Monocytes and Myeloid Dendritic Cells. <i>International Archives of Allergy and Immunology</i> , 2014, 163, 11-19.	0.9	19
115	The histamine H4 receptor modulates the differentiation process of human monocyte-derived M1 macrophages and the release of CCL4/MIP-1Î² from fully differentiated M1 macrophages. <i>Inflammation Research</i> , 2018, 67, 503-513.	1.6	19
116	Fear of cancer progression in patients with stage IA malignant melanoma. <i>European Journal of Cancer Care</i> , 2018, 27, e12901.	0.7	19
117	Histamine upâ€“regulates oncostatin M expression in human M1 macrophages. <i>British Journal of Pharmacology</i> , 2020, 177, 600-613.	2.7	18
118	SARS-CoV-2 infections in melanoma patients treated with PD-1 inhibitors: A survey of the German ADOREG melanoma registry. <i>European Journal of Cancer</i> , 2021, 144, 382-385.	1.3	18
119	Immune Checkpoint Blockade for Metastatic Uveal Melanoma: Patterns of Response and Survival According to the Presence of Hepatic and Extrahepatic Metastasis. <i>Cancers</i> , 2021, 13, 3359.	1.7	18
120	Prognostic and predictive value of Î²-blockers in the EORTC 1325/KEYNOTE-054 phase III trial of pembrolizumab versus placebo in resected high-risk stage III melanoma. <i>European Journal of Cancer</i> , 2022, 165, 97-112.	1.3	18
121	Combined treatment with H1 and H4 receptor antagonists reduces inflammation in a mouse model of atopic dermatitis. <i>Journal of Dermatological Science</i> , 2017, 87, 130-137.	1.0	17
122	The Anaphylatoxin C3a Receptor Expression on Human M2 Macrophages Is Down-Regulated by Stimulating the Histamine H4 Receptor and the IL-4 Receptor. <i>Journal of Innate Immunity</i> , 2018, 10, 349-362.	1.8	17
123	Progression patterns under BRAF inhibitor treatment and treatment beyond progression in patients with metastatic melanoma. <i>Cancer Medicine</i> , 2018, 7, 95-104.	1.3	16
124	Risk Factors for Developing Nonmelanoma Skin Cancer after Lung Transplantation. <i>Journal of Skin Cancer</i> , 2019, 2019, 1-11.	0.5	16
125	PD-L1 status does not predict the outcome of BRAF inhibitor therapy in metastatic melanoma. <i>European Journal of Cancer</i> , 2018, 88, 67-76.	1.3	15
126	Melanoma-specific survival in patients with positive sentinel lymph nodes: Relevance of sentinel tumor burden. <i>European Journal of Cancer</i> , 2019, 123, 83-91.	1.3	15

#	ARTICLE	IF	CITATIONS
127	Outcome of melanoma patients with elevated LDH treated with first-line targeted therapy or PD-1-based immune checkpoint inhibition. <i>European Journal of Cancer</i> , 2021, 148, 61-75.	1.3	15
128	Factors Influencing the Adjuvant Therapy Decision: Results of a Real-World Multicenter Data Analysis of 904 Melanoma Patients. <i>Cancers</i> , 2021, 13, 2319.	1.7	15
129	The utility of chemotherapy after immunotherapy failure in metastatic melanoma: A multicenter case series.. <i>Journal of Clinical Oncology</i> , 2018, 36, e21588-e21588.	0.8	15
130	Actinic Keratosis and Cutaneous Squamous Cell Carcinoma. <i>Deutsches A&#x0308;rztblatt International</i> , 2019, 116, 616-626.	0.6	15
131	Absence of HHV-8 DNA in hobnail hemangiomas. <i>Journal of Cutaneous Pathology</i> , 2002, 29, 154-158.	0.7	14
132	Update on overall survival in COLUMBUS: A randomized phase III trial of encorafenib (ENCO) plus binimetinib (BINI) versus vemurafenib (VEM) or ENCO in patients with <i><i>BRAF</i> V600-mutant melanoma.. <i>Journal of Clinical Oncology</i>, 2020, 38, 10012-10012.</i>	0.8	14
133	Clinical characteristics and therapy response in unresectable melanoma patients stage IIIB-IIID with in-transit and satellite metastases. <i>European Journal of Cancer</i> , 2021, 152, 139-154.	1.3	13
134	NF1-mutated melanomas reveal distinct clinical characteristics depending on tumour origin and respond favourably to immune checkpoint inhibitors. <i>European Journal of Cancer</i> , 2021, 159, 113-124.	1.3	13
135	The Histamine H4 Receptor Regulates Chemokine Production in Human Natural Killer Cells. <i>International Archives of Allergy and Immunology</i> , 2015, 166, 225-230.	0.9	12
136	Effects of mammalian target of rapamycin inhibitors on cytokine production and differentiation in keratinocytes. <i>Experimental Dermatology</i> , 2016, 25, 775-782.	1.4	12
137	Phase III, randomized, open-label, multicenter trial (BREAK-3) comparing the BRAF kinase inhibitor dabrafenib (GSK2118436) with dacarbazine (DTIC) in patients with BRAF ^{V600E} -mutated melanoma.. <i>Journal of Clinical Oncology</i> , 2012, 30, LBA8500-LBA8500.	0.8	12
138	Salvage therapy after failure from anti-PD-1 single agent treatment: A Study by the German ADOReg melanoma registry.. <i>Journal of Clinical Oncology</i> , 2019, 37, 9505-9505.	0.8	12
139	Histamine Increases Th2 Cytokine-Induced CCL18 Expression in Human M2 Macrophages. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11648.	1.8	11
140	RÄ¼ckgang nichtâ€melanozytÄrer Hauttumoren nach Umstellung der Immunsuppression auf mTORÄ¼nhhibitoren bei organtransplantierten Patienten. <i>JDDG - Journal of the German Society of Dermatology</i> , 2014, 12, 480-490.	0.4	10
141	Lipase elevation and type 1 diabetes mellitus related to immune checkpoint inhibitor therapy â€“ A multicentre study of 90 patients from the German Dermat oncology Group. <i>European Journal of Cancer</i> , 2021, 149, 1-10.	1.3	10
142	Grade 4 Neutropenia Secondary to Immune Checkpoint Inhibition â€” A Descriptive Observational Retrospective Multicenter Analysis. <i>Frontiers in Oncology</i> , 2021, 11, 765608.	1.3	10
143	TERT promoter mutations are associated with longer progression-free and overall survival in patients with BRAF-mutant melanoma receiving BRAF and MEK inhibitor therapy. <i>European Journal of Cancer</i> , 2022, 161, 99-107.	1.3	10
144	Malignes Melanom S3-Leitlinie â€œDiagnostik, Therapie und Nachsorge des Melanomsâ€• <i>JDDG - Journal of the German Society of Dermatology</i> , 2013, 11, 1-126.	0.4	9

#	ARTICLE	IF	CITATIONS
145	Willingness to pay for a cure of low-risk melanoma patients in Germany. PLoS ONE, 2018, 13, e0197780.	1.1	9
146	Impact of a preceding radiotherapy on the outcome of immune checkpoint inhibition in metastatic melanoma: a multicenter retrospective cohort study of the DeCOG. , 2020, 8, e000395.		9
147	The H ₄ R is highly expressed on eosinophils from AD patients and IL-4 upregulates expression and function via the JAK/STAT pathway. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 1261-1264.	2.7	9
148	Digital Quantification of Tumor PD-L1 Predicts Outcome of PD-1-Based Immune Checkpoint Therapy in Metastatic Melanoma. Frontiers in Oncology, 2021, 11, 741993.	1.3	9
149	Key Clinical Adverse Events in Patients with Advanced Basal Cell Carcinoma Treated with Sonidegib or Vismodegib: A Post Hoc Analysis. Dermatology and Therapy, 2021, 11, 1839-1849.	1.4	9
150	MAPKinase inhibition after failure of immune checkpoint blockade in patients with advanced melanoma – An evaluation of the multicenter prospective skin cancer registry ADOREG. European Journal of Cancer, 2022, 167, 32-41.	1.3	9
151	Critical involvement of IL-12 in IFN- γ induction by calcineurin antagonists in activated human lymphocytes. Journal of Leukocyte Biology, 2006, 80, 75-86.	1.5	8
152	Histamine H2 receptor stimulation upregulates TH2 chemokine CCL17 production in human M2a macrophages. Journal of Allergy and Clinical Immunology, 2018, 141, 782-785.e5.	1.5	8
153	The mTOR-inhibitor Sirolimus decreases the cyclosporine-induced expression of the oncogene ATF3 in human keratinocytes. Journal of Dermatological Science, 2018, 92, 172-180.	1.0	8
154	Impact of radiotherapy and sequencing of systemic therapy on survival outcomes in melanoma patients with previously untreated brain metastasis: a multicenter DeCOG study on 450 patients from the prospective skin cancer registry ADOREG. , 2022, 10, e004509.		8
155	Lower prevalence of lymphatic metastasis and poorer survival of the sentinel node-negative patients limit the prognostic value of sentinel node biopsy for head or neck melanomas. Melanoma Research, 2014, 24, 158-164.	0.6	7
156	BRAF Inhibition in a Lung Transplant Recipient With Metastatic Melanoma. JAMA Dermatology, 2016, 152, 228.	2.0	7
157	Quality of life in patients with BRAF-mutant melanoma receiving the combination encorafenib plus binimetinib: Results from a multicentre, open-label, randomised, phase III study (COLUMBUS). European Journal of Cancer, 2021, 152, 116-128.	1.3	7
158	Time to central nervous system (CNS) metastases (mets) with atezolizumab (A) or placebo (P) combined with cobimetinib (C) + vemurafenib (V) in the phase III IMspire150 study.. Journal of Clinical Oncology, 2020, 38, 10023-10023.	0.8	7
159	Chemosensitivity-directed therapy compared to dacarbazine in chemo-naïve advanced metastatic melanoma: a multicenter randomized phase-3 DeCOG trial. Oncotarget, 2017, 8, 76029-76043.	0.8	7
160	Assessment of various efficacy outcomes using ERIVANCE-like criteria in patients with locally advanced basal cell carcinoma receiving sonidegib: results from a preplanned sensitivity analysis. BMC Cancer, 2021, 21, 1244.	1.1	7
161	Genetic characterization of advanced conjunctival melanoma and response to systemic treatment. European Journal of Cancer, 2022, 166, 60-72.	1.3	7
162	Escalating therapy of cutaneous side effects of EGFR inhibitors: experience of German reference centers. JDDG - Journal of the German Society of Dermatology, 2012, 10, 559-562.	0.4	6

#	ARTICLE	IF	CITATIONS
163	Cutaneous side effects of combined therapy with sorafenib and pegylated interferon alpha-2b in metastatic melanoma (phase II DeCOG trial). JDDG - Journal of the German Society of Dermatology, 2013, 11, 846-853.	0.4	6
164	Stimulation of histamine H4 receptors increases the production of IL-9 in Th9 polarized cells. British Journal of Pharmacology, 2020, 177, 614-622.	2.7	6
165	Diagnosis and Differential Diagnosis of Neurological Adverse Events during Immune Checkpoint Inhibitor Therapy. Journal of Oncology, 2020, 2020, 1-9.	0.6	6
166	Expression of histamine receptors H2R and H4R are predominantly regulated via the IL-13 receptor type II on human M2 macrophages. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 2886-2890.	2.7	6
167	The outweigh of toxicity versus risk of recurrence for adjuvant interferon therapy: a survey in German melanoma patients and their treating physicians. Oncotarget, 2018, 9, 26217-26225.	0.8	6
168	Immune Checkpoint Blockade for Metastatic Uveal Melanoma: Re-Induction following Resistance or Toxicity. Cancers, 2022, 14, 518.	1.7	6
169	Efficacy and safety of sequencing with vemurafenib (V) plus cobimetinib (C) followed by atezolizumab (Atezo) in patients (pts) with advanced BRAF ^{V600} -positive melanoma: Interim analysis of the ImmunoCobiVem study.. Journal of Clinical Oncology, 2022, 40, 9548-9548.	0.8	6
170	Kutane Nebenwirkungen der Kombinationstherapie mit Sorafenib und pegyliertem Interferon alfa-2b bei metastasiertem Melanom (ADO SoraPeg-Studie). JDDG - Journal of the German Society of Dermatology, 2013, 11, 846-854.	0.4	5
171	Genetic variations within the promotor region of the human histamine H4 receptor gene in psoriasis patients. Pharmacological Research, 2016, 114, 121-127.	3.1	5
172	PET/CT in malignant melanoma: a two-tiered healthcare system? Updated healthcare situation regarding initial staging of malignant melanoma with PET/CT. JDDG - Journal of the German Society of Dermatology, 2021, 19, 852-862.	0.4	5
173	Updated 5-y landmark analyses of phase 2 (BREAK-2) and phase 3 (BREAK-3) studies evaluating dabrafenib monotherapy in patients with BRAF V600 mutant melanoma.. Journal of Clinical Oncology, 2017, 35, 9526-9526.	0.8	5
174	Case Report: Sustained Remission Due to PD-1-Inhibition in a Metastatic Melanoma Patient With Depleted B Cells. Frontiers in Immunology, 2021, 12, 733961.	2.2	5
175	Overall survival (OS) with first-line atezolizumab (A) or placebo (P) in combination with vemurafenib (V) and cobimetinib (C) in BRAF ^{V600} mutation-positive advanced melanoma: Second interim OS analysis of the phase 3 IMspire150 study.. Journal of Clinical Oncology, 2022, 40, 9547-9547.	0.8	5
176	Which Parameters to Choose for Prediction of Non-Sentinel Lymph Node Positivity in Melanoma?. Journal of Clinical Oncology, 2011, 29, e315-e315.	0.8	4
177	Intermittent high-dose intravenous interferon alpha 2b (IFNa2b) for adjuvant treatment of stage III malignant melanoma: Final analysis of a randomized phase III DeCOG-trial (NCT00226408).. Journal of Clinical Oncology, 2012, 30, 8505-8505.	0.8	4
178	Real-World Therapy with Pembrolizumab: Outcomes and Surrogate Endpoints for Predicting Survival in Advanced Melanoma Patients in Germany. Cancers, 2022, 14, 1804.	1.7	4
179	Partielle Remission Feines Hirnfiltrierenden Basalzellkarzinoms durch Vismodegib. JDDG - Journal of the German Society of Dermatology, 2014, 12, 906-907.	0.4	3
180	Adverse events of special interest in the phase 3 COLUMBUS study.. Journal of Clinical Oncology, 2018, 36, 9567-9567.	0.8	3

#	ARTICLE	IF	CITATIONS
181	Ist eine komplette Lymphknotendisektion beim malignen Melanom mit positivem Sentinel notwendig?. JDDG - Journal of the German Society of Dermatology, 2017, 15, 1175-1176.	0.4	2
182	Patterns of care and follow-up care of patients with uveal melanoma in German-speaking countries: a multinational survey of the German Dermatologic Cooperative Oncology Group (DeCOG). Journal of Cancer Research and Clinical Oncology, 2021, 147, 1763-1771.	1.2	2
183	Early Exanthema Upon Vemurafenib Plus Cobimetinib Is Associated With a Favorable Treatment Outcome in Metastatic Melanoma: A Retrospective Multicenter DeCOG Study. Frontiers in Oncology, 2021, 11, 672172.	1.3	2
184	Intralesional treatment of stage III metastatic melanoma patients with L19-IL2: Clinical and systemic immunological responses.. Journal of Clinical Oncology, 2014, 32, 9041-9041.	0.8	2
185	Patient-reported outcomes (PROs) from the phase III IMspire150 trial of atezolizumab (A) + cobimetinib (C) + vemurafenib (V) in patients (pts) with <i>BRAF</i> ^{V600+} melanoma.. Journal of Clinical Oncology, 2020, 38, 10073-10073.	0.8	2
186	Expression of Glioma-associated oncogene homolog 1 as biomarker with sonidegib in advanced basal cell carcinoma. Oncotarget, 2020, 11, 3473-3483.	0.8	2
187	Aktuelle Diagnostik und Behandlung des Basalzellkarzinoms. JDDG - Journal of the German Society of Dermatology, 2015, 13, 863-877.	0.4	1
188	Die Entwicklung der Therapie des Melanoms geht weiter – Berichte von den Jahrestagungen ESMO und SMR im Oktober/November 2016. JDDG - Journal of the German Society of Dermatology, 2017, 15, 350-352.	0.4	1
189	Histamine downregulates the FCER1 β chain expression in human IL4-activated M2 macrophages. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 1250-1254.	2.7	1
190	Checkpoint inhibitor-induced autoimmune central nervous system disorder in patients with metastatic melanoma and Hodgkin's lymphoma. Clinical and Experimental Neuroimmunology, 2021, 12, 127-134.	0.5	1
191	Reply to E. Hindi. Journal of Clinical Oncology, 2021, 39, 944-946.	0.8	1
192	Tumor PD-L1 expression and gene panel mutational profile as outcome predictors of PD-1-based checkpoint inhibition therapy in metastatic melanoma: A prospective multicenter DeCOG study.. Journal of Clinical Oncology, 2021, 39, 9568-9568.	0.8	1
193	Response to letter entitled: "Re: Hematological immune related adverse events after treatment with immune checkpoint inhibitors". European Journal of Cancer, 2021, 153, 272-273.	1.3	1
194	Sirolimus diminishes the expression of GRO- β (CXCL-1) /CXCR2 axis in human keratinocytes and cutaneous squamous cell carcinoma cells. Journal of Dermatological Science, 2021, 104, 30-38.	1.0	1
195	BRAF/MEK inhibition in melanoma patients with rare BRAF mutations.. Journal of Clinical Oncology, 2018, 36, 9542-9542.	0.8	1
196	Reply to assessment of capsular melanoma cell deposits in sentinel lymph nodes. Cancer, 2011, 117, 2821-2821.	2.0	0
197	Encorafenib plus Binimetinib in patients with locally advanced, unresectable or metastatic BRAF ^{V600} -mutant melanoma: First data of the multicenter, multinational, prospective, non-interventional longitudinal study BERING ^{MELANOMA} .. Journal of Clinical Oncology, 2021, 39, 9555-9555.	0.8	0
198	KEYNOTE-629: Health-related quality of life (HRQoL) with pembrolizumab (pembro) in patients (pts) with locally advanced (LA) or recurrent or metastatic (R/M) cutaneous squamous cell carcinoma (cSCC).. Journal of Clinical Oncology, 2021, 39, 9546-9546.	0.8	0

#	ARTICLE	IF	CITATIONS
199	Update â€œ Systemtherapie beim Basalzellkarzinom. JDDG - Journal of the German Society of Dermatology, 2021, 19, 1399-1400.	0.4	0
200	Aggressive gamma/delta T-cell lymphoma: successful therapy with encapsulated doxorubicin. European Journal of Cancer, 2021, 156, S57.	1.3	0
201	Ipilimumab use in a named-patient program in metastatic melanoma: Experiences in 185 German patients.. Journal of Clinical Oncology, 2012, 30, e19031-e19031.	0.8	0
202	The GERMELATOX DeCOG-trial: German melanoma patients and their attitude toward toxicity during adjuvant interferon treatment.. Journal of Clinical Oncology, 2014, 32, TPS9113-TPS9113.	0.8	0
203	The GERMELATOX DeCOG-trial: Attitude of German melanoma patients towards toxicity during adjuvant interferon treatmentâ€”Differences between the patient's and the physician's perspective.. Journal of Clinical Oncology, 2015, 33, e20099-e20099.	0.8	0
204	Encorafenib plus binimetinib in patients with locally advanced, unresectable, or metastatic BRAF^{V600}-mutant melanoma: Updated data from the multicenter, multinational, prospective, non-interventional longitudinal study BERING^{MELANOMA}.. Journal of Clinical Oncology, 2022, 40, 9526-9526.	0.8	0