
Janelle Coughlin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1401044/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Comparative Effectiveness of Weight-Loss Interventions in Clinical Practice. New England Journal of Medicine, 2011, 365, 1959-1968. | 27.0 | 666 |
| 2 | Comparison of Strategies for Sustaining Weight Loss <subtitle>The Weight Loss Maintenance Randomized Controlled Trial</subtitle> . JAMA - Journal of the American Medical Association, 2008, 299, 1139. | 7.4 | 661 |
| 3 | Perceived Coercion and Change in Perceived Need for Admission in Patients Hospitalized for Eating Disorders. American Journal of Psychiatry, 2007, 164, 108-114. | 7.2 | 91 |
| 4 | Refeeding and weight restoration outcomes in anorexia nervosa: Challenging current guidelines. International Journal of Eating Disorders, 2015, 48, 866-873. | 4.0 | 87 |
| 5 | Associations of Internet Website Use With Weight Change in a Long-term Weight Loss Maintenance Program. Journal of Medical Internet Research, 2010, 12, e29. | 4.3 | 81 |
| 6 | Alcohol and bariatric surgery: review and suggested recommendations for assessment and management. Surgery for Obesity and Related Diseases, 2012, 8, 357-363. | 1.2 | 68 |
| 7 | Media literacy as a prevention intervention for college women at low- or high-risk for eating disorders. Body Image, 2006, 3, 35-43. | 4.3 | 54 |
| 8 | Repeated binge access to a palatable food alters feeding behavior, hormone profile, and hindbrain c-Fos responses to a test meal in adult male rats. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2009, 297, R622-R631. | 1.8 | 50 |
| 9 | Differential brain activation in anorexia nervosa to Fat and Thin words during a Stroop task. NeuroReport, 2008, 19, 1181-1185. | 1.2 | 48 |
| 10 | Psychosocial predictors of weight regain in the weight loss maintenance trial. Journal of Behavioral Medicine, 2014, 37, 1155-1168. | 2.1 | 45 |
| 11 | The Eating Disorder Recovery Self-Efficacy Questionnaire (EDRSQ): Change with treatment and prediction of outcome. Eating Behaviors, 2008, 9, 143-153. | 2.0 | 43 |
| 12 | Insulin, glucose, and pancreatic polypeptide responses to a test meal in restricting type anorexia nervosa before and after weight restoration. American Journal of Physiology - Endocrinology and Metabolism, 2007, 292, E1441-E1446. | 3.5 | 35 |
| 13 | Sleep, obesity, and weight loss in adults: Is there a rationale for providing sleep interventions in the treatment of obesity?. International Review of Psychiatry, 2014, 26, 177-188. | 2.8 | 35 |
| 14 | Dietary conditions and highly palatable food access alter rat cannabinoid receptor expression and binding density. Physiology and Behavior, 2012, 105, 720-726. | 2.1 | 34 |
| 15 | Decreased Escitalopram Concentrations Post–Roux-en-Y Gastric Bypass Surgery. Therapeutic Drug Monitoring, 2015, 37, 408-412. | 2.0 | 27 |
| 16 | Application of Latent Class Analysis to Identify Behavioral Patterns of Response to Behavioral Lifestyle Interventions in Overweight and Obese Adults. International Journal of Behavioral Medicine, 2015, 22, 471-480. | 1.7 | 27 |
| 17 | The impact of continued intervention on weight: Fiveâ€year results from the weight loss maintenance trial. Obesity, 2016, 24, 1046-1053. | 3.0 | 25 |
| 18 | Weight gain trajectories in hospitalâ€based treatment of anorexia nervosa. International Journal of Eating Disorders, 2017, 50, 266-274. | 4.0 | 25 |

JANELLE COUGHLIN

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Patient-reported outcomes in the practice-based opportunities for weight reduction (POWER) trial. Quality of Life Research, 2013, 22, 2389-2398. | 3.1 | 24 |
| 20 | Sex hormone changes during weight loss and maintenance in overweight and obese postmenopausal African-American and non-African-American women. Breast Cancer Research, 2012, 14, R141. | 5.0 | 23 |
| 21 | Behavioral Mediators of Treatment Effects in the Weight Loss Maintenance Trial. Annals of Behavioral Medicine, 2013, 46, 369-381. | 2.9 | 23 |
| 22 | Effects of the PREMIER Interventions on Health-Related Quality of Life. Annals of Behavioral Medicine, 2010, 40, 302-312. | 2.9 | 22 |
| 23 | Weight loss history as a predictor of weight loss: results from Phase I of the weight loss maintenance trial. Journal of Behavioral Medicine, 2013, 36, 574-582. | 2.1 | 22 |
| 24 | The Effects of a Remote-based Weight Loss Program on Adipocytokines, Metabolic Markers, and Telomere Length in Breast Cancer Survivors: the POWER-Remote Trial. Clinical Cancer Research, 2020, 26, 3024-3034. | 7.0 | 22 |
| 25 | Chewing and spitting in eating disorders and its relationship to binge eating. Eating Behaviors, 2004, 5, 231-239. | 2.0 | 21 |
| 26 | Examining behavioral processes through which lifestyle interventions promote weight loss: Results from PREMIER. Obesity, 2014, 22, 1002-1007. | 3.0 | 21 |
| 27 | Longitudinal Accuracy of Web-Based Self-Reported Weights: Results From the Hopkins POWER Trial. Journal of Medical Internet Research, 2014, 16, e173. | 4.3 | 21 |
| 28 | Psychosocial predictors of weight loss by race and sex. Clinical Obesity, 2015, 5, 342-348. | 2.0 | 20 |
| 29 | Intensive treatment for adults with anorexia nervosa: The cost of weight restoration. International Journal of Eating Disorders, 2017, 50, 302-306. | 4.0 | 20 |
| 30 | Discharge Body Mass Index, Not Illness Chronicity, Predicts 6-Month Weight Outcome in Patients Hospitalized With Anorexia Nervosa. Frontiers in Psychiatry, 2021, 12, 641861. | 2.6 | 20 |
| 31 | Validation and predictive utility of the Sociocultural Attitudes Toward Appearance Questionnaire for Eating Disorders (SATAQ-ED): Internalization of sociocultural ideals predicts weight gain. Body Image, 2008, 5, 279-290. | 4.3 | 19 |
| 32 | Oral sensory and cephalic hormonal responses to fat and non-fat liquids in bulimia nervosa. Physiology and Behavior, 2010, 99, 611-617. | 2.1 | 18 |
| 33 | Perspectives of pregnant and postpartum women and obstetric providers to promote healthy lifestyle in pregnancy and after delivery: a qualitative in-depth interview study. BMC Women's Health, 2020, 20, 44. | 2.0 | 16 |
| 34 | First-degree relative history of alcoholism in eating disorder inpatients: Relationship to eating and substance use psychopathology. Eating Behaviors, 2007, 8, 15-22. | 2.0 | 15 |
| 35 | The Moderate Alcohol and Cardiovascular Health Trial (MACH15): Design and methods for a randomized trial of moderate alcohol consumption and cardiometabolic risk. European Journal of Preventive Cardiology, 2020, 27, 1967-1982. | 1.8 | 15 |
| 36 | Perceived coercion in inpatients with Anorexia nervosa: Associations with illness severity and hospital course. International Journal of Eating Disorders, 2016, 49, 407-412. | 4.0 | 14 |

JANELLE COUGHLIN

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Pain, Catastrophizing, and Depressive Symptomatology in Eating Disorders. Clinical Journal of Pain, 2008, 24, 406-414. | 1.9 | 13 |
| 38 | Cosmetic surgery in inpatients with eating disorders: Attitudes and experience. Body Image, 2012, 9, 180-183. | 4.3 | 13 |
| 39 | Behavioural health interventions in the Johns Hopkins Community Health Partnership: Integrated care as a component of health systems transformation. International Review of Psychiatry, 2014, 26, 648-656. | 2.8 | 13 |
| 40 | Electronic Health Record–Based Recruitment and Retention and Mobile Health App Usage: Multisite Cohort Study. Journal of Medical Internet Research, 2022, 24, e34191. | 4.3 | 12 |
| 41 | Perceived helpfulness of the individual components of a behavioural weight loss program: results from the Hopkins POWER Trial. Obesity Science and Practice, 2015, 1, 23-32. | 1.9 | 11 |
| 42 | Chewing and spitting: A marker of psychopathology and behavioral severity in inpatients with an eating disorder. Eating Behaviors, 2015, 17, 59-61. | 2.0 | 11 |
| 43 | Feasibility and acceptability of a remotelyâ€delivered behavioural health coaching intervention to limit gestational weight gain. Obesity Science and Practice, 2020, 6, 484-493. | 1.9 | 11 |
| 44 | Incorporating Health Behavior Theory into mHealth: an Examination of Weight Loss, Dietary, and Physical Activity Interventions. Journal of Technology in Behavioral Science, 2020, 5, 51-60. | 2.3 | 10 |
| 45 | Psychotropic Medications in Metabolic and Bariatric Surgery: Research Updates and Clinical Considerations. Current Psychiatry Reports, 2022, 24, 89-98. | 4.5 | 10 |
| 46 | Neuroticism and clinical course of weight restoration in a meal-based, rapid-weight gain, inpatient-partial hospitalization program for eating disorders. Eating Disorders, 2017, 25, 52-64. | 3.0 | 7 |
| 47 | What influences the "when―of eating and sleeping?A qualitative interview study. Appetite, 2021, 156, 104980. | 3.7 | 7 |
| 48 | Development of a Mobile App for Ecological Momentary Assessment of Circadian Data: Design Considerations and Usability Testing. JMIR Formative Research, 2021, 5, e26297. | 1.4 | 7 |
| 49 | Night eating, weight, and health behaviors in adults participating in the Daily24 study. Eating Behaviors, 2022, 45, 101605. | 2.0 | 7 |
| 50 | POWER-remote: A randomized study evaluating the effect of a remote-based weight loss program on biomarkers in women with early-stage breast cancer Journal of Clinical Oncology, 2014, 32, TPS9657-TPS9657. | 1.6 | 6 |
| 51 | Pain severity in eating disorders predicts longer inpatient hospitalization. International Journal of Eating Disorders, 2010, 43, 737-742. | 4.0 | 5 |
| 52 | Sleep disturbance and insomnia in individuals seeking bariatric surgery. Surgery for Obesity and Related Diseases, 2020, 16, 940-947. | 1.2 | 5 |
| 53 | The impact of weight loss on physical function and symptoms in overweight or obese breast cancer survivors: results from POWER-remote. Journal of Cancer Survivorship, 2022, 16, 542-551. | 2.9 | 5 |
| 54 | Restriction of range effects in post–metabolic and bariatric surgery outcomes research: considerations for clinical decision making. Surgery for Obesity and Related Diseases, 2022, 18, 425-432. | 1.2 | 5 |

JANELLE COUGHLIN

| # | Article | lF | CITATIONS |
|----|---|-----|-----------|
| 55 | Willingness to pay for continued delivery of a lifestyle-based weight loss program: The Hopkins POWER trial. Obesity, 2015, 23, 282-285. | 3.0 | 4 |
| 56 | Evaluating an insurer-based health coaching program: Impact of program engagement on healthcare utilization and weight loss. Preventive Medicine Reports, 2018, 12, 343-348. | 1.8 | 4 |
| 57 | A modified inpatient eating disorders treatment protocol for postbariatric surgery patients: patient characteristics andÂtreatmentÂresponse. Surgery for Obesity and Related Diseases, 2019, 15, 1612-1619. | 1.2 | 4 |
| 58 | Cost of behavioral weight loss programs implemented in clinical practice: The POWER trial at Johns Hopkins. Translational Behavioral Medicine, 2020, 10, 103-113. | 2.4 | 4 |
| 59 | Using Short Stories to Address Eating Disturbances in Groups. Journal for Specialists in Group Work, 2002, 27, 59-77. | 1.1 | 3 |
| 60 | A Screening Tool to Assess and Manage Behavioral Risk in the Postoperative Bariatric Surgery Patient: The WATCH. Journal of Clinical Psychology in Medical Settings, 2013, 20, 456-463. | 1.4 | 3 |
| 61 | From efficacy to effectiveness: lessons learned from the Practice-Based Opportunities for Weight Reduction (POWER) trial. Journal of Comparative Effectiveness Research, 2012, 1, 213-216. | 1.4 | 2 |
| 62 | Applying a Life Course Lens: Targeting Gestational Weight Gain to Prevent Future Obesity. Journal of Women's Health, 2020, 29, 133-134. | 3.3 | 2 |
| 63 | The impact of weight loss on physical function in overweight or obese breast cancer survivors Journal of Clinical Oncology, 2020, 38, 12053-12053. | 1.6 | 2 |
| 64 | Healthy for Two/Healthy for You: Design and methods for a pragmatic randomized clinical trial to limit gestational weight gain and prevent obesity in the prenatal care setting. Contemporary Clinical Trials, 2022, 113, 106647. | 1.8 | 2 |
| 65 | 8 The Role of Behavioral Health in Bariatric Surgery. , 2015, , 83-92. | | 1 |
| 66 | Preoperative Depression Status and 5 Year Metabolic and Bariatric Surgery Outcomes in the PCORnet Bariatric Study Cohort. Annals of Surgery, 2023, 277, 637-646. | 4.2 | 1 |
| 67 | Predictors of dietary change among those who successfully lost weight in phase <scp>I</scp> of the <scp>W</scp> eight <scp>L</scp> oss <scp>M</scp> aintenance <scp>T</scp> rial. Nutrition and Dietetics, 2014, 71, 144-151. | 1.8 | 0 |
| 68 | Hospital Course for Post-Surgical Bariatric Patients Requiring Specialty Eating Disorder Inpatient Treatment: A Case Control Study. Surgery for Obesity and Related Diseases, 2016, 12, S48-S49. | 1.2 | 0 |
| 69 | Insomnia and night eating syndrome in bariatric surgery patients. Surgery for Obesity and Related Diseases, 2018, 14, S90. | 1.2 | 0 |
| 70 | Using Short Stories to Address Eating Disturbances in Groups. Journal for Specialists in Group Work, 2002, 27, 59-77. | 1.1 | 0 |
| 71 | Adverse childhood experiences and sleep links in a predominantly Black sample of overweight adults. Stress and Health, 0, , . | 2.6 | 0 |