## Sheikh Mohammed Shariful Islam

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1402118/publications.pdf

Version: 2024-02-01

289 papers 70,844 citations

52 h-index 246 g-index

323 all docs 323 docs citations

times ranked

323

79000 citing authors

#	Article	IF	Citations
1	Effect of enteral immunomodulatory nutrition formula on mortality and critical care parameters in critically ill patients: A systematic review with metaâ€analysis. Nursing in Critical Care, 2022, 27, 838-848.	1.1	5
2	Technologyâ€based support for stroke caregiving: A rapid review of evidence. Journal of Nursing Management, 2022, 30, 3700-3713.	1.4	8
3	Exploring Barriers to and Enablers of the Adoption of Information and Communication Technology for the Care of Older Adults With Chronic Diseases: Scoping Review. JMIR Aging, 2022, 5, e25251.	1.4	35
4	Physical activity level and stroke risk in <scp>US</scp> population: A matched case–control study of 102,578 individuals. Annals of Clinical and Translational Neurology, 2022, 9, 264-275.	1.7	13
5	Mental health status of married women during COVID-19 pandemic in Bangladesh: A cross-sectional study. Heliyon, 2022, 8, e08785.	1.4	10
6	Machine learning models for prediction of co-occurrence of diabetes and cardiovascular diseases: a retrospective cohort study. Journal of Diabetes and Metabolic Disorders, 2022, 21, 251-261.	0.8	24
7	Objective evaluation of deep uncertainty predictions for COVID-19 detection. Scientific Reports, 2022, 12, 815.	1.6	43
8	Factors associated with mortality in hospitalized cardiovascular disease patients infected with COVIDâ $\in$ 19. Immunity, Inflammation and Disease, 2022, 10, .	1.3	12
9	Utilization of social media communities for caregiver information support in stroke recovery: An analysis of content and interactions. PLoS ONE, 2022, 17, e0262919.	1.1	5
10	In reply: â€~multiple etiologies explain the association between sarcoidosis and diabetes mellitus'. Expert Review of Respiratory Medicine, 2022, , 1-2.	1.0	0
11	Machine learning models for classification and identification of significant attributes to detect type 2 diabetes. Health Information Science and Systems, 2022, 10, 2.	3.4	26
12	User-centered development of a digitally-delivered dietary intervention for adults with type 2 diabetes: The T2Diet study. Internet Interventions, 2022, 28, 100505.	1.4	6
13	mHealth intervention for carers of individuals with a history of stroke: Heuristic evaluation and user perspectives. Digital Health, 2022, 8, 205520762210890.	0.9	2
14	Prediction of cardiac autonomic neuropathy using a machine learning model in patients with diabetes. Therapeutic Advances in Endocrinology and Metabolism, 2022, 13, 204201882210866.	1.4	8
15	Determinants of mortality in children aged under two years in Bangladesh using two approaches: an analysis of the Bangladesh Demographic and Health Survey 2014 data. Bangladesh Journal of Medical Science, 2022, 21, 413-421.	0.1	O
16	Randomised controlled trial of a web-based low carbohydrate diet intervention for adults with type 2 diabetes: the T2Diet study protocol. BMJ Open, 2022, 12, e054594.	0.8	3
17	Machine Learning Approaches for Predicting Hypertension and Its Associated Factors Using Population-Level Data From Three South Asian Countries. Frontiers in Cardiovascular Medicine, 2022, 9, 839379.	1.1	28
18	Caesarean delivery and its association with educational attainment, wealth index, and place of residence in Sub-Saharan Africa: a meta-analysis. Scientific Reports, 2022, 12, 5554.	1.6	16

#	Article	IF	Citations
19	The effects of l-Carnitine supplementation on inflammatory markers, clinical status, and 28 days mortality in critically ill patients: A double-blind, randomized, placebo-controlled trial. Clinical Nutrition ESPEN, 2022, 49, 61-67.	0.5	9
20	Why mental health service delivery needs to align alongside mainstream medical services. Asian Journal of Psychiatry, 2022, 71, 103053.	0.9	7
21	Machine learning for detecting COVID-19 from cough sounds: An ensemble-based MCDM method. Computers in Biology and Medicine, 2022, 145, 105405.	3.9	49
22	Smartphone Apps for Diabetes Medication Adherence: Systematic Review. JMIR Diabetes, 2022, 7, e33264.	0.9	8
23	Trends in the prevalence and associated factors of prediabetes and diabetes in Bangladesh: Evidence from population-based cross-sectional surveys. Diabetes Research and Clinical Practice, 2022, 190, 109873.	1.1	3
24	Biological and practical considerations regarding circadian rhythm and mental health relationships among nurses working night shifts: a narrative review and recommendations Rivista Di Psichiatria, 2022, 57, 67-79.	0.6	3
25	Prevalence, trends and associated factors of hypertension and diabetes mellitus in Bangladesh: Evidence from BHDS 2011 and 2017–18. PLoS ONE, 2022, 17, e0267243.	1.1	14
26	Wearable cuffless blood pressure monitoring devices: a systematic review and meta-analysis. European Heart Journal Digital Health, 2022, 3, 323-337.	0.7	18
27	Association Between Symptoms and Severity of Disease in Hospitalised Novel Coronavirus (COVID-19) Patients: A Systematic Review and Meta-Analysis. Journal of Multidisciplinary Healthcare, 2022, Volume 15, 1101-1110.	1.1	19
28	The Surveillance of Physical Activity, Sedentary Behavior, and Sleep: Protocol for the Development and Feasibility Evaluation of a Novel Measurement System. JMIR Research Protocols, 2022, 11, e35697.	0.5	3
29	Smartphone as a Disease Screening Tool: A Systematic Review. Sensors, 2022, 22, 3787.	2.1	13
30	Longitudinal Associations Between Fatâ€Derived Dietary Patterns and Early Markers of Cardiovascular Disease Risk in the UK Biobank Study. Journal of the American Heart Association, 2022, 11, .	1.6	6
31	Smart Home Technology Solutions for Cardiovascular Diseases: A Systematic Review. Applied System Innovation, 2022, 5, 51.	2.7	7
32	An educational intervention to improve self-efficacy and knowledge of falls prevention among hospitalized patients. International Journal of Health Promotion and Education, 2022, 60, 217-228.	0.4	1
33	Individual and community-level factors associated with skilled birth attendants during delivery in Bangladesh: A multilevel analysis of demographic and health surveys. PLoS ONE, 2022, 17, e0267660.	1.1	9
34	Psychological impact of COVID-19 on healthcare workers: cross-sectional analyses from 14 countries. Global Mental Health (Cambridge, England), 2022, 9, 328-338.	1.0	4
35	Depression and suicidal ideation among the geriatric population of Kashmir, India. International Journal of Social Psychiatry, 2021, 67, 651-655.	1.6	14
36	Determinants of early age of mother at first birth in Bangladesh: a statistical analysis using a two-level multiple logistic regression model. Zeitschrift Fur Gesundheitswissenschaften, 2021, 29, 1081-1087.	0.8	12

#	Article	IF	Citations
37	Adherence to Mediterranean Diet Is Associated With Lung Function in Older Adults: Data From the Health and Retirement Study. Journal of the American College of Nutrition, 2021, 40, 119-124.	1.1	4
38	Pathogenetic profiling of COVID-19 and SARS-like viruses. Briefings in Bioinformatics, 2021, 22, 1175-1196.	3.2	42
39	Healthcare seeking behavior and glycemic control in patients with type 2 diabetes attending a tertiary hospital. International Journal of Diabetes in Developing Countries, 2021, 41, 280-287.	0.3	6
40	Causes of blindness and vision impairment in 2020 and trends over 30 years, and prevalence of avoidable blindness in relation to VISION 2020: the Right to Sight: an analysis for the Global Burden of Disease Study. The Lancet Global Health, 2021, 9, e144-e160.	2.9	1,148
41	Risk factors prediction, clinical outcomes, and mortality inÂCOVIDâ€19 patients. Journal of Medical Virology, 2021, 93, 2307-2320.	2.5	104
42	Pre-existing COPD is associated with an increased risk of mortality and severity in COVID-19: a rapid systematic review and meta-analysis. Expert Review of Respiratory Medicine, 2021, 15, 705-716.	1.0	42
43	Effectiveness of a mobile phone text messaging intervention on dietary behaviour in patients with type 2 diabetes: a post-hoc analysis of a randomised controlled trial. MHealth, 2021, 7, 10-10.	0.9	7
44	Community health workers for non-communicable diseases prevention and control in Bangladesh: a qualitative study. Global Health Research and Policy, $2021,6,1.$	1.4	30
45	Prevalence of and factors associated with anaemia in women of reproductive age in Bangladesh, Maldives and Nepal: Evidence from nationally-representative survey data. PLoS ONE, 2021, 16, e0245335.	1.1	26
46	COVID-19 and physical inactivity: Teetering on the edge of a deadlier pandemic?. Journal of Global Health, 2021, 11, 03031.	1.2	12
47	Nutritional status in kidney transplant patients before and 6-month after transplantation: Result of PNSI study. Clinical Nutrition ESPEN, 2021, 41, 268-274.	0.5	6
48	Shortâ€term effectiveness of a theoryâ€based intervention to promote diabetes management behaviours among adults with type 2 diabetes in Iran: A randomised control trial. International Journal of Clinical Practice, 2021, 75, e13994.	0.8	7
49	Cardiovascular diseases risk prediction in patients with diabetes: Posthoc analysis from a matched case-control study in Bangladesh. Journal of Diabetes and Metabolic Disorders, 2021, 20, 417-425.	0.8	10
50	Deep convolutional neural networks based ECG beats classification to diagnose cardiovascular conditions. Biomedical Engineering Letters, 2021, 11, 147-162.	2.1	24
51	Prevalence of unintended pregnancy and its associated factors: Evidence from six south Asian countries. PLoS ONE, 2021, 16, e0245923.	1.1	28
52	Reliability of the tools used to examine psychological distress, fear of COVIDâ€19 and coping amongst migrants and nonâ€migrants in Australia. International Journal of Mental Health Nursing, 2021, 30, 747-758.	2.1	12
53	Expert perspectives on the active role of patients in their safety: Toward a framework using Delphi methodology. Nursing Forum, 2021, 56, 490-499.	1.0	3
54	Application of countryâ€specific Globorisk score to estimate next 10 years risk of cardiovascular diseases and its associated predictors among postmenopausal rural women of Bangladesh: A crossâ€sectional study in a primary care setting. Lifestyle Medicine, 2021, 2, e32.	0.3	4

#	Article	IF	Citations
55	Pornography Use Prevalence and Associated Factors in Arab Countries: A Multinational Cross-Sectional Study of 15,027 Individuals. Journal of Sexual Medicine, 2021, 18, 539-548.	0.3	13
56	Effects of COVID-19 on maternal institutional delivery: Fear of a rise in maternal mortality. Journal of Global Health, 2021, 11, 03041.	1.2	15
57	Smartphone overuse: A hidden crisis in COVID-19. Health Policy and Technology, 2021, 10, 21-22.	1.3	40
58	Hearing loss prevalence and years lived with disability, 1990–2019: findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 996-1009.	6.3	358
59	Influence of COVID-19 on lifestyle behaviors in the Middle East and North Africa Region: a survey of 5896 individuals. Journal of Translational Medicine, 2021, 19, 129.	1.8	50
60	Machine Learning Approach to Predicting COVID-19 Disease Severity Based on Clinical Blood Test Data: Statistical Analysis and Model Development. JMIR Medical Informatics, 2021, 9, e25884.	1.3	53
61	Factors influencing place of delivery: Evidence from three south-Asian countries. PLoS ONE, 2021, 16, e0250012.	1.1	28
62	The need for a prediction model assessment framework. The Lancet Global Health, 2021, 9, e404.	2.9	9
63	Local Repair of a Secondary Aortoenteric Fistula in an Unstable Patient in a Resource-Poor Setting: A Case Report and Literature Review. Cureus, 2021, 13, e14291.	0.2	О
64	Non diagnosed PAPVC induce large reverse venovenous shunt after modified Fontan surgery: A case report of a rare anomaly and embolization therapy. Journal of Cardiovascular and Thoracic Research, 2021, 13, 364-366.	0.3	0
65	Algeria's response to COVID-19: an ongoing journey. Lancet Respiratory Medicine,the, 2021, 9, 449.	5.2	9
66	Short-Term Prediction of COVID-19 Cases Using Machine Learning Models. Applied Sciences (Switzerland), 2021, 11, 4266.	1.3	48
67	Ruptured Hydatid Cysts Resulted in Infectious Pericardial Effusion and Development of Cardiac Tamponade: A Rare Presentation. Multidisciplinary Cardiovascular Annals, 2021, 12, .	0.2	О
68	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet Public Health, The, 2021, 6, e482-e499.	4.7	38
69	Suicide is multifactorial: There should be a difference between a news report and a scientific report of suicide. Ethics, Medicine and Public Health, 2021, 17, 100643.	0.5	2
70	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	6.3	609
71	Application of Smartphone Technologies in Disease Monitoring: A Systematic Review. Healthcare (Switzerland), 2021, 9, 889.	1.0	38
72	Study Protocol for a Global Survey: Awareness and Preparedness of Hospital Staff Against Coronavirus Disease (COVID-19) Outbreak. Frontiers in Public Health, 2021, 9, 580427.	1.3	5

#	Article	IF	CITATIONS
73	Digital health approaches for cardiovascular diseases prevention and management: lessons from preliminary studies. MHealth, 2021, 7, 41-41.	0.9	15
74	Association between sarcoidosis and diabetes mellitus: a systematic review and meta-analysis. Expert Review of Respiratory Medicine, 2021, 15, 1589-1595.	1.0	12
75	Double and triple burden of nonâ€communicable diseases and its determinants among adults in Bangladesh: Evidence from a recent demographic and health survey. International Journal of Clinical Practice, 2021, 75, e14613.	0.8	11
76	Conservative Management of Gunshot Wound to Anterior Abdomen in a Resource-Poor Setting in the Caribbean. Cureus, 2021, 13, e16789.	0.2	0
77	Lowering blood pressure by changing lifestyle through a motivational education program: a cluster randomized controlled trial study protocol. Trials, 2021, 22, 438.	0.7	14
78	Combining a convolutional neural network with autoencoders to predict the survival chance of COVID-19 patients. Scientific Reports, 2021, 11, 15343.	1.6	75
79	Fusion of convolution neural network, support vector machine and Sobel filter for accurate detection of COVID-19 patients using X-ray images. Biomedical Signal Processing and Control, 2021, 68, 102622.	3.5	117
80	The effect of French maritime pine bark extract supplementation on inflammation, nutritional and clinical status in critically ill patients with traumatic brain injury: A randomized controlled trial. Phytotherapy Research, 2021, 35, 5178-5188.	2.8	12
81	Challenges Faced by Healthcare Professionals During the COVID-19 Pandemic: A Qualitative Inquiry From Bangladesh. Frontiers in Public Health, 2021, 9, 647315.	1.3	121
82	Measuring routine childhood vaccination coverage in 204 countries and territories, 1980–2019: a systematic analysis for the Global Burden of Disease Study 2020, Release 1. Lancet, The, 2021, 398, 503-521.	6.3	93
83	COVID-19 Related Psychological Distress, Fear and Coping: Identification of High-Risk Groups in Bangladesh. Frontiers in Psychiatry, 2021, 12, 718654.	1.3	14
84	Barriers and facilitators to patient engagement in patient safety from patients and healthcare professionals' perspectives: A systematic review and metaâ€synthesis. Nursing Forum, 2021, 56, 938-949.	1.0	15
85	Climate change drives mass migration and threatens migrants' health: Is there a way out?. Ethics, Medicine and Public Health, 2021, 18, 100671.	0.5	1
86	Factors associated with low medication adherence in patients with Type 2 diabetes mellitus attending a tertiary hospital in Bangladesh. Lifestyle Medicine, 2021, 2, e47.	0.3	6
87	Smartphone-Based Interventions to Reduce Sedentary Behavior and Promote Physical Activity Using Integrated Dynamic Models: Systematic Review. Journal of Medical Internet Research, 2021, 23, e26315.	2.1	13
88	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.	6.3	229
89	The COVID-19 pandemic: an opportunity to make mental health a higher public health priority. BJPsych Open, 2021, 7, e172.	0.3	8
90	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. Lancet, The, 2021, 398, 957-980.	6.3	1,289

#	Article	IF	CITATIONS
91	Insufficient Physical Activity and Sedentary Behaviors among Medical Students during the COVID-19 Lockdown: Findings from a Cross-Sectional Study in Pakistan. International Journal of Environmental Research and Public Health, 2021, 18, 10257.	1.2	15
92	Tracking development assistance for health and for COVID-19: a review of development assistance, government, out-of-pocket, and other private spending on health for 204 countries and territories, 1990â€"2050. Lancet, The, 2021, 398, 1317-1343.	6.3	79
93	Psychological distress, fear and coping among Malaysians during the COVID-19 pandemic. PLoS ONE, 2021, 16, e0257304.	1.1	43
94	Determinants of Hepatitis B Virus (HBV) Infection Among University Students in Central Bangladesh. Journal of Community Health, $2021, 1.$	1.9	1
95	Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Neurology, The, 2021, 20, 795-820.	4.9	2,308
96	COVID-19: Factors associated with psychological distress, fear, and coping strategies among community members across 17 countries. Globalization and Health, 2021, 17, 117.	2.4	49
97	Yemen's triple emergency: Food crisis amid a civil war and COVID-19 pandemic. Public Health in Practice, 2021, 2, 100082.	0.7	14
98	COVID-19 disruption to medicine supply in Bangladesh: Searching for a solution to drug shortages. Public Health in Practice, 2021, 2, 100134.	0.7	6
99	"A 15% Reduction in Physical Inactivity Will Be Achieved in Australasia by 2030â€â€"Audience Votes Negative in Online Debate. Journal of Physical Activity and Health, 2021, 18, 1-4.	1.0	1
100	Shared-decision-making Behavior in Hospitalized Patients: Investigating the Impact of Patient's Trust in Physicians, Emotional Support, Informational Support, and Tendency to Excuse Using a Structural Equation Modeling Approach. Journal of Patient Experience, 2021, 8, 237437352110496.	0.4	3
101	Increased COVID-19 infection risk, COVID-19 vaccine inaccessibility, and unacceptability: Worrisome trio for patients with substance abuse disorders. Journal of Global Health, 2021, 11, 03106.	1.2	10
102	A pragmatic approach to COVID-19 vaccine passport. BMJ Global Health, 2021, 6, e006956.	2.0	18
103	Innovative approaches to strengthening health systems in low- and middle-income countries: Current models, developments, and challenges. Health Policy and Technology, 2021, 10, 100567.	1.3	6
104	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	<b>6.</b> 3	92
105	Uncertainty-Aware Semi-Supervised Method Using Large Unlabeled and Limited Labeled COVID-19 Data. ACM Transactions on Multimedia Computing, Communications and Applications, 2021, 17, 1-24.	3.0	33
106	Necrotizing Fasciitis of the Breast Requiring a Life-Saving Mastectomy: A Case Report and Literature Review. Cureus, 2021, 13, e19886.	0.2	4
107	Factors Associated with Chronic Kidney Disease in Patients with Type 2 Diabetes in Bangladesh. International Journal of Environmental Research and Public Health, 2021, 18, 12277.	1.2	1
108	Caregiver Engagement in Stroke Care: Opportunities and Challenges in Australia and Denmark. Frontiers in Public Health, 2021, 9, 758808.	1.3	12

#	Article	IF	CITATIONS
109	Challenges of Internet of Medical Things for Electronic Healthcare. , 2021, , .		4
110	The Pushing Sign for Early Skin Tethering in Breast Cancer. Cureus, 2021, 13, e20471.	0.2	0
111	Factors associated with antihypertensive medication use and blood pressure control in a rural area in Bangladesh: baseline data from a cluster randomised control trial. BMC Public Health, 2021, 21, 2316.	1.2	2
112	Understanding the sociodemographic factors associated with intention to receive SMS messages for health information in a rural area of Bangladesh. BMC Public Health, 2021, 21, 2326.	1.2	6
113	Short response on "Double and triple burden of noncommunicable diseases and its determinants among adults in Bangladesh: Evidence from a recent demographic and health survey― International Journal of Clinical Practice, 2021, 75, e14976.	0.8	0
114	Precision Surgery for Obesity. American Journal of Therapeutics, 2020, 27, e491-e494.	0.5	0
115	Cost-effectiveness of the introduction of two-dose bi-valent (Cervarix) and quadrivalent (Gardasil) HPV vaccination for adolescent girls in Bangladesh. Vaccine, 2020, 38, 165-172.	1.7	9
116	Cost-effectiveness of a mobile-phone text messaging intervention on type 2 diabetes—A randomized-controlled trial. Health Policy and Technology, 2020, 9, 79-85.	1.3	23
117	Determinants of depressive symptoms among older people in Bangladesh. Journal of Affective Disorders, 2020, 264, 157-162.	2.0	30
118	Response to letter "Are we really sure about the pycnogenol antihypertensive effect?― Pharmacological Research, 2020, 151, 104544.	3.1	0
119	Note: A section of the Risk of Cancer in the US Population: Is There an Association? Clinical Epidemiology, 2020, Volume 12, 1121-1127.	1.5	1
120	Factors associated with psychological distress, fear and coping strategies during the COVID-19 pandemic in Australia. Globalization and Health, 2020, 16, 95.	2.4	198
121	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	6.3	7,664
122	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	6.3	3,928
123	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	6.3	335
124	The hope and hype of telepsychiatry during the COVID-19 pandemic. Lancet Psychiatry, the, 2020, 7, e50.	3.7	19
125	Suicide on Facebook-the tales of unnoticed departure in Bangladesh. Global Mental Health (Cambridge, England), 2020, 7, e12.	1.0	11
126	Depression and suicidality among Bangladeshi students: Subject selection reasons and learning environment as potential risk factors. Perspectives in Psychiatric Care, 2020, 57, 1150-1162.	0.9	15

#	Article	IF	Citations
127	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	1.2	44
128	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	6.3	330
129	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	1.2	103
130	Unmet needs for mental care services for older people in Bangladesh during the COVID-19 pandemic. Annals of General Psychiatry, 2020, 33, e100294.	1.1	7
131	Missed nursing care and related factors in Iranian hospitals: A crossâ€sectional survey. Journal of Nursing Management, 2020, 28, 2205-2215.	1.4	47
132	First case of focal epilepsy associated with SARSâ€coronavirusâ€2. Journal of Medical Virology, 2020, 92, 2238-2242.	2.5	40
133	Risks to Bangladeshi children and young people during covid-19 outbreak. BMJ, The, 2020, 369, m2299.	3.0	9
134	Prevalence and attributable health burden of chronic respiratory diseases, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet Respiratory Medicine,the, 2020, 8, 585-596.	5.2	1,049
135	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000–17: analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 1779-1801.	6.3	72
136	The prevalence and correlates of fear of falling among older people in Bangladesh. Psychogeriatrics, 2020, 20, 771-773.	0.6	0
137	ABCG2 Overexpression Contributes to Pevonedistat Resistance. Cancers, 2020, 12, 429.	1.7	10
138	Defining a low carbohydrate diet: Proposal for a standardized consensus of carbohydrate intake (Carb-Cal Model). Diabetes Research and Clinical Practice, 2020, 166, 108284.	1.1	3
139	A comparative study on patient safety culture among emergency nurses in the public and private hospitals of Tabriz, Iran. Nursing Open, 2020, 7, 768-775.	1.1	13
140	Global and regional burden of chronic respiratory disease in 2016 arising from non-infectious airborne occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 142-150.	1.3	56
141	Evaluation of the effects of pycnogenol (French maritime pine bark extract) supplementation on inflammatory biomarkers and nutritional and clinical status in traumatic brain injury patients in an intensive care unit: A randomized clinical trial protocol. Trials, 2020, 21, 162.	0.7	22
142	Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 709-733.	6.3	2,858
143	Association of overweight and obesity with obstructive sleep apnoea: A systematic review and meta-analysis. Obesity Medicine, 2020, 17, 100185.	0.5	33
144	Network-Based Computational Approach to Identify Delineating Common Cell Pathways Influencing Type 2 Diabetes and Diseases of Bone and Joints. IEEE Access, 2020, 8, 1486-1497.	2.6	14

#	Article	IF	CITATIONS
145	Health sector spending and spending on HIV/AIDS, tuberculosis, and malaria, and development assistance for health: progress towards Sustainable Development Goal 3. Lancet, The, 2020, 396, 693-724.	6.3	87
146	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759.	15.2	47
147	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	1.2	44
148	Global and regional burden of disease and injury in 2016 arising from occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 133-141.	1.3	56
149	Global and regional burden of cancer in 2016 arising from occupational exposure to selected carcinogens: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 151-159.	1.3	64
150	Physical education class participation is associated with physical activity among adolescents in 65 countries. Scientific Reports, 2020, 10, 22128.	1.6	26
151	Web-Based Interventions for Dietary Behavior in Adults With Type 2 Diabetes: Systematic Review of Randomized Controlled Trials. Journal of Medical Internet Research, 2020, 22, e16437.	2.1	29
152	World's Oldest Case of Synchronous Bilateral Benign Phyllodes Tumors of the Breast: A Rare Occurrence. Cureus, 2020, 12, e12281.	0.2	2
153	Cardiovascular disease risk factors among school children of Bangladesh: a cross-sectional study. BMJ Open, 2020, 10, e038077.	0.8	O
154	Cardiovascular disease risk factors among school children of Bangladesh: a cross-sectional study. BMJ Open, 2020, 10, e038077.	0.8	1
155	mHealth Interventions for Exercise and Risk Factor Modification in Cardiovascular Disease. Exercise and Sport Sciences Reviews, 2019, 47, 86-90.	1.6	37
156	The Impact of Breast Clinic on the Mastectomy and Axillary Clearance Rates at a Tertiary Hospital in an Eastern Caribbean Nation: A Comparative Study. International Journal of Breast Cancer, 2019, 2019, 1-6.	0.6	2
157	Perceptions of appropriate treatment among the informal allopathic providers: insights from a qualitative study in two peri-urban areas in Bangladesh. BMC Health Services Research, 2019, 19, 424.	0.9	6
158	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature, 2019, 574, 353-358.	13.7	161
159	Machine learning and bioinformatics models to identify gene expression patterns of ovarian cancer associated with disease progression and mortality. Journal of Biomedical Informatics, 2019, 100, 103313.	2.5	44
160	Prevalence of goiter among children in Ethiopia and associated factors: a systematic review and meta-analysis. BMC Public Health, 2019, 19, 1191.	1.2	7
161	A meta-analysis of inpatient treatment outcomes of severe acute malnutrition and predictors of mortality among under-five children in Ethiopia. BMC Public Health, 2019, 19, 1175.	1.2	21
162	Clustering patterns of behavioural risk factors for cardiovascular diseases in Bangladeshi adolescents: A population-based study. Health Policy and Technology, 2019, 8, 386-392.	1.3	13

#	Article	IF	CITATIONS
163	Effects of pycnogenol on cardiometabolic health: A systematic review and meta-analysis of randomized controlled trials. Pharmacological Research, 2019, 150, 104472.	3.1	11
164	The role of social media in preventing and managing non-communicable diseases in low-and-middle income countries: Hope or hype?. Health Policy and Technology, 2019, 8, 96-101.	1.3	25
165	Text messaging support for patients with diabetes or coronary artery disease (SupportMe): protocol for a pragmatic randomised controlled trial. BMJ Open, 2019, 9, e025923.	0.8	9
166	Social media use is associated with sleep duration and disturbance among adolescents in Bangladesh. Health Policy and Technology, 2019, 8, 313-315.	1.3	10
167	Effects of LPDBD Plasma and Plasma Activated Water on Germination and Growth in Rapeseed (Brassica napus). Gesunde Pflanzen, 2019, 71, 175-185.	1.7	22
168	Effect of text messaging on depression in patients with coronary heart disease: a substudy analysis from the TEXT ME randomised controlled trial. BMJ Open, 2019, 9, e022637.	0.8	27
169	Largest giant juvenile fibroadenoma of the breast. BMJ Case Reports, 2019, 12, e227277.	0.2	12
170	Safe Hydration to Prevent Contrast-Induced Acute Kidney Injury and Worsening Heart Failure in Patients with Renal Insufficiency and Heart Failure Undergoing Coronary Angiography or Percutaneous Coronary Intervention. International Heart Journal, 2019, 60, 247-254.	0.5	13
171	Global, regional, and national burden of stroke, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 439-458.	4.9	2,005
172	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	4.9	2,625
173	Effects of intravenous hydration on risk of contrast induced nephropathy and in-hospital mortality in STEMI patients undergoing primary percutaneous coronary intervention: a systematic review and meta-analysis of randomized controlled trials. BMC Cardiovascular Disorders, 2019, 19, 87.	0.7	12
174	Mobile phone text-messaging interventions aimed to prevent cardiovascular diseases (Text2PreventCVD): systematic review and individual patient data meta-analysis. Open Heart, 2019, 6, e001017.	0.9	56
175	Non-communicable disease (NCD) corners in public sector health facilities in Bangladesh: a qualitative study assessing challenges and opportunities for improving NCD services at the primary healthcare level. BMJ Open, 2019, 9, e029562.	0.8	37
176	Efficacy and safety of dual combination therapy of blood pressure-lowering drugs as initial treatment for hypertension. Journal of Hypertension, 2019, 37, 1768-1774.	0.3	60
177	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	4.9	1,064
178	Prevalence and determinants of anti-tuberculosis treatment non-adherence in Ethiopia: A systematic review and meta-analysis. PLoS ONE, 2019, 14, e0210422.	1.1	51
179	Rejoinder to "Patient preferences for the delivery of cardiac rehabilitation― Patient Education and Counseling, 2019, 102, 394-395.	1.0	1
180	An assessment of child protection in Bangladesh: How effective is NGO-led Child-Friendly Space?. Evaluation and Program Planning, 2019, 72, 8-15.	0.9	4

#	Article	IF	Citations
181	Optimization and experimental verification of the vibro-impact capsule system in fluid pipeline. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2019, 233, 880-894.	1.1	16
182	Acute respiratory infection related to air pollution in Bamenda, North West Region of Cameroon. Pan African Medical Journal, 2019, 32, 99.	0.3	9
183	Examining Development Processes for Text Messaging Interventions to Prevent Cardiovascular Disease: Systematic Literature Review. JMIR MHealth and UHealth, 2019, 7, e12191.	1.8	31
184	Toward Developing a Standardized Core Set of Outcome Measures in Mobile Health Interventions for Tuberculosis Management: Systematic Review. JMIR MHealth and UHealth, 2019, 7, e12385.	1.8	13
185	Validation and Acceptability of a Cuffless Wrist-Worn Wearable Blood Pressure Monitoring Device Among Users and Health Care Professionals: Mixed Methods Study. JMIR MHealth and UHealth, 2019, 7, e14706.	1.8	40
186	Plasma triglycerides as a risk factor for chronic kidney disease in type 2 diabetes mellitus: Evidence from northeastern Thailand. Diabetes Research and Clinical Practice, 2018, 138, 238-245.	1.1	16
187	Theories Applied to m-Health Interventions for Behavior Change in Low- and Middle-Income Countries: A Systematic Review. Telemedicine Journal and E-Health, 2018, 24, 727-741.	1.6	72
188	Management of Gastric Cancer With Umbilical Metastasis: A Case Report. American Journal of Therapeutics, 2018, 25, e388-e389.	0.5	0
189	A13510 Mobile phone text-messaging interventions aimed to prevent cardiovascular diseases (Text2PreventCVD). Journal of Hypertension, 2018, 36, e314-e315.	0.3	3
190	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	6.3	716
191	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	6.3	4,989
192	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269
193	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	6.3	294
194	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	6.3	8,569
195	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	6.3	335
196	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	6.3	2,123
197	Use of indices to measure socio-economic status (SES) in South-Asian urban health studies: a scoping review. Systematic Reviews, 2018, 7, 196.	2.5	17
198	Laparoscopic metabolic surgery for the treatment of type 2 diabetes in Asia: aÂscoping review and evidence-based analysis. BMC Surgery, 2018, 18, 73.	0.6	3

#	Article	IF	Citations
199	Weight loss surgery for obstructive sleep apnoea with obesity in adults: a systematic review and meta-analysis protocol. BMJ Open, 2018, 8, e020876.	0.8	7
200	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	6.3	638
201	A simple prediction model to estimate obstructive coronary artery disease. BMC Cardiovascular Disorders, 2018, 18, 7.	0.7	6
202	Untapped aspects of mass media campaigns for changing health behaviour towards non-communicable diseases in Bangladesh. Globalization and Health, 2018, 14, 7.	2.4	11
203	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	6.3	2,005
204	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. Lancet Diabetes and Endocrinology,the, 2018, 6, 798-808.	5 <b>.</b> 5	116
205	Middle East Respiratory Syndrome Coronavirus Antibodies in Dromedary Camels, Bangladesh, 2015. Emerging Infectious Diseases, 2018, 24, 926-928.	2.0	19
206	Parkin mediates the ubiquitination of VPS35 and modulates retromer-dependent endosomal sorting. Human Molecular Genetics, 2018, 27, 3189-3205.	1.4	53
207	Determination of hematological and serum biochemical reference values for indigenous sheep (Ovies) Tj ETQq1 1	0,784314	4 rgBT /Over
208	Depressive symptoms among participants with type 2 diabetes in Southeast Asia: A systematic review. Journal of Diabetology, 2018, 9, 19.	0.1	3
209	Hematological reference values for healthy fat-tailed sheep (Dhumba) in Bangladesh. Journal of Advanced Veterinary and Animal Research, 2018, 5, 481.	0.5	9
210	Human Resources for Mental Health in Low and Middle Income Countries. , 2018, , 354-374.		0
211	Influence of religiosity and spiritual coping on healthâ€related quality of life in Saudi haemodialysis patients. Hemodialysis International, 2017, 21, 125-132.	0.4	56
212	Association of lipoprotein(a) with longâ€term mortality following coronary angiography or percutaneous coronary intervention. Clinical Cardiology, 2017, 40, 674-678.	0.7	24
213	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	6.3	480
214	Patients' perspective of disease and medication adherence for type 2 diabetes in an urban area in Bangladesh: a qualitative study. BMC Research Notes, 2017, 10, 131.	0.6	35
215	Age at menarche and its socioeconomic determinants among female students in an urban area in Bangladesh. Sexual and Reproductive Healthcare, 2017, 12, 88-92.	0.5	10
216	Cultural competence among nursing students in Saudi Arabia: a crossâ€sectional study. International Nursing Review, 2017, 64, 215-223.	1.5	29

#	Article	IF	Citations
217	A novel risk score model for prediction of contrast-induced nephropathy after emergent percutaneous coronary intervention. International Journal of Cardiology, 2017, 230, 402-412.	0.8	35
218	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	6.3	573
219	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	6.3	1,589
220	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	6.3	3,565
221	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	6.3	5,578
222	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	6.3	1,879
223	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	6.3	284
224	Healthcare use and expenditure for diabetes in Bangladesh. BMJ Global Health, 2017, 2, e000033.	2.0	54
225	Compliance with standard precautions among baccalaureate nursing students in a Saudi university: A self-report study. Journal of Infection and Public Health, 2017, 10, 421-430.	1.9	30
226	Immediate versus deferred stenting for patients undergoing primary or emergent percutaneous coronary intervention. Medicine (United States), 2017, 96, e8477.	0.4	1
227	Primary greater omental GIST presenting with acute intra-abdominal haemorrhage. BMJ Case Reports, 2017, 2017, bcr-2017-220254.	0.2	6
228	Association of left ventricular ejection fraction with contrast-induced nephropathy and mortality following coronary angiography or intervention in patients with heart failure. Therapeutics and Clinical Risk Management, 2017, Volume 13, 887-895.	0.9	18
229	Diabetes knowledge and utilization of healthcare services among patients with type 2 diabetes mellitus in Dhaka, Bangladesh. BMC Health Services Research, 2017, 17, 586.	0.9	28
230	Can glycated hemoglobin act as a reliable glycemic indicator in patients with diabetic chronic kidney disease? evidence from the Northeast of Thailand. Medical Journal of Indonesia, 2017, 26, 102-8.	0.2	2
231	Home Blood Pressure Management Intervention in Low- to Middle-Income Countries: Protocol for a Mixed Methods Study. JMIR Research Protocols, 2017, 6, e188.	0.5	4
232	National drug policy reform for noncommunicable diseases in low-resource countries: an example from Bangladesh. Bulletin of the World Health Organization, 2017, 95, 382-384.	1.5	13
233	Synchronic volvulus of splenic flexure and caecum: a very rare cause of large bowel obstruction. BMJ Case Reports, 2016, 2016, bcr2015213029.	0.2	9
234	Isolation, identification and antimicrobial resistance profile of Staphylococcus aureus in Cockroaches (Periplaneta Americana). Journal of Advanced Veterinary and Animal Research, 2016, 3, 221.	0.5	11

#	Article	IF	Citations
235	Prevention of Hypertension in Bangladesh: A Review. Journal of Medicine (Bangladesh), 2016, 17, 30-35.	0.1	2
236	Volvulus of ileum: a rare cause of small bowel obstruction. BMJ Case Reports, 2016, 2016, bcr2016216159.	0.2	8
237	Synchronous volvulus of the sigmoid colon and caecum, a very rare cause of large bowel obstruction. BMJ Case Reports, 2016, 2016, bcr2016217116.	0.2	13
238	Relationship of dental diseases with coronary artery diseases and diabetes in Bangladesh. Cardiovascular Diagnosis and Therapy, 2016, 6, 131-137.	0.7	2
239	Ambient Temperature and Stroke Occurrence: A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2016, 13, 698.	1.2	55
240	Text2PreventCVD: protocol for a systematic review and individual participant data meta-analysis of text message-based interventions for the prevention of cardiovascular diseases. BMJ Open, 2016, 6, e012723.	0.8	16
241	mHealth in Cardiovascular Health Care. Heart Lung and Circulation, 2016, 25, 802-807.	0.2	147
242	Increasing prevalence of diabetes in Bangladesh: a scoping review. Public Health, 2016, 138, 4-11.	1.4	67
243	The impact of type 2 diabetes on health related quality of life in Bangladesh: results from a matched study comparing treated cases with non-diabetic controls. Health and Quality of Life Outcomes, 2016, 14, 129.	1.0	41
244	Training mid-level health cadres to improve health service delivery in rural Bangladesh. Primary Health Care Research and Development, 2016, 17, 503-513.	0.5	11
245	PS 15-24 A REVIEW OF CUFFLESS BLOOD PRESSURE MEASURING DEVICES POTENTIAL FOR USE IN ROUTINE CLINICAL PRACTICE. Journal of Hypertension, 2016, 34, e465.	0.3	3
246	Psycho-social factors associated with relapse to drug addiction in Bangladesh. Journal of Substance Use, 2016, 21, 627-630.	0.3	16
247	Mobile phone use and willingness to pay for SMS for diabetes in Bangladesh. Journal of Public Health, 2016, 38, 163-169.	1.0	38
248	Prevalence and Associated Factors of Depression Among Post-Stroke Patients in Bangladesh. International Journal of Mental Health and Addiction, 2016, 14, 154-166.	4.4	19
249	Spontaneous fistulisation and drainage of a pyogenic liver abscess into the stomach in an adult patient with sickle cell disease. BMJ Case Reports, 2016, 2016, bcr2015213735.	0.2	1
250	Prevalence of tobacco use and its contributing factors among adolescents in Bangladesh: Results from a population-based study. South Asian Journal of Cancer, 2016, 05, 186-188.	0.2	10
251	Isolation and epidemiology of multidrug resistant Escherichia coli from goats in Cox's Bazar, Bangladesh. Journal of Advanced Veterinary and Animal Research, 2016, 3, 166.	0.5	10
252	A cross sectional study of Infectious Bursal Disease and Newcastle Disease in poultry in Narsingdi district of Bangladesh. Journal of Advanced Veterinary and Animal Research, 2016, 3, 406.	0.5	3

#	Article	IF	CITATIONS
253	Increasing Burden of Diabetes in Bangladesh and the Role of Information Technology. Integrative Obesity and Diabetes, 2016, 2, .	0.2	O
254	Screening for depression after an acute myocardial infarction. Bangladesh Journal of Medical Science, 2016, 15, 655-656.	0.1	0
255	Prevalence of risk factors for hypertension: A cross-sectional study in an urban area of Bangladesh. Global Cardiology Science & Practice, 2015, 2015, 43.	0.3	40
256	Healthcare Use and Expenditure for Diabetes In Bangladesh: A Matched-Case-Control Study. Value in Health, 2015, 18, A619.	0.1	2
257	Developing effective policy strategies to retain health workers in rural Bangladesh: a policy analysis. Human Resources for Health, 2015, 13, 36.	1.1	33
258	Association between depression and diabetes amongst adults in Bangladesh: a hospital based case–control study. Journal of Global Health, 2015, 5, 020406.	1.2	33
259	Injecting Drug Users and Their Health Seeking Behavior: A Cross-Sectional Study in Dhaka, Bangladesh. Journal of Addiction, 2015, 2015, 1-8.	0.9	15
260	Diabetes knowledge and glycemic control among patients with type 2 diabetes in Bangladesh. SpringerPlus, 2015, 4, 284.	1.2	56
261	Risk factors and in-hospital outcome of acute ST segment elevation myocardial infarction in young Bangladeshi adults. BMC Cardiovascular Disorders, 2015, 15, 73.	0.7	22
262	Effects of Mobile Phone SMS to Improve Glycemic Control Among Patients With Type 2 Diabetes in Bangladesh: A Prospective, Parallel-Group, Randomized Controlled Trial. Diabetes Care, 2015, 38, e112-e113.	4.3	87
263	Prevalence of depression and its associated factors in patients with type 2 diabetes: A cross-sectional study in Dhaka, Bangladesh. Asian Journal of Psychiatry, 2015, 17, 36-41.	0.9	38
264	Clinical characteristics and complications of patients with type 2 diabetes attending an urban hospital in Bangladesh. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2015, 9, 7-13.	1.8	41
265	Implementation of information and communication technologies for health in Bangladesh. Bulletin of the World Health Organization, 2015, 93, 806-809.	1.5	29
266	Prevention of Hypertension in Bangladesh: A Review. Cardiovascular Journal, 2015, 7, 137-144.	0.0	3
267	Population based cancer registry in the developing countries: A first step towards cancer control programs and research. Journal of Cancer Research and Therapeutics, 2015, 11, 1044.	0.3	4
268	Therapeutic Advances in Thrombosis. Cardiovascular Journal, 2015, 7, 166-167.	0.0	0
269	Relationship between income generating activities of rural women and their reproductive health behavior in Bangladesh. Rural and Remote Health, 2015, 15, 3216.	0.4	3
270	Awareness and Self-Reported Health Hazards of Electromagnetic Waves from Mobile Phone Towers in Dhaka, Bangladesh: A Pilot Study. Advances in Public Health, 2014, 2014, 1-7.	0.7	9

#	Article	IF	CITATIONS
271	Serum lipid profile and its association with hypertension in Bangladesh. Vascular Health and Risk Management, 2014, 10, 327.	1.0	56
272	Adverse events in diabetic foot infections: a case control study comparing early versus delayed medical treatment after home remedies. Risk Management and Healthcare Policy, 2014, 7, 239.	1.2	4
273	Self-directed treatment for lower limb wounds in persons with diabetes: a short report. Patient Preference and Adherence, 2014, 8, 1173.	0.8	3
274	The Economic Impact of Hospitalization for Diabetic Foot Infections in a Caribbean Nation. , 2014, 18, e101-4.		30
275	Abdominal wall disruption with evisceration after blunt trauma. BMJ Case Reports, 2014, 2014, bcr2014203646-bcr2014203646.	0.2	4
276	Mobile phone intervention for increasing adherence to treatment for type 2 diabetes in an urban area of Bangladesh: protocol for a randomized controlled trial. BMC Health Services Research, 2014, 14, 586.	0.9	43
277	Wonder of Life ( <i>kalanchoe pinnata)</i> leaves to treat diabetic foot infections in Trinidad & Eamp; Tobago: a case control study. Tropical Doctor, 2014, 44, 209-213.	0.2	9
278	Topical "soft candle" applications for infected diabetic foot wounds: a cause for concern?. International Journal of Biomedical Science, 2014, 10, 111-7.	0.5	1
279	Social and economic impact of diabetics in Bangladesh: protocol for a case–control study. BMC Public Health, 2013, 13, 1217.	1.2	26
280	Microbial profile of diabetic foot infections in Trinidad and Tobago. Primary Care Diabetes, 2013, 7, 303-308.	0.9	17
281	Secondary Prevention of Diabetic Foot Infections in a Caribbean Nation. International Journal of Lower Extremity Wounds, 2013, 12, 234-238.	0.6	11
282	Epidemiology of Diabetic Foot Infections in an Eastern Caribbean Population: A Prospective Study. , 2013, 17, 37-40.		21
283	COVID-19: PsycholÂÂÂogical Distress, Fear, and Coping Strategies Among Community Members Across 17 Countries. SSRN Electronic Journal, 0, , .	0.4	0
284	Machine Learning-Based Approaches for Forecasting COVID-19 Cases in Bangladesh. SSRN Electronic Journal, $0, , .$	0.4	5
285	Relationship between income generating activities of rural women and their reproductive health behavior in Bangladesh. Rural and Remote Health, 0, , .	0.4	1
286	Burundi's â€~Worst Enemy': the Country's Fight Against COVID-19. Kesmas, 0, , .	0.1	0
287	Human Resources for Mental Health in Low and Middle Income Countries. Advances in Psychology, Mental Health, and Behavioral Studies, 0, , 144-164.	0.1	1
288	Is Bangladesh ready to open its schools? School closure and opening policy dilemma of Bangladesh. Journal of Global Health Science, 0, 3, .	1.7	0

#	Article	IF	CITATIONS
289	Consensus on Recommended Functions of a Smart Home System to Improve Self-Management Behaviors in People With Heart Failure: A Modified Delphi Approach. Frontiers in Cardiovascular Medicine, 0, 9, .	1.1	3