

Pedro Zapater

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1402550/publications.pdf>

Version: 2024-02-01

159
papers

4,697
citations

109321

35
h-index

118850

62
g-index

165
all docs

165
docs citations

165
times ranked

5950
citing authors

#	ARTICLE	IF	CITATIONS
1	Detection and identification of bacterial DNA in patients with cirrhosis and culture-negative, nonneutrocytic ascites. <i>Hepatology</i> , 2002, 36, 135-141.	7.3	264
2	Mismatch repair status in the prediction of benefit from adjuvant fluorouracil chemotherapy in colorectal cancer. <i>Gut</i> , 2006, 55, 848-855.	12.1	199
3	Risk of Cancer in Cases of Suspected Lynch Syndrome Without Germline Mutation. <i>Gastroenterology</i> , 2013, 144, 926-932.e1.	1.3	189
4	5-Fluorouracil Adjuvant Chemotherapy Does Not Increase Survival in Patients With CpG Island Methylator Phenotype Colorectal Cancer. <i>Gastroenterology</i> , 2011, 140, 1174-1181.	1.3	185
5	The efficacy of adjuvant chemotherapy with 5-fluorouracil in colorectal cancer depends on the mismatch repair status. <i>European Journal of Cancer</i> , 2009, 45, 365-373.	2.8	179
6	Bacterial DNA in patients with cirrhosis and noninfected ascites mimics the soluble immune response established in patients with spontaneous bacterial peritonitis. <i>Hepatology</i> , 2008, 47, 978-985.	7.3	152
7	Serum and ascitic fluid bacterial DNA: A new independent prognostic factor in noninfected patients with cirrhosis. <i>Hepatology</i> , 2008, 48, 1924-1931.	7.3	141
8	A sequential study of serum bacterial DNA in patients with advanced cirrhosis and ascites. <i>Hepatology</i> , 2004, 39, 484-491.	7.3	132
9	Modifiable endoscopic factors that influence the adenoma detection rate in colorectal cancer screening colonoscopies. <i>Gastrointestinal Endoscopy</i> , 2013, 77, 381-389.e1.	1.0	125
10	Bacterial DNA activates cell mediated immune response and nitric oxide overproduction in peritoneal macrophages from patients with cirrhosis and ascites. <i>Gut</i> , 2004, 53, 860-864.	12.1	116
11	Automated low flow pump system for the treatment of refractory ascites: A multi-center safety and efficacy study. <i>Journal of Hepatology</i> , 2013, 58, 922-927.	3.7	114
12	Gut Microbiota Dysbiosis Is Associated with Inflammation and Bacterial Translocation in Mice with CCl4-Induced Fibrosis. <i>PLoS ONE</i> , 2011, 6, e23037.	2.5	111
13	Determinants of Severity in Acute Pancreatitis. <i>Annals of Surgery</i> , 2019, 270, 348-355.	4.2	104
14	Fluid resuscitation with lactated Ringer's solution vs normal saline in acute pancreatitis: A triple-blind, randomized, controlled trial. <i>United European Gastroenterology Journal</i> , 2018, 6, 63-72.	3.8	98
15	The detection of bacterial DNA in blood of rats with CCl4-induced cirrhosis with ascites represents episodes of bacterial translocation. <i>Hepatology</i> , 2006, 44, 633-639.	7.3	88
16	Tobramycin penetration into epithelial lining fluid of patients with pneumonia. <i>Clinical Pharmacology and Therapeutics</i> , 1999, 65, 245-250.	4.7	71
17	Circulating levels of butyrate are inversely related to portal hypertension, endotoxemia, and systemic inflammation in patients with cirrhosis. <i>FASEB Journal</i> , 2019, 33, 11595-11605.	0.5	68
18	Genetic susceptibility to increased bacterial translocation influences the response to biological therapy in patients with Crohn's disease. <i>Gut</i> , 2014, 63, 272-280.	12.1	62

#	ARTICLE	IF	CITATIONS
19	Presence of bacterial-DNA in cirrhosis identifies a subgroup of patients with marked inflammatory response not related to endotoxin. <i>Journal of Hepatology</i> , 2008, 48, 61-67.	3.7	61
20	Brain edema dynamics in patients with overt hepatic encephalopathyA magnetic resonance imaging study. <i>NeuroImage</i> , 2010, 52, 481-487.	4.2	61
21	Gender Differences in Angiotensin-Converting Enzyme (ACE) Activity and Inhibition by Enalaprilat in Healthy Volunteers. <i>Journal of Cardiovascular Pharmacology</i> , 2004, 43, 737-744.	1.9	51
22	Bacterial translocation is downregulated by anti-TNF- α monoclonal antibody administration in rats with cirrhosis and ascites. <i>Journal of Hepatology</i> , 2007, 46, 797-803.	3.7	48
23	Cytokine association with bacterial DNA in serum of patients with inflammatory bowel disease. <i>Inflammatory Bowel Diseases</i> , 2009, 15, 508-514.	1.9	46
24	Peripheral neuropathy predicts nuclear gene defect in patients with mitochondrial ophthalmoplegia. <i>Brain</i> , 2014, 137, 3200-3212.	7.6	45
25	Tumor necrosis factor-alpha, interleukin-6, and nitric oxide in sterile ascitic fluid and serum from patients with cirrhosis who subsequently develop ascitic fluid infection. <i>Digestive Diseases and Sciences</i> , 2001, 46, 2360-2366.	2.3	44
26	Antimicrobial peptide response to blood translocation of bacterial DNA in Crohn's disease is affected by NOD2/CARD15 genotype. <i>Inflammatory Bowel Diseases</i> , 2011, 17, 1641-1650.	1.9	44
27	Dual-specificity phosphatase 6 regulates CD4+ T-cell functions and restrains spontaneous colitis in IL-10-deficient mice. <i>Mucosal Immunology</i> , 2015, 8, 505-515.	6.0	42
28	Endoscopist characteristics that influence the quality of colonoscopy. <i>Endoscopy</i> , 2016, 48, 241-247.	1.8	42
29	Nitric oxide in ascitic fluid is an independent predictor of the development of renal impairment in patients with cirrhosis and spontaneous bacterial peritonitis. <i>European Journal of Gastroenterology and Hepatology</i> , 2004, 16, 571-577.	1.6	41
30	Protective effect of <i>Bifidobacterium pseudocatenulatum</i> CECT7765 against induced bacterial antigen translocation in experimental cirrhosis. <i>Liver International</i> , 2014, 34, 850-858.	3.9	41
31	Absent in melanoma 2 triggers a heightened inflammasome response in ascitic fluid macrophages of patients with cirrhosis. <i>Journal of Hepatology</i> , 2015, 62, 64-71.	3.7	41
32	Minimal Hepatic Encephalopathy and Extrapyramidal Signs in Patients With Cirrhosis. <i>American Journal of Gastroenterology</i> , 2003, 98, 1599-1604.	0.4	40
33	Neuroprotection by the novel calcium antagonist PCA50938, nimodipine and flunarizine, in gerbil global brain ischemia. <i>Brain Research</i> , 1997, 772, 57-62.	2.2	36
34	Pharmacokinetic variations of acetaminophen according to liver dysfunction and portal hypertension status. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 20, 29-36.	3.7	36
35	Bacterial DNA Induces the Complement System Activation in Serum and Ascitic Fluid from Patients with Advanced Cirrhosis. <i>Journal of Clinical Immunology</i> , 2007, 27, 438-444.	3.8	36
36	Norfloxacin Modulates the Inflammatory Response and Directly Affects Neutrophils in Patients With Decompensated Cirrhosis. <i>Gastroenterology</i> , 2009, 137, 1669-1679.e1.	1.3	36

#	ARTICLE	IF	CITATIONS
37	An international multicenter study of early intravenous fluid administration and outcome in acute pancreatitis. <i>United European Gastroenterology Journal</i> , 2017, 5, 491-498.	3.8	36
38	Colorectal cancer molecular classification using BRAF, KRAS, microsatellite instability and CIMP status: Prognostic implications and response to chemotherapy. <i>PLoS ONE</i> , 2018, 13, e0203051.	2.5	35
39	Intracellular cytokine expression in peritoneal monocyte/macrophages obtained from patients with cirrhosis and presence of bacterial DNA. <i>European Journal of Gastroenterology and Hepatology</i> , 2005, 17, 45-51.	1.6	34
40	Bacterial DNA Translocation Holds Increased Insulin Resistance and Systemic Inflammatory Levels in Morbid Obese Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 2575-2583.	3.6	34
41	Gut Bacterial DNA Translocation is an Independent Risk Factor of Flare at Short Term in Patients With Crohn's Disease. <i>American Journal of Gastroenterology</i> , 2016, 111, 529-540.	0.4	34
42	Translocation of bacterial DNA from Gram-positive microorganisms is associated with a species-specific inflammatory response in serum and ascitic fluid of patients with cirrhosis. <i>Clinical and Experimental Immunology</i> , 2007, 150, 230-237.	2.6	32
43	Update of the Atlanta Classification of Severity of Acute Pancreatitis: Should a Moderate Category Be Included?. <i>Pancreatology</i> , 2010, 10, 613-619.	1.1	32
44	Usefulness of surveillance programmes for early diagnosis of hepatocellular carcinoma in clinical practice. <i>Liver International</i> , 2008, 28, 682-689.	3.9	31
45	<i>Bifidobacterium pseudocatenulatum</i> CECT7765 induces an M2 anti-inflammatory transition in macrophages from patients with cirrhosis. <i>Journal of Hepatology</i> , 2016, 64, 135-145.	3.7	31
46	A Beta-2-Adrenergic Receptor Activates Adenylate Cyclase in Human Erythrocyte Membranes at Physiological Calcium Plasma Concentrations. <i>Blood Cells, Molecules, and Diseases</i> , 2000, 26, 223-228.	1.4	30
47	A prospective study of the clarithromycin-digoxin interaction in elderly patients. <i>Journal of Antimicrobial Chemotherapy</i> , 2002, 50, 601-606.	3.0	30
48	AIM2 deficiency reduces the development of hepatocellular carcinoma in mice. <i>International Journal of Cancer</i> , 2018, 143, 2997-3007.	5.1	30
49	Interleukin-10-mediated heme oxygenase 1-induced underlying mechanism in inflammatory down-regulation by norfloxacin in cirrhosis. <i>Hepatology</i> , 2011, 53, 935-944.	7.3	29
50	Clinical significance of extrapyramidal signs in patients with cirrhosis. <i>Journal of Hepatology</i> , 2005, 42, 659-665.	3.7	28
51	Increased Risk of Colorectal Cancer in Patients With Multiple Serrated Polyps and Their First-Degree Relatives. <i>Gastroenterology</i> , 2017, 153, 106-112.e2.	1.3	28
52	Lactulose reduces bacterial DNA translocation, which worsens neurocognitive shape in cirrhotic patients with minimal hepatic encephalopathy. <i>Liver International</i> , 2017, 37, 212-223.	3.9	28
53	Perineal body anatomy seen by three-dimensional endovaginal ultrasound of asymptomatic nulliparae. <i>Colorectal Disease</i> , 2016, 18, 400-409.	1.4	27
54	Clinical effects and safety of different strategies for administering intravenous diuretics in acutely decompensated heart failure: a randomised clinical trial. <i>Emergency Medicine Journal</i> , 2014, 31, 706-713.	1.0	26

#	ARTICLE	IF	CITATIONS
55	KRAS and BRAF somatic mutations in colonic polyps and the risk of metachronous neoplasia. PLoS ONE, 2017, 12, e0184937.	2.5	26
56	Anticonvulsant effects of nimodipine and two novel dihydropyridines (PCA 50922 and PCA 50941) against seizures elicited by pentylentetrazole and electroconvulsive shock in mice. Brain Research, 1998, 796, 311-314.	2.2	25
57	Comparison of staging systems to predict survival in hepatocellular carcinoma. Liver International, 2006, 26, 673-679.	3.9	25
58	Acute Hepatitis in a Patient With Cirrhosis and Hepatocellular Carcinoma Treated With Sorafenib. American Journal of Gastroenterology, 2009, 104, 257-258.	0.4	25
59	Use of proton pump inhibitors decrease cellular oxidative burst in patients with decompensated cirrhosis. Journal of Gastroenterology and Hepatology (Australia), 2015, 30, 147-154.	2.8	25
60	Toll-like receptor polymorphisms compromise the inflammatory response against bacterial antigen translocation in cirrhosis. Scientific Reports, 2017, 7, 46425.	3.3	24
61	Bifidobacterium pseudocatenulatum CECT7765 promotes a TLR2-dependent anti-inflammatory response in intestinal lymphocytes from mice with cirrhosis. European Journal of Nutrition, 2016, 55, 197-206.	3.9	23
62	Effects of dotarizine and flunarizine on chromaffin cell viability and cytosolic Ca ²⁺ . European Journal of Pharmacology, 1999, 366, 309-317.	3.5	22
63	Variation in Colonoscopy Performance Measures According to Procedure Indication. Clinical Gastroenterology and Hepatology, 2020, 18, 1216-1223.e2.	4.4	22
64	Hepatotoxicity Related to Paraquat and Diquat Absorption Through Intact Skin. Digestive Diseases and Sciences, 2007, 52, 3282-3284.	2.3	21
65	Peritoneal macrophage priming in cirrhosis is related to ERK phosphorylation and IL-6 secretion. European Journal of Clinical Investigation, 2011, 41, 8-15.	3.4	21
66	Seroprevalence Study and Cross-Sectional Survey on COVID-19 for a Plan to Reopen the University of Alicante (Spain). International Journal of Environmental Research and Public Health, 2021, 18, 1908.	2.6	21
67	Effects of 1% -conotoxin MVIC on veratridine-induced cytotoxicity and cytosolic Ca ²⁺ oscillations. Brain Research, 1996, 714, 209-214.	2.2	20
68	Absence of an interaction between ibuprofen and zaleplon. American Journal of Health-System Pharmacy, 2000, 57, 1137-1141.	1.0	20
69	The use of β_2 -blockers is associated with a lower risk of developing hepatocellular carcinoma in patients with cirrhosis. European Journal of Gastroenterology and Hepatology, 2016, 28, 1194-1197.	1.6	20
70	Risk of drug-induced agranulocytosis: the case of calcium dobesilate. European Journal of Clinical Pharmacology, 2003, 58, 767-772.	1.9	18
71	The expression and activation of the AIM2 inflammasome correlates with inflammation and disease severity in patients with acute pancreatitis. Pancreatology, 2017, 17, 364-371.	1.1	18
72	A New Poisson and Bayesian-Based Method to Assign Risk and Causality in Patients with Suspected Hepatic Adverse Drug Reactions. Drug Safety, 2002, 25, 735-750.	3.2	17

#	ARTICLE	IF	CITATIONS
73	The existence of a relationship between increased serum alanine aminotransferase levels detected in premarketing clinical trials and postmarketing published hepatotoxicity case reports. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 31, 1337-1345.	3.7	17
74	Variations of pharmacokinetics of drugs in patients with cirrhosis. <i>Expert Review of Clinical Pharmacology</i> , 2016, 9, 441-458.	3.1	17
75	Treatment with non-selective beta-blockers affects the systemic inflammatory response to bacterial DNA in patients with cirrhosis. <i>Liver International</i> , 2018, 38, 2219-2227.	3.9	17
76	Endocrine disruption in Crohn's disease: Bisphenol A enhances systemic inflammatory response in patients with gut barrier translocation of dysbiotic microbiota products. <i>FASEB Journal</i> , 2021, 35, e21697.	0.5	17
77	Comparative pharmacoeconomic study of vancomycin and teicoplanin in intensive care patients. <i>International Journal of Antimicrobial Agents</i> , 2000, 15, 65-71.	2.5	16
78	Importance of endoscopist quality metrics for findings at surveillance colonoscopy: The detection-surveillance paradox. <i>United European Gastroenterology Journal</i> , 2018, 6, 622-629.	3.8	16
79	Bacterial DNA translocation contributes to systemic inflammation and to minor changes in the clinical outcome of liver transplantation. <i>Scientific Reports</i> , 2019, 9, 835.	3.3	16
80	Immunomodulating effects of antibiotics used in the prophylaxis of bacterial infections in advanced cirrhosis. <i>World Journal of Gastroenterology</i> , 2015, 21, 11493.	3.3	16
81	Role of interleukin 10 in norfloxacin prevention of luminal free endotoxin translocation in mice with cirrhosis. <i>Journal of Hepatology</i> , 2014, 61, 799-808.	3.7	15
82	Regulatory T Cells Restrict Permeability to Bacterial Antigen Translocation and Preserve Short-Chain Fatty Acids in Experimental Cirrhosis. <i>Hepatology Communications</i> , 2018, 2, 1610-1623.	4.3	15
83	A Case of Toxic Epidermal Necrolysis Secondary to Acetaminophen in a Child. <i>Current Drug Safety</i> , 2016, 11, 99-101.	0.6	14
84	Bacterial antigen translocation and age as BMI-independent contributing factors on systemic inflammation in NAFLD patients. <i>Liver International</i> , 2020, 40, 2182-2193.	3.9	14
85	Pharmacogenetic relevance of the CYP2C93 allele in a tenoxicam bioequivalence study performed on Spaniards. <i>Pharmacological Research</i> , 2009, 59, 62-68.	7.1	13
86	Improved hemodynamic and liver function in portal hypertensive cirrhotic rats after administration of <i>B. pseudocatenuatum</i> CECT 7765. <i>European Journal of Nutrition</i> , 2019, 58, 1647-1658.	3.9	13
87	Liver Sinusoidal Endothelial Cells Contribute to Hepatic Antigen-Presenting Cell Function and Th17 Expansion in Cirrhosis. <i>Cells</i> , 2020, 9, 1227.	4.1	13
88	Density of apamin-sensitive Ca ²⁺ -dependent K ⁺ channels in bovine chromaffin cells: Relevance to secretion. <i>Biochemical Pharmacology</i> , 1995, 49, 1459-1468.	4.4	12
89	Effects of the neuroprotectant lubeluzole on the cytotoxic actions of veratridine, barium, ouabain and 6-hydroxydopamine in chromaffin cells. <i>British Journal of Pharmacology</i> , 1998, 124, 1187-1196.	5.4	12
90	Acute and chronic hemodynamic changes after propranolol in patients with cirrhosis under primary and secondary prophylaxis of variceal bleeding: a pilot study. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 507-512.	1.6	12

#	ARTICLE	IF	CITATIONS
91	Beta-Adrenergic Receptor 1 Selective Antagonism Inhibits Norepinephrine-Mediated TNF-Alpha Downregulation in Experimental Liver Cirrhosis. PLoS ONE, 2012, 7, e43371.	2.5	12
92	Selective intestinal decontamination with norfloxacin enhances a regulatory T cell-mediated inflammatory control mechanism in cirrhosis. Liver International, 2016, 36, 1811-1820.	3.9	12
93	Norfloxacin is more effective than Rifaximin in avoiding bacterial translocation in an animal model of cirrhosis. Liver International, 2018, 38, 295-302.	3.9	12
94	Acidosis and extreme hyperkalemia associated with cholestyramine and spironolactone. Annals of Pharmacotherapy, 1995, 29, 199-200.	1.9	11
95	Grade of soluble inflammatory response is mainly affected by circulating bacterial <scp>DNA</scp> concentrations in cirrhosis. Liver International, 2016, 36, 1473-1480.	3.9	11
96	Causality assessment of liver injury after chronic oral amiodarone intake. Pharmacoepidemiology and Drug Safety, 2009, 18, 291-300.	1.9	10
97	Extrapyramidal signs predict the development of overt hepatic encephalopathy in patients with liver cirrhosis. European Journal of Gastroenterology and Hepatology, 2010, 22, 519-525.	1.6	10
98	Proteomic evidence of bacterial peptide translocation in afebrile patients with cirrhosis and ascites. Journal of Molecular Medicine, 2010, 88, 487-495.	3.9	10
99	Anti-TNF-alpha loss of response is associated with a decreased percentage of FoxP3+ T cells and a variant NOD2 genotype in patients with Crohn's disease. Journal of Gastroenterology, 2015, 50, 758-768.	5.1	10
100	Enhanced recovery after low- and medium-risk liver transplantation. A single-center prospective observational cohort study. International Journal of Surgery, 2021, 85, 46-54.	2.7	10
101	Absent in Melanoma 2 (AIM2) Regulates the Stability of Regulatory T Cells. International Journal of Molecular Sciences, 2022, 23, 2230.	4.1	10
102	IL26 modulates cytokine response and anti-TNF consumption in Crohn's disease patients with bacterial DNA. Journal of Molecular Medicine, 2017, 95, 1227-1236.	3.9	9
103	Effectiveness of a Multicomponent Group Psychological Intervention Program in Patients with Inflammatory Bowel Disease: A Randomized Trial. International Journal of Environmental Research and Public Health, 2021, 18, 5439.	2.6	9
104	Acute Effects of Dipyrone on Renal Function in Patients with Cirrhosis: A Randomized Controlled Trial. Basic and Clinical Pharmacology and Toxicology, 2015, 116, 257-263.	2.5	8
105	Impact of diuretics on the urate lowering therapy in patients with gout: analysis of an inception cohort. Arthritis Research and Therapy, 2018, 20, 53.	3.5	8
106	A comparison of two different dosages of somatostatin combined with sclerotherapy for the treatment of acute esophageal variceal bleeding: a prospective randomized trial. Revista Espanola De Enfermedades Digestivas, 2006, 98, 249-54.	0.3	8
107	Measurement of tobramycin in bronchoalveolar lavage fluid by a modified fluorescence polarization immunoassay. Journal of Antimicrobial Chemotherapy, 1995, 36, 1111-1113.	3.0	7
108	Comparison of the in vitro susceptibility of rifaximin versus norfloxacin against multidrug resistant bacteria in a hospital setting. A proof-of-concept study for use in advanced cirrhosis: Table A1. Gut, 2016, 65, 182-183.	12.1	7

#	ARTICLE	IF	CITATIONS
109	Diagnostic yield of early repeat colonoscopy after suboptimal bowel preparation in a fecal immunochemical test-based screening program. <i>Endoscopy</i> , 2020, 52, 1093-1100.	1.8	7
110	Macular Choroidal Neovascularization in Myopic Eyes After Phakic Intraocular Lens Implantation. <i>Journal of Refractive Surgery</i> , 2006, 22, 689-694.	2.3	7
111	Novel antimigraineur dotarizine releases Ca ²⁺ from caffeine-sensitive Ca ²⁺ stores of chromaffin cells. <i>British Journal of Pharmacology</i> , 1999, 128, 621-626.	5.4	6
112	Norfloxacin decreases bacterial adherence of quinolone-resistant strains of <i>Escherichia coli</i> isolated from patients with cirrhosis. <i>Alimentary Pharmacology and Therapeutics</i> , 2005, 21, 701-707.	3.7	6
113	aLicante sUrgical Community Emergencies New Tool for the enUmeration of Morbidities: a simplified auditing tool for community-acquired gastrointestinal surgical emergencies. <i>American Journal of Surgery</i> , 2016, 212, 917-926.	1.8	6
114	Risk of Cancer in Family Members of Patients with Lynch-Like Syndrome. <i>Cancers</i> , 2020, 12, 2225.	3.7	6
115	The Diagnosis of Drug-Induced Liver Disease. <i>Current Clinical Pharmacology</i> , 2006, 1, 207-216.	0.6	5
116	Functional status of beta-2-adrenoceptor in isolated membranes of mature erythrocytes from patients with cirrhosis and oesophageal varices. <i>Vascular Pharmacology</i> , 2006, 44, 464-468.	2.1	5
117	Actual Anti-TNF Trough Levels Relate to Serum IL-10 in Drug-Responding Patients With Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2019, 25, 1357-1366.	1.9	5
118	Simvastatin in the Prevention of Recurrent Pancreatitis: Design and Rationale of a Multicenter Triple-Blind Randomized Controlled Trial, the SIMBA Trial. <i>Frontiers in Medicine</i> , 2020, 7, 494.	2.6	5
119	Textbook outcome among patients undergoing enhanced recovery after liver transplantation stratified by risk. A single-center retrospective observational cohort study. <i>International Journal of Surgery</i> , 2022, 99, 106266.	2.7	5
120	International multidisciplinary survey on the initial management of acute pancreatitis: Perspective of point-of-care specialists focused on daily practice. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2023, 30, 325-337.	2.6	5
121	Effects of Somatic Methylation in Colonic Polyps on Risk of Developing Metachronous Advanced Colorectal Lesions. <i>Cancers</i> , 2021, 13, 246.	3.7	4
122	Immigrant IBD Patients in Spain Are Younger, Have More Extraintestinal Manifestations and Use More Biologics Than Native Patients. <i>Frontiers in Medicine</i> , 2022, 9, 823900.	2.6	4
123	Early postoperative complications after gastric bypass revisional surgery in patients with previous sleeve gastrectomy versus primary gastric bypass. <i>Surgery for Obesity and Related Diseases</i> , 2022, 18, 1246-1252.	1.2	4
124	Recurrent <i>Streptococcus sanguis</i> Meningitis in a Patient with a Ventriculoperitoneal Shunt. <i>Clinical Infectious Diseases</i> , 1994, 19, 808-808.	5.8	3
125	Environmental and intraperitoneal ethanol influences morphine antinociceptive effect in mice. <i>Life Sciences</i> , 2005, 77, 627-634.	4.3	3
126	Functionality of beta-adrenergic receptors in patients with cirrhosis treated chronically with non-selective beta-blockers. <i>Hepatology International</i> , 2020, 14, 858-868.	4.2	3

#	ARTICLE	IF	CITATIONS
127	Prediction of peritoneal soiling in acute appendicitis with simple clinical and laboratory data. Prospective, multicenter, cohort study of 2,645 adult patients nationwide. <i>International Journal of Surgery</i> , 2022, 104, 106741.	2.7	3
128	Do Muscarinic Receptors Play a Role in Acute Pancreatitis?. <i>Clinical Drug Investigation</i> , 2000, 20, 401-408.	2.2	2
129	Ketanserin potentiates morphine-induced antinociception mediated by kappa-receptor activation. <i>Pharmacological Research</i> , 2011, 64, 80-84.	7.1	2
130	Response to "Diagnosis of exocrine pancreatic insufficiency in chronic pancreatitis: 13 C-mixed Triglyceride Breath Test versus Fecal Elastase: Methodological issues". <i>Pancreatology</i> , 2017, 17, 648.	1.1	2
131	"Adrenergic receptor functionality and genotype in two different models of chronic inflammatory disease: Liver cirrhosis and osteoarthritis. <i>Molecular Medicine Reports</i> , 2018, 17, 7987-7995.	2.4	2
132	Single versus double experimental bile duct ligation model for inducing bacterial translocation. <i>American Journal of Surgery</i> , 2019, 218, 380-387.	1.8	2
133	Treatment with pegylated interferon alpha 2b and ribavirin in patients unresponsive to previous treatments with standard interferon as monotherapy or combined with ribavirin. <i>Revista Espanola De Enfermedades Digestivas</i> , 2005, 97, 306-16.	0.3	2
134	Survey of oral hydrocortisone utilization in Madrid (Spain). <i>Pharmacological Research</i> , 2002, 45, 15-20.	7.1	1
135	A polymerase chain reaction-based method detects a high incidence of bacterial translocation in cirrhotic rats with negative conventional cultures. <i>Journal of Hepatology</i> , 2003, 38, 71.	3.7	1
136	Su1673 Importance of the Endoscopist Quality Metrics on the Findings at Surveillance Colonoscopy. The Detection-Surveillance Paradox. <i>Gastrointestinal Endoscopy</i> , 2016, 83, AB389.	1.0	1
137	P076 IL-26 genetic polymorphisms impair cytokine response to bacterial DNA translocation and increase anti-TNF consumption in patients with Crohn's disease. <i>Journal of Crohn's and Colitis</i> , 2017, 11, S115-S116.	1.3	1
138	Clinical and Immunological Factors Associated with Recommended Trough Levels of Adalimumab and Infliximab in Patients with Crohn's Disease. <i>Frontiers in Pharmacology</i> , 2021, 12, 795272.	3.5	1
139	Relationship between extrapyramidal signs and minimal hepatic encephalopathy in compensated liver cirrhosis. <i>Journal of Hepatology</i> , 2002, 36, 203.	3.7	0
140	Pharmacokinetic variations of paracetamol according to the severity of liver disease. <i>Journal of Hepatology</i> , 2002, 36, 257.	3.7	0
141	Mismatch repair deficient colorectal cancer. Clinico-Pathological characteristics and relevance on chemotherapy response and survival. <i>Gastroenterology</i> , 2003, 124, A238.	1.3	0
142	Effect of anti-TNF therapy on bacterial translocation in cirrhotic rats with ascites. <i>Journal of Hepatology</i> , 2003, 38, 60.	3.7	0
143	Clinical importance of extrapyramidal signs in patients with cirrhosis. <i>Journal of Hepatology</i> , 2003, 38, 61.	3.7	0
144	176 First time evidence of dendritic cell populations in ascitic fluid of patients with cirrhosis. Immunophenotypic characterization according to the presence of bacterial DNA. <i>Journal of Hepatology</i> , 2006, 44, S74.	3.7	0

#	ARTICLE	IF	CITATIONS
145	Reply:. Hepatology, 2009, 49, 1393-1394.	7.3	0
146	602 Fecal Immunochemical Test Is More Cost-Effective Than Guaiac Fecal Occult Blood Test. Comparison Between Two Colorectal Cancer Screening Programs. Gastroenterology, 2009, 136, A-97.	1.3	0
147	Intensified Anti-TNF-Alpha Therapy and Bacterial-DNA Translocation in Patients With Mutated NOD2/ATG16L1-Combined Genotypes. Inflammatory Bowel Diseases, 2012, 18, S60.	1.9	0
148	Absent in melanoma (AIM2) but present in ascitic fluid macrophages from patients with cirrhosis. Journal of Hepatology, 2015, 62, 11-12.	3.7	0
149	Su2046 BRAF and KRAS Mutations in Colonic Polyps As Molecular Marker of Risk of Metachronous Advanced Neoplasia. Gastroenterology, 2016, 150, S620.	1.3	0
150	Genetic Profile of Polyps and Risk of Advanced Metachronous Lesions. Gastroenterology, 2017, 152, S541.	1.3	0
151	IL-26 Genetic Polymorphisms Impair Cytokine Response to Bacterial DNA Translocation and Increase Anti-TNF Consumption in Patients with Crohn's Disease. Gastroenterology, 2017, 152, S780.	1.3	0
152	Los estudios genéticos y la enfermedad hepática alcohólica. Revista Clinica Espanola, 2018, 218, 190-191.	0.6	0
153	SAT-058-In hepatic cirrhosis, the systemic levels of short chain fatty acids inversely correlate with the level of endotoxemia, and are negatively associated with an increased inflammatory response, impaired liver function and a higher HVPG. Journal of Hepatology, 2019, 70, e653.	3.7	0
154	Chondroitin sulfate/glucosamine hydrochloride induce a reduction in adrenergic serum markers in osteoarthritis patients similar to that produced by celecoxib. Osteoarthritis and Cartilage, 2017, 25, S105-S106.	1.3	0
155	Genetic profile of polyps and risk of advanced metachronous lesions.. Journal of Clinical Oncology, 2018, 36, 555-555.	1.6	0
156	Colorectal cancer molecular classification using BRAF, KRAS, microsatellite instability, and CIMP status: Prognostic implications and response to chemotherapy.. Journal of Clinical Oncology, 2018, 36, 668-668.	1.6	0
157	A small dose of intraarticular triamcinolone plus mepivacaine provides a rapid and sustained relief for gout flares. Reumatología Clínica, 2022, 18, 129-130.	0.5	0
158	A small dose of intraarticular triamcinolone plus mepivacaine provides a rapid and sustained relief for gout flares. Reumatología Clínica (English Edition), 2022, 18, 129-130.	0.3	0
159	Minimal hepatic encephalopathy and extrapyramidal signs in patients with cirrhosis. American Journal of Gastroenterology, 2003, 98, 1599-1604.	0.4	0