

Pedro Zapater

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1402550/publications.pdf>

Version: 2024-02-01

159
papers

4,697
citations

109321

35
h-index

118850

62
g-index

165
all docs

165
docs citations

165
times ranked

5950
citing authors

#	ARTICLE	IF	CITATIONS
1	International multidisciplinary survey on the initial management of acute pancreatitis: Perspective of point-of-care specialists focused on daily practice. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2023, 30, 325-337.	2.6	5
2	A small dose of intraarticular triamcinolone plus mepivacaine provides a rapid and sustained relief for gout flares. <i>Reumatología Clínica</i> , 2022, 18, 129-130.	0.5	0
3	Immigrant IBD Patients in Spain Are Younger, Have More Extraintestinal Manifestations and Use More Biologics Than Native Patients. <i>Frontiers in Medicine</i> , 2022, 9, 823900.	2.6	4
4	A small dose of intraarticular triamcinolone plus mepivacaine provides a rapid and sustained relief for gout flares. <i>Reumatología Clínica (English Edition)</i> , 2022, 18, 129-130.	0.3	0
5	Absent in Melanoma 2 (AIM2) Regulates the Stability of Regulatory T Cells. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2230.	4.1	10
6	Textbook outcome among patients undergoing enhanced recovery after liver transplantation stratified by risk. A single-center retrospective observational cohort study. <i>International Journal of Surgery</i> , 2022, 99, 106266.	2.7	5
7	Early postoperative complications after gastric bypass revisional surgery in patients with previous sleeve gastrectomy versus primary gastric bypass. <i>Surgery for Obesity and Related Diseases</i> , 2022, 18, 1246-1252.	1.2	4
8	Prediction of peritoneal soiling in acute appendicitis with simple clinical and laboratory data. Prospective, multicenter, cohort study of 2,645 adult patients nationwide. <i>International Journal of Surgery</i> , 2022, 104, 106741.	2.7	3
9	Enhanced recovery after low- and medium-risk liver transplantation. A single-center prospective observational cohort study. <i>International Journal of Surgery</i> , 2021, 85, 46-54.	2.7	10
10	Effects of Somatic Methylation in Colonic Polyps on Risk of Developing Metachronous Advanced Colorectal Lesions. <i>Cancers</i> , 2021, 13, 246.	3.7	4
11	Seroprevalence Study and Cross-Sectional Survey on COVID-19 for a Plan to Reopen the University of Alicante (Spain). <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1908.	2.6	21
12	Effectiveness of a Multicomponent Group Psychological Intervention Program in Patients with Inflammatory Bowel Disease: A Randomized Trial. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5439.	2.6	9
13	Endocrine disruption in Crohn's disease: Bisphenol A enhances systemic inflammatory response in patients with gut barrier translocation of dysbiotic microbiota products. <i>FASEB Journal</i> , 2021, 35, e21697.	0.5	17
14	Clinical and Immunological Factors Associated with Recommended Trough Levels of Adalimumab and Infliximab in Patients with Crohn's Disease. <i>Frontiers in Pharmacology</i> , 2021, 12, 795272.	3.5	1
15	Variation in Colonoscopy Performance Measures According to Procedure Indication. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 1216-1223.e2.	4.4	22
16	Functionality of beta-adrenergic receptors in patients with cirrhosis treated chronically with non-selective beta-blockers. <i>Hepatology International</i> , 2020, 14, 858-868.	4.2	3
17	Risk of Cancer in Family Members of Patients with Lynch-Like Syndrome. <i>Cancers</i> , 2020, 12, 2225.	3.7	6
18	Diagnostic yield of early repeat colonoscopy after suboptimal bowel preparation in a fecal immunochemical test-based screening program. <i>Endoscopy</i> , 2020, 52, 1093-1100.	1.8	7

#	ARTICLE	IF	CITATIONS
19	Liver Sinusoidal Endothelial Cells Contribute to Hepatic Antigen-Presenting Cell Function and Th17 Expansion in Cirrhosis. <i>Cells</i> , 2020, 9, 1227.	4.1	13
20	Bacterial antigen translocation and age as BMI-independent contributing factors on systemic inflammation in NAFLD patients. <i>Liver International</i> , 2020, 40, 2182-2193.	3.9	14
21	Simvastatin in the Prevention of Recurrent Pancreatitis: Design and Rationale of a Multicenter Triple-Blind Randomized Controlled Trial, the SIMBA Trial. <i>Frontiers in Medicine</i> , 2020, 7, 494.	2.6	5
22	Improved hemodynamic and liver function in portal hypertensive cirrhotic rats after administration of <i>B. pseudocatenulatum</i> CECT 7765. <i>European Journal of Nutrition</i> , 2019, 58, 1647-1658.	3.9	13
23	Circulating levels of butyrate are inversely related to portal hypertension, endotoxemia, and systemic inflammation in patients with cirrhosis. <i>FASEB Journal</i> , 2019, 33, 11595-11605.	0.5	68
24	SAT-058-In hepatic cirrhosis, the systemic levels of short chain fatty acids inversely correlate with the level of endotoxemia, and are negatively associated with an increased inflammatory response, impaired liver function and a higher HVPG. <i>Journal of Hepatology</i> , 2019, 70, e653.	3.7	0
25	Bacterial DNA translocation contributes to systemic inflammation and to minor changes in the clinical outcome of liver transplantation. <i>Scientific Reports</i> , 2019, 9, 835.	3.3	16
26	Actual Anti-TNF Trough Levels Relate to Serum IL-10 in Drug-Responding Patients With Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2019, 25, 1357-1366.	1.9	5
27	Single versus double experimental bile duct ligation model for inducing bacterial translocation. <i>American Journal of Surgery</i> , 2019, 218, 380-387.	1.8	2
28	Determinants of Severity in Acute Pancreatitis. <i>Annals of Surgery</i> , 2019, 270, 348-355.	4.2	104
29	Los estudios genéticos y la enfermedad hepática alcohólica. <i>Revista Clinica Espanola</i> , 2018, 218, 190-191.	0.6	0
30	Fluid resuscitation with lactated Ringer's solution vs normal saline in acute pancreatitis: A triple-blind, randomized, controlled trial. <i>United European Gastroenterology Journal</i> , 2018, 6, 63-72.	3.8	98
31	Norfloxacin is more effective than Rifaximin in avoiding bacterial translocation in an animal model of cirrhosis. <i>Liver International</i> , 2018, 38, 295-302.	3.9	12
32	Importance of endoscopist quality metrics for findings at surveillance colonoscopy: The detection-surveillance paradox. <i>United European Gastroenterology Journal</i> , 2018, 6, 622-629.	3.8	16
33	β ₂ -adrenergic receptor functionality and genotype in two different models of chronic inflammatory disease: Liver cirrhosis and osteoarthritis. <i>Molecular Medicine Reports</i> , 2018, 17, 7987-7995.	2.4	2
34	Regulatory T Cells Restrict Permeability to Bacterial Antigen Translocation and Preserve Short-Chain Fatty Acids in Experimental Cirrhosis. <i>Hepatology Communications</i> , 2018, 2, 1610-1623.	4.3	15
35	Colorectal cancer molecular classification using BRAF, KRAS, microsatellite instability and CIMP status: Prognostic implications and response to chemotherapy. <i>PLoS ONE</i> , 2018, 13, e0203051.	2.5	35
36	Treatment with non-selective beta-blockers affects the systemic inflammatory response to bacterial DNA in patients with cirrhosis. <i>Liver International</i> , 2018, 38, 2219-2227.	3.9	17

#	ARTICLE	IF	CITATIONS
37	Impact of diuretics on the urate lowering therapy in patients with gout: analysis of an inception cohort. <i>Arthritis Research and Therapy</i> , 2018, 20, 53.	3.5	8
38	AIM2 deficiency reduces the development of hepatocellular carcinoma in mice. <i>International Journal of Cancer</i> , 2018, 143, 2997-3007.	5.1	30
39	Genetic profile of polyps and risk of advanced metachronous lesions.. <i>Journal of Clinical Oncology</i> , 2018, 36, 555-555.	1.6	0
40	Colorectal cancer molecular classification using BRAF, KRAS, microsatellite instability, and CIMP status: Prognostic implications and response to chemotherapy.. <i>Journal of Clinical Oncology</i> , 2018, 36, 668-668.	1.6	0
41	Increased Risk of Colorectal Cancer in Patients With Multiple Serrated Polyps and Their First-Degree Relatives. <i>Gastroenterology</i> , 2017, 153, 106-112.e2.	1.3	28
42	Toll-like receptor polymorphisms compromise the inflammatory response against bacterial antigen translocation in cirrhosis. <i>Scientific Reports</i> , 2017, 7, 46425.	3.3	24
43	Response to "Diagnosis of exocrine pancreatic insufficiency in chronic pancreatitis: 13 C-mixed Triglyceride Breath Test versus Fecal Elastase: Methodological issues" <i>Pancreatology</i> , 2017, 17, 648.	1.1	2
44	The expression and activation of the AIM2 inflammasome correlates with inflammation and disease severity in patients with acute pancreatitis. <i>Pancreatology</i> , 2017, 17, 364-371.	1.1	18
45	IL26 modulates cytokine response and anti-TNF consumption in Crohn's disease patients with bacterial DNA. <i>Journal of Molecular Medicine</i> , 2017, 95, 1227-1236.	3.9	9
46	Genetic Profile of Polyps and Risk of Advanced Metachronous Lesions. <i>Gastroenterology</i> , 2017, 152, S541.	1.3	0
47	IL-26 Genetic Polymorphisms Impair Cytokine Response to Bacterial DNA Translocation and Increase Anti-TNF Consumption in Patients with Crohn's Disease. <i>Gastroenterology</i> , 2017, 152, S780.	1.3	0
48	An international multicenter study of early intravenous fluid administration and outcome in acute pancreatitis. <i>United European Gastroenterology Journal</i> , 2017, 5, 491-498.	3.8	36
49	Lactulose reduces bacterial DNA translocation, which worsens neurocognitive shape in cirrhotic patients with minimal hepatic encephalopathy. <i>Liver International</i> , 2017, 37, 212-223.	3.9	28
50	P076 IL-26 genetic polymorphisms impair cytokine response to bacterial DNA translocation and increase anti-TNF consumption in patients with Crohn's disease. <i>Journal of Crohn's and Colitis</i> , 2017, 11, S115-S116.	1.3	1
51	KRAS and BRAF somatic mutations in colonic polyps and the risk of metachronous neoplasia. <i>PLoS ONE</i> , 2017, 12, e0184937.	2.5	26
52	Chondroitin sulfate/glucosamine hydrochloride induce a reduction in adrenergic serum markers in osteoarthritis patients similar to that produced by celecoxib. <i>Osteoarthritis and Cartilage</i> , 2017, 25, S105-S106.	1.3	0
53	A Case of Toxic Epidermal Necrolysis Secondary to Acetaminophen in a Child. <i>Current Drug Safety</i> , 2016, 11, 99-101.	0.6	14
54	Selective intestinal decontamination with norfloxacin enhances a regulatory T cell-mediated inflammatory control mechanism in cirrhosis. <i>Liver International</i> , 2016, 36, 1811-1820.	3.9	12

#	ARTICLE	IF	CITATIONS
55	Perineal body anatomy seen by three-dimensional endovaginal ultrasound of asymptomatic nulliparae. <i>Colorectal Disease</i> , 2016, 18, 400-409.	1.4	27
56	aLicante sUrgical Community Emergencies New Tool for the enUmeration of Morbidities: a simplified auditing tool for community-acquired gastrointestinal surgical emergencies. <i>American Journal of Surgery</i> , 2016, 212, 917-926.	1.8	6
57	Su1673 Importance of the Endoscopist Quality Metrics on the Findings at Surveillance Colonoscopy. The Detection-Surveillance Paradox. <i>Gastrointestinal Endoscopy</i> , 2016, 83, AB389.	1.0	1
58	The use of β -blockers is associated with a lower risk of developing hepatocellular carcinoma in patients with cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, 1194-1197.	1.6	20
59	Su2046 BRAF and KRAS Mutations in Colonic Polyps As Molecular Marker of Risk of Metachronous Advanced Neoplasia. <i>Gastroenterology</i> , 2016, 150, S620.	1.3	0
60	Grade of soluble inflammatory response is mainly affected by circulating bacterial λ -DNA concentrations in cirrhosis. <i>Liver International</i> , 2016, 36, 1473-1480.	3.9	11
61	<i>Bifidobacterium pseudocatenulatum</i> CECT7765 promotes a TLR2-dependent anti-inflammatory response in intestinal lymphocytes from mice with cirrhosis. <i>European Journal of Nutrition</i> , 2016, 55, 197-206.	3.9	23
62	Endoscopist characteristics that influence the quality of colonoscopy. <i>Endoscopy</i> , 2016, 48, 241-247.	1.8	42
63	Gut Bacterial DNA Translocation is an Independent Risk Factor of Flare at Short Term in Patients With Crohn's Disease. <i>American Journal of Gastroenterology</i> , 2016, 111, 529-540.	0.4	34
64	Variations of pharmacokinetics of drugs in patients with cirrhosis. <i>Expert Review of Clinical Pharmacology</i> , 2016, 9, 441-458.	3.1	17
65	<i>Bifidobacterium pseudocatenulatum</i> CECT7765 induces an M2 anti-inflammatory transition in macrophages from patients with cirrhosis. <i>Journal of Hepatology</i> , 2016, 64, 135-145.	3.7	31
66	Comparison of the in vitro susceptibility of rifaximin versus norfloxacin against multidrug resistant bacteria in a hospital setting. A proof-of-concept study for use in advanced cirrhosis: Table 1. <i>Gut</i> , 2016, 65, 182-183.	12.1	7
67	Absent in melanoma (AIM2) but present in ascitic fluid macrophages from patients with cirrhosis. <i>Journal of Hepatology</i> , 2015, 62, 11-12.	3.7	0
68	Dual-specificity phosphatase 6 regulates CD4+ T-cell functions and restrains spontaneous colitis in IL-10-deficient mice. <i>Mucosal Immunology</i> , 2015, 8, 505-515.	6.0	42
69	Use of proton pump inhibitors decrease cellular oxidative burst in patients with decompensated cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 147-154.	2.8	25
70	Anti-TNF-alpha loss of response is associated with a decreased percentage of FoxP3+ T cells and a variant NOD2 genotype in patients with Crohn's disease. <i>Journal of Gastroenterology</i> , 2015, 50, 758-768.	5.1	10
71	Acute Effects of Dipyron on Renal Function in Patients with Cirrhosis: A Randomized Controlled Trial. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 116, 257-263.	2.5	8
72	Absent in melanoma 2 triggers a heightened inflammasome response in ascitic fluid macrophages of patients with cirrhosis. <i>Journal of Hepatology</i> , 2015, 62, 64-71.	3.7	41

#	ARTICLE	IF	CITATIONS
73	Immunomodulating effects of antibiotics used in the prophylaxis of bacterial infections in advanced cirrhosis. <i>World Journal of Gastroenterology</i> , 2015, 21, 11493.	3.3	16
74	Peripheral neuropathy predicts nuclear gene defect in patients with mitochondrial ophthalmoplegia. <i>Brain</i> , 2014, 137, 3200-3212.	7.6	45
75	Protective effect of <i>Bifidobacterium pseudocatenulatum</i> CECT7765 against induced bacterial antigen translocation in experimental cirrhosis. <i>Liver International</i> , 2014, 34, 850-858.	3.9	41
76	Genetic susceptibility to increased bacterial translocation influences the response to biological therapy in patients with Crohn's disease. <i>Gut</i> , 2014, 63, 272-280.	12.1	62
77	Clinical effects and safety of different strategies for administering intravenous diuretics in acutely decompensated heart failure: a randomised clinical trial. <i>Emergency Medicine Journal</i> , 2014, 31, 706-713.	1.0	26
78	Bacterial DNA Translocation Holds Increased Insulin Resistance and Systemic Inflammatory Levels in Morbid Obese Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 2575-2583.	3.6	34
79	Role of interleukin 10 in norfloxacin prevention of luminal free endotoxin translocation in mice with cirrhosis. <i>Journal of Hepatology</i> , 2014, 61, 799-808.	3.7	15
80	Automated low flow pump system for the treatment of refractory ascites: A multi-center safety and efficacy study. <i>Journal of Hepatology</i> , 2013, 58, 922-927.	3.7	114
81	Modifiable endoscopic factors that influence the adenoma detection rate in colorectal cancer screening colonoscopies. <i>Gastrointestinal Endoscopy</i> , 2013, 77, 381-389.e1.	1.0	125
82	Risk of Cancer in Cases of Suspected Lynch Syndrome Without Germline Mutation. <i>Gastroenterology</i> , 2013, 144, 926-932.e1.	1.3	189
83	Intensified Anti-TNF-Alpha Therapy and Bacterial-DNA Translocation in Patients With Mutated NOD2/ATG16L1-Combined Genotypes. <i>Inflammatory Bowel Diseases</i> , 2012, 18, S60.	1.9	0
84	Beta-Adrenergic Receptor 1 Selective Antagonism Inhibits Norepinephrine-Mediated TNF-Alpha Downregulation in Experimental Liver Cirrhosis. <i>PLoS ONE</i> , 2012, 7, e43371.	2.5	12
85	5-Fluorouracil Adjuvant Chemotherapy Does Not Increase Survival in Patients With CpG Island Methylator Phenotype Colorectal Cancer. <i>Gastroenterology</i> , 2011, 140, 1174-1181.	1.3	185
86	Ketanserin potentiates morphine-induced antinociception mediated by kappa-receptor activation. <i>Pharmacological Research</i> , 2011, 64, 80-84.	7.1	2
87	Gut Microbiota Dysbiosis Is Associated with Inflammation and Bacterial Translocation in Mice with CCl4-Induced Fibrosis. <i>PLoS ONE</i> , 2011, 6, e23037.	2.5	111
88	Peritoneal macrophage priming in cirrhosis is related to ERK phosphorylation and IL6 secretion. <i>European Journal of Clinical Investigation</i> , 2011, 41, 8-15.	3.4	21
89	Interleukin-10-mediated heme oxygenase 1-induced underlying mechanism in inflammatory down-regulation by norfloxacin in cirrhosis. <i>Hepatology</i> , 2011, 53, 935-944.	7.3	29
90	Antimicrobial peptide response to blood translocation of bacterial DNA in Crohn's disease is affected by NOD2/CARD15 genotype. <i>Inflammatory Bowel Diseases</i> , 2011, 17, 1641-1650.	1.9	44

#	ARTICLE	IF	CITATIONS
91	Acute and chronic hemodynamic changes after propranolol in patients with cirrhosis under primary and secondary prophylaxis of variceal bleeding: a pilot study. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 507-512.	1.6	12
92	Extrapyramidal signs predict the development of overt hepatic encephalopathy in patients with liver cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 519-525.	1.6	10
93	Proteomic evidence of bacterial peptide translocation in afebrile patients with cirrhosis and ascites. <i>Journal of Molecular Medicine</i> , 2010, 88, 487-495.	3.9	10
94	The existence of a relationship between increased serum alanine aminotransferase levels detected in premarketing clinical trials and postmarketing published hepatotoxicity case reports. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 31, 1337-1345.	3.7	17
95	Brain edema dynamics in patients with overt hepatic encephalopathy A magnetic resonance imaging study. <i>NeuroImage</i> , 2010, 52, 481-487.	4.2	61
96	Update of the Atlanta Classification of Severity of Acute Pancreatitis: Should a Moderate Category Be Included?. <i>Pancreatology</i> , 2010, 10, 613-619.	1.1	32
97	Acute Hepatitis in a Patient With Cirrhosis and Hepatocellular Carcinoma Treated With Sorafenib. <i>American Journal of Gastroenterology</i> , 2009, 104, 257-258.	0.4	25
98	Reply:. <i>Hepatology</i> , 2009, 49, 1393-1394.	7.3	0
99	Cytokine association with bacterial DNA in serum of patients with inflammatory bowel disease. <i>Inflammatory Bowel Diseases</i> , 2009, 15, 508-514.	1.9	46
100	Causality assessment of liver injury after chronic oral amiodarone intake. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 291-300.	1.9	10
101	The efficacy of adjuvant chemotherapy with 5-fluorouracil in colorectal cancer depends on the mismatch repair status. <i>European Journal of Cancer</i> , 2009, 45, 365-373.	2.8	179
102	Pharmacogenetic relevance of the CYP2C93 allele in a tenoxicam bioequivalence study performed on Spaniards. <i>Pharmacological Research</i> , 2009, 59, 62-68.	7.1	13
103	602 Fecal Immunochemical Test Is More Cost-Effective Than Guaiac Fecal Occult Blood Test. Comparison Between Two Colorectal Cancer Screening Programs. <i>Gastroenterology</i> , 2009, 136, A-97.	1.3	0
104	Norfloxacin Modulates the Inflammatory Response and Directly Affects Neutrophils in Patients With Decompensated Cirrhosis. <i>Gastroenterology</i> , 2009, 137, 1669-1679.e1.	1.3	36
105	Bacterial DNA in patients with cirrhosis and noninfected ascites mimics the soluble immune response established in patients with spontaneous bacterial peritonitis. <i>Hepatology</i> , 2008, 47, 978-985.	7.3	152
106	Serum and ascitic fluid bacterial DNA: A new independent prognostic factor in noninfected patients with cirrhosis. <i>Hepatology</i> , 2008, 48, 1924-1931.	7.3	141
107	Usefulness of surveillance programmes for early diagnosis of hepatocellular carcinoma in clinical practice. <i>Liver International</i> , 2008, 28, 682-689.	3.9	31
108	Presence of bacterial-DNA in cirrhosis identifies a subgroup of patients with marked inflammatory response not related to endotoxin. <i>Journal of Hepatology</i> , 2008, 48, 61-67.	3.7	61

#	ARTICLE	IF	CITATIONS
109	Bacterial translocation is downregulated by anti-TNF- $\hat{\pm}$ monoclonal antibody administration in rats with cirrhosis and ascites. <i>Journal of Hepatology</i> , 2007, 46, 797-803.	3.7	48
110	Translocation of bacterial DNA from Gram-positive microorganisms is associated with a species-specific inflammatory response in serum and ascitic fluid of patients with cirrhosis. <i>Clinical and Experimental Immunology</i> , 2007, 150, 230-237.	2.6	32
111	Hepatotoxicity Related to Paraquat and Diquat Absorption Through Intact Skin. <i>Digestive Diseases and Sciences</i> , 2007, 52, 3282-3284.	2.3	21
112	Bacterial DNA Induces the Complement System Activation in Serum and Ascitic Fluid from Patients with Advanced Cirrhosis. <i>Journal of Clinical Immunology</i> , 2007, 27, 438-444.	3.8	36
113	176 First time evidence of dendritic cell populations in ascitic fluid of patients with cirrhosis. Immunophenotypic characterization according to the presence of bacterial DNA. <i>Journal of Hepatology</i> , 2006, 44, S74.	3.7	0
114	The Diagnosis of Drug-Induced Liver Disease. <i>Current Clinical Pharmacology</i> , 2006, 1, 207-216.	0.6	5
115	Comparison of staging systems to predict survival in hepatocellular carcinoma. <i>Liver International</i> , 2006, 26, 673-679.	3.9	25
116	Functional status of beta-2-adrenoceptor in isolated membranes of mature erythrocytes from patients with cirrhosis and oesophageal varices. <i>Vascular Pharmacology</i> , 2006, 44, 464-468.	2.1	5
117	The detection of bacterial DNA in blood of rats with CCl4-induced cirrhosis with ascites represents episodes of bacterial translocation. <i>Hepatology</i> , 2006, 44, 633-639.	7.3	88
118	Mismatch repair status in the prediction of benefit from adjuvant fluorouracil chemotherapy in colorectal cancer. <i>Gut</i> , 2006, 55, 848-855.	12.1	199
119	Macular Choroidal Neovascularization in Myopic Eyes After Phakic Intraocular Lens Implantation. <i>Journal of Refractive Surgery</i> , 2006, 22, 689-694.	2.3	7
120	A comparison of two different dosages of somatostatin combined with sclerotherapy for the treatment of acute esophageal variceal bleeding: a prospective randomized trial. <i>Revista Espanola De Enfermedades Digestivas</i> , 2006, 98, 249-54.	0.3	8
121	Intracellular cytokine expression in peritoneal monocyte/macrophages obtained from patients with cirrhosis and presence of bacterial DNA. <i>European Journal of Gastroenterology and Hepatology</i> , 2005, 17, 45-51.	1.6	34
122	Norfloxacin decreases bacterial adherence of quinolone-resistant strains of <i>Escherichia coli</i> isolated from patients with cirrhosis. <i>Alimentary Pharmacology and Therapeutics</i> , 2005, 21, 701-707.	3.7	6
123	Clinical significance of extrapyramidal signs in patients with cirrhosis. <i>Journal of Hepatology</i> , 2005, 42, 659-665.	3.7	28
124	Environmental and intraperitoneal ethanol influences morphine antinociceptive effect in mice. <i>Life Sciences</i> , 2005, 77, 627-634.	4.3	3
125	Treatment with pegylated interferon alpha 2b and ribavirin in patients unresponsive to previous treatments with standard interferon as monotherapy or combined with ribavirin. <i>Revista Espanola De Enfermedades Digestivas</i> , 2005, 97, 306-16.	0.3	2
126	Pharmacokinetic variations of acetaminophen according to liver dysfunction and portal hypertension status. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 20, 29-36.	3.7	36

#	ARTICLE	IF	CITATIONS
127	A sequential study of serum bacterial DNA in patients with advanced cirrhosis and ascites. <i>Hepatology</i> , 2004, 39, 484-491.	7.3	132
128	Bacterial DNA activates cell mediated immune response and nitric oxide overproduction in peritoneal macrophages from patients with cirrhosis and ascites. <i>Gut</i> , 2004, 53, 860-864.	12.1	116
129	Gender Differences in Angiotensin-Converting Enzyme (ACE) Activity and Inhibition by Enalaprilat in Healthy Volunteers. <i>Journal of Cardiovascular Pharmacology</i> , 2004, 43, 737-744.	1.9	51
130	Nitric oxide in ascitic fluid is an independent predictor of the development of renal impairment in patients with cirrhosis and spontaneous bacterial peritonitis. <i>European Journal of Gastroenterology and Hepatology</i> , 2004, 16, 571-577.	1.6	41
131	Risk of drug-induced agranulocytosis: the case of calcium dobesilate. <i>European Journal of Clinical Pharmacology</i> , 2003, 58, 767-772.	1.9	18
132	Mismatch repair deficient colorectal cancer. Clinico-Pathological characteristics and relevance on chemotherapy response and survival. <i>Gastroenterology</i> , 2003, 124, A238.	1.3	0
133	A polymerase chain reaction-based method detects a high incidence of bacterial translocation in cirrhotic rats with negative conventional cultures. <i>Journal of Hepatology</i> , 2003, 38, 71.	3.7	1
134	Effect of anti-TNF therapy on bacterial translocation in cirrhotic rats with ascites. <i>Journal of Hepatology</i> , 2003, 38, 60.	3.7	0
135	Clinical importance of extrapyramidal signs in patients with cirrhosis. <i>Journal of Hepatology</i> , 2003, 38, 61.	3.7	0
136	Minimal Hepatic Encephalopathy and Extrapyramidal Signs in Patients With Cirrhosis. <i>American Journal of Gastroenterology</i> , 2003, 98, 1599-1604.	0.4	40
137	Minimal hepatic encephalopathy and extrapyramidal signs in patients with cirrhosis. <i>American Journal of Gastroenterology</i> , 2003, 98, 1599-1604.	0.4	0
138	A prospective study of the clarithromycin-digoxin interaction in elderly patients. <i>Journal of Antimicrobial Chemotherapy</i> , 2002, 50, 601-606.	3.0	30
139	A New Poisson and Bayesian-Based Method to Assign Risk and Causality in Patients with Suspected Hepatic Adverse Drug Reactions. <i>Drug Safety</i> , 2002, 25, 735-750.	3.2	17
140	Survey of oral hydrocortisone utilization in Madrid (Spain). <i>Pharmacological Research</i> , 2002, 45, 15-20.	7.1	1
141	Relationship between extrapyramidal signs and minimal hepatic encephalopathy in compensated liver cirrhosis. <i>Journal of Hepatology</i> , 2002, 36, 203.	3.7	0
142	Pharmacokinetic variations of paracetamol according to the severity of liver disease. <i>Journal of Hepatology</i> , 2002, 36, 257.	3.7	0
143	Detection and identification of bacterial DNA in patients with cirrhosis and culture-negative, nonneutrocytic ascites. <i>Hepatology</i> , 2002, 36, 135-141.	7.3	264
144	Tumor necrosis factor-alpha, interleukin-6, and nitric oxide in sterile ascitic fluid and serum from patients with cirrhosis who subsequently develop ascitic fluid infection. <i>Digestive Diseases and Sciences</i> , 2001, 46, 2360-2366.	2.3	44

#	ARTICLE	IF	CITATIONS
145	Absence of an interaction between ibuprofen and zaleplon. <i>American Journal of Health-System Pharmacy</i> , 2000, 57, 1137-1141.	1.0	20
146	A Beta-2-Adrenergic Receptor Activates Adenylate Cyclase in Human Erythrocyte Membranes at Physiological Calcium Plasma Concentrations. <i>Blood Cells, Molecules, and Diseases</i> , 2000, 26, 223-228.	1.4	30
147	Comparative pharmaco-economic study of vancomycin and teicoplanin in intensive care patients. <i>International Journal of Antimicrobial Agents</i> , 2000, 15, 65-71.	2.5	16
148	Do Muscarinic Receptors Play a Role in Acute Pancreatitis?. <i>Clinical Drug Investigation</i> , 2000, 20, 401-408.	2.2	2
149	Novel antimigraineur dotarizine releases Ca ²⁺ from caffeine-sensitive Ca ²⁺ stores of chromaffin cells. <i>British Journal of Pharmacology</i> , 1999, 128, 621-626.	5.4	6
150	Tobramycin penetration into epithelial lining fluid of patients with pneumonia. <i>Clinical Pharmacology and Therapeutics</i> , 1999, 65, 245-250.	4.7	71
151	Effects of dotarizine and flunarizine on chromaffin cell viability and cytosolic Ca ²⁺ . <i>European Journal of Pharmacology</i> , 1999, 366, 309-317.	3.5	22
152	Effects of the neuroprotectant lubeluzole on the cytotoxic actions of veratridine, barium, ouabain and 6-hydroxydopamine in chromaffin cells. <i>British Journal of Pharmacology</i> , 1998, 124, 1187-1196.	5.4	12
153	Anticonvulsant effects of nimodipine and two novel dihydropyridines (PCA 50922 and PCA 50941) against seizures elicited by pentylenetetrazole and electroconvulsive shock in mice. <i>Brain Research</i> , 1998, 796, 311-314.	2.2	25
154	Neuroprotection by the novel calcium antagonist PCA50938, nimodipine and flunarizine, in gerbil global brain ischemia. <i>Brain Research</i> , 1997, 772, 57-62.	2.2	36
155	Effects of 1% -conotoxin MVIIC on veratridine-induced cytotoxicity and cytosolic Ca ²⁺ oscillations. <i>Brain Research</i> , 1996, 714, 209-214.	2.2	20
156	Acidosis and extreme hyperkalemia associated with cholestyramine and spironolactone. <i>Annals of Pharmacotherapy</i> , 1995, 29, 199-200.	1.9	11
157	Measurement of tobramycin in bronchoalveolar lavage fluid by a modified fluorescence polarization immunoassay. <i>Journal of Antimicrobial Chemotherapy</i> , 1995, 36, 1111-1113.	3.0	7
158	Density of apamin-sensitive Ca ²⁺ -dependent K ⁺ channels in bovine chromaffin cells: Relevance to secretion. <i>Biochemical Pharmacology</i> , 1995, 49, 1459-1468.	4.4	12
159	Recurrent <i>Streptococcus sanguis</i> Meningitis in a Patient with a Ventriculoperitoneal Shunt. <i>Clinical Infectious Diseases</i> , 1994, 19, 808-808.	5.8	3