

# Mahn-Won Park

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/140508/publications.pdf>

Version: 2024-02-01

35  
papers

462  
citations

687363

13  
h-index

752698

20  
g-index

36  
all docs

36  
docs citations

36  
times ranked

682  
citing authors

#	ARTICLE	IF	CITATIONS
1	Unguided de-escalation from ticagrelor to clopidogrel in stabilised patients with acute myocardial infarction undergoing percutaneous coronary intervention (TALOS-AMI): an investigator-initiated, open-label, multicentre, non-inferiority, randomised trial. <i>Lancet</i> , The, 2021, 398, 1305-1316.	13.7	87
2	Coronary Computed Tomographic Angiographic Findings in Asymptomatic Patients With Type 2 Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2014, 113, 765-771.	1.6	42
3	Impact of Intravascular Ultrasound on Long-Term Clinical Outcomes in Patients With Acute Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 2431-2443.	2.9	36
4	Trends, Characteristics, and Clinical Outcomes of Patients Undergoing Percutaneous Coronary Intervention in Korea between 2011 and 2015. <i>Korean Circulation Journal</i> , 2018, 48, 310.	1.9	28
5	Impact of Percutaneous Coronary Intervention for Chronic Total Occlusion in Non-Infarct-Related Arteries in Patients With Acute Myocardial Infarction (from the COREA-AMI Registry). <i>American Journal of Cardiology</i> , 2016, 117, 1039-1046.	1.6	25
6	Impact of Postprocedural TIMI Flow on Long-Term Clinical Outcomes in Patients with Acute Myocardial Infarction. <i>International Heart Journal</i> , 2017, 58, 674-685.	1.0	25
7	Long-Term Percutaneous Coronary Intervention Rates and Associated Independent Predictors for Progression of Nonintervened Nonculprit Coronary Lesions. <i>American Journal of Cardiology</i> , 2009, 104, 648-652.	1.6	19
8	Comparison of Coronary Computed Tomographic Angiographic Findings in Asymptomatic Subjects With Versus Without Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2015, 116, 372-378.	1.6	18
9	Association between body mass index and 1-year outcome after acute myocardial infarction. <i>PLoS ONE</i> , 2019, 14, e0217525.	2.5	18
10	A prospective, multicentre, randomised, open-label trial to compare the efficacy and safety of clopidogrel versus ticagrelor in stabilised patients with acute myocardial infarction after percutaneous coronary intervention: rationale and design of the TALOS-AMI trial. <i>EuroIntervention</i> , 2021, 16, 1170-1176.	3.2	17
11	Obstructive Sleep Apnea Using WatchPAT 200 Is Independently Associated With an Increase in Morning Blood Pressure Surge in Never-Treated Hypertensive Patients. <i>Journal of Clinical Hypertension</i> , 2015, 17, 675-681.	2.0	16
12	Incidence and clinical impact of fracture of drug-eluting stents widely used in current clinical practice: Comparison with initial platform of sirolimus-eluting stent. <i>Journal of Cardiology</i> , 2012, 60, 215-221.	1.9	14
13	Evaluation of the incremental prognostic value of the combination of CYP2C19 poor metabolizer status and ABCB1 3435 TT polymorphism over conventional risk factors for cardiovascular events after drug-eluting stent implantation in East Asians. <i>Genetics in Medicine</i> , 2016, 18, 833-841.	2.4	14
14	Comparison between angiotensin-converting enzyme inhibitor and angiotensin receptor blocker after percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2020, 306, 35-41.	1.7	12
15	Impact of diabetes mellitus in patients undergoing contemporary percutaneous coronary intervention: Results from a Korean nationwide study. <i>PLoS ONE</i> , 2018, 13, e0208746.	2.5	11
16	Clinical Outcome of Rotational Atherectomy in Calcified Lesions in Korea-ROCK Registry. <i>Medicina (Lithuania)</i> , 2021, 57, 694.	2.0	11
17	Myocardial Mechanics in a Rat Model with Banding and Debanding of the Ascending Aorta. <i>Journal of Cardiovascular Imaging</i> , 2014, 22, 189.	0.8	10
18	Moderate-intensity versus high-intensity statin therapy in Korean patients with angina undergoing percutaneous coronary intervention with drug-eluting stents: A propensity-score matching analysis. <i>PLoS ONE</i> , 2018, 13, e0207889.	2.5	9

#	ARTICLE	IF	CITATIONS
19	Effects of Percutaneous Coronary Intervention on Depressive Symptoms in Chronic Stable Angina Patients. <i>Psychiatry Investigation</i> , 2012, 9, 252.	1.6	9
20	Ischemic and Bleeding Events Associated with Thrombocytopenia and Thrombocytosis after Percutaneous Coronary Intervention in Patients with Acute Myocardial Infarction. <i>Journal of Clinical Medicine</i> , 2020, 9, 3370.	2.4	6
21	Risks of Recurrent Cardiovascular Events and Mortality in 1-Year Survivors of Acute Myocardial Infarction Implanted with Newer-Generation Drug-Eluting Stents. <i>Journal of Clinical Medicine</i> , 2021, 10, 3642.	2.4	5
22	The Prognostic Value of the Left Ventricular Ejection Fraction Is Dependent upon the Severity of Mitral Regurgitation in Patients with Acute Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2015, 30, 903.	2.5	4
23	Relationship of Serial High-Sensitivity C-Reactive Protein Changes to Long-term Clinical Outcomes in Stabilised Patients After Myocardial Infarction. <i>Canadian Journal of Cardiology</i> , 2022, 38, 92-101.	1.7	4
24	Effects of Smoking on Long-Term Clinical Outcomes and Lung Cancer in Patients with Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2021, 51, 336.	1.9	3
25	Temporal Trends of Major Bleeding and Its Prediction by the Academic Research Consortium-High Bleeding Risk Criteria in Acute Myocardial Infarction. <i>Journal of Clinical Medicine</i> , 2022, 11, 988.	2.4	3
26	J-curve relationship between long term glycemic control and mortality in diabetic patients with acute myocardial infarction undergoing percutaneous coronary intervention. <i>Cardiovascular Diabetology</i> , 2021, 20, 234.	6.8	3
27	Comparison of Clinical Efficacy and Safety of Clopidogrel Resinate With Clopidogrel Bisulfate in Patients Undergoing Percutaneous Coronary Intervention. <i>Cardiovascular Drugs and Therapy</i> , 2013, 27, 441-449.	2.6	2
28	3D Printed Personalized External Aortic Root Model in Marfan Syndrome with Isolated Sinus of Valsalva Aneurysm Caused by a Novel Pathogenic FBN1 p.Gly1127Cys Variant. <i>Diagnostics</i> , 2021, 11, 1057.	2.6	2
29	Visit-to-visit blood pressure variability and mortality and cardiovascular outcomes after acute myocardial infarction. <i>Journal of Human Hypertension</i> , 2021, , .	2.2	2
30	Gender Differences in the Impact of New-Onset Atrial Fibrillation on Long-Term Risk of Ischemic Stroke after Acute Myocardial Infarction. <i>Journal of Clinical Medicine</i> , 2021, 10, 5141.	2.4	2
31	Gender differences in clinical outcomes of acute myocardial infarction undergoing percutaneous coronary intervention: insights from the KAMIR-NIH Registry. <i>Journal of Geriatric Cardiology</i> , 2020, 17, 680-693.	0.2	2
32	Balancing Between Ischemic and Bleeding Risk in PCI Patients With â€˜Bi-Riskâ€™™. <i>Korean Circulation Journal</i> , 2022, 52, 338.	1.9	2
33	Clinical implications of combined glucose intolerance in treatment-naïve hypertensive patients. <i>Clinical and Experimental Hypertension</i> , 2018, 40, 762-771.	1.3	1
34	Multivessel versus IRA-only PCI in patients with NSTEMI and severe left ventricular systolic dysfunction. <i>PLoS ONE</i> , 2021, 16, e0258525.	2.5	0
35	Case 1: A 44-Year-Old Woman Presented With Unexplained Painful Left Leg Swelling. <i>Journal of Korean Medical Science</i> , 2022, 37, .	2.5	0