

# Yi Lin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/140616/publications.pdf>

Version: 2024-02-01

155  
papers

21,690  
citations

34105

52  
h-index

10158

140  
g-index

157  
all docs

157  
docs citations

157  
times ranked

19014  
citing authors

#	ARTICLE	IF	CITATIONS
1	Axicabtagene Ciloleucel CAR T-Cell Therapy in Refractory Large B-Cell Lymphoma. <i>New England Journal of Medicine</i> , 2017, 377, 2531-2544.	27.0	3,865
2	Chimeric antigen receptor T-cell therapy " assessment and management of toxicities. <i>Nature Reviews Clinical Oncology</i> , 2018, 15, 47-62.	27.6	1,659
3	Long-term safety and activity of axicabtagene ciloleucel in refractory large B-cell lymphoma (ZUMA-1): a single-arm, multicentre, phase "2 trial. <i>Lancet Oncology</i> , The, 2019, 20, 31-42.	10.7	1,467
4	Origins of circulating endothelial cells and endothelial outgrowth from blood. <i>Journal of Clinical Investigation</i> , 2000, 105, 71-77.	8.2	1,370
5	Anti-BCMA CAR T-Cell Therapy bb2121 in Relapsed or Refractory Multiple Myeloma. <i>New England Journal of Medicine</i> , 2019, 380, 1726-1737.	27.0	1,130
6	Idecabtagene Vicleucel in Relapsed and Refractory Multiple Myeloma. <i>New England Journal of Medicine</i> , 2021, 384, 705-716.	27.0	1,129
7	Ciltacabtagene autoleucel, a B-cell maturation antigen-directed chimeric antigen receptor T-cell therapy in patients with relapsed or refractory multiple myeloma (CARTITUDE-1): a phase 1b/2 open-label study. <i>Lancet</i> , The, 2021, 398, 314-324.	13.7	711
8	Structure of FUS Protein Fibrils and Its Relevance to Self-Assembly and Phase Separation of Low-Complexity Domains. <i>Cell</i> , 2017, 171, 615-627.e16.	28.9	605
9	Circulating Activated Endothelial Cells in Sickle Cell Anemia. <i>New England Journal of Medicine</i> , 1997, 337, 1584-1590.	27.0	593
10	Standard-of-Care Axicabtagene Ciloleucel for Relapsed or Refractory Large B-Cell Lymphoma: Results From the US Lymphoma CAR T Consortium. <i>Journal of Clinical Oncology</i> , 2020, 38, 3119-3128.	1.6	481
11	Management of Newly Diagnosed Symptomatic Multiple Myeloma: Updated Mayo Stratification of Myeloma and Risk-Adapted Therapy (mSMART) Consensus Guidelines 2013. <i>Mayo Clinic Proceedings</i> , 2013, 88, 360-376.	3.0	440
12	Toxic PR Poly-Dipeptides Encoded by the C9orf72 Repeat Expansion Target LC Domain Polymers. <i>Cell</i> , 2016, 167, 789-802.e12.	28.9	363
13	Pembrolizumab in patients with CLL and Richter transformation or with relapsed CLL. <i>Blood</i> , 2017, 129, 3419-3427.	1.4	335
14	KTE-X19 for relapsed or refractory adult B-cell acute lymphoblastic leukaemia: phase 2 results of the single-arm, open-label, multicentre ZUMA-3 study. <i>Lancet</i> , The, 2021, 398, 491-502.	13.7	315
15	The LC Domain of hnRNPA2 Adopts Similar Conformations in Hydrogel Polymers, Liquid-like Droplets, and Nuclei. <i>Cell</i> , 2015, 163, 829-839.	28.9	262
16	Improved outcomes for newly diagnosed AL amyloidosis between 2000 and 2014: cracking the glass ceiling of early death. <i>Blood</i> , 2017, 129, 2111-2119.	1.4	249
17	Tumor burden, inflammation, and product attributes determine outcomes of axicabtagene ciloleucel in large B-cell lymphoma. <i>Blood Advances</i> , 2020, 4, 4898-4911.	5.2	238
18	Immunosuppressive CD14 <sup>+</sup> HLA <sup>DR</sup> <sup>low</sup> monocytes in prostate cancer. <i>Prostate</i> , 2010, 70, 443-455.	2.3	233

#	ARTICLE	IF	CITATIONS
19	Immunosuppressive CD14+HLA-DR <sup>low</sup> monocytes in B-cell non-Hodgkin lymphoma. <i>Blood</i> , 2011, 117, 872-881.	1.4	218
20	Toxic PR <sub>n</sub> poly-dipeptides encoded by the <i>C9orf72</i> repeat expansion block nuclear import and export. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E1111-E1117.	7.1	202
21	Normal human monocytes exposed to glioma cells acquire myeloid-derived suppressor cell-like properties. <i>Neuro-Oncology</i> , 2010, 12, 351-365.	1.2	197
22	Systemic immune suppression in glioblastoma: the interplay between CD14+HLA-DR <sup>lo</sup> /neg monocytes, tumor factors, and dexamethasone. <i>Neuro-Oncology</i> , 2010, 12, 631-644.	1.2	194
23	Coexistent Multiple Myeloma or Increased Bone Marrow Plasma Cells Define Equally High-Risk Populations in Patients With Immunoglobulin Light Chain Amyloidosis. <i>Journal of Clinical Oncology</i> , 2013, 31, 4319-4324.	1.6	193
24	Mesenchymal Stem Cell Carriers Protect Oncolytic Measles Viruses from Antibody Neutralization in an Orthotopic Ovarian Cancer Therapy Model. <i>Clinical Cancer Research</i> , 2009, 15, 7246-7255.	7.0	176
25	Risk stratification of smoldering multiple myeloma incorporating revised IMWG diagnostic criteria. <i>Blood Cancer Journal</i> , 2018, 8, 59.	6.2	171
26	Use of blood outgrowth endothelial cells for gene therapy for hemophilia A. <i>Blood</i> , 2002, 99, 457-462.	1.4	162
27	Ciltacabtagene Autoleucel, an Anti- $\mu$ B-cell Maturation Antigen Chimeric Antigen Receptor T-Cell Therapy, for Relapsed/Refractory Multiple Myeloma: CARTITUDE-1 2-Year Follow-Up. <i>Journal of Clinical Oncology</i> , 2023, 41, 1265-1274.	1.6	160
28	Importance of Achieving Stringent Complete Response After Autologous Stem-Cell Transplantation in Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2013, 31, 4529-4535.	1.6	147
29	IAP antagonists induce anti-tumor immunity in multiple myeloma. <i>Nature Medicine</i> , 2016, 22, 1411-1420.	30.7	133
30	Use of Chimeric Antigen Receptor T Cell Therapy in Clinical Practice for Relapsed/Refractory Aggressive B Cell Non-Hodgkin Lymphoma: An Expert Panel Opinion from the American Society for Transplantation and Cellular Therapy. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 2305-2321.	2.0	132
31	Therapy for Relapsed Multiple Myeloma. <i>Mayo Clinic Proceedings</i> , 2017, 92, 578-598.	3.0	115
32	Toxicity management after chimeric antigen receptor T cell therapy: one size does not fit 'ALL'. <i>Nature Reviews Clinical Oncology</i> , 2018, 15, 218-218.	27.6	114
33	Axicabtagene ciloleucel as first-line therapy in high-risk large B-cell lymphoma: the phase 2 ZUMA-12 trial. <i>Nature Medicine</i> , 2022, 28, 735-742.	30.7	114
34	Diagnosis and Management of Waldenström Macroglobulinemia. <i>JAMA Oncology</i> , 2017, 3, 1257.	7.1	110
35	A Method for Identification and Analysis of Non-Overlapping Myeloid Immunophenotypes in Humans. <i>PLoS ONE</i> , 2015, 10, e0121546.	2.5	100
36	KTE-X19 anti-CD19 CAR T-cell therapy in adult relapsed/refractory acute lymphoblastic leukemia: ZUMA-3 phase 1 results. <i>Blood</i> , 2021, 138, 11-22.	1.4	90

#	ARTICLE	IF	CITATIONS
37	Prophylactic corticosteroid use in patients receiving axicabtagene ciloleucel for large B-cell lymphoma. <i>British Journal of Haematology</i> , 2021, 194, 690-700.	2.5	88
38	Utilization of hematopoietic stem cell transplantation for the treatment of multiple myeloma: a Mayo Stratification of Myeloma and Risk-Adapted Therapy (mSMART) consensus statement. <i>Bone Marrow Transplantation</i> , 2019, 54, 353-367.	2.4	81
39	Kinetics of organ response and survival following normalization of the serum free light chain ratio in AL amyloidosis. <i>American Journal of Hematology</i> , 2015, 90, 181-186.	4.1	76
40	Outcomes of patients with renal monoclonal immunoglobulin deposition disease. <i>American Journal of Hematology</i> , 2016, 91, 1123-1128.	4.1	76
41	Outcomes of patients with POEMS syndrome treated initially with radiation. <i>Blood</i> , 2013, 122, 68-73.	1.4	74
42	Presentation and Outcomes of Localized Immunoglobulin Light Chain Amyloidosis. <i>Mayo Clinic Proceedings</i> , 2017, 92, 908-917.	3.0	72
43	N-terminal fragment of the type-B natriuretic peptide (NT-proBNP) contributes to a simple new frailty score in patients with newly diagnosed multiple myeloma. <i>American Journal of Hematology</i> , 2016, 91, 1129-1134.	4.1	71
44	Bendamustine and rituximab (BR) versus dexamethasone, rituximab, and cyclophosphamide (DRC) in patients with Waldenström macroglobulinemia. <i>Annals of Hematology</i> , 2018, 97, 1417-1425.	1.8	71
45	Depth of organ response in AL amyloidosis is associated with improved survival: grading the organ response criteria. <i>Leukemia</i> , 2018, 32, 2240-2249.	7.2	64
46	Revised diagnostic criteria for plasma cell leukemia: results of a Mayo Clinic study with comparison of outcomes to multiple myeloma. <i>Blood Cancer Journal</i> , 2018, 8, 116.	6.2	64
47	Clinical Application of Mesenchymal Stem Cells in the Treatment and Prevention of Graft-versus-Host Disease. <i>Advances in Hematology</i> , 2011, 2011, 1-17.	1.0	59
48	Immunosuppressive CD14 <sup>+</sup> HLA-DR <sup>lo</sup> /neg <sup>-</sup> monocytes are elevated in pancreatic cancer and are primed by tumor-derived exosomes. <i>Onc Immunology</i> , 2017, 6, e1252013.	4.6	59
49	A Modern Primer on Light Chain Amyloidosis in 592 Patients With Mass Spectrometry-Verified Typing. <i>Mayo Clinic Proceedings</i> , 2019, 94, 472-483.	3.0	59
50	Association of an increased frequency of CD14 <sup>+</sup> HLA-DR <sup>lo</sup> /neg <sup>-</sup> monocytes with decreased time to progression in chronic lymphocytic leukaemia (CLL). <i>British Journal of Haematology</i> , 2012, 156, 674-676.	2.5	58
51	Cell Damage in Light Chain Amyloidosis. <i>Journal of Biological Chemistry</i> , 2016, 291, 19813-19825.	3.4	58
52	Clinical characteristics and treatment outcomes of newly diagnosed multiple myeloma with chromosome 1q abnormalities. <i>Blood Advances</i> , 2020, 4, 3509-3519.	5.2	58
53	Long-term outcome of patients with POEMS syndrome: An update of the Mayo Clinic experience. <i>American Journal of Hematology</i> , 2016, 91, 585-589.	4.1	57
54	<i>MYD88</i> mutation status does not impact overall survival in Waldenström macroglobulinemia. <i>American Journal of Hematology</i> , 2018, 93, 187-194.	4.1	57

#	ARTICLE	IF	CITATIONS
55	Cancer Vaccines in the World of Immune Suppressive Monocytes (CD14+HLA-DRlo/neg Cells): The Gateway to Improved Responses. <i>Frontiers in Immunology</i> , 2014, 5, 147.	4.8	55
56	Safety and Accuracy of Percutaneous Image-Guided Core Biopsy of the Spleen. <i>American Journal of Roentgenology</i> , 2016, 206, 655-659.	2.2	54
57	Pomalidomide, bortezomib, and dexamethasone for patients with relapsed lenalidomide-refractory multiple myeloma. <i>Blood</i> , 2017, 130, 1198-1204.	1.4	54
58	Targeting cancer-associated fibroblasts in the bone marrow prevents resistance to CART-cell therapy in multiple myeloma. <i>Blood</i> , 2022, 139, 3708-3721.	1.4	53
59	Independent Prognostic Value of Stroke Volume Index in Patients With Immunoglobulin Light Chain Amyloidosis. <i>Circulation: Cardiovascular Imaging</i> , 2018, 11, e006588.	2.6	51
60	Immune monitoring using the predictive power of immune profiles. , 2013, 1, 7.		50
61	The prognostic value of multiparametric flow cytometry in AL amyloidosis at diagnosis and at the end of first-line treatment. <i>Blood</i> , 2017, 129, 82-87.	1.4	50
62	Clinical heterogeneity of diffuse large B cell lymphoma following failure of front-line immunochemotherapy. <i>British Journal of Haematology</i> , 2017, 179, 50-60.	2.5	49
63	Efficacy of VDT PACE-like regimens in treatment of relapsed/refractory multiple myeloma. <i>American Journal of Hematology</i> , 2018, 93, 179-186.	4.1	49
64	Outcomes of Patients with Large B-cell Lymphoma Progressing after Axicabtagene Ciloleucel. <i>Blood</i> , 2021, 137, 1832-1835.	1.4	48
65	Induction therapy preautologous stem cell transplantation in immunoglobulin light chain amyloidosis: a retrospective evaluation. <i>American Journal of Hematology</i> , 2016, 91, 984-988.	4.1	45
66	Overuse of organ biopsies in immunoglobulin light chain amyloidosis (AL): the consequence of failure of early recognition. <i>Annals of Medicine</i> , 2017, 49, 545-551.	3.8	45
67	Redox-mediated regulation of an evolutionarily conserved cross- $\beta$ structure formed by the TDP43 low complexity domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 28727-28734.	7.1	44
68	KarMMa-RW: comparison of idecabtagene vicleucel with real-world outcomes in relapsed and refractory multiple myeloma. <i>Blood Cancer Journal</i> , 2021, 11, 116.	6.2	44
69	Systemic Immunoglobulin Light Chain Amyloidosis-Associated Myopathy: Presentation, Diagnostic Pitfalls, and Outcome. <i>Mayo Clinic Proceedings</i> , 2016, 91, 1354-1361.	3.0	43
70	Mortality trends in multiple myeloma after the introduction of novel therapies in the United States. <i>Leukemia</i> , 2022, 36, 801-808.	7.2	43
71	Comparison of 2-year outcomes with CAR T cells (ZUMA-1) vs salvage chemotherapy in refractory large B-cell lymphoma. <i>Blood Advances</i> , 2021, 5, 4149-4155.	5.2	42
72	Beta-blockers improve survival outcomes in patients with multiple myeloma: a retrospective evaluation. <i>American Journal of Hematology</i> , 2017, 92, 50-55.	4.1	41

#	ARTICLE	IF	CITATIONS
73	Impact of acquired del(17p) in multiple myeloma. <i>Blood Advances</i> , 2019, 3, 1930-1938.	5.2	41
74	Ten-year survivors in AL amyloidosis: characteristics and treatment pattern. <i>British Journal of Haematology</i> , 2019, 187, 588-594.	2.5	40
75	Cardiotoxicity from chimeric antigen receptor-T cell therapy for advanced malignancies. <i>European Heart Journal</i> , 2022, 43, 1928-1940.	2.2	39
76	Natural history of multiple myeloma with de novo del(17p). <i>Blood Cancer Journal</i> , 2019, 9, 32.	6.2	38
77	Enhancing the R-ISS classification of newly diagnosed multiple myeloma by quantifying circulating clonal plasma cells. <i>American Journal of Hematology</i> , 2020, 95, 310-315.	4.1	37
78	Optimizing deep response assessment for AL amyloidosis using involved free light chain level at end of therapy: failure of the serum free light chain ratio. <i>Leukemia</i> , 2019, 33, 527-531.	7.2	36
79	Systemic amyloidosis associated with chronic lymphocytic leukemia/small lymphocytic lymphoma. <i>American Journal of Hematology</i> , 2013, 88, 375-378.	4.1	34
80	Intratumoral CD14+ Cells and Circulating CD14+HLA-DRlo/neg Monocytes Correlate with Decreased Survival in Patients with Clear Cell Renal Cell Carcinoma. <i>Clinical Cancer Research</i> , 2015, 21, 4224-4233.	7.0	33
81	Impact of MYD88<sup>L265P</sup> mutation status on histological transformation of Waldenström Macroglobulinemia. <i>American Journal of Hematology</i> , 2020, 95, 274-281.	4.1	33
82	Immunoglobulin light chain amyloidosis is diagnosed late in patients with preexisting plasma cell dyscrasias. <i>American Journal of Hematology</i> , 2014, 89, 1051-1054.	4.1	32
83	Implications of MYC Rearrangements in Newly Diagnosed Multiple Myeloma. <i>Clinical Cancer Research</i> , 2020, 26, 6581-6588.	7.0	32
84	Transiently structured head domains control intermediate filament assembly. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	32
85	Treatment of AL Amyloidosis: Mayo Stratification of Myeloma and Risk-Adapted Therapy (mSMART) Consensus Statement 2020 Update. <i>Mayo Clinic Proceedings</i> , 2021, 96, 1546-1577.	3.0	32
86	Immunotherapy of lymphomas. <i>Journal of Clinical Investigation</i> , 2020, 130, 1576-1585.	8.2	32
87	The chimeric antigen receptor-intensive care unit (CAR-ICU) initiative: Surveying intensive care unit practices in the management of CAR T-cell associated toxicities. <i>Journal of Critical Care</i> , 2020, 58, 58-64.	2.2	31
88	Clinical characteristics and outcomes in biclonal gammopathies. <i>American Journal of Hematology</i> , 2016, 91, 473-475.	4.1	30
89	A simple additive staging system for newly diagnosed multiple myeloma. <i>Blood Cancer Journal</i> , 2022, 12, 21.	6.2	30
90	Overall survival of transplant eligible patients with newly diagnosed multiple myeloma: comparative effectiveness analysis of modern induction regimens on outcome. <i>Blood Cancer Journal</i> , 2018, 8, 125.	6.2	29

#	ARTICLE	IF	CITATIONS
91	Bone marrow plasma cells 20% or greater discriminate presentation, response, and survival in AL amyloidosis. <i>Leukemia</i> , 2020, 34, 1135-1143.	7.2	29
92	Prognostic significance of interphase FISH in monoclonal gammopathy of undetermined significance. <i>Leukemia</i> , 2018, 32, 1811-1815.	7.2	28
93	The Society for Immunotherapy of Cancer consensus statement on immunotherapy for the treatment of multiple myeloma. , 2020, 8, e000734.		27
94	Comparison of Cilta-cel, an Anti-BCMA CAR-T Cell Therapy, Versus Conventional Treatment in Patients With Relapsed/Refractory Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, 22, 326-335.	0.4	27
95	Does bridging radiation therapy affect the pattern of failure after CAR T-cell therapy in non-Hodgkin lymphoma?. <i>Radiotherapy and Oncology</i> , 2022, 166, 171-179.	0.6	27
96	HLA class-I and class-II restricted neoantigen loads predict overall survival in breast cancer. <i>Oncolimmunology</i> , 2020, 9, 1744947.	4.6	26
97	The impact of dialysis on the survival of patients with immunoglobulin light chain (AL) amyloidosis undergoing autologous stem cell transplantation. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1284-1289.	0.7	25
98	Dexamethasone, rituximab and cyclophosphamide for relapsed and/or refractory and treatment-naïve patients with Waldenström macroglobulinemia. <i>British Journal of Haematology</i> , 2017, 179, 98-105.	2.5	25
99	Efficacy of daratumumab-based therapies in patients with relapsed, refractory multiple myeloma treated outside of clinical trials. <i>American Journal of Hematology</i> , 2017, 92, 1146-1155.	4.1	25
100	Survival impact of achieving minimal residual negativity by multi-parametric flow cytometry in AL amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2020, 27, 13-16.	3.0	25
101	MASS-FIX for the detection of monoclonal proteins and light chain N-glycosylation in routine clinical practice: a cross-sectional study of 6315 patients. <i>Blood Cancer Journal</i> , 2021, 11, 50.	6.2	25
102	Predictors of symptomatic hyperviscosity in Waldenström macroglobulinemia. <i>American Journal of Hematology</i> , 2018, 93, 1384-1393.	4.1	24
103	Comparative analysis of staging systems in AL amyloidosis. <i>Leukemia</i> , 2019, 33, 811-814.	7.2	22
104	Implications of detecting serum monoclonal protein by MASS-fix following stem cell transplantation in multiple myeloma. <i>British Journal of Haematology</i> , 2021, 193, 380-385.	2.5	21
105	Cross- $\beta$ polymerization and hydrogel formation by low-complexity sequence proteins. <i>Methods</i> , 2017, 126, 3-11.	3.8	19
106	Predictors of early response to initial therapy in patients with newly diagnosed symptomatic multiple myeloma. <i>American Journal of Hematology</i> , 2015, 90, 888-891.	4.1	18
107	Phase 1/2 trial of ixazomib, cyclophosphamide and dexamethasone in patients with previously untreated symptomatic multiple myeloma. <i>Blood Cancer Journal</i> , 2018, 8, 70.	6.2	18
108	Long-term outcomes of IMiD-based trials in patients with immunoglobulin light-chain amyloidosis: a pooled analysis. <i>Blood Cancer Journal</i> , 2020, 10, 4.	6.2	18

#	ARTICLE	IF	CITATIONS
109	Light chain amyloidosis induced inflammatory changes in cardiomyocytes and adipose-derived mesenchymal stromal cells. <i>Leukemia</i> , 2020, 34, 1383-1393.	7.2	17
110	Systematic Review of Risk factors and Incidence of Acute Kidney Injury Among Patients Treated with CAR-T Cell Therapies. <i>Kidney International Reports</i> , 2021, 6, 1416-1422.	0.8	17
111	Metabolic characteristics and prognostic differentiation of aggressive lymphoma using one-month post-CAR-T FDG PET/CT. <i>Journal of Hematology and Oncology</i> , 2022, 15, 36.	17.0	17
112	Elevated monoclonal and polyclonal serum immunoglobulin free light chain as prognostic factors in B-cell non-Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2014, 89, 1116-1120.	4.1	16
113	Hematology patient reported symptom screen to assess quality of life for AL amyloidosis. <i>American Journal of Hematology</i> , 2017, 92, 435-440.	4.1	16
114	Clinical Characteristics and Outcomes of Patients With Primary Plasma Cell Leukemia in the Era of Novel Agent Therapy. <i>Mayo Clinic Proceedings</i> , 2021, 96, 677-687.	3.0	16
115	Prevalence and predictors of thyroid functional abnormalities in newly diagnosed AL amyloidosis. <i>Journal of Internal Medicine</i> , 2017, 281, 611-619.	6.0	15
116	Elevation of serum lactate dehydrogenase in AL amyloidosis reflects tissue damage and is an adverse prognostic marker in patients not eligible for stem cell transplantation. <i>British Journal of Haematology</i> , 2017, 178, 888-895.	2.5	15
117	Prognostic value of minimal residual disease and polyclonal plasma cells in myeloma patients achieving a complete response to therapy. <i>American Journal of Hematology</i> , 2019, 94, 751-756.	4.1	15
118	The impact of granulocyte colony stimulating factor on patients receiving chimeric antigen receptor T cell therapy. <i>American Journal of Hematology</i> , 2021, 96, E399-E402.	4.1	14
119	Phase separation in RNA biology. <i>Journal of Genetics and Genomics</i> , 2021, 48, 872-880.	3.9	14
120	Prognostic impact of posttransplant FDG PET/CT scan in multiple myeloma. <i>Blood Advances</i> , 2021, 5, 2753-2759.	5.2	13
121	Critically Ill Patients Treated for Chimeric Antigen Receptor-Related Toxicity: A Multicenter Study*. <i>Critical Care Medicine</i> , 2022, 50, 81-92.	0.9	13
122	Axicabtagene Ciloleucel Chimeric Antigen Receptor T Cell Therapy in Lymphoma With Secondary Central Nervous System Involvement. <i>Mayo Clinic Proceedings</i> , 2019, 94, 2361-2364.	3.0	12
123	Utilizing multiparametric flow cytometry in the diagnosis of patients with primary plasma cell leukemia. <i>American Journal of Hematology</i> , 2020, 95, 637-642.	4.1	12
124	Autologous EBV-specific T cell treatment results in sustained responses in patients with advanced extranodal NK/T lymphoma: results of a multicenter study. <i>Annals of Hematology</i> , 2021, 100, 2529-2539.	1.8	12
125	Strategies for improving the reporting of human immunophenotypes by flow cytometry. , 2014, 2, 18.		11
126	ASTCT Clinical Practice Recommendations for Transplantation and Cellular Therapies in Multiple Myeloma. <i>Transplantation and Cellular Therapy</i> , 2022, 28, 284-293.	1.2	11



#	ARTICLE	IF	CITATIONS
127	Immune independent crosstalk between lymphoma and myeloid suppressor CD14 <sup>+</sup> HLA-DR <sup>low/neg</sup> monocytes mediates chemotherapy resistance. <i>OncImmunology</i> , 2015, 4, e996470.	4.6	10
128	Autologous stem cell transplantation in immunoglobulin light chain amyloidosis with factor X deficiency. <i>Blood Coagulation and Fibrinolysis</i> , 2016, 27, 101-108.	1.0	9
129	Immunoparesis status in immunoglobulin light chain amyloidosis at diagnosis affects response and survival by regimen type. <i>Haematologica</i> , 2016, 101, 1102-1109.	3.5	9
130	Mesenchymal stromal cells protect human cardiomyocytes from amyloid fibril damage. <i>Cytotherapy</i> , 2017, 19, 1426-1437.	0.7	9
131	Prognostic restaging after treatment initiation in patients with AL amyloidosis. <i>Blood Advances</i> , 2021, 5, 1029-1036.	5.2	9
132	The Impact of Socioeconomic Risk Factors on the Survival Outcomes of Patients With Newly Diagnosed Multiple Myeloma: A Cross-analysis of a Population-based Registry and a Tertiary Care Center. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, 451-460.e2.	0.4	9
133	The impact of obesity and body weight on the outcome of patients with relapsed/refractory large B-cell lymphoma treated with axicabtagene ciloleucel. <i>Blood Cancer Journal</i> , 2021, 11, 124.	6.2	9
134	Allogeneic Chimeric Antigen Receptor Therapy in Lymphoma. <i>Current Treatment Options in Oncology</i> , 2022, 23, 171-187.	3.0	9
135	Prognostic significance of circulating plasma cells by multi-parametric flow cytometry in light chain amyloidosis. <i>Leukemia</i> , 2018, 32, 1421-1426.	7.2	8
136	Outcomes in primary cutaneous diffuse large B-cell lymphoma, leg type. <i>Hematological Oncology</i> , 2021, 39, 658-663.	1.7	8
137	Comparison of the current renal staging, progression and response criteria to predict renal survival in AL amyloidosis using a Mayo cohort. <i>American Journal of Hematology</i> , 2021, 96, 446-454.	4.1	8
138	Age defining immune effector cell associated neurotoxicity syndromes in aggressive large B cell lymphoma patients treated with axicabtagene ciloleucel. <i>American Journal of Hematology</i> , 2021, 96, E427-E430.	4.1	7
139	Prognostic significance of acquired 1q22 gain in multiple myeloma. <i>American Journal of Hematology</i> , 2021, , .	4.1	6
140	Acute seizures and status epilepticus in immune effector cell associated neurotoxicity syndrome (ICANS). <i>Blood Cancer Journal</i> , 2022, 12, 62.	6.2	6
141	The prognostic significance of polyclonal bone marrow plasma cells in patients with relapsing multiple myeloma. <i>American Journal of Hematology</i> , 2017, 92, E507-E512.	4.1	5
142	Impact of achieving a complete response to initial therapy of multiple myeloma and predictors of subsequent outcome. <i>American Journal of Hematology</i> , 2022, , .	4.1	5
143	Disseminated Histoplasmosis: A Cause of Hemophagocytic Syndrome. <i>Mayo Clinic Proceedings</i> , 2013, 88, e123.	3.0	4
144	Long-term disease control in patients with newly diagnosed multiple myeloma after suspension of lenalidomide therapy. <i>American Journal of Hematology</i> , 2014, 89, 302-305.	4.1	4

#	ARTICLE	IF	CITATIONS
145	Lines of therapy before autologous stem cell transplant and <sc>CAR</sc> affect outcomes in aggressive <sc>Non-Hodgkin's</sc> lymphoma. American Journal of Hematology, 2021, 96, E386-E389.	4.1	4
146	Incidence of thrombosis in relapsed/refractory B-cell lymphoma treated with axicabtagene ciloleucel: Mayo Clinic experience. Leukemia and Lymphoma, 2022, 63, 1363-1368.	1.3	4
147	Serum free light chain measurements to reduce 24h urine monitoring in patients with multiple myeloma with measurable urine monoclonal protein. American Journal of Hematology, 2018, 93, 1207-1210.	4.1	3
148	Utility of repeating bone marrow biopsy for confirmation of complete response in multiple myeloma. Blood Cancer Journal, 2020, 10, 95.	6.2	3
149	Impact of hypoalbuminemia on the prognosis of relapsed/refractory B-cell lymphoma treated with axicabtagene ciloleucel. European Journal of Haematology, 2021, 107, 48-53.	2.2	3
150	68-Year-Old Man With Fatigue, Fever, and Weight Loss. Mayo Clinic Proceedings, 2005, 80, 939-942.	3.0	2
151	Predictors of short-term survival in Waldenström Macroglobulinemia. Leukemia and Lymphoma, 2020, 61, 2975-2979.	1.3	2
152	Peak absolute lymphocyte count after <sc>CAR</sc> infusion predicts clinical response in aggressive lymphoma. American Journal of Hematology, 2022, 97, .	4.1	2
153	Pulmonary Valve Replacement With Balloon-Expandable Prosthesis Under Direct Vision: A Novel Therapeutic Approach. Annals of Thoracic Surgery, 2016, 101, 1576-1577.	1.3	1
154	The role of phosphatase and tensin homolog deleted on chromosome 10 and focal adhesion kinase in aggressive multiple myeloma. Leukemia and Lymphoma, 2012, 53, 1021-1022.	1.3	0
155	Patient Experience in Clinical Trials: Quality of Life, Financial Burden, and Perception of Care in Patients With Multiple Myeloma or Lymphoma Enrolled on Clinical Trials Compared With Standard Care. JCO Oncology Practice, 2022, , OP2100789.	2.9	0