

Joshua M Burns

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1406855/publications.pdf>

Version: 2024-02-01

176
papers

4,974
citations

87888

38
h-index

123424

61
g-index

178
all docs

178
docs citations

178
times ranked

4509
citing authors

#	ARTICLE	IF	CITATIONS
1	Physical performance of children with longitudinal fibular deficiency (fibular hemimelia). <i>Disability and Rehabilitation</i> , 2022, 44, 2763-2773.	1.8	2
2	Clinical practice guideline for the management of paediatric Charcot-Marie-Tooth disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2022, 93, 530-538.	1.9	10
3	Normative Reference Values for Knee Extensor Muscle Rate of Torque Development and Torque Steadiness in Adolescents and Adults. <i>Journal of Clinical Rheumatology</i> , 2022, 28, 155-161.	0.9	0
4	Replicating and redesigning ankle-foot orthoses with 3D printing for children with Charcot-Marie-Tooth disease. <i>Gait and Posture</i> , 2022, 96, 73-80.	1.4	0
5	Translation and cross-cultural adaptation of the Charcot-Marie-Tooth disease Pediatric Scale to Brazilian Portuguese and determination of its measurement properties. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 303-310.	2.5	7
6	Content analysis of child user and carer perspectives of ankle-foot orthoses. <i>Prosthetics and Orthotics International</i> , 2021, 45, 12-19.	1.0	8
7	Clinical, Genetic, and Disability Profile of Pediatric Distal Hereditary Motor Neuropathy. <i>Neurology</i> , 2021, 96, e423-e432.	1.1	5
8	Development and Validation of the Pediatric Charcot-Marie-Tooth Disease Quality of Life Outcome Measure. <i>Annals of Neurology</i> , 2021, 89, 369-379.	5.3	13
9	<sc>12-month progression of motor and functional outcomes in congenital myotonic dystrophy. <i>Muscle and Nerve</i> , 2021, 63, 384-391.	2.2	5
10	Comparison of 3D scanning versus traditional methods of capturing foot and ankle morphology for the fabrication of orthoses: a systematic review. <i>Journal of Foot and Ankle Research</i> , 2021, 14, 2.	1.9	28
11	Joint hypermobility and its association with self-reported knee health: A cross-sectional study of healthy Australian adults. <i>International Journal of Rheumatic Diseases</i> , 2021, 24, 687-693.	1.9	1
12	The impact of being overweight on the mobility, temporal-spatial and kinematic aspects of gait in children with cerebral palsy. <i>Obesity Research and Clinical Practice</i> , 2021, 15, 138-144.	1.8	3
13	Interventions for promoting physical activity in people with neuromuscular disease. <i>The Cochrane Library</i> , 2021, 2021, CD013544.	2.8	7
14	Non-drug therapies for the secondary prevention of lower limb muscle cramps. <i>The Cochrane Library</i> , 2021, 2021, CD008496.	2.8	4
15	Everyday Life Participation Using Powered Wheelchair Standing Devices by Boys With DMD. <i>OTJR Occupation, Participation and Health</i> , 2021, 41, 175-184.	0.8	2
16	L-carnitine supplementation for muscle weakness and fatigue in children with neurofibromatosis type 1: A Phase 2a clinical trial. <i>American Journal of Medical Genetics, Part A</i> , 2021, 185, 2976-2985.	1.2	6
17	Reliability and sensitivity of radiographic measures of hip dysplasia in childhood Charcot-Marie-Tooth disease. <i>HIP International</i> , 2021, , 112070002110275.	1.7	0
18	High intensity power training in middle-aged women with Charcot-Marie-Tooth disease: a case series. <i>International Journal of Therapy and Rehabilitation</i> , 2021, 28, 1-12.	0.3	3

#	ARTICLE	IF	CITATIONS
19	Correlates of night-time and exercise-associated lower limb cramps in healthy adults. <i>Muscle and Nerve</i> , 2021, 64, 301-308.	2.2	2
20	Neuromuscular rehabilitation – what to do?. <i>Current Opinion in Neurology</i> , 2021, Publish Ahead of Print, .	3.6	1
21	Association Between Body Mass Index and Disability in Children With Charcot-Marie-Tooth Disease. <i>Neurology</i> , 2021, 97, e1727-e1736.	1.1	2
22	Is there a relationship between sagittal cervical spine mobility and generalised joint hypermobility? A cross-sectional study of 1000 healthy Australians. <i>Physiotherapy</i> , 2021, 112, 150-157.	0.4	2
23	Digital mapping of a manual fabrication method for paediatric ankle-foot orthoses. <i>Scientific Reports</i> , 2021, 11, 19068.	3.3	3
24	Role of mechanical factors in the clinical presentation of plantar heel pain: Implications for management. <i>Foot</i> , 2020, 42, 101636.	1.1	20
25	Limitations of 6-minute walk test reference values for spinal muscular atrophy. <i>Muscle and Nerve</i> , 2020, 61, 375-382.	2.2	6
26	Can pedobarography predict the occurrence of heel rocker in children with lower limb spasticity?. <i>Clinical Biomechanics</i> , 2020, 71, 208-213.	1.2	1
27	Feasibility of the Archercise biofeedback device to strengthen foot musculature. <i>Journal of Foot and Ankle Research</i> , 2020, 13, 43.	1.9	2
28	Refining clinical trial inclusion criteria to optimize the standardized response mean of the CMTPedS. <i>Annals of Clinical and Translational Neurology</i> , 2020, 7, 1713-1715.	3.7	5
29	Reliability of the Charcot-Marie-Tooth functional outcome measure. <i>Journal of the Peripheral Nervous System</i> , 2020, 25, 288-291.	3.1	8
30	Validation of the Italian version of the Charcot-Marie-Tooth disease Pediatric Scale. <i>Journal of the Peripheral Nervous System</i> , 2020, 25, 138-142.	3.1	5
31	Interventions for congenital talipes equinovarus (clubfoot). <i>The Cochrane Library</i> , 2020, 2020, CD008602.	2.8	9
32	A longitudinal study of CMT1A using Rasch analysis based CMT neuropathy and examination scores. <i>Neurology</i> , 2020, 94, e884-e896.	1.1	29
33	Normative reference values and physical factors associated with work ability: a cross-sectional observational study. <i>Occupational and Environmental Medicine</i> , 2020, 77, 231-237.	2.8	4
34	Natural history of Charcot-Marie-Tooth disease type 2A: a large international multicentre study. <i>Brain</i> , 2020, 143, 3589-3602.	7.6	39
35	Challenges in modelling the Charcot-Marie-Tooth neuropathies for therapy development. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 58-67.	1.9	61
36	Inherited Neuropathies. <i>Seminars in Neurology</i> , 2019, 39, 620-639.	1.4	8

#	ARTICLE	IF	CITATIONS
37	Textured shoe insoles to improve balance performance in adults with diabetic peripheral neuropathy: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e026240.	1.9	4
38	Physical activity of children and adolescents with Charcot-Marie-Tooth neuropathies: A cross-sectional case-controlled study. <i>PLoS ONE</i> , 2019, 14, e0209628.	2.5	11
39	Prevalence of Charcot-Marie-Tooth disease across the lifespan: a population-based epidemiological study. <i>BMJ Open</i> , 2019, 9, e029240.	1.9	21
40	Surgical outcomes of cavovarus foot deformity in children with Charcot-Marie-Tooth disease. <i>Neuromuscular Disorders</i> , 2019, 29, 427-436.	0.6	18
41	Balance impairment in pediatric charcot-marie-tooth disease. <i>Muscle and Nerve</i> , 2019, 60, 242-249.	2.2	22
42	Longitudinal Fibular Deficiency: A Cross-Sectional Study Comparing Lower Limb Function of Children and Young People with That of Unaffected Peers. <i>Children</i> , 2019, 6, 45.	1.5	2
43	Magnetic resonance imaging of the anterior compartment of the lower leg is a biomarker for weakness, disability, and impaired gait in childhood Charcot-Marie-Tooth disease. <i>Muscle and Nerve</i> , 2019, 59, 213-217.	2.2	7
44	Body composition and its association with physical performance, quality of life, and clinical indicators in Charcot-Marie-Tooth disease: a pilot study. <i>Disability and Rehabilitation</i> , 2019, 41, 405-412.	1.8	5
45	Functional outcome measures for infantile Charcot-Marie-Tooth disease: a systematic review. <i>Journal of the Peripheral Nervous System</i> , 2018, 23, 99-107.	3.1	1
46	Unique clinical and neurophysiologic profile of a cohort of children with CMTX3. <i>Neurology</i> , 2018, 90, e1706-e1710.	1.1	3
47	What are the similarities and differences between healthy people with and without pain?. <i>Scandinavian Journal of Pain</i> , 2018, 18, 39-47.	1.3	1
48	Prevalence and orthopedic management of foot and ankle deformities in Charcot-Marie-Tooth disease. <i>Muscle and Nerve</i> , 2018, 57, 255-259.	2.2	39
49	Established and novel measures of upper limb impairment in children with Charcot-Marie-tooth disease type 1A and riboflavin transporter deficiency type 2. <i>Journal of the Peripheral Nervous System</i> , 2018, 23, 29-35.	3.1	3
50	Development and validation of the Charcot-Marie-Tooth Disease Infant Scale. <i>Brain</i> , 2018, 141, 3319-3330.	7.6	25
51	The Charcot-Marie-Tooth Functional Outcome Measure (CMT-FOM). <i>Neurology</i> , 2018, 91, e1381-e1384.	1.1	25
52	Impact of multilevel joint contractures of the hips, knees and ankles on the Gait Profile score in children with cerebral palsy. <i>Clinical Biomechanics</i> , 2018, 59, 8-14.	1.2	13
53	Reliability and correlates of cross-sectional area of abductor hallucis and the medial belly of the flexor hallucis brevis measured by ultrasound. <i>Journal of Foot and Ankle Research</i> , 2018, 11, 28.	1.9	24
54	Repeatability, consistency, and accuracy of hand-held dynamometry with and without fixation for measuring ankle plantarflexion strength in healthy adolescents and adults. <i>Muscle and Nerve</i> , 2017, 56, 896-900.	2.2	14

#	ARTICLE	IF	CITATIONS
55	Beighton scores and cut-offs across the lifespan: cross-sectional study of an Australian population. <i>Rheumatology</i> , 2017, 56, 1857-1864.	1.9	72
56	Relationship between physical performance and self-reported function in healthy individuals across the lifespan. <i>Musculoskeletal Science and Practice</i> , 2017, 30, 10-17.	1.3	17
57	Gait patterns of children and adolescents with Charcot-Marie-Tooth disease. <i>Gait and Posture</i> , 2017, 56, 89-94.	1.4	24
58	Clinical and Functional Characteristics of People With Chronic and Recent Onset Plantar Heel Pain. <i>PM and R</i> , 2017, 9, 1128-1134.	1.6	8
59	Reference values and factors associated with musculoskeletal symptoms in healthy adolescents and adults. <i>Musculoskeletal Science and Practice</i> , 2017, 29, 99-107.	1.3	13
60	Reference values for developing responsive functional outcome measures across the lifespan. <i>Neurology</i> , 2017, 88, 1512-1519.	1.1	60
61	Handwriting difficulties of children with Charcot-Marie-Tooth disease type 1A. <i>Journal of the Peripheral Nervous System</i> , 2017, 22, 34-38.	3.1	3
62	Traduction française de l'Échelle Charcot-Marie-Tooth Disease Pediatric Scale. <i>Canadian Journal of Neurological Sciences</i> , 2017, 44, 740-743.	0.5	7
63	Spatiotemporal and plantar pressure patterns of 1000 healthy individuals aged 3-101 years. <i>Gait and Posture</i> , 2017, 58, 78-87.	1.4	99
64	Safety and efficacy of progressive resistance exercise for Charcot-Marie-Tooth disease in children: a randomised, double-blind, sham-controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2017, 1, 106-113.	5.6	39
65	Cross-sectional analysis of a large cohort with X-linked Charcot-Marie-Tooth disease (CMTX1). <i>Neurology</i> , 2017, 89, 927-935.	1.1	44
66	Natural history of Charcot-Marie-Tooth disease during childhood. <i>Annals of Neurology</i> , 2017, 82, 353-359.	5.3	50
67	Harnessing interactive technologies to improve health outcomes in juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2017, 15, 40.	2.1	19
68	Cost-effectiveness of massively parallel sequencing for diagnosis of paediatric muscle diseases. <i>Npj Genomic Medicine</i> , 2017, 2, .	3.8	67
69	Relationship between foot pain, muscle strength and size: a systematic review. <i>Physiotherapy</i> , 2017, 103, 13-20.	0.4	10
70	Correlates of Perceived Ankle Instability in Healthy Individuals Aged 8 to 101 Years. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 72-79.	0.9	10
71	Normative reference values for strength and flexibility of 1,000 children and adults. <i>Neurology</i> , 2017, 88, 36-43.	1.1	145
72	Examining hand dominance using dynamometric grip strength testing as evidence for overwork weakness in Charcot-Marie-Tooth disease: a systematic review and meta-analysis. <i>International Journal of Rehabilitation Research</i> , 2016, 39, 189-196.	1.3	8

#	ARTICLE	IF	CITATIONS
73	Phenotypic Variability of Childhood Charcot-Marie-Tooth Disease. <i>JAMA Neurology</i> , 2016, 73, 645.	9.0	71
74	Relationship between physical performance and quality of life in Charcot-Marie-Tooth disease: a pilot study. <i>Journal of the Peripheral Nervous System</i> , 2016, 21, 357-364.	3.1	13
75	Total contact cast wall load in patients with a plantar forefoot ulcer and diabetes. <i>Journal of Foot and Ankle Research</i> , 2016, 9, 2.	1.9	32
76	Characteristics of non-diabetic foot ulcers in Western Sydney, Australia. <i>Journal of Foot and Ankle Research</i> , 2016, 9, 6.	1.9	7
77	1000 Norms Project: protocol of a cross-sectional study cataloging human variation. <i>Physiotherapy</i> , 2016, 102, 50-56.	0.4	44
78	Pathophysiology of motor dysfunction in a childhood motor neuron disease caused by mutations in the riboflavin transporter. <i>Clinical Neurophysiology</i> , 2016, 127, 911-918.	1.5	22
79	Biomechanical effects of sensorimotor orthoses in adults with Charcot-Marie-Tooth disease. <i>Prosthetics and Orthotics International</i> , 2016, 40, 436-446.	1.0	10
80	Podiatry. , 2016, , 1845-1865.		1
81	Prospective study of muscle cramps in Charcot-Marie-Tooth disease. <i>Muscle and Nerve</i> , 2015, 51, 485-488.	2.2	18
82	Muscle weakness in children with neurofibromatosis type 1. <i>Developmental Medicine and Child Neurology</i> , 2015, 57, 733-736.	2.1	21
83	Correlates of functional ankle instability in children and adolescents with Charcot-Marie-Tooth disease. <i>Journal of Foot and Ankle Research</i> , 2015, 8, 61.	1.9	16
84	Systematic review of exercise for Charcot-Marie-Tooth disease. <i>Journal of the Peripheral Nervous System</i> , 2015, 20, 347-362.	3.1	51
85	Management for common lower leg stress fractures in athletes. <i>Physical Therapy Reviews</i> , 2015, 20, 29-41.	0.8	1
86	Musculoskeletal and Activity-Related Factors Associated With Plantar Heel Pain. <i>Foot and Ankle International</i> , 2015, 36, 37-45.	2.3	38
87	Plantar heel pain and foot loading during normal walking. <i>Gait and Posture</i> , 2015, 41, 688-693.	1.4	35
88	In-shoe multi-segment foot kinematics of children during the propulsive phase of walking and running. <i>Human Movement Science</i> , 2015, 39, 200-211.	1.4	17
89	Determinants of footwear difficulties in people with plantar heel pain. <i>Journal of Foot and Ankle Research</i> , 2015, 8, 40.	1.9	8
90	Genotype-phenotype characteristics and baseline natural history of heritable neuropathies caused by mutations in the <i>MPZ</i> gene. <i>Brain</i> , 2015, 138, 3180-3192.	7.6	80

#	ARTICLE	IF	CITATIONS
91	Diagnostic accuracy of clinical tests for ankle syndesmosis injury. <i>British Journal of Sports Medicine</i> , 2015, 49, 323-329.	6.7	72
92	Characteristics of diabetic foot ulcers in Western Sydney, Australia. <i>Journal of Foot and Ankle Research</i> , 2014, 7, 39.	1.9	32
93	Treatable childhood neuronopathy caused by mutations in riboflavin transporter RFVT2. <i>Brain</i> , 2014, 137, 44-56.	7.6	143
94	Design and Reliability of a Novel Heel Rise Test Measuring Device for Plantarflexion Endurance. <i>BioMed Research International</i> , 2014, 2014, 1-7.	1.9	28
95	Interventions for congenital talipes equinovarus (clubfoot). <i>The Cochrane Library</i> , 2014, , CD008602.	2.8	41
96	Relationship between cognitive dysfunction, gait, and motor impairment in children and adolescents with neurofibromatosis type 1. <i>Developmental Medicine and Child Neurology</i> , 2014, 56, 468-474.	2.1	39
97	How does rectus femoris fibrosis affect gait?. <i>Journal of Pediatric Orthopaedics Part B</i> , 2014, 23, 549-553.	0.6	1
98	Normative reference values for lower limb joint range, bone torsion, and alignment in children aged 4â€“16 years. <i>Journal of Pediatric Orthopaedics Part B</i> , 2014, 23, 15-25.	0.6	41
99	Unilateral versus bilateral clubfoot. <i>Journal of Pediatric Orthopaedics Part B</i> , 2014, 23, 397-399.	0.6	21
100	Bilateral Clubfeet Are Highly Correlated: A Cautionary Tale for Researchers. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 3517-3522.	1.5	32
101	Is Tibialis Anterior Tendon Transfer Effective for Recurrent Clubfoot?. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 750-758.	1.5	36
102	Mechanism of orthotic therapy for the painful cavus foot deformity. <i>Journal of Foot and Ankle Research</i> , 2014, 7, 2.	1.9	22
103	Systematic review of chronic ankle instability in children. <i>Journal of Foot and Ankle Research</i> , 2014, 7, 21.	1.9	30
104	Are lower limb biomechanical factors associated with nightâ€“time calf cramps in adults? A caseâ€“control study. <i>Journal of Foot and Ankle Research</i> , 2014, 7, .	1.9	0
105	Randomised controlled trial protocol of foot and ankle exercise for children with Charcot-Marie-Tooth disease. <i>Journal of Physiotherapy</i> , 2014, 60, 55.	1.7	9
106	Impact of nocturnal calf cramping on quality of sleep and health-related quality of life. <i>Quality of Life Research</i> , 2013, 22, 1281-1286.	3.1	33
107	Factors associated with nightâ€“time calf muscle cramps: A caseâ€“control study. <i>Muscle and Nerve</i> , 2013, 47, 339-343.	2.2	15
108	Measuring Ankle Instability in Pediatric Charcot-Marie-Tooth Disease. <i>Journal of Child Neurology</i> , 2013, 28, 1456-1462.	1.4	16

#	ARTICLE	IF	CITATIONS
109	Biomechanical predictors of effective orthotic therapy for painful pes cavus. <i>Footwear Science</i> , 2013, 5, S104-S105.	2.1	0
110	Effect of sports shoes on midfoot power generation in children while walking and running. <i>Footwear Science</i> , 2013, 5, S55-S56.	2.1	0
111	Effect of sports shoes on children's vertical jump performance and midfoot and ankle kinetics. <i>Footwear Science</i> , 2013, 5, S58-S59.	2.1	2
112	Transitioning outcome measures: relationship between the CMTPedS and CMTNSv2 in children, adolescents, and young adults with Charcot-Marie-Tooth disease. <i>Journal of the Peripheral Nervous System</i> , 2013, 18, 177-180.	3.1	15
113	Prescription of foot and ankle orthoses for children with Charcot-Marie-Tooth disease: a review of the evidence. <i>Physical Therapy Reviews</i> , 2012, 17, 79-90.	0.8	12
114	Brief Report: Custom Foot Orthoses for Foot Pain: What Does the Evidence Say?. <i>Foot and Ankle International</i> , 2012, 33, 1161-1163.	2.3	2
115	Dynamic plantar loading index: Understanding the benefit of custom foot orthoses for painful pes cavus. <i>Journal of Biomechanics</i> , 2012, 45, 1705-1711.	2.1	15
116	Symmetry of foot alignment and ankle flexibility in paediatric Charcot-Marie-Tooth disease. <i>Clinical Biomechanics</i> , 2012, 27, 744-747.	1.2	18
117	Interrater and intrarater reliability of photoplethysmography for measuring toe brachial index in people with diabetes mellitus. <i>Journal of Foot and Ankle Research</i> , 2012, 5, 13.	1.9	19
118	Unknotting nighttime muscle cramp: a survey of patient experience, help-seeking behaviour and perceived treatment effectiveness. <i>Journal of Foot and Ankle Research</i> , 2012, 5, 7.	1.9	21
119	Prevalence and Impact of Chronic Musculoskeletal Ankle Disorders in the Community. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1801-1807.	0.9	139
120	Non-drug therapies for lower limb muscle cramps. <i>The Cochrane Library</i> , 2012, 1, CD008496.	2.8	32
121	Interventions for congenital talipes equinovarus (clubfoot). , 2012, , CD008602.		22
122	Validation of the Charcot-Marie-Tooth disease pediatric scale as an outcome measure of disability. <i>Annals of Neurology</i> , 2012, 71, 642-652.	5.3	137
123	Correlates of calf cramp in children with Charcot-Marie-Tooth disease. <i>Journal of Foot and Ankle Research</i> , 2012, 5, .	1.9	0
124	Children's functional performance barefoot and in sports shoes. <i>Journal of Foot and Ankle Research</i> , 2012, 5, .	1.9	0
125	Optimizing the offloading properties of the total contact cast for plantar foot ulceration. <i>Diabetic Medicine</i> , 2011, 28, 179-185.	2.3	19
126	Health status of boys with Duchenne muscular dystrophy: A parent's perspective. <i>Journal of Paediatrics and Child Health</i> , 2011, 47, 557-562.	0.8	27

#	ARTICLE	IF	CITATIONS
127	Extended treatment of childhood Charcot-Marie-Tooth disease with high-dose ascorbic acid. Journal of the Peripheral Nervous System, 2011, 16, 272-274.	3.1	5
128	Effect of children's shoes on gait: a systematic review and meta-analysis. Journal of Foot and Ankle Research, 2011, 4, 3.	1.9	92
129	Development, reliability and validity of the Charcot-Marie-Tooth disease Pediatric Scale (CMTPedS). Journal of Foot and Ankle Research, 2011, 4, .	1.9	1
130	Children's rearfoot and midfoot motion while walking in school shoes. Journal of Foot and Ankle Research, 2011, 4, .	1.9	12
131	Muscle cramp in pediatric Charcot-Marie-Tooth disease type 1A. Neurology, 2011, 77, 2115-2118.	1.1	10
132	Prevalence And Impact Of Chronic Musculoskeletal Ankle Problems. Medicine and Science in Sports and Exercise, 2010, 42, 145.	0.4	0
133	Randomized trial of botulinum toxin to prevent pes cavus progression in pediatric charcot-marie-tooth disease type 1A. Muscle and Nerve, 2010, 42, 262-267.	2.2	24
134	Factors Associated With Foot and Ankle Strength in Healthy Preschool-Age Children and Age-Matched Cases of Charcot-Marie-Tooth Disease Type 1A. Journal of Child Neurology, 2010, 25, 463-468.	1.4	31
135	Quality of Life in Children With Charcot-Marie-Tooth Disease. Journal of Child Neurology, 2010, 25, 343-347.	1.4	21
136	Serial night casting increases ankle dorsiflexion range in children and young adults with Charcot-Marie-Tooth disease: a randomised trial. Journal of Physiotherapy, 2010, 56, 113-119.	1.7	34
137	Interventions for increasing ankle range of motion in patients with neuromuscular disease. The Cochrane Library, 2010, , CD006973.	2.8	26
138	Evidence-Based Podiatric Medicine. Journal of the American Podiatric Medical Association, 2009, 99, 260-266.	0.3	7
139	Ascorbic acid for Charcot-Marie-Tooth disease type 1A in children: a randomised, double-blind, placebo-controlled, safety and efficacy trial. Lancet Neurology, The, 2009, 8, 537-544.	10.2	131
140	Quality of life in children with CMT type 1A - Author's reply. Lancet Neurology, The, 2009, 8, 881.	10.2	0
141	Evolution of foot and ankle manifestations in children with CMT1A. Muscle and Nerve, 2009, 39, 158-166.	2.2	96
142	Randomized trial of custom orthoses and footwear on foot pain and plantar pressure in diabetic peripheral arterial disease. Diabetic Medicine, 2009, 26, 893-899.	2.3	33
143	Relationship between foot strength and motor function in preschool-age children. Neuromuscular Disorders, 2009, 19, 104-107.	0.6	16
144	Feasibility of foot and ankle strength training in childhood Charcot-Marie-Tooth disease. Neuromuscular Disorders, 2009, 19, 818-821.	0.6	32

#	ARTICLE	IF	CITATIONS
145	Effect of Oral Curcumin on DÃ©rine-Sottas Disease. <i>Pediatric Neurology</i> , 2009, 41, 305-308.	2.1	35
146	Understanding the nature and mechanism of foot pain. <i>Journal of Foot and Ankle Research</i> , 2009, 2, 1.	1.9	100
147	International Foot and Ankle Biomechanics Community (iâ€FAB): past, present and beyond. <i>Journal of Foot and Ankle Research</i> , 2009, 2, 19.	1.9	0
148	Effects of Ankle-Foot Orthoses for Children with Hemiplegia on Weight-Bearing and Functional Ability. <i>Pediatric Physical Therapy</i> , 2009, 21, 225-234.	0.6	1
149	Reliability of quantifying foot and ankle muscle strength in very young children. <i>Muscle and Nerve</i> , 2008, 37, 626-631.	2.2	36
150	Neurophysiologic abnormalities in children with Charcotâ€Marieâ€Tooth disease type 1A. <i>Journal of the Peripheral Nervous System</i> , 2008, 13, 236-241.	3.1	49
151	Safety of nitrous oxide administration in patients with Charcot-Marie-Tooth disease. <i>Journal of the Neurological Sciences</i> , 2008, 268, 160-162.	0.6	8
152	Evolution of foot manifestations in children with Charcotâ€Marieâ€Tooth disease. <i>Journal of Foot and Ankle Research</i> , 2008, 1, .	1.9	2
153	Factors that influence health-related quality of life in Australian adults with Charcotâ€Marieâ€Tooth disease. <i>Neuromuscular Disorders</i> , 2008, 18, 619-625.	0.6	43
154	Hand involvement in children with Charcotâ€Marie-Tooth disease type 1A. <i>Neuromuscular Disorders</i> , 2008, 18, 970-973.	0.6	44
155	Are in-shoe pressure characteristics in symptomatic idiopathic pes cavus related to the location of foot pain?. <i>Gait and Posture</i> , 2008, 27, 16-22.	1.4	25
156	Pressure characteristics in painful pes cavus feet resulting from Charcotâ€Marieâ€Tooth disease. <i>Gait and Posture</i> , 2008, 28, 545-551.	1.4	48
157	Effective orthotic therapy for the painful cavus foot: A randomized controlled trial. <i>Clinical Biomechanics</i> , 2008, 23, 666-667.	1.2	1
158	Effect of Neutral-Cushioned Running Shoes on Plantar Pressure Loading and Comfort in Athletes with Cavus Feet. <i>American Journal of Sports Medicine</i> , 2008, 36, 2139-2146.	4.2	50
159	Custom-made foot orthoses for the treatment of foot pain. <i>The Cochrane Library</i> , 2008, , CD006801.	2.8	92
160	Effect of Foot Morphology on Center-of-Pressure Excursion During Barefoot Walking. <i>Journal of the American Podiatric Medical Association</i> , 2008, 98, 112-117.	0.3	50
161	Comparison of Orthotic Materials on Foot Pain, Comfort, and Plantar Pressure in the Neuroischemic Diabetic Foot. <i>Journal of the American Podiatric Medical Association</i> , 2008, 98, 143-148.	0.3	9
162	Predicting Outcomes in the Orthotic Management of Painful, Idiopathic Pes Cavus. <i>Clinical Journal of Sport Medicine</i> , 2007, 17, 337-342.	1.8	19

#	ARTICLE	IF	CITATIONS
163	Establishment of the Australasian paediatric Charcot-Marie-Tooth disease registry. <i>Neuromuscular Disorders</i> , 2007, 17, 349-350.	0.6	9
164	Reducing plantar pressure in rheumatoid arthritis: A comparison of running versus off-the-shelf orthopaedic footwear. <i>Clinical Biomechanics</i> , 2007, 22, 917-923.	1.2	48
165	Interventions for the prevention and treatment of pes cavus. <i>The Cochrane Library</i> , 2007, , CD006154.	2.8	25
166	Foot morphology and foot/ankle injury in indoor football. <i>Journal of Science and Medicine in Sport</i> , 2007, 10, 311-319.	1.3	108
167	Effective Orthotic Therapy for the Painful Cavus Foot. <i>Journal of the American Podiatric Medical Association</i> , 2006, 96, 205-211.	0.3	111
168	Pes cavus pathogenesis in Charcot-Marie-Tooth disease type 1A. <i>Brain</i> , 2006, 129, E50-E50.	7.6	13
169	The Effect of Low-Dye Taping on Kinematic, Kinetic, and Electromyographic Variables: A Systematic Review. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2006, 36, 232-241.	3.5	28
170	Does stretching increase ankle dorsiflexion range of motion? A systematic review * COMMENTARY. <i>British Journal of Sports Medicine</i> , 2006, 40, 870-875.	6.7	124
171	Weight bearing ankle dorsiflexion range of motion in idiopathic pes cavus compared to normal and pes planus feet. <i>Foot</i> , 2005, 15, 91-94.	1.1	43
172	Quantification of Muscle Strength and Imbalance in Neurogenic Pes Cavus, Compared to Health Controls, Using Hand-Held Dynamometry. <i>Foot and Ankle International</i> , 2005, 26, 540-544.	2.3	74
173	Foot Type and Overuse Injury in Triathletes. <i>Journal of the American Podiatric Medical Association</i> , 2005, 95, 235-241.	0.3	105
174	The effect of pes cavus on foot pain and plantar pressure. <i>Clinical Biomechanics</i> , 2005, 20, 877-882.	1.2	203
175	Factors Associated With Triathlon-Related Overuse Injuries. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2003, 33, 177-184.	3.5	70
176	Accelerate Clinical Trials in Charcot-Marie-Tooth Disease (ACT-CMT): A Protocol to Address Clinical Trial Readiness in CMT1A. <i>Frontiers in Neurology</i> , 0, 13, .	2.4	3