

CÃ©line GÃ©linas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1412505/publications.pdf>

Version: 2024-02-01

126
papers

9,683
citations

87888

38
h-index

38395

95
g-index

131
all docs

131
docs citations

131
times ranked

6885
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Practice Guidelines for the Management of Pain, Agitation, and Delirium in Adult Patients in the Intensive Care Unit. <i>Critical Care Medicine</i> , 2013, 41, 263-306.	0.9	3,066
2	Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018, 46, e825-e873.	0.9	2,074
3	Pain Assessment in the Critically Ill Ventilated Adult: Validation of the Critical-Care Pain Observation Tool and Physiologic Indicators. <i>Clinical Journal of Pain</i> , 2007, 23, 497-505.	1.9	281
4	Executive Summary: Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018, 46, 1532-1548.	0.9	197
5	Analgesia and sedation in patients with ARDS. <i>Intensive Care Medicine</i> , 2020, 46, 2342-2356.	8.2	155
6	Management of pain in cardiac surgery ICU patients: Have we improved over time?. <i>Intensive and Critical Care Nursing</i> , 2007, 23, 298-303.	2.9	153
7	Validation of the critical-care pain observation tool in adult patients. <i>American Journal of Critical Care</i> , 2006, 15, 420-7.	1.6	152
8	Clinical practice guidelines for the management of pain, agitation, and delirium in adult patients in the intensive care unit: Executive summary. <i>American Journal of Health-System Pharmacy</i> , 2013, 70, 53-58.	1.0	150
9	Sensitivity and Specificity of the Critical-Care Pain Observation Tool for the Detection of Pain in Intubated Adults After Cardiac Surgery. <i>Journal of Pain and Symptom Management</i> , 2009, 37, 58-67.	1.2	143
10	Addressing the turnover issue among new nurses from a generational viewpoint. <i>Journal of Nursing Management</i> , 2008, 16, 724-733.	3.4	129
11	Implementation of the critical-care pain observation tool on pain assessment/management nursing practices in an intensive care unit with nonverbal critically ill adults: a before and after study. <i>International Journal of Nursing Studies</i> , 2011, 48, 1495-1504.	5.6	114
12	Pain Assessment in the Patient Unable to Self-Report: Clinical Practice Recommendations in Support of the ASPMN 2019 Position Statement. <i>Pain Management Nursing</i> , 2019, 20, 404-417.	0.9	110
13	Influence of caring for COVID-19 patients on nurse's turnover, work satisfaction and quality of care. <i>Journal of Nursing Management</i> , 2022, 30, 33-43.	3.4	109
14	A Brief Intervention for Fatigue Management in Breast Cancer Survivors. <i>Cancer Nursing</i> , 2008, 31, 145-159.	1.5	106
15	A Validated Approach to Evaluating Psychometric Properties of Pain Assessment Tools for Use in Nonverbal Critically Ill Adults. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2013, 34, 153-168.	2.1	105
16	Behavioral and physiologic indicators during a nociceptive procedure in conscious and unconscious mechanically ventilated adults: Similar or different?. <i>Journal of Critical Care</i> , 2009, 24, 628.e7-628.e17.	2.2	99
17	Critical Care Nurses' Pain Assessment and Management Practices: A Survey in Canada. <i>American Journal of Critical Care</i> , 2012, 21, 251-259.	1.6	95
18	Creating a Healthy Workplace for New Generation Nurses. <i>Journal of Nursing Scholarship</i> , 2008, 40, 290-297.	2.4	92

#	ARTICLE	IF	CITATIONS
19	Validation Evidence for the French Canadian Adaptation of the Multidimensional Fatigue Inventory as a Measure of Cancer-related Fatigue. <i>Cancer Nursing</i> , 2003, 26, 143-154.	1.5	91
20	Pain assessment in the critically ill adult: Recent evidence and new trends. <i>Intensive and Critical Care Nursing</i> , 2016, 34, 1-11.	2.9	78
21	Are vital signs valid indicators for the assessment of pain in postoperative cardiac surgery ICU adults?. <i>Intensive and Critical Care Nursing</i> , 2010, 26, 83-90.	2.9	72
22	Patients and ICU nurses' perspectives of nonâ€¢pharmacological interventions for pain management. <i>Nursing in Critical Care</i> , 2013, 18, 307-318.	2.3	72
23	Item selection and content validity of the Criticalâ€¢Care Pain Observation Tool for nonâ€¢verbal adults. <i>Journal of Advanced Nursing</i> , 2009, 65, 203-216.	3.3	68
24	Theoretical, Psychometric, and Pragmatic Issues in Pain Measurement. <i>Pain Management Nursing</i> , 2008, 9, 120-130.	0.9	66
25	Factors Related to Persistent Fatigue Following Completion of Breast Cancer Treatment. <i>Oncology Nursing Forum</i> , 2004, 31, 269-278.	1.2	63
26	Exploring the validity of the bispectral index, the Critical-Care Pain Observation Tool and vital signs for the detection of pain in sedated and mechanically ventilated critically ill adults: A pilot study. <i>Intensive and Critical Care Nursing</i> , 2011, 27, 46-52.	2.9	63
27	Delirium Assessment Tools for Use in Critically Ill Adults: A Psychometric Analysis and Systematic Review. <i>Critical Care Nurse</i> , 2018, 38, 38-49.	1.0	56
28	Tailored Web-Based Interventions for Pain: Systematic Review and Meta-Analysis. <i>Journal of Medical Internet Research</i> , 2017, 19, e385.	4.3	56
29	Validation of the use of the Critical-Care Pain Observation Tool (CPOT) with brain surgery patients in the neurosurgical intensive care unit. <i>Intensive and Critical Care Nursing</i> , 2014, 30, 257-265.	2.9	51
30	Psychometric Analysis of Subjective Sedation Scales in Critically Ill Adults. <i>Critical Care Medicine</i> , 2013, 41, S16-S29.	0.9	50
31	Detecting Pain in Traumatic Brain-injured Patients With Different Levels of Consciousness During Common Procedures in the ICU. <i>Clinical Journal of Pain</i> , 2014, 30, 960-969.	1.9	50
32	Validation of the Critical-Care Pain Observation Tool in brain-injured critically ill adults. <i>Journal of Critical Care</i> , 2016, 36, 76-80.	2.2	50
33	Nursesâ€™ Evaluations of the Feasibility and the Clinical Utility of the Critical-Care Pain Observation Tool. <i>Pain Management Nursing</i> , 2010, 11, 115-125.	0.9	49
34	The Effect of Massage on Acute Postoperative Pain in Critically and Acutely Ill Adults Post-thoracic Surgery: Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2017, 46, 339-346.	1.6	44
35	Evaluation of the Preliminary Effectiveness of Hand Massage Therapy on Postoperative Pain of Adults in the Intensive Care Unit after Cardiac Surgery: A Pilot Randomized Controlled Trial. <i>Pain Management Nursing</i> , 2015, 16, 354-366.	0.9	43
36	Fluctuations in vital signs and behavioural responses of brain surgery patients in the Intensive Care Unit: are they valid indicators of pain?. <i>Journal of Advanced Nursing</i> , 2014, 70, 2562-2576.	3.3	42

#	ARTICLE	IF	CITATIONS
37	Opioid-associated iatrogenic withdrawal in critically ill adult patients: a multicenter prospective observational study. <i>Annals of Intensive Care</i> , 2017, 7, 88.	4.6	42
38	A Psychometric Analysis Update of Behavioral Pain Assessment Tools for Noncommunicative, Critically Ill Adults. <i>AACN Advanced Critical Care</i> , 2019, 30, 365-387.	1.1	42
39	Methodologic Innovation in Creating Clinical Practice Guidelines: Insights From the 2018 Society of Critical Care Medicine Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption Guideline Effort. <i>Critical Care Medicine</i> , 2018, 46, 1457-1463.	0.9	41
40	Incidence and Risk Factors of Long-term Opioid Use in Elderly Trauma Patients. <i>Annals of Surgery</i> , 2018, 268, 985-991.	4.2	36
41	Effects of Massage in Reducing the Pain and Anxiety of the Cardiac Surgery Critically Ill—a Randomized Controlled Trial. <i>Pain Medicine</i> , 2018, 19, 2556-2569.	1.9	35
42	Validation of the Critical-Care Pain Observation Tool and Vital Signs in Relation to the Sensory and Affective Components of Pain During Mediastinal Tube Removal in Postoperative Cardiac Surgery Intensive Care Unit Adults. <i>Journal of Cardiovascular Nursing</i> , 2016, 31, 425-432.	1.1	33
43	Towards an integrated approach for the management of ageing nurses. <i>Journal of Nursing Management</i> , 2006, 14, 207-212.	3.4	32
44	Impact of the Implementation of the Critical-Care Pain Observation Tool (CPOT) on Pain Management and Clinical Outcomes in Mechanically Ventilated Trauma Intensive Care Unit Patients. <i>Journal of Trauma Nursing: the Official Journal of the Society of Trauma Nurses</i> , 2011, 18, 52-60.	0.5	31
45	The Behavior Pain Assessment Tool for critically ill adults: a validation study in 28 countries. <i>Pain</i> , 2017, 158, 811-821.	4.2	31
46	Pain, Sedation, and Delirium Management in the Neurocritically Ill: Lessons Learned from Recent Research. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2013, 34, 236-243.	2.1	30
47	Evaluation and Treatment of Pain in Critically Ill Adults. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2013, 34, 189-200.	2.1	30
48	Validation and Evaluation of Two Observational Pain Assessment Tools in a Trauma and Neurosurgical Intensive Care Unit. <i>Pain Research and Management</i> , 2013, 18, e107-e114.	1.8	30
49	Acute to chronic pain transition in extremity trauma: A narrative review for future preventive interventions (part 1). <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2016, 23, 47-59.	0.9	29
50	Feasibility and acceptability of hand massage therapy for pain management of postoperative cardiac surgery patients in the intensive care unit. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2014, 43, 437-444.	1.6	28
51	Nurses' evaluations of the <sc>CPOT</sc> use at 12â€month postâ€implementation in the intensive care unit. <i>Nursing in Critical Care</i> , 2014, 19, 272-280.	2.3	27
52	Behavioral and Physiologic Indicators of Pain in Nonverbal Patients with a Traumatic Brain Injury: An Integrative Review. <i>Pain Management Nursing</i> , 2014, 15, 506-518.	0.9	27
53	Acute to chronic pain transition in extremity trauma: A narrative review for future preventive interventions (part 2). <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2017, 24, 59-67.	0.9	27
54	The Effect of Music on Pain in the Adult Intensive Care Unit: A Systematic Review of Randomized Controlled Trials. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 1304-1319.e6.	1.2	27

#	ARTICLE	IF	CITATIONS
55	Assessing Pain Behaviors in Healthy Subjects Using the Critical-Care Pain Observation Tool (CPOT): A Pilot Study. <i>Journal of Pain</i> , 2010, 11, 983-987.	1.4	26
56	Toward a new approach for the detection of pain inÂadult patients undergoing cardiac surgery: Near-infrared spectroscopyâ”A pilot study. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2010, 39, 485-493.	1.6	26
57	ASPMN 2019 Position Statement: Pain Assessment in the Patient Unable to Self-Report. <i>Pain Management Nursing</i> , 2019, 20, 402-403.	0.9	26
58	Adjuvant Analgesic Use in the Critically Ill: A Systematic Review and Meta-Analysis. , 2020, 2, e0157.		26
59	Can Fluctuations in Vital Signs Be Used for Pain Assessment in Critically Ill Patients with a Traumatic Brain Injury?. <i>Pain Research and Treatment</i> , 2014, 2014, 1-11.	1.7	25
60	In pursuit of pain: recent advances and future directions in pain assessment in the ICU. <i>Intensive Care Medicine</i> , 2014, 40, 1009-1014.	8.2	25
61	The FCRâ€1: Initial validation of a singleâ€item measure of fear of cancer recurrence. <i>Psycho-Oncology</i> , 2020, 29, 788-795.	2.3	23
62	Innovating in Pain Assessment of the Critically Ill: Exploring Cerebral Near-Infrared Spectroscopy as a Bedside Approach. <i>Pain Management Nursing</i> , 2014, 15, 519-529.	0.9	22
63	Frequency, risk factors and symptomatology of iatrogenic withdrawal from opioids and benzodiazepines in critically ill neonates, children and adults: A systematic review of clinical studies. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2019, 44, 148-156.	1.5	22
64	Strategies for the Prevention and Treatment of Iatrogenic Withdrawal from Opioids and Benzodiazepines in Critically Ill Neonates, Children and Adults: A Systematic Review of Clinical Studies. <i>Drugs</i> , 2020, 80, 1211-1233.	10.9	22
65	Description of the validity of the Analgesia Nociception Index (ANI) and Nociception Level Index (NOL) for nociception assessment in anesthetized patients undergoing surgery: a systematized review. <i>Journal of Clinical Monitoring and Computing</i> , 2022, 36, 623-635.	1.6	22
66	Next steps in ICU pain research. <i>Intensive Care Medicine</i> , 2017, 43, 1386-1388.	8.2	20
67	Description of Behaviors in Nonverbal Critically Ill Patients With a Traumatic Brain Injury When Exposed to Common Procedures in the Intensive Care Unit: A Pilot Study. <i>Pain Management Nursing</i> , 2013, 14, e251-e261.	0.9	19
68	Pain, Agitation, and Delirium Guidelines: Nursesâ€™ Involvement in Development and Implementation. <i>Critical Care Nurse</i> , 2015, 35, 17-31.	1.0	19
69	Validation of The Critical-care Pain Observation Tool (CPOT) for the detection of oral-pharyngeal pain in critically ill adults. <i>Journal of Critical Care</i> , 2018, 48, 334-338.	2.2	18
70	Behaviors Indicative of Pain in Brain-Injured Adult Patients With Different Levels of Consciousness in the Intensive Care Unit. <i>Journal of Pain and Symptom Management</i> , 2019, 57, 761-773.	1.2	18
71	Symptom assessment in non-vocal or cognitively impaired ICU patients: Implications for practice and future research. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2017, 46, 239-245.	1.6	17
72	Observational Pain Assessment Instruments for Use With Nonverbal Patients at the End-of-life: A Systematic Review. <i>Journal of Palliative Care</i> , 2019, 34, 255-266.	1.0	14

#	ARTICLE	IF	CITATIONS
73	Acceptability of a Web-Based and Tailored Intervention for the Self-Management of Pain After Cardiac Surgery: The Perception of Women and Men. JMIIR Research Protocols, 2014, 3, e63.	1.0	14
74	Family Perspectives of Traumatically Brain-Injured Patient Pain Behaviors in the Intensive Care Unit. Pain Management Nursing, 2017, 18, 202-213.	0.9	13
75	Validation of Two Pain Assessment Tools Using a Standardized Nociceptive Stimulation in Critically Ill Adults. Journal of Pain and Symptom Management, 2018, 56, 594-601.	1.2	13
76	Acceptability and feasibility of an interprofessional end-of-life/palliative care educational intervention in the intensive care unit: A mixed-methods study. Intensive and Critical Care Nursing, 2018, 48, 75-84.	2.9	13
77	Validation of the Withdrawal Assessment Toolâ€”1 in Adult Intensive Care Patients. American Journal of Critical Care, 2019, 28, 361-369.	1.6	13
78	Exploration of the Nociception Level (NOLâ„¢) Index for Pain Assessment during Endotracheal Suctioning in Mechanically Ventilated Patients in the Intensive Care Unit: An Observational and Feasibility Study. Pain Management Nursing, 2020, 21, 428-434.	0.9	13
79	Exploration of a Multi-Parameter Technology for Pain Assessment in Postoperative Patients After Cardiac Surgery in the Intensive Care Unit: The Nociception Level Index (NOL)TM. Journal of Pain Research, 2021, Volume 14, 3723-3731.	2.0	13
80	Measuring pain in non-verbal critically ill patients: which pain instrument?. Critical Care, 2014, 18, 554.	5.8	12
81	Nursesâ€™ Perception of a Tailored Web-Based Intervention for the Self-Management of Pain After Cardiac Surgery. SAGE Open Nursing, 2018, 4, 237796081880627.	1.2	11
82	The Effect of Psychological Interventions on the Prevention of Chronic Pain in Adults. Clinical Journal of Pain, 2021, 37, 379-395.	1.9	11
83	Changes in the Bispectral Index in Response to Experimental Noxious Stimuli in Adults under General Anesthesia. ISRN Pain, 2013, 2013, 1-8.	0.4	10
84	The effect of psychological interventions on the prevention of chronic pain in adults: a systematic review protocol. Systematic Reviews, 2017, 6, 190.	5.3	10
85	Family membersâ€™ perceptions of pain behaviors and pain management of adult patients unable to self-report in the intensive care unit: A qualitative descriptive study. Canadian Journal of Pain, 2018, 2, 315-323.	1.7	10
86	Validation of the Critical-Care Pain Observation Tool-Neuro in brain-injured adults in the intensive care unit: a prospective cohort study. Critical Care, 2021, 25, 142.	5.8	10
87	Setting Goals for Pain Management When Using a Behavioral Scale: Example With the Critical-Care Pain Observation Tool. Critical Care Nurse, 2011, 31, 66-68.	1.0	9
88	An Exploratory Study of the Bilateral Bispectral Index for Pain Detection in Traumatic-Brain-Injured Patients With Altered Level of Consciousness. Journal of Neuroscience Nursing, 2015, 47, 166-177.	1.1	9
89	Content validation of behaviours and autonomic responses for the assessment of pain in critically ill adults with a brain injury. Australian Critical Care, 2018, 31, 145-151.	1.3	9
90	Development and Acceptability Assessment of a Self-Management Intervention to Prevent Acute to Chronic Pain Transition after Major Lower Extremity Trauma. Pain Management Nursing, 2018, 19, 671-692.	0.9	9

#	ARTICLE	IF	CITATIONS
91	Stressors experienced by nurses providing end-of-life palliative care in the intensive care unit. Canadian Journal of Nursing Research, 2012, 44, 18-39.	1.5	9
92	A Hybrid Web-Based and In-Person Self-Management Intervention Aimed at Preventing Acute to Chronic Pain Transition After Major Lower Extremity Trauma: Feasibility and Acceptability of iPACT-E-Trauma. JMIR Formative Research, 2018, 2, e10323.	1.4	8
93	A Hybrid Web-Based and In-Person Self-Management Intervention to Prevent Acute to Chronic Pain Transition After Major Lower Extremity Trauma (iPACT-E-Trauma): Protocol for a Pilot Single-Blind Randomized Controlled Trial. JMIR Research Protocols, 2017, 6, e125.	1.0	8
94	Validation of the Critical-Care Pain Observation Tool With Seriously Ill Patients. Journal of Hospice and Palliative Nursing, 2016, 18, 413-420.	0.9	7
95	Web- and Mindfulness-Based Intervention to Prevent Chronic Pain After Cardiac Surgery: Protocol for a Pilot Randomized Controlled Trial. JMIR Research Protocols, 2021, 10, e30951.	1.0	7
96	Validation of a French Canadian version of the Organizational Policies and Practices (OPP) questionnaire. Work, 2003, 20, 111-9.	1.1	7
97	Family Membersâ€™ Experiences with Observing Pain Behaviors Using the Critical-Care Pain Observation Tool. Pain Management Nursing, 2019, 20, 455-461.	0.9	6
98	The Effectiveness of Hand Massage on Pain in Critically Ill Patients After Cardiac Surgery: A Randomized Controlled Trial Protocol. JMIR Research Protocols, 2016, 5, e203.	1.0	6
99	Evaluation of the feasibility and acceptability of a nursing intervention program to facilitate the transition of adult SCI patients and their family from ICU to a trauma unit. International Journal of Orthopaedic and Trauma Nursing, 2014, 18, 214-226.	0.9	5
100	Transition to a newly constructed single patient room adult intensive care unit - Clinicians' preparation and work experience. Journal of Critical Care, 2018, 48, 426-432.	2.2	5
101	Vital signs fluctuations and their relationship with pain in the brain-injured adult critically ill â€“ A repeated-measures descriptive-correlational study. Intensive and Critical Care Nursing, 2019, 55, 102743.	2.9	4
102	Does Hand Massage Have Sustained Effects on Pain Intensity and Pain-Related Interference in the Cardiac Surgery Critically Ill? A Randomized Controlled Trial. Pain Management Nursing, 2019, 20, 572-579.	0.9	4
103	DÃ©terminants de la documentation de lâ€™Ã©valuation de la douleur dans les unitÃ©s de soins intensifs. Canadian Journal of Anaesthesia, 2021, 68, 1176-1184.	1.6	4
104	Les mÃ©thodes mixtes stratÃ©gies prometteuses pour l'Ã©valuation des interventions infirmiÃ©res. Recherche En Soins Infirmiers, 2009, NÂ° 97, 50-62.	0.1	4
105	Study protocol: development and pilot testing of the Critical Care Pain Observation Tool for families (CPOT-Fam). Pilot and Feasibility Studies, 2022, 8, .	1.2	4
106	When and How to Evaluate Interrater Reliability of Patient Assessment Tools. AACN Advanced Critical Care, 2011, 22, 412-417.	1.1	3
107	Validation of the Adolescent Pediatric Pain Tool for the Multidimensional Measurement of Pain in Children and Adolescents Diagnosed with Osteogenesis Imperfecta. Canadian Journal of Pain, 2019, 3, 148-156.	1.7	3
108	Risk factors for severe opioid-induced respiratory depression in hospitalized adults: A caseâ€“control study. Canadian Journal of Pain, 2020, 4, 103-110.	1.7	3

#	ARTICLE	IF	CITATIONS
109	Translation of the Fear of COVID-19 Scale into French-Canadian and English-Canadian and Validation in the Nursing Staff of Quebec. Science of Nursing and Health Practices - Science Infirmière Et Pratiques En Santé, 0, 4, 1-23.	0.1	3
110	Pain Management Challenges in Acute and Critically Ill Patients. AACN Advanced Critical Care, 2019, 30, 318-319.	1.1	2
111	Validation Testing of the European Portuguese Critical-Care Pain Observation Tool. Healthcare (Switzerland), 2022, 10, 1075.	2.0	2
112	P239 Implementation of an End-of-Life/Palliative Care Approach in the ICU: Clinicians' Perceptions of the Acceptability and Feasibility of an Interprofessional Educational Intervention. Journal of Pain and Symptom Management, 2016, 52, e129-e130.	1.2	1
113	Is near infrared spectroscopy valid for the detection of procedural pain in postoperative cardiac surgery intensive care unit adults?. Journal of Near Infrared Spectroscopy, 2017, 25, 391-399.	1.5	1
114	French-Canadian translation of a self-report questionnaire to monitor opioid therapy for chronic pain: The Opioid Compliance Checklist (OCC-FC). Canadian Journal of Pain, 2020, 4, 59-66.	1.7	1
115	Initial testing of the use of the Safer Nursing Care Tool in a Canadian acute care context. Journal of Nursing Management, 2021, 29, 1801-1808.	3.4	1
116	French Translation, Adaptation, and Initial Validation of the Nurses' Attitudes and Perceptions of Pain Assessment in Neonatal Intensive Care Questionnaire (NAPPAQ). Pain Management Nursing, 2021, , .	0.9	1
117	When and How to Evaluate Interrater Reliability of Patient Assessment Tools. AACN Advanced Critical Care, 2011, 22, 412-417.	1.1	1
118	Translation into Spanish and Cultural Adaptation of the Critical-Care Pain Observation Tool. American Journal of Critical Care, 2020, 29, 226-232.	1.6	1
119	Intra-abdominal pressure monitoring for critically ill patients. Dynamics (pembroke, Ont), 2003, 14, 15-9.	0.4	1
120	P238 Validation of the Critical-Care Pain Observation Tool with the Seriously Ill. Journal of Pain and Symptom Management, 2016, 52, e129.	1.2	0
121	P241 La fin de vie dans les USI: les pistes de solution organisationnelles, professionnelles et émotionnelles des infirmières. Journal of Pain and Symptom Management, 2016, 52, e130-e131.	1.2	0
122	La fin de vie dans les USI: les pistes de solution organisationnelles, professionnelles et émotionnelles des infirmières. Journal of Pain and Symptom Management, 2018, 56, e32.	1.2	0
123	Validity of the Modified Dyspnea Index for the French-Canadian Population. Journal of Nursing Measurement, 2021, 29, 121-139.	0.3	0
124	Évaluation de projets d'interventions infirmières: un algorithme pour soutenir la pratique des cliniciennes. Recherche En Soins Infirmiers, 2013, N° 112, 88-93.	0.1	0
125	Abstract 19586: Impact of Dyspnea: From Validity Indices to the Clinical Utility of the French-canadian Version of the Modified Dyspnea Index. Circulation, 2014, 130, .	1.6	0
126	Abstract 16166: Validation of a Self-Reported Measure of Physical Capacity in the Context of Chronic Cardiovascular and Pulmonary Diseases. Circulation, 2014, 130, .	1.6	0