

# Yao Zhu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1413535/publications.pdf>

Version: 2024-02-01

171  
papers

3,815  
citations

136950

32  
h-index

206112

48  
g-index

176  
all docs

176  
docs citations

176  
times ranked

5181  
citing authors

#	ARTICLE	IF	CITATIONS
1	Inherited Mutations in Chinese Men With Prostate Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2022, 20, 54-62.	4.9	13
2	Re: Fabio Turco, Andrew Armstrong, Gerhardt Attard, et al. What Experts Think About Prostate Cancer Management During the COVID-19 Pandemic: Report from the Advanced Prostate Cancer Consensus Conference 2021. <i>Eur Urol</i> . In press. <a href="https://doi.org/10.1016/j.eururo.2022.02.010">https://doi.org/10.1016/j.eururo.2022.02.010</a> . <i>European Urology</i> , 2022, , .	1.9	0
3	Stereotactic Radiotherapy for Lesions Detected via 68Ga-Prostate-specific Membrane Antigen and 18F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography in Patients with Nonmetastatic Prostate Cancer with Early Prostate-specific Antigen Progression on Androgen Deprivation Therapy: A Prospective Single-center Study. <i>European Urology Oncology</i> , 2022, 5, 420-427.	5.4	12
4	A global approach to improving penile cancer care. <i>Nature Reviews Urology</i> , 2022, 19, 231-239.	3.8	28
5	Reply to Ozan Cem Culer and Cem Onal's Letter to the Editor re: Jian Pan, Yu Wei, Tingwei Zhang, et al. Stereotactic Radiotherapy for Lesions Detected via 68Ga-Prostate-specific Membrane Antigen and 18F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography in Patients with Nonmetastatic Prostate Cancer with Early Prostate-specific Antigen Progression on Androgen Deprivation Therapy: A Prospective Single-center Study. <i>Eur Urol Oncol</i> . In press. <a href="https://doi.org/10.1016/j.euo.2022.04.005">https://doi.org/10.1016/j.euo.2022.04.005</a> . <i>European Urology Oncology</i> , 2022, , .	5.4	0
6	Association Between Human Papillomavirus Infection and Outcome of Perioperative Nodal Radiotherapy for Penile Carcinoma. <i>European Urology Oncology</i> , 2021, 4, 802-810.	5.4	22
7	Prevalence of comprehensive <scp>DNA</scp> damage repair gene germline mutations in Chinese prostate cancer patients. <i>International Journal of Cancer</i> , 2021, 148, 673-681.	5.1	20
8	Identification of a methylation panel aid in risk stratification in nodeâ€positive penile squamous cell carcinoma. <i>International Journal of Cancer</i> , 2021, 148, 1289-1298.	5.1	1
9	Contemporary Treatment Patterns and Outcomes for Patients with Penile Squamous Cell Carcinoma: Identifying Management Gaps to Promote Multi-institutional Collaboration. <i>European Urology Oncology</i> , 2021, 4, 121-123.	5.4	5
10	Development and validation of a nomogram including lymphocyte-to-monocyte ratio for initial prostate biopsy: a double-center retrospective study. <i>Asian Journal of Andrology</i> , 2021, 23, 41.	1.6	7
11	Identification of low-frequency variants of UGT1A3 associated with bladder cancer risk by next-generation sequencing. <i>Oncogene</i> , 2021, 40, 2382-2394.	5.9	8
12	Epidemiology and genomics of prostate cancer in Asian men. <i>Nature Reviews Urology</i> , 2021, 18, 282-301.	3.8	111
13	Outcomes of perineal urethrostomy for penile cancer: A 20-year international multicenter experience. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 500.e9-500.e13.	1.6	8
14	Combination of body mass index and albumin predicts the survival in metastatic castrationâ€resistant prostate cancer patients treated with abiraterone: A post hoc analysis of two randomized trials. <i>Cancer Medicine</i> , 2021, 10, 6697-6704.	2.8	7
15	Risk factors and survival outcomes for upstaging after inguinal lymph node dissection for cN1 penile squamous cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 838.e7-838.e13.	1.6	3
16	Impact of radiation therapy on perineal urethrostomy for penile cancer. <i>Clinical and Translational Radiation Oncology</i> , 2021, 30, 84-87.	1.7	1
17	A Germline Variant at 8q24 Contributes to the Serum p2PSA Level in a Chinese Prostate Biopsy Cohort. <i>Frontiers in Oncology</i> , 2021, 11, 753920.	2.8	2
18	Inactivation of the AMPKâ€GATA3â€ECHS1 Pathway Induces Fatty Acid Synthesis That Promotes Clear Cell Renal Cell Carcinoma Growth. <i>Cancer Research</i> , 2020, 80, 319-333.	0.9	90

#	ARTICLE	IF	CITATIONS
19	The U Shape of Prostate-specific Antigen and Prostate Cancer-specific Mortality in High-grade Metastatic Prostate Adenocarcinoma. <i>European Urology Focus</i> , 2020, 6, 53-62.	3.1	5
20	Comparison of different lymph node staging schemes in prostate cancer patients with lymph node metastasis. <i>International Urology and Nephrology</i> , 2020, 52, 87-95.	1.4	6
21	Identifying an optimal lymph node yield for penile squamous cell carcinoma: prognostic impact of surgical dissection. <i>BJU International</i> , 2020, 125, 82-88.	2.5	20
22	Prostate Cancer and Prostatic Diseases Best of Asia, 2019: challenges and opportunities. <i>Prostate Cancer and Prostatic Diseases</i> , 2020, 23, 197-198.	3.9	12
23	A risk calculator predicting recurrence in lymph node metastatic penile cancer. <i>BJU International</i> , 2020, 126, 577-585.	2.5	12
24	Importance of HPV in Chinese Penile Cancer: A Contemporary Multicenter Study. <i>Frontiers in Oncology</i> , 2020, 10, 1521.	2.8	9
25	Single-cell transcriptomics identifies a distinct luminal progenitor cell type in distal prostate invagination tips. <i>Nature Genetics</i> , 2020, 52, 908-918.	21.4	77
26	Prognostic Value of Local Treatment in Prostate Cancer Patients With Different Metastatic Sites: A Population Based Retrospective Study. <i>Frontiers in Oncology</i> , 2020, 10, 527952.	2.8	6
27	A Prospective Trial of 68Ga-PSMA and 18F-FDG PET/CT in Nonmetastatic Prostate Cancer Patients with an Early PSA Progression During Castration. <i>Clinical Cancer Research</i> , 2020, 26, 4551-4558.	7.0	49
28	Optimising the selection of candidates for neoadjuvant chemotherapy amongst patients with node-positive penile squamous cell carcinoma. <i>BJU International</i> , 2020, 125, 867-875.	2.5	15
29	Prognostic Value of Germline DNA Repair Gene Mutations in De Novo Metastatic and Castration-Sensitive Prostate Cancer. <i>Oncologist</i> , 2020, 25, e1042-e1050.	3.7	17
30	Preliminary results of targeted prostate-specific membrane antigen imaging in evaluating the efficacy of a novel hormone agent in metastatic castration-resistant prostate cancer. <i>Cancer Medicine</i> , 2020, 9, 3278-3286.	2.8	3
31	Metabolically Abnormal Obesity Increases the Risk of Advanced Prostate Cancer in Chinese Patients Undergoing Radical Prostatectomy. <i>Cancer Management and Research</i> , 2020, Volume 12, 1779-1787.	1.9	5
32	The Rare Variant rs35356162 in UHRF1BP1 Increases Bladder Cancer Risk in Han Chinese Population. <i>Frontiers in Oncology</i> , 2020, 10, 134.	2.8	16
33	A novel gene signature to predict immune infiltration and outcome in patients with prostate cancer. <i>Oncolmmunology</i> , 2020, 9, 1762473.	4.6	33
34	Targeting CPT1B as a potential therapeutic strategy in castration-resistant and enzalutamide-resistant prostate cancer. <i>Prostate</i> , 2020, 80, 950-961.	2.3	31
35	Development and validation of a robust multigene signature as an aid to predict early relapse in stage III clear cell and papillary renal cell cancer. <i>Journal of Cancer</i> , 2020, 11, 997-1007.	2.5	9
36	Surgical Volume, Safety, Drug Administration, and Clinical Trials During COVID-19: Single-center Experience in Shanghai, China. <i>European Urology</i> , 2020, 78, 120-122.	1.9	11

#	ARTICLE	IF	CITATIONS
37	&lt;p&gt;Chinese Expert Consensus on the Diagnosis and Treatment of Castration-Resistant Prostate Cancer (2019 Update)&lt;/p&gt;. Cancer Management and Research, 2020, Volume 12, 2127-2140.	1.9	12
38	GLUT1 is an AR target contributing to tumor growth and glycolysis in castration-resistant and enzalutamide-resistant prostate cancers. Cancer Letters, 2020, 485, 45-55.	7.2	42
39	Prognosis of the 8th TNM Staging System for Penile Cancer and Refinement of Prognostication by Incorporating High Risk Human Papillomavirus Status. Journal of Urology, 2020, 203, 562-569.	0.4	24
40	Development of a risk calculator of recurrence in inguinal lymph node metastatic (ILNM) patients with surgically resected penile squamous cell carcinoma (PSCC).. Journal of Clinical Oncology, 2020, 38, 1-1.	1.6	0
41	Locoregional surgical treatment improves the prognosis in patients with primary metastatic testicular cancer with a single bone or brain metastasis. Molecular and Clinical Oncology, 2020, 13, 146-154.	1.0	1
42	Regression tree analysis to identify the best candidates for neoadjuvant chemotherapy (NAC) in patients with clinically lymph node-positive penile squamous cell carcinoma (PSCC).. Journal of Clinical Oncology, 2020, 38, 2-2.	1.6	0
43	Causes of Death and Conditional Survival of Renal Cell Carcinoma. Frontiers in Oncology, 2019, 9, 591.	2.8	20
44	Elevated MRE11 expression associated with progression and poor outcome in prostate cancer. Journal of Cancer, 2019, 10, 4333-4340.	2.5	23
45	Lowâ€serum prostateâ€specific antigen level predicts poor outcomes in patients with primary neuroendocrine prostate cancer. Prostate, 2019, 79, 1563-1571.	2.3	12
46	Prognosis of the Metachronous and Synchronous Bilateral Renal Cancer and Second Primary Cancer After the Bilateral Renal Cancer: a Population-Based Analysis. SN Comprehensive Clinical Medicine, 2019, 1, 900-904.	0.6	0
47	Development and External Validation of a Novel 12-Gene Signature for Prediction of Overall Survival in Muscle-Invasive Bladder Cancer. Frontiers in Oncology, 2019, 9, 856.	2.8	16
48	Germline DNA Repair Gene Mutation Landscape in Chinese Prostate Cancer Patients. European Urology, 2019, 76, 280-283.	1.9	41
49	Nomogram-based prediction of overall survival after regional lymph node dissection and the role of perioperative chemotherapy in penile squamous cell carcinoma: A retrospective multicenter study. Urologic Oncology: Seminars and Original Investigations, 2019, 37, 531.e7-531.e15.	1.6	27
50	Germline DNA-repair Gene Mutations and Efficacy of Abiraterone or Enzalutamide in Patients with Metastatic Castration-resistant Prostate Cancer. European Urology Focus, 2019, 5, 745-747.	3.1	1
51	Human epidermal growth factor receptor 2 amplification as a biomarker for treatment in patients with lymph nodeâ€metastatic penoscrotal extramammary Paget's disease. Oncology Letters, 2019, 17, 2677-2686.	1.8	6
52	Retinoic Acidâ€Related Orphan Receptor C Regulates Proliferation, Glycolysis, and Chemoresistance via the PD-L1/ITGB6/STAT3 Signaling Axis in Bladder Cancer. Cancer Research, 2019, 79, 2604-2618.	0.9	87
53	Genetic variants in RTEL1 influencing telomere length are associated with prostate cancer risk. Journal of Cancer, 2019, 10, 6170-6174.	2.5	7
54	The Prognostic Value of Programmed Death-Ligand 1 in a Chinese Cohort With Clear Cell Renal Cell Carcinoma. Frontiers in Oncology, 2019, 9, 879.	2.8	6

#	ARTICLE	IF	CITATIONS
55	Important Therapeutic Considerations in T1b Penile Cancer: Prognostic Significance and Adherence to Treatment Guidelines. <i>Annals of Surgical Oncology</i> , 2019, 26, 685-691.	1.5	14
56	ASO Author Reflections: T1b Penile Cancer: An Alarm to Improve Treatment. <i>Annals of Surgical Oncology</i> , 2019, 26, 692-693.	1.5	0
57	A Multicentre Evaluation of the Role of the Prostate Health Index (PHI) in Regions with Differing Prevalence of Prostate Cancer: Adjustment of PHI Reference Ranges is Needed for European and Asian Settings. <i>European Urology</i> , 2019, 75, 558-561.	1.9	64
58	Primary Penile Cancer: The Role of Adjuvant Radiation Therapy in the Management of Extranodal Extension in Lymph Nodes. <i>European Urology Focus</i> , 2019, 5, 737-741.	3.1	25
59	The Value of 99mTc-PSMA SPECT/CT-Guided Surgery for Identifying and Locating Lymph Node Metastasis in Prostate Cancer Patients. <i>Annals of Surgical Oncology</i> , 2019, 26, 653-659.	1.5	14
60	Germline mutations of renal cancer predisposition genes and clinical relevance in Chinese patients with sporadic, early-onset disease. <i>Cancer</i> , 2019, 125, 1060-1069.	4.1	28
61	Prostate cancer and prostatic diseases Best of China, 2018. <i>Prostate Cancer and Prostatic Diseases</i> , 2019, 22, 1-2.	3.9	11
62	Conditional Survival in Patients with Advanced Renal Cell Carcinoma Treated with Nivolumab. <i>Medical Science Monitor</i> , 2019, 25, 6518-6522.	1.1	4
63	Identification of seven long noncoding RNAs signature for prediction of biochemical recurrence in prostate cancer. <i>Asian Journal of Andrology</i> , 2019, 21, 618.	1.6	17
64	Germline DNA damage repair gene alterations in Chinese prostate patients: More than HRR and MMR.. <i>Journal of Clinical Oncology</i> , 2019, 37, e13041-e13041.	1.6	0
65	Clinical significance of urine prostatic exosomal protein in the diagnosis of prostate cancer. <i>American Journal of Cancer Research</i> , 2019, 9, 1074-1078.	1.4	5
66	Evaluation of clinical staging of the American Joint Committee on Cancer (eighth edition) for prostate cancer. <i>World Journal of Urology</i> , 2018, 36, 769-774.	2.2	5
67	Identification and validation of an 18-gene signature highly-predictive of bladder cancer metastasis. <i>Scientific Reports</i> , 2018, 8, 374.	3.3	10
68	SOX2 and SOX12 are predictive of prognosis in patients with clear cell renal cell carcinoma. <i>Oncology Letters</i> , 2018, 15, 4564-4570.	1.8	22
69	Surgical management of penile carcinoma <i>in situ</i> : results from an international collaborative study and review of the literature. <i>BJU International</i> , 2018, 121, 393-398.	2.5	45
70	Whole-genome and Transcriptome Sequencing of Prostate Cancer Identify New Genetic Alterations Driving Disease Progression. <i>European Urology</i> , 2018, 73, 322-339.	1.9	130
71	Preoperative prostate health index predicts poor pathologic outcomes of radical prostatectomy in patients with biopsy-detected low-risk patients prostate cancer: results from a Chinese prospective cohort. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 64-70.	3.9	5
72	Laser ablation as monotherapy for penile squamous cell carcinoma: A multi-center cohort analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 147-152.	1.6	26

#	ARTICLE	IF	CITATIONS
73	Measurement of Metastasis in the Follow-Up of Localized Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2018, 36, 514-514.	1.6	2
74	Prognosis of rare pathological primary urethral carcinoma. <i>Cancer Management and Research</i> , 2018, Volume 10, 6815-6822.	1.9	8
75	Comprehensive Analysis of <i>BAP1</i> Somatic Mutation in Clear Cell Renal Cell Carcinoma to Explore Potential Mechanisms <i>in Silico</i> . <i>Journal of Cancer</i> , 2018, 9, 4108-4116.	2.5	17
76	National Comprehensive Cancer Network (NCCN) risk classification in predicting biochemical recurrence after radical prostatectomy: a retrospective cohort study in Chinese prostate cancer patients. <i>Asian Journal of Andrology</i> , 2018, 20, 551.	1.6	9
77	High expression of F2RL3 correlates with aggressive features and poor survival in clear cell renal cell carcinoma. <i>Journal of Cancer</i> , 2018, 9, 3400-3406.	2.5	1
78	Modification of American Joint Committee on cancer prognostic groups for renal cell carcinoma. <i>Cancer Medicine</i> , 2018, 7, 5431-5438.	2.8	21
79	Forkhead box series expression network is associated with outcome of clear cell renal cell carcinoma. <i>Oncology Letters</i> , 2018, 15, 8669-8680.	1.8	16
80	PCA3 rs544190G>A and prostate cancer risk in an eastern Chinese population. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2018, 44, 500-505.	1.5	3
81	SPOP promotes ATF2 ubiquitination and degradation to suppress prostate cancer progression. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 145.	8.6	43
82	Relationship between PSA kinetics and Tc-99m HYNIC PSMA SPECT/CT detection rates of biochemical recurrence in patients with prostate cancer after radical prostatectomy. <i>Prostate</i> , 2018, 78, 1215-1221.	2.3	9
83	A single nucleotide polymorphism in CYP1B1 leads to differential prostate cancer risk and telomere length. <i>Journal of Cancer</i> , 2018, 9, 269-274.	2.5	8
84	External validation and newly development of a nomogram to predict overall survival of abiraterone-treated, castration-resistant patients with metastatic prostate cancer. <i>Asian Journal of Andrology</i> , 2018, 20, 184.	1.6	9
85	Waist-hip Ratio (WHR), a Better Predictor for Prostate Cancer than Body Mass Index (BMI): Results from a Chinese Hospital-based Biopsy Cohort. <i>Scientific Reports</i> , 2017, 7, 43551.	3.3	10
86	Smoking increased the risk of prostate cancer with grade group 4 and intraductal carcinoma in a prospective biopsy cohort. <i>Prostate</i> , 2017, 77, 984-989.	2.3	9
87	PD-L1 expression in Xp11.2 translocation renal cell carcinoma: Indicator of tumor aggressiveness. <i>Scientific Reports</i> , 2017, 7, 2074.	3.3	21
88	Early skeletal muscle loss during target therapy is a prognostic biomarker in metastatic renal cell carcinoma patients. <i>Scientific Reports</i> , 2017, 7, 7587.	3.3	15
89	Glanslectomy as Primary Management of Penile Squamous Cell Carcinoma: An International Study Collaboration. <i>Urology</i> , 2017, 109, 140-144.	1.0	15
90	Low TIM3 expression indicates poor prognosis of metastatic prostate cancer and acts as an independent predictor of castration resistant status. <i>Scientific Reports</i> , 2017, 7, 8869.	3.3	40

#	ARTICLE	IF	CITATIONS
91	Adjuvant pelvic radiation is associated with improved survival and decreased disease recurrence in pelvic node-positive penile cancer after lymph node dissection: A multi-institutional study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 605.e17-605.e23.	1.6	39
92	Identification and validation of an eight-gene expression signature for predicting high Fuhrman grade renal cell carcinoma. <i>International Journal of Cancer</i> , 2017, 140, 1199-1208.	5.1	29
93	Functional variants in the low-density lipoprotein receptor gene are associated with clear cell renal cell carcinoma susceptibility. <i>Carcinogenesis</i> , 2017, 38, 1241-1248.	2.8	5
94	Beyond chemotherapy for advanced disease—the role of EGFR and PD-1 inhibitors. <i>Translational Andrology and Urology</i> , 2017, 6, 848-854.	1.4	12
95	Evaluation of the major changes in eighth edition of the American Joint Committee on Cancer pathological staging for prostate cancer treated with prostatectomy. <i>PLoS ONE</i> , 2017, 12, e0187887.	2.5	5
96	The Oncogenic Role of COL23A1 in Clear Cell Renal Cell Carcinoma. <i>Scientific Reports</i> , 2017, 7, 9846.	3.3	25
97	Expression of ARID1B Is Associated With Poor Outcomes and Predicts the Benefit from Adjuvant Chemotherapy in Bladder Urothelial Carcinoma. <i>Journal of Cancer</i> , 2017, 8, 3490-3497.	2.5	13
98	Evaluation of <sup>99m</sup> Tc-labeled PSMA-SPECT/CT imaging in prostate cancer patients who have undergone biochemical relapse. <i>Asian Journal of Andrology</i> , 2017, 19, 267.	1.6	29
99	PBRM1 regulates proliferation and the cell cycle in renal cell carcinoma through a chemokine/chemokine receptor interaction pathway. <i>PLoS ONE</i> , 2017, 12, e0180862.	2.5	12
100	Polymorphisms in nucleotide excision repair genes and risk of primary prostate cancer in Chinese Han populations. <i>Oncotarget</i> , 2017, 8, 24362-24371.	1.8	21
101	Renal cell carcinoma histological subtype distribution differs by age, gender, and tumor size in coastal Chinese patients. <i>Oncotarget</i> , 2017, 8, 71797-71804.	1.8	25
102	Genetic variants in insulin-like growth factor binding protein-3 are associated with prostate cancer susceptibility in Eastern Chinese Han men. <i>OncoTargets and Therapy</i> , 2016, 9, 61.	2.0	8
103	Oligometastatic state predicts a favorable outcome for renal cell carcinoma patients with bone metastasis under the treatment of sunitinib. <i>Oncotarget</i> , 2016, 7, 26879-26887.	1.8	12
104	Serum Adiponectin Level May be an Independent Predictor of Clear Cell Renal Cell Carcinoma. <i>Journal of Cancer</i> , 2016, 7, 1340-1346.	2.5	18
105	Prognostic value of pathological features of primary lesion in metastatic renal cell carcinoma treated with sorafenib. <i>Future Oncology</i> , 2016, 12, 1783-1793.	2.4	0
106	Phosphorylated 4EBP1 is associated with tumor progression and poor prognosis in Xp11.2 translocation renal cell carcinoma. <i>Scientific Reports</i> , 2016, 6, 23594.	3.3	27
107	Diagnosis of adults Xp11.2 translocation renal cell carcinoma by immunohistochemistry and FISH assays: clinicopathological data from ethnic Chinese population. <i>Scientific Reports</i> , 2016, 6, 21677.	3.3	26
108	Genome-Wide Association Study of Bladder Cancer in a Chinese Cohort Reveals a New Susceptibility Locus at 5q12.3. <i>Cancer Research</i> , 2016, 76, 3277-3284.	0.9	46

#	ARTICLE	IF	CITATIONS
109	Preneoplastic and Primary Scrotal Cancer. <i>Urologic Clinics of North America</i> , 2016, 43, 523-530.	1.8	7
110	Predicting the failure of retrograde ureteral stent insertion for managing malignant ureteral obstruction in outpatients. <i>Oncology Letters</i> , 2016, 11, 879-883.	1.8	24
111	Effect of Body mass index on the performance characteristics of PSA-related markers to detect prostate cancer. <i>Scientific Reports</i> , 2016, 6, 19034.	3.3	5
112	Functional variants of the 5-methyltetrahydrofolate-homocysteine methyltransferase gene significantly increase susceptibility to prostate cancer: Results from an ethnic Han Chinese population. <i>Scientific Reports</i> , 2016, 6, 36264.	3.3	12
113	MTHFR c.677C>T Inhibits Cell Proliferation and Decreases Prostate Cancer Susceptibility in the Han Chinese Population in Shanghai. <i>Scientific Reports</i> , 2016, 6, 36290.	3.3	7
114	A functional variant in <i>TP63</i> at 3q28 associated with bladder cancer risk by creating an miR-140-5p binding site. <i>International Journal of Cancer</i> , 2016, 139, 65-74.	5.1	27
115	Norcantharidin induces autophagy-related prostate cancer cell death through Beclin-1 upregulation by miR-129-5p suppression. <i>Tumor Biology</i> , 2016, 37, 15643-15648.	1.8	26
116	Pretreatment neutrophil-to-lymphocyte ratio predicts prognosis in patients with metastatic renal cell carcinoma receiving targeted therapy. <i>International Journal of Clinical Oncology</i> , 2016, 21, 373-378.	2.2	23
117	Extent of pelvic lymph node dissection in penile cancer may impact survival. <i>World Journal of Urology</i> , 2016, 34, 353-359.	2.2	32
118	Eosinophil percentage elevation as a prognostic factor for overall survival in patients with metastatic renal cell carcinoma treated with tyrosine kinase inhibitor. <i>Oncotarget</i> , 2016, 7, 68943-68953.	1.8	6
119	Increased B4GALT1 expression associates with adverse outcome in patients with non-metastatic clear cell renal cell carcinoma. <i>Oncotarget</i> , 2016, 7, 32723-32730.	1.8	24
120	Performance of the Prostate Health Index in predicting prostate biopsy outcomes among men with a negative digital rectal examination and transrectal ultrasonography. <i>Asian Journal of Andrology</i> , 2016, 18, 633.	1.6	10
121	Nutritional screening is strongly associated with overall survival in patients treated with targeted agents for metastatic renal cell carcinoma. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015, 6, 222-230.	7.3	61
122	ADIPOQ polymorphism rs182052 is associated with clear cell renal cell carcinoma. <i>Cancer Science</i> , 2015, 106, 687-691.	3.9	18
123	Surgical treatment of primary disease for penile squamous cell carcinoma: A Surveillance, Epidemiology, and End Results database analysis. <i>Oncology Letters</i> , 2015, 10, 85-92.	1.8	12
124	Constitutively Active AR-V7 Plays an Essential Role in the Development and Progression of Castration-Resistant Prostate Cancer. <i>Scientific Reports</i> , 2015, 5, 7654.	3.3	140
125	Abnormal methylation status of FBXW10 and SMPD3, and associations with clinical characteristics in clear cell renal cell carcinoma. <i>Oncology Letters</i> , 2015, 10, 3073-3080.	1.8	36
126	Development and external validation of a prostate health index-based nomogram for predicting prostate cancer. <i>Scientific Reports</i> , 2015, 5, 15341.	3.3	15



#	ARTICLE	IF	CITATIONS
127	Age-Dependent Association between Sex and Renal Cell Carcinoma Mortality: a Population-Based Analysis. <i>Scientific Reports</i> , 2015, 5, 9160.	3.3	32
128	Two novel <i>PRKCI</i> polymorphisms and prostate cancer risk in an Eastern Chinese Han population. <i>Molecular Carcinogenesis</i> , 2015, 54, 632-641.	2.7	4
129	Predicting postoperative complications of inguinal lymph node dissection for penile cancer in an international multicentre cohort. <i>BJU International</i> , 2015, 116, 196-201.	2.5	62
130	Development of a preliminary nomogram to predict progression of bone scan for castration-resistant prostate cancer. <i>OncoTargets and Therapy</i> , 2015, 8, 713.	2.0	3
131	Assessment of survival of patients with metastatic clear cell renal cell carcinoma after radical cytoreductive nephrectomy versus no surgery: a SEER analysis. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2015, 41, 288-295.	1.5	15
132	Prognostic Value of Components of Body Composition in Patients Treated with Targeted Therapy for Advanced Renal Cell Carcinoma: A Retrospective Case Series. <i>PLoS ONE</i> , 2015, 10, e0118022.	2.5	32
133	Expression of Dicer and Its Related miRNAs in the Progression of Prostate Cancer. <i>PLoS ONE</i> , 2015, 10, e0120159.	2.5	19
134	MicroRNA-302a Suppresses Tumor Cell Proliferation by Inhibiting AKT in Prostate Cancer. <i>PLoS ONE</i> , 2015, 10, e0124410.	2.5	58
135	Establishing Criteria for Bilateral Pelvic Lymph Node Dissection in the Management of Penile Cancer: Lessons Learned from an International Multicenter Collaboration. <i>Journal of Urology</i> , 2015, 194, 696-702.	0.4	37
136	Preoperative lymphocyte-monocyte and platelet-lymphocyte ratios as predictors of overall survival in patients with bladder cancer undergoing radical cystectomy. <i>Tumor Biology</i> , 2015, 36, 8537-8543.	1.8	71
137	Outcomes of patients with lymph node metastasis treated with radical prostatectomy and adjuvant androgen deprivation therapy in a Chinese population: results from a cohort study. <i>World Journal of Surgical Oncology</i> , 2015, 13, 172.	1.9	6
138	Prostate cancer in East Asia: evolving trend over the last decade. <i>Asian Journal of Andrology</i> , 2015, 17, 48.	1.6	90
139	Retrograde radical cystectomy and consequent peritoneal cavity reconstruction benefits localized male bladder cancer: results from a cohort study. <i>World Journal of Surgical Oncology</i> , 2015, 13, 132.	1.9	5
140	Adjuvant chemotherapy is associated with improved overall survival in pelvic node-positive penile cancer after lymph node dissection: A multi-institutional study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 496.e17-496.e23.	1.6	76
141	Evaluation of fine particles in surgical smoke from an urologist's operating room by time and by distance. <i>International Urology and Nephrology</i> , 2015, 47, 1671-1678.	1.4	33
142	Pathological Features of Localized Prostate Cancer in China: A Contemporary Analysis of Radical Prostatectomy Specimens. <i>PLoS ONE</i> , 2015, 10, e0121076.	2.5	18
143	Prognostic significance of the TREK-1 K2P potassium channels in prostate cancer. <i>Oncotarget</i> , 2015, 6, 18460-18468.	1.8	20
144	Influence of age on predictiveness of genetic risk score for prostate cancer in a Chinese hospital-based biopsy cohort. <i>Oncotarget</i> , 2015, 6, 22978-22984.	1.8	9

#	ARTICLE	IF	CITATIONS
145	Phase II study of docetaxel, cisplatin, and fluorouracil in patients with distantly metastatic penile cancer as first-line chemotherapy. <i>Oncotarget</i> , 2015, 6, 32212-32219.	1.8	23
146	Upregulation of COL6A1 is predictive of poor prognosis in clear cell renal cell carcinoma patients. <i>Oncotarget</i> , 2015, 6, 27378-27387.	1.8	26
147	A single nucleotide polymorphism in <i>ADIPOQ</i> predicts biochemical recurrence after radical prostatectomy in localized prostate cancer. <i>Oncotarget</i> , 2015, 6, 32205-32211.	1.8	18
148	Association of glutathione S-transferase T1 and M1 polymorphisms with prostate cancer susceptibility in populations of Asian descent: a meta-analysis. <i>Oncotarget</i> , 2015, 6, 35843-35850.	1.8	7
149	Conditional survival among patients with adrenal cortical carcinoma determined using a national population-based surveillance, epidemiology, and end results registry. <i>Oncotarget</i> , 2015, 6, 44955-44962.	1.8	10
150	Clinical outcome of advanced and metastatic renal cell carcinoma treated with targeted therapy: is there a difference between young and old patients?. <i>OncoTargets and Therapy</i> , 2014, 7, 2043.	2.0	9
151	Alkaline phosphatase velocity in nonmetastatic CRPC. <i>Nature Reviews Urology</i> , 2014, 11, 666-667.	3.8	6
152	Performance of serum prostate-specific antigen isoform [p2]proPSA (p2PSA) and the prostate health index (PHI) in a Chinese hospital-based biopsy population. <i>Prostate</i> , 2014, 74, 1569-1575.	2.3	36
153	Population-Based Assessment of the Number of Lymph Nodes Removed in the Treatment of Penile Squamous Cell Carcinoma. <i>Urologia Internationalis</i> , 2014, 92, 186-193.	1.3	14
154	Oral etoposide and oral prednisone for the treatment of castration resistant prostate cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2014, 30, 82-85.	1.9	7
155	Visceral fat accumulation is associated with different pathological subtypes of renal cell carcinoma (RCC): a multicentre study in China. <i>BJU International</i> , 2014, 114, 496-502.	2.5	15
156	External validation of nomograms for predicting cancer-specific mortality in penile cancer patients treated with definitive surgery. <i>Chinese Journal of Cancer</i> , 2014, 33, 249-255.	4.9	7
157	Clinical significance of TMPRSS4 in prostate cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 8053-8.	0.5	5
158	Validation of the prognostic value of lymph node ratio in patients with penile squamous cell carcinoma: a population-based study. <i>International Urology and Nephrology</i> , 2013, 45, 1263-1271.	1.4	10
159	Visceral Obesity and Risk of High Grade Disease in Clinical T1a Renal Cell Carcinoma. <i>Journal of Urology</i> , 2013, 189, 447-453.	0.4	58
160	Prognostic value of carbonic anhydrase IX expression in penile squamous cell carcinoma: A pilot study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 706-711.	1.6	4
161	Genetic variants in telomere-maintenance genes and bladder cancer risk. <i>Chinese-German Journal of Clinical Oncology</i> , 2013, 12, 448-453.	0.1	0
162	External validation of the Prostate Cancer Prevention Trial and the European Randomized Study of Screening for Prostate Cancer risk calculators in a Chinese cohort. <i>Asian Journal of Andrology</i> , 2012, 14, 738-744.	1.6	33

#	ARTICLE	IF	CITATIONS
163	Lymph node metastases and prognosis in penile cancer. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2012, 24, 90-96.	2.2	30
164	New N Staging System of Penile Cancer Provides a Better Reflection of Prognosis. Journal of Urology, 2011, 186, 518-523.	0.4	37
165	Feasibility and Activity of Sorafenib and Sunitinib in Advanced Penile Cancer: A Preliminary Report. Urologia Internationalis, 2010, 85, 334-340.	1.3	40
166	Development and Evaluation of a Nomogram to Predict Inguinal Lymph Node Metastasis in Patients With Penile Cancer and Clinically Negative Lymph Nodes. Journal of Urology, 2010, 184, 539-545.	0.4	46
167	Prospectively Packaged Ilioinguinal Lymphadenectomy for Penile Cancer: The Disseminative Pattern of Lymph Node Metastasis. Journal of Urology, 2009, 181, 2103-2108.	0.4	30
168	The Value of Squamous Cell Carcinoma Antigen in the Prognostic Evaluation, Treatment Monitoring and Followup of Patients With Penile Cancer. Journal of Urology, 2008, 180, 2019-2023.	0.4	36
169	Predicting Pelvic Lymph Node Metastases in Penile Cancer Patients: A Comparison of Computed Tomography, Cloquet's Node, and Disease Burden of Inguinal Lymph Nodes. Onkologie, 2008, 31, 37-41.	0.8	65
170	The prognostic significance of p53, Ki-67, epithelial cadherin and matrix metalloproteinase-9 in penile squamous cell carcinoma treated with surgery. BJU International, 2007, 100, 204-208.	2.5	87
171	Frozen section-guided wide local excision in the treatment of penoscrotal extramammary Paget's disease. BJU International, 2007, 100, 1282-1287.	2.5	47