

Peter Carmeliet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1418557/publications.pdf>

Version: 2024-02-01

751
papers

130,048
citations

91

168
h-index

135

332
g-index

781
all docs

781
docs citations

781
times ranked

111434
citing authors

#	ARTICLE	IF	CITATIONS
1	Deciphering endothelial heterogeneity in health and disease at single-cell resolution: progress and perspectives. Cardiovascular Research, 2023, 119, 6-27.	3.8	19
2	Deficiency of myeloid PHD proteins aggravates atherogenesis via macrophage apoptosis and paracrine fibrotic signalling. Cardiovascular Research, 2022, 118, 1232-1246.	3.8	12
3	Single-cell RNA sequencing profiling of mouse endothelial cells in response to pulmonary arterial hypertension. Cardiovascular Research, 2022, 118, 2519-2534.	3.8	45
4	Identification of vascular cues contributing to cancer cell stemness and function. Angiogenesis, 2022, 25, 355-371.	7.2	8
5	De novo serine synthesis regulates chondrocyte proliferation during bone development and repair. Bone Research, 2022, 10, 14.	11.4	17
6	Repression of hypoxia-inducible factor-1 contributes to increased mitochondrial reactive oxygen species production in diabetes. ELife, 2022, 11, .	6.0	31
7	Immunomodulation by endothelial cells “partnering up with the immune system?”. Nature Reviews Immunology, 2022, 22, 576-588.	22.7	125
8	Mitochondrial respiration supports autophagy to provide stress resistance during quiescence. Autophagy, 2022, 18, 2409-2426.	9.1	13
9	A Role for the Vascular Endothelium in Post“Acute COVID-19?. Circulation, 2022, 145, 1503-1505.	1.6	11
10	Lipid droplet degradation by autophagy connects mitochondria metabolism to Prox1-driven expression of lymphatic genes and lymphangiogenesis. Nature Communications, 2022, 13, 2760.	12.8	19
11	PHGDH heterogeneity potentiates cancer cell dissemination and metastasis. Nature, 2022, 605, 747-753.	27.8	77
12	A YAP/TAZ-TEAD signalling module links endothelial nutrient acquisition to angiogenic growth. Nature Metabolism, 2022, 4, 672-682.	11.9	20
13	Endothelial cell heterogeneity and microglia regulons revealed by a pig cell landscape at single-cell level. Nature Communications, 2022, 13, .	12.8	22
14	Endothelial cell heterogeneity and plasticity in health and disease“new insights from single-cell studies. , 2022, , 17-28.		0
15	A Phase I Trial of TB-403 in Relapsed Medulloblastoma, Neuroblastoma, Ewing Sarcoma, and Alveolar Rhabdomyosarcoma. Clinical Cancer Research, 2022, 28, 3950-3957.	7.0	5
16	Transcriptomic analysis of CFTR-impaired endothelial cells reveals a pro-inflammatory phenotype. European Respiratory Journal, 2021, 57, 2000261.	6.7	10
17	Successful double-lung transplantation from a donor previously infected with SARS-CoV-2. Lancet Respiratory Medicine,the, 2021, 9, 315-318.	10.7	41
18	Neutrophils Fuel Effective Immune Responses through Gluconeogenesis and Glycogenesis. Cell Metabolism, 2021, 33, 411-423.e4.	16.2	84

#	ARTICLE	IF	CITATIONS
19	Phenotypic diversity and metabolic specialization of renal endothelial cells. <i>Nature Reviews Nephrology</i> , 2021, 17, 441-464.	9.6	60
20	Hypoxia-inducible factor-1 α -dependent induction of miR122 enhances hepatic ischemia tolerance. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	33
21	Whole-Body Prolyl Hydroxylase Domain (PHD) 3 Deficiency Increased Plasma Lipids and Hematocrit Without Impacting Plaque Size in Low-Density Lipoprotein Receptor Knockout Mice. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 664258.	3.7	3
22	Endothelial metabolism going single. <i>Nature Metabolism</i> , 2021, 3, 593-594.	11.9	2
23	Endothelial cell plasticity at the single-cell level. <i>Angiogenesis</i> , 2021, 24, 311-326.	7.2	48
24	Endothelial Insulin Receptors Promote VEGF-A Signaling via ERK1/2 and Sprouting Angiogenesis. <i>Endocrinology</i> , 2021, 162, .	2.8	20
25	High-fat diet-activated fatty acid oxidation mediates intestinal stemness and tumorigenicity. <i>Cell Reports</i> , 2021, 35, 109212.	6.4	85
26	Protocols for endothelial cell isolation from mouse tissues: small intestine, colon, heart, and liver. <i>STAR Protocols</i> , 2021, 2, 100489.	1.2	11
27	Tumor vessel co-option probed by single-cell analysis. <i>Cell Reports</i> , 2021, 35, 109253.	6.4	44
28	Partial Inhibition of the 6-Phosphofructo-2-Kinase/Fructose-2,6-Bisphosphatase-3 (PFKFB3) Enzyme in Myeloid Cells Does Not Affect Atherosclerosis. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 695684.	3.7	4
29	Endothelial CFTR dysfunction and its involvement in the pathogenesis of pulmonary arterial hypertension. <i>European Respiratory Journal</i> , 2021, 58, 2101645.	6.7	0
30	Persistence of SARS-CoV-2 RNA in lung tissue after mild COVID-19. <i>Lancet Respiratory Medicine</i> , the, 2021, 9, e78-e79.	10.7	30
31	Hierarchical imaging and computational analysis of three-dimensional vascular network architecture in the entire postnatal and adult mouse brain. <i>Nature Protocols</i> , 2021, 16, 4564-4610.	12.0	23
32	Protocols for endothelial cell isolation from mouse tissues: kidney, spleen, and testis. <i>STAR Protocols</i> , 2021, 2, 100523.	1.2	7
33	Combined glucocorticoid resistance and hyperlactatemia contributes to lethal shock in sepsis. <i>Cell Metabolism</i> , 2021, 33, 1763-1776.e5.	16.2	28
34	Comparative meta-analysis of cystic fibrosis cell models suggests partial endothelial-to-mesenchymal transition. <i>Journal of Cystic Fibrosis</i> , 2021, 20, 876-880.	0.7	2
35	Protocols for endothelial cell isolation from mouse tissues: brain, choroid, lung, and muscle. <i>STAR Protocols</i> , 2021, 2, 100508.	1.2	12
36	Cardiac Microvascular Endothelial Cells in Pressure Overload-Induced Heart Disease. <i>Circulation: Heart Failure</i> , 2021, 14, e006979.	3.9	20

#	ARTICLE	IF	CITATIONS
37	Tissue factor cytoplasmic domain exacerbates post-infarct left ventricular remodeling via orchestrating cardiac inflammation and angiogenesis. <i>Theranostics</i> , 2021, 11, 9243-9261.	10.0	13
38	The Chemokine-Based Peptide, CXCL9(74-103), Inhibits Angiogenesis by Blocking Heparan Sulfate Proteoglycan-Mediated Signaling of Multiple Endothelial Growth Factors. <i>Cancers</i> , 2021, 13, 5090.	3.7	12
39	Shear Stress Regulation of Endothelial Glycocalyx Structure Is Determined by Glucobiosynthesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 350-364.	2.4	71
40	Homeostasis and transitional activation of regulatory T cells require c-Myc. <i>Science Advances</i> , 2020, 6, eaaw6443.	10.3	59
41	Metabolic Signatures of Distinct Endothelial Phenotypes. <i>Trends in Endocrinology and Metabolism</i> , 2020, 31, 580-595.	7.1	44
42	Heterogeneous Effects of Calorie Content and Nutritional Components Underlie Dietary Influence on Pancreatic Cancer Susceptibility. <i>Cell Reports</i> , 2020, 32, 107880.	6.4	6
43	c-Rel orchestrates energy-dependent epithelial and macrophage reprogramming in fibrosis. <i>Nature Metabolism</i> , 2020, 2, 1350-1367.	11.9	16
44	DNA methylation repels binding of hypoxia-inducible transcription factors to maintain tumor immunotolerance. <i>Genome Biology</i> , 2020, 21, 182.	8.8	39
45	Macrophage-derived glutamine boosts satellite cells and muscle regeneration. <i>Nature</i> , 2020, 587, 626-631.	27.8	119
46	BIOMEX: an interactive workflow for (single cell) omics data interpretation and visualization. <i>Nucleic Acids Research</i> , 2020, 48, W385-W394.	14.5	43
47	Endothelial Lactate Controls Muscle Regeneration from Ischemia by Inducing M2-like Macrophage Polarization. <i>Cell Metabolism</i> , 2020, 31, 1136-1153.e7.	16.2	233
48	Role of the GLUT1 Glucose Transporter in Postnatal CNS Angiogenesis and Blood-Brain Barrier Integrity. <i>Circulation Research</i> , 2020, 127, 466-482.	4.5	103
49	Glutamine Metabolism Controls Chondrocyte Identity and Function. <i>Developmental Cell</i> , 2020, 53, 530-544.e8.	7.0	54
50	COVID-19: the vasculature unleashed. <i>Nature Reviews Immunology</i> , 2020, 20, 389-391.	22.7	849
51	Lowering the increased intracellular pH of human-induced pluripotent stem cell-derived endothelial cells induces formation of mature Weibel-Palade bodies. <i>Stem Cells Translational Medicine</i> , 2020, 9, 758-772.	3.3	11
52	Amino acid levels determine metabolism and CYP450 function of hepatocytes and hepatoma cell lines. <i>Nature Communications</i> , 2020, 11, 1393.	12.8	79
53	Basic and Therapeutic Aspects of Angiogenesis Updated. <i>Circulation Research</i> , 2020, 127, 310-329.	4.5	251
54	Lipid availability determines fate of skeletal progenitor cells via SOX9. <i>Nature</i> , 2020, 579, 111-117.	27.8	140

#	ARTICLE	IF	CITATIONS
55	Single-Cell Transcriptome Atlas of Murine Endothelial Cells. <i>Cell</i> , 2020, 180, 764-779.e20.	28.9	755
56	An Integrated Gene Expression Landscape Profiling Approach to Identify Lung Tumor Endothelial Cell Heterogeneity and Angiogenic Candidates. <i>Cancer Cell</i> , 2020, 37, 21-36.e13.	16.8	253
57	PHD1 controls muscle mTORC1 in a hydroxylation-independent manner by stabilizing leucyl tRNA synthetase. <i>Nature Communications</i> , 2020, 11, 174.	12.8	1,868
58	Hepatic PPAR α function and lipid metabolic pathways are dysregulated in polymicrobial sepsis. <i>EMBO Molecular Medicine</i> , 2020, 12, e11319.	6.9	34
59	Single-Cell RNA Sequencing Maps Endothelial Metabolic Plasticity in Pathological Angiogenesis. <i>Cell Metabolism</i> , 2020, 31, 862-877.e14.	16.2	169
60	Single-Cell RNA Sequencing Reveals Renal Endothelium Heterogeneity and Metabolic Adaptation to Water Deprivation. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 118-138.	6.1	117
61	Glutamine Metabolism in Osteoprogenitors Is Required for Bone Mass Accrual and PTH-Induced Bone Anabolism in Male Mice. <i>Journal of Bone and Mineral Research</i> , 2020, 36, 604-616.	2.8	37
62	Matrix deformations around angiogenic sprouts correlate to sprout dynamics and suggest pulling activity. <i>Angiogenesis</i> , 2020, 23, 315-324.	7.2	40
63	Leigh Syndrome Mouse Model Can Be Rescued by Interventions that Normalize Brain Hyperoxia, but Not HIF Activation. <i>Cell Metabolism</i> , 2019, 30, 824-832.e3.	16.2	83
64	Functional reprogramming of regulatory T cells in the absence of Foxp3. <i>Nature Immunology</i> , 2019, 20, 1208-1219.	14.5	106
65	Myeloid Phd2 Knockdown Drives Macrophage Apoptosis And Paracrine Fibroblast/Smooth Muscle Cell Collagen Secretion Leading To Atherosclerotic Plaque Fibrosis. <i>Atherosclerosis</i> , 2019, 287, e10.	0.8	0
66	Adult Pgf α^{flx} /Pgf α^{flx} mice behaviour and neuroanatomy are altered by neonatal treatment with recombinant placental growth factor. <i>Scientific Reports</i> , 2019, 9, 9285.	3.3	10
67	Role and therapeutic potential of dietary ketone bodies in lymph vessel growth. <i>Nature Metabolism</i> , 2019, 1, 666-675.	11.9	45
68	PKM2 regulates endothelial cell junction dynamics and angiogenesis via ATP production. <i>Scientific Reports</i> , 2019, 9, 15022.	3.3	34
69	P021 CFTR loss of function leads to increased ROS and endothelial dysfunction. <i>Journal of Cystic Fibrosis</i> , 2019, 18, S62-S63.	0.7	0
70	Partial Inhibition Of The Key Glycolytic Enzyme Pfkfb3 In Myeloid Cells Impacts Whole-Body Immune Cell And Liver Metabolism, But Not Atherogenesis.. <i>Atherosclerosis</i> , 2019, 287, e19-e20.	0.8	1
71	Closing the Mitochondrial Permeability Transition Pore in hiPSC-Derived Endothelial Cells Induces Glycocalyx Formation and Functional Maturation. <i>Stem Cell Reports</i> , 2019, 13, 803-816.	4.8	15
72	Glomerular Function and Structural Integrity Depend on Hyaluronan Synthesis by Glomerular Endothelium. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1886-1897.	6.1	55

#	ARTICLE	IF	CITATIONS
73	Hallmarks of Endothelial Cell Metabolism in Health and Disease. <i>Cell Metabolism</i> , 2019, 30, 414-433.	16.2	255
74	Differentiation but not ALS mutations in FUS rewires motor neuron metabolism. <i>Nature Communications</i> , 2019, 10, 4147.	12.8	41
75	Analysis of Endothelial Fatty Acid Metabolism Using Tracer Metabolomics. <i>Methods in Molecular Biology</i> , 2019, 1978, 259-268.	0.9	2
76	Metabolic and Innate Immune Cues Merge into a Specific Inflammatory Response via the UPR. <i>Cell</i> , 2019, 177, 1201-1216.e19.	28.9	100
77	IL4R β Signaling Abrogates Hypoxic Neutrophil Survival and Limits Acute Lung Injury Responses <i>In Vivo</i> . <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019, 200, 235-246.	5.6	33
78	Metabolic Pathways Fueling the Endothelial Cell Drive. <i>Annual Review of Physiology</i> , 2019, 81, 483-503.	13.1	91
79	The metabolic engine of endothelial cells. <i>Nature Metabolism</i> , 2019, 1, 937-946.	11.9	70
80	Stromal Gas6 promotes the progression of premalignant mammary cells. <i>Oncogene</i> , 2019, 38, 2437-2450.	5.9	50
81	Prominin α controls stem cell activation by orchestrating ciliary dynamics. <i>EMBO Journal</i> , 2019, 38, .	7.8	47
82	Vitamin D controls the capacity of human dendritic cells to induce functional regulatory T cells by regulation of glucose metabolism. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019, 187, 134-145.	2.5	71
83	HIF-1 β metabolically controls collagen synthesis and modification in chondrocytes. <i>Nature</i> , 2019, 565, 511-515.	27.8	169
84	EndoDB: a database of endothelial cell transcriptomics data. <i>Nucleic Acids Research</i> , 2019, 47, D736-D744.	14.5	70
85	How glucose, glutamine and fatty acid metabolism shape blood and lymph vessel development. <i>Developmental Biology</i> , 2019, 447, 90-102.	2.0	48
86	Metabolic Reprogramming during Microglia Activation. <i>Immunometabolism</i> , 2019, 1, .	1.6	18
87	Blockade of Myeloid-Derived Suppressor Cell Expansion with All- <i>Trans</i> Retinoic Acid Increases the Efficacy of Antiangiogenic Therapy. <i>Cancer Research</i> , 2018, 78, 3220-3232.	0.9	84
88	Hypoxia and hypoxia inducible factor-1 β are required for normal endometrial repair during menstruation. <i>Nature Communications</i> , 2018, 9, 295.	12.8	100
89	Glycolytic adaptation and progression of kidney disease. <i>Nature Reviews Nephrology</i> , 2018, 14, 75-76.	9.6	11
90	The Receptor Tyrosine Kinase AXL Is Required at Multiple Steps of the Metastatic Cascade during HER2-Positive Breast Cancer Progression. <i>Cell Reports</i> , 2018, 23, 1476-1490.	6.4	127

#	ARTICLE	IF	CITATIONS
91	Fasting Activates Fatty Acid Oxidation to Enhance Intestinal Stem Cell Function during Homeostasis and Aging. <i>Cell Stem Cell</i> , 2018, 22, 769-778.e4.	11.1	266
92	Targeting angiogenic metabolism in disease. <i>Science</i> , 2018, 359, 1335-1336.	12.6	33
93	Endothelial Cell Metabolism. <i>Physiological Reviews</i> , 2018, 98, 3-58.	28.8	351
94	Endothelial Cell Metabolism in Health and Disease. <i>Trends in Cell Biology</i> , 2018, 28, 224-236.	7.9	208
95	Loss of placental growth factor ameliorates maternal hypertension and preeclampsia in mice. <i>Journal of Clinical Investigation</i> , 2018, 128, 5008-5017.	8.2	42
96	Gas6 is dispensable for pubertal mammary gland development. <i>PLoS ONE</i> , 2018, 13, e0208550.	2.5	21
97	Role of glutamine synthetase in angiogenesis beyond glutamine synthesis. <i>Nature</i> , 2018, 561, 63-69.	27.8	136
98	Consensus guidelines for the use and interpretation of angiogenesis assays. <i>Angiogenesis</i> , 2018, 21, 425-532.	7.2	429
99	Defective endothelial cell migration in the absence of Cdc42 leads to capillary-venous malformations. <i>Development (Cambridge)</i> , 2018, 145, .	2.5	56
100	Live imaging reveals a conserved role of fatty acid β -oxidation in early lymphatic development in zebrafish. <i>Biochemical and Biophysical Research Communications</i> , 2018, 503, 26-31.	2.1	3
101	Osteocytic oxygen sensing controls bone mass through epigenetic regulation of sclerostin. <i>Nature Communications</i> , 2018, 9, 2557.	12.8	92
102	Phenotype molding of stromal cells in the lung tumor microenvironment. <i>Nature Medicine</i> , 2018, 24, 1277-1289.	30.7	1,126
103	Serine Synthesis via PHGDH Is Essential for Heme Production in Endothelial Cells. <i>Cell Metabolism</i> , 2018, 28, 573-587.e13.	16.2	127
104	Emerging Concepts in Organ-Specific Lymphatic Vessels and Metabolic Regulation of Lymphatic Development. <i>Developmental Cell</i> , 2018, 45, 289-301.	7.0	54
105	Effects of placental growth factor deficiency on behavior, neuroanatomy, and cerebrovasculature of mice. <i>Physiological Genomics</i> , 2018, 50, 862-875.	2.3	19
106	Quiescent Endothelial Cells Upregulate Fatty Acid β -Oxidation for Vasculoprotection via Redox Homeostasis. <i>Cell Metabolism</i> , 2018, 28, 881-894.e13.	16.2	174
107	Impairment of Angiogenesis by Fatty Acid Synthase Inhibition Involves mTOR Malonylation. <i>Cell Metabolism</i> , 2018, 28, 866-880.e15.	16.2	154
108	CPT1a-Dependent Long-Chain Fatty Acid Oxidation Contributes to Maintaining Glucagon Secretion from Pancreatic Islets. <i>Cell Reports</i> , 2018, 23, 3300-3311.	6.4	71

#	ARTICLE	IF	CITATIONS
109	Prolyl Hydroxylase 3 (Phd3) Is a Therapeutic Target in Isocitrate Dehydrogenase 1 (IDH1) Mutated Acute Myeloid Leukemia. <i>Blood</i> , 2018, 132, 759-759.	1.4	0
110	826: PlGF deficiency results in sFlt-1 elevation without the onset of preeclampsia in pregnant mice. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, S473-S474.	1.3	0
111	Targeting endothelial metabolism for anti-angiogenesis therapy: A pharmacological perspective. <i>Vascular Pharmacology</i> , 2017, 90, 8-18.	2.1	41
112	Vessel pruning or healing: endothelial metabolism as a novel target?. <i>Expert Opinion on Therapeutic Targets</i> , 2017, 21, 239-247.	3.4	42
113	The ER Stress Sensor PERK Coordinates ER-Plasma Membrane Contact Site Formation through Interaction with Filamin-A and F-Actin Remodeling. <i>Molecular Cell</i> , 2017, 65, 885-899.e6.	9.7	165
114	Interaction of endothelial cells with macrophagesâ€”linking molecular and metabolic signaling. <i>Pflügers Archiv European Journal of Physiology</i> , 2017, 469, 473-483.	2.8	39
115	Secreted CLIC3 drives cancer progression through its glutathione-dependent oxidoreductase activity. <i>Nature Communications</i> , 2017, 8, 14206.	12.8	81
116	Hypoxia determines survival outcomes of bacterial infection through HIF-1Î±â€”dependent reprogramming of leukocyte metabolism. <i>Science Immunology</i> , 2017, 2, .	11.9	61
117	Endothelial cell metabolism: an update anno 2017. <i>Current Opinion in Hematology</i> , 2017, 24, 240-247.	2.5	33
118	FGF-dependent metabolic control of vascular development. <i>Nature</i> , 2017, 545, 224-228.	27.8	256
119	How to Cross the Lymphatic Fence. <i>Circulation Research</i> , 2017, 120, 1376-1378.	4.5	2
120	Vascular Endothelial Growth Factor Up-regulation in Human Amniotic Fluid Stem Cell Enhances Nephroprotection After Ischemia-Reperfusion Injury in the Rat. <i>Critical Care Medicine</i> , 2017, 45, e86-e96.	0.9	27
121	DOT1L safeguards cartilage homeostasis and protects against osteoarthritis. <i>Nature Communications</i> , 2017, 8, 15889.	12.8	112
122	Endothelial cell metabolism in health and disease: impact of hypoxia. <i>EMBO Journal</i> , 2017, 36, 2187-2203.	7.8	186
123	Therapeutic Potential of Allosteric Modulation of FGF Receptors. , 2017, , 169-185.		0
124	Inhibition of MicroRNA-146a and Overexpression of Its Target Dihydrolipoyl Succinyltransferase Protect Against Pressure Overload-Induced Cardiac Hypertrophy and Dysfunction. <i>Circulation</i> , 2017, 136, 747-761.	1.6	53
125	CLARITY reveals dynamics of ovarian follicular architecture and vasculature in three-dimensions. <i>Scientific Reports</i> , 2017, 7, 44810.	3.3	91
126	Central Role of Metabolism in Endothelial Cell Function and Vascular Disease. <i>Physiology</i> , 2017, 32, 126-140.	3.1	65

#	ARTICLE	IF	CITATIONS
127	Myocardial Infarction Primes Autoreactive T Cells through Activation of Dendritic Cells. <i>Cell Reports</i> , 2017, 18, 3005-3017.	6.4	104
128	Sex-specific, reciprocal regulation of ER α and miR-22 controls muscle lipid metabolism in male mice. <i>EMBO Journal</i> , 2017, 36, 1199-1214.	7.8	31
129	The role of fatty acid β -oxidation in lymphangiogenesis. <i>Nature</i> , 2017, 542, 49-54.	27.8	240
130	Haematopoietic prolyl hydroxylase deficiency promotes M2 macrophage polarization and is both necessary and sufficient to protect against experimental colitis. <i>Journal of Pathology</i> , 2017, 241, 547-558.	4.5	32
131	The Link Between Angiogenesis and Endothelial Metabolism. <i>Annual Review of Physiology</i> , 2017, 79, 43-66.	13.1	257
132	Identification of MicroRNA-124 as a Major Regulator of Enhanced Endothelial Cell Glycolysis in Pulmonary Arterial Hypertension via PTBP1 (Polypyrimidine Tract Binding Protein) and Pyruvate Kinase M2. <i>Circulation</i> , 2017, 136, 2451-2467.	1.6	195
133	PP2A Inactivation Mediated by PPP2R4 Haploinsufficiency Promotes Cancer Development. <i>Cancer Research</i> , 2017, 77, 6825-6837.	0.9	34
134	A Fatty Acid Oxidation-Dependent Metabolic Shift Regulates Adult Neural Stem Cell Activity. <i>Cell Reports</i> , 2017, 20, 2144-2155.	6.4	247
135	Tumor vessel disintegration by maximum tolerable PFKFB3 blockade. <i>Angiogenesis</i> , 2017, 20, 599-613.	7.2	73
136	Opposing regulation and roles for PHD3 in lung dendritic cells and alveolar macrophages. <i>Journal of Leukocyte Biology</i> , 2017, 102, 1115-1126.	3.3	7
137	Early ciliary and prominin-1 dysfunctions precede neurogenesis impairment in a mouse model of type 2 diabetes. <i>Neurobiology of Disease</i> , 2017, 108, 13-28.	4.4	10
138	Influences of placental growth factor on mouse retinal vascular development. <i>Developmental Dynamics</i> , 2017, 246, 700-712.	1.8	10
139	Role of glutamine and interlinked asparagine metabolism in vessel formation. <i>EMBO Journal</i> , 2017, 36, 2334-2352.	7.8	195
140	Nogo-A regulates vascular network architecture in the postnatal brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 614-631.	4.3	17
141	Neurogenic Radial Glia-like Cells in Meninges Migrate and Differentiate into Functionally Integrated Neurons in the Neonatal Cortex. <i>Cell Stem Cell</i> , 2017, 20, 360-373.e7.	11.1	64
142	Axl Blockade by BGB324 Inhibits BCR-ABL Tyrosine Kinase Inhibitor-Sensitive and -Resistant Chronic Myeloid Leukemia. <i>Clinical Cancer Research</i> , 2017, 23, 2289-2300.	7.0	38
143	Angiogenesis revisited from a metabolic perspective: role and therapeutic implications of endothelial cell metabolism. <i>Open Biology</i> , 2017, 7, 170219.	3.6	98
144	How Endothelial Cells Adapt Their Metabolism to Form Vessels in Tumors. <i>Frontiers in Immunology</i> , 2017, 8, 1750.	4.8	89

#	ARTICLE	IF	CITATIONS
145	A hypoxia response element in the Vegfa promoter is required for basal Vegfa expression in skin and for optimal granulation tissue formation during wound healing in mice. PLoS ONE, 2017, 12, e0180586.	2.5	19
146	Prolyl hydroxylase 2 inactivation enhances glycogen storage and promotes excessive neutrophilic responses. Journal of Clinical Investigation, 2017, 127, 3407-3420.	8.2	71
147	Author Response: Possibility of Cytoplasmic Transportation Between Donorâ€™Host Cell Following Photoreceptor Transplantation. , 2016, 57, 5336.		0
148	Stem Cellâ€™Derived Photoreceptor Transplants Differentially Integrate Into Mouse Models of Cone-Rod Dystrophy. , 2016, 57, 3509.		71
149	Manipulating Angiogenesis by Targeting Endothelial Metabolism: Hitting the Engine Rather than the Driversâ€™A New Perspective?. Pharmacological Reviews, 2016, 68, 872-887.	16.0	49
150	Relief of hypoxia by angiogenesis promotes neural stem cell differentiation by targeting glycolysis. EMBO Journal, 2016, 35, 924-941.	7.8	161
151	Metaâ€™analysis of clinical metabolic profiling studies in cancer: challenges and opportunities. EMBO Molecular Medicine, 2016, 8, 1134-1142.	6.9	83
152	VEGF-B Improves Metabolic Health through Vascular Pruning of Fat. Cell Metabolism, 2016, 23, 571-573.	16.2	10
153	Prolyl hydroxylase-1 regulates hepatocyte apoptosis in an NF-Î²B-dependent manner. Biochemical and Biophysical Research Communications, 2016, 474, 579-586.	2.1	26
154	Deficiency of the oxygen sensor prolyl hydroxylase 1 attenuates hypercholesterolaemia, atherosclerosis, and hyperglycaemia. European Heart Journal, 2016, 37, 2993-2997.	2.2	40
155	Improved metabolite identification with MIDAS and MAGMa through MS/MS spectral dataset-driven parameter optimization. Metabolomics, 2016, 12, 1.	3.0	35
156	Adequate hypoxia inducible factor 1Î± signaling is indispensable for bone regeneration. Bone, 2016, 87, 176-186.	2.9	39
157	Endothelial Barrier and Metabolism: New Kids on the Block Regulating Bone Marrow Vascular Niches. Developmental Cell, 2016, 37, 210-212.	7.0	5
158	Mutations in succinate dehydrogenase B (SDHB) enhance neutrophil survival independent of HIF-1Î± expression. Blood, 2016, 127, 2641-2644.	1.4	21
159	Endothelial cell metabolism: A novel player in atherosclerosis? Basic principles and therapeutic opportunities. Atherosclerosis, 2016, 253, 247-257.	0.8	62
160	Tumour hypoxia causes DNA hypermethylation by reducing TET activity. Nature, 2016, 537, 63-68.	27.8	521
161	Inhibition of the Glycolytic Activator PFKFB3 in Endothelium Induces Tumor Vessel Normalization, Impairs Metastasis, and Improves Chemotherapy. Cancer Cell, 2016, 30, 968-985.	16.8	464
162	De novo design of a biologically active amyloid. Science, 2016, 354, .	12.6	63

#	ARTICLE	IF	CITATIONS
163	Glycolytic regulation of cell rearrangement in angiogenesis. <i>Nature Communications</i> , 2016, 7, 12240.	12.8	131
164	Macrophage Metabolism Controls Tumor Blood Vessel Morphogenesis and Metastasis. <i>Cell Metabolism</i> , 2016, 24, 701-715.	16.2	352
165	S84â€¦Identification of MIR-124a as a major regulator of enhanced endothelial cell glycolysis in pulmonary arterial hypertension. <i>Thorax</i> , 2016, 71, A48.2-A49.	5.6	2
166	Placental growth factor inhibition modulates the interplay between hypoxia and unfolded protein response in hepatocellular carcinoma. <i>BMC Cancer</i> , 2016, 16, 9.	2.6	26
167	Gas6 protein: its role in cardiovascular calcification. <i>BMC Nephrology</i> , 2016, 17, 52.	1.8	18
168	Placental growth factor deficiency is associated with impaired cerebral vascular development in mice. <i>Molecular Human Reproduction</i> , 2016, 22, 130-142.	2.8	59
169	Systemic sclerosis-like histopathological features in the myocardium of uPAR-deficient mice. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 474-478.	0.9	14
170	The Oxygen Sensor PHD2 Controls Dendritic Spines and Synapses via Modification of Filamin A. <i>Cell Reports</i> , 2016, 14, 2653-2667.	6.4	46
171	PlGF/VEGFR-1 Signaling Promotes Macrophage Polarization and Accelerated Tumor Progression in Obesity. <i>Clinical Cancer Research</i> , 2016, 22, 2993-3004.	7.0	109
172	HIF-1 \pm Promotes Glutamine-Mediated Redox Homeostasis and Glycogen-Dependent Bioenergetics to Support Postimplantation Bone Cell Survival. <i>Cell Metabolism</i> , 2016, 23, 265-279.	16.2	142
173	Chloroquine anticancer activity is mediated by autophagy-independent effects on the tumor vasculature. <i>Molecular and Cellular Oncology</i> , 2016, 3, e970097.	0.7	20
174	Deletion or Inhibition of the Oxygen Sensor PHD1 Protects against Ischemic Stroke via Reprogramming of Neuronal Metabolism. <i>Cell Metabolism</i> , 2016, 23, 280-291.	16.2	77
175	Histamine Receptor H1 \pm Mediated Sensitization of TRPV1 Mediates Visceral Hypersensitivity and Symptoms in Patients With Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2016, 150, 875-887.e9.	1.3	263
176	FOXO1 couples metabolic activity and growth state in the vascular endothelium. <i>Nature</i> , 2016, 529, 216-220.	27.8	438
177	Targeting fatty acid metabolism in cancer and endothelial cells. <i>Critical Reviews in Oncology/Hematology</i> , 2016, 97, 15-21.	4.4	65
178	Vascular endothelial growth factor: a neurovascular target in neurological diseases. <i>Nature Reviews Neurology</i> , 2016, 12, 439-454.	10.1	252
179	A key role for transketolase-like 1 in tumor metabolic reprogramming. <i>Oncotarget</i> , 2016, 7, 51875-51897.	1.8	43
180	Endogenous GAS6 and Mer receptor signaling regulate prostate cancer stem cells in bone marrow. <i>Oncotarget</i> , 2016, 7, 25698-25711.	1.8	30

#	ARTICLE	IF	CITATIONS
181	Abstract IA06: Angiogenesis revisited: Role and (therapeutic) implications of endothelial metabolism. , 2016, , .		0
182	Effect of prolyl hydroxylase domain 2 haplodeficiency on liver progenitor cell characteristics in early mouse hepatocarcinogenesis. EXCLI Journal, 2016, 15, 687-698.	0.7	6
183	P0290 : Placental growth factor inhibition modulates the interplay between hypoxia and the unfolded protein response in hepatocellular carcinoma. Journal of Hepatology, 2015, 62, S417.	3.7	0
184	Metabolic Adaptations in Diabetic Endothelial Cells. Circulation Journal, 2015, 79, 934-941.	1.6	40
185	Angiogenesis revisited: Endothelial cell metabolism as a target?. Experimental Hematology, 2015, 43, S34.	0.4	0
186	Highly proliferative primitive fetal liver hematopoietic stem cells are fueled by oxidative metabolic pathways. Stem Cell Research, 2015, 15, 715-721.	0.7	59
187	Endothelial cells and cancer cells. Current Opinion in Hematology, 2015, 22, 234-242.	2.5	18
188	Angiogenesis Revisited: An Overlooked Role of Endothelial Cell Metabolism in Vessel Sprouting. Microcirculation, 2015, 22, 509-517.	1.8	97
189	Endothelial Metabolism Driving Angiogenesis. Cancer Journal (Sudbury, Mass), 2015, 21, 244-249.	2.0	25
190	The interaction of uPAR with VEGFR2 promotes VEGF-induced angiogenesis. Science Signaling, 2015, 8, ra117.	3.6	44
191	Vitamin D3 Induces Tolerance in Human Dendritic Cells by Activation of Intracellular Metabolic Pathways. Cell Reports, 2015, 10, 711-725.	6.4	228
192	Meox2/Tcf15 Heterodimers Program the Heart Capillary Endothelium for Cardiac Fatty Acid Uptake. Circulation, 2015, 131, 815-826.	1.6	88
193	Placental Growth Factor Influences Maternal Cardiovascular Adaptation to Pregnancy in Mice1. Biology of Reproduction, 2015, 92, 44.	2.7	25
194	The Cancer Cell Oxygen Sensor PHD2 Promotes Metastasis via Activation of Cancer-Associated Fibroblasts. Cell Reports, 2015, 12, 992-1005.	6.4	66
195	State-of-the-Art Methods for Evaluation of Angiogenesis and Tissue Vascularization. Circulation Research, 2015, 116, e99-132.	4.5	113
196	Targeting endothelial cell metabolism: new therapeutic prospects?. Frontiers in Biology, 2015, 10, 125-140.	0.7	2
197	Fatty acid carbon is essential for dNTP synthesis in endothelial cells. Nature, 2015, 520, 192-197.	27.8	466
198	Endothelial Cell Metabolism in Normal and Diseased Vasculature. Circulation Research, 2015, 116, 1231-1244.	4.5	462

#	ARTICLE	IF	CITATIONS
199	Extra-intestinal calcium handling contributes to normal serum calcium levels when intestinal calcium absorption is suboptimal. <i>Bone</i> , 2015, 81, 502-512.	2.9	17
200	Metabolic control of the cell cycle. <i>Cell Cycle</i> , 2015, 14, 3379-3388.	2.6	92
201	Combined effects of PLGA and vascular endothelial growth factor promote the healing of non-diabetic and diabetic wounds. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2015, 11, 1975-1984.	3.3	101
202	Metabolic pathway compartmentalization: an underappreciated opportunity?. <i>Current Opinion in Biotechnology</i> , 2015, 34, 73-81.	6.6	66
203	Mitochondria in peroxisome-deficient hepatocytes exhibit impaired respiration, depleted DNA, and PGC-1 α independent proliferation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 285-298.	4.1	65
204	Deletion of Placental Growth Factor Prevents Diabetic Retinopathy and Is Associated With Akt Activation and HIF1 α -VEGF Pathway Inhibition. <i>Diabetes</i> , 2015, 64, 200-212.	0.6	119
205	Essentials of Angiogenesis. , 2015, , 137-165.		1
206	Placenta growth factor augments airway hyperresponsiveness via leukotrienes and IL-13. <i>Journal of Clinical Investigation</i> , 2015, 126, 571-584.	8.2	33
207	The PHD2 oxygen sensor paves the way to metastasis. <i>Oncotarget</i> , 2015, 6, 35149-35150.	1.8	19
208	Abstract SY15-04: Angiogenesis revisited: Endothelial cell metabolism as a target. , 2015, , .		0
209	Placenta Growth Factor Links the IL-13 Response and the Leukotriene Pathway to Augment Airway Hyper-Responsiveness. <i>Blood</i> , 2015, 126, 977-977.	1.4	0
210	BGB324 Inhibits BCR-ABL TKI-Resistant Chronic Myeloid Leukemia. <i>Blood</i> , 2015, 126, 1569-1569.	1.4	0
211	Incomplete and transitory decrease of glycolysis. <i>Cell Cycle</i> , 2014, 13, 16-22.	2.6	52
212	Endothelial cell metabolism: parallels and divergences with cancer cell metabolism. <i>Cancer & Metabolism</i> , 2014, 2, 19.	5.0	91
213	How to teach an old dog new tricks: Autophagy-independent action of chloroquine on the tumor vasculature. <i>Autophagy</i> , 2014, 10, 2082-2084.	9.1	20
214	Placental growth factor in cancer. <i>Expert Opinion on Therapeutic Targets</i> , 2014, 18, 1339-1354.	3.4	64
215	The Fragile X Protein binds mRNA s involved in cancer progression and modulates metastasis formation. <i>EMBO Molecular Medicine</i> , 2014, 6, 567-568.	6.9	0
216	Loss of PHD3 allows tumours to overcome hypoxic growth inhibition and sustain proliferation through EGFR. <i>Nature Communications</i> , 2014, 5, 5582.	12.8	61

#	ARTICLE	IF	CITATIONS
217	Age-Dependent Neonatal Intracerebral Hemorrhage in Plasminogen Activator Inhibitor 1 Knockout Mice. <i>Journal of Neuropathology and Experimental Neurology</i> , 2014, 73, 387-402.	1.7	24
218	S138 Nanodiamond Delivery Of Vascular Endothelial Growth Factor Promotes Fetal Lung Development In A Rat Model Of Congenital Diaphragmatic Hernia. <i>Thorax</i> , 2014, 69, A73-A74.	5.6	1
219	Inactivation of urokinase-type plasminogen activator receptor (uPAR) gene induces dermal and pulmonary fibrosis and peripheral microvasculopathy in mice: a new model of experimental scleroderma?. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1700-1709.	0.9	72
220	Endothelial Cell Differentiation by SOX17. <i>Circulation Research</i> , 2014, 115, 205-207.	4.5	15
221	Genetic variability of VEGF pathway genes in six randomized phase III trials assessing the addition of bevacizumab to standard therapy. <i>Angiogenesis</i> , 2014, 17, 909-920.	7.2	40
222	Targeting VEGFR1 on endothelial progenitors modulates their differentiation potential. <i>Angiogenesis</i> , 2014, 17, 603-616.	7.2	14
223	Partial and Transient Reduction of Glycolysis by PFKFB3 Blockade Reduces Pathological Angiogenesis. <i>Cell Metabolism</i> , 2014, 19, 37-48.	16.2	429
224	Genetic markers of bevacizumab-induced hypertension. <i>Angiogenesis</i> , 2014, 17, 685-94.	7.2	24
225	Hypoxia Induces VEGF-C Expression in Metastatic Tumor Cells via a HIF-1 α -Independent Translation-Mediated Mechanism. <i>Cell Reports</i> , 2014, 6, 155-167.	6.4	102
226	Vascular endothelial growth factor α -loaded injectable hydrogel enhances plasticity in the injured spinal cord. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 2345-2355.	4.0	50
227	Tumor Hypoxia Does Not Drive Differentiation of Tumor-Associated Macrophages but Rather Fine-Tunes the M2-like Macrophage Population. <i>Cancer Research</i> , 2014, 74, 24-30.	0.9	348
228	Allosteric targeting of receptor tyrosine kinases. <i>Nature Biotechnology</i> , 2014, 32, 1113-1120.	17.5	73
229	HIF1 Activity in Granulosa Cells Is Required for FSH-Regulated Vegfa Expression and Follicle Survival in Mice ¹ . <i>Biology of Reproduction</i> , 2014, 90, 135.	2.7	40
230	Principles of targeting endothelial cell metabolism to treat angiogenesis and endothelial cell dysfunction in disease. <i>EMBO Molecular Medicine</i> , 2014, 6, 1105-1120.	6.9	152
231	Fibroblast Growth Factor Signaling Affects Vascular Outgrowth and Is Required for the Maintenance of Blood Vessel Integrity. <i>Chemistry and Biology</i> , 2014, 21, 1310-1317.	6.0	34
232	The multifaceted activity of VEGF in angiogenesis â€“ Implications for therapy responses. <i>Cytokine and Growth Factor Reviews</i> , 2014, 25, 473-482.	7.2	120
233	Angiogenesis revisited â€“ role and therapeutic potential of targeting endothelial metabolism. <i>Journal of Cell Science</i> , 2014, 127, 4331-41.	2.0	65
234	Tumor Vessel Normalization by Chloroquine Independent of Autophagy. <i>Cancer Cell</i> , 2014, 26, 190-206.	16.8	358

#	ARTICLE	IF	CITATIONS
235	Tissue plasminogen activator arrests Alzheimer's disease pathogenesis. <i>Neurobiology of Aging</i> , 2014, 35, 511-519.	3.1	40
236	PAI-1 mediates the antiangiogenic and profibrinolytic effects of 16K prolactin. <i>Nature Medicine</i> , 2014, 20, 741-747.	30.7	86
237	Metabolism of stromal and immune cells in health and disease. <i>Nature</i> , 2014, 511, 167-176.	27.8	377
238	Bevacizumab and micrometastases: Revisiting the preclinical and clinical rollercoaster. , 2014, 141, 117-124.		41
239	P477Myeloid PHD-2 deficiency leads to enlarged and fibrotic atherosclerotic plaques in mice. <i>Cardiovascular Research</i> , 2014, 103, S87.2-S87.	3.8	0
240	13PHD1 deficiency promotes an atheroprotective metabolic phenotype. <i>Cardiovascular Research</i> , 2014, 103, S2.3-S2.	3.8	0
241	Essentials of Angiogenesis. , 2014, , 1-34.		1
242	Abstract IA17: Targeting placental growth factor/ neuropilin-1 pathway inhibits growth and spread of medulloblastoma. , 2014, , .		0
243	BGB324 Represents an Axl and BCR-ABL1 Inhibitor with Activity in the T315I Mutant. <i>Blood</i> , 2014, 124, 4512-4512.	1.4	1
244	Role of PFKFB3-Driven Glycolysis in Vessel Sprouting. <i>Cell</i> , 2013, 154, 651-663.	28.9	1,117
245	The placental growth factor as a target against hepatocellular carcinoma in a diethylnitrosamine-induced mouse model. <i>Journal of Hepatology</i> , 2013, 58, 319-328.	3.7	26
246	Matricellular proteins and matrix metalloproteinases mark the inflammatory and fibrotic response in human cardiac allograft rejection. <i>European Heart Journal</i> , 2013, 34, 1930-1941.	2.2	25
247	PP2A regulatory subunit B1 α controls endothelial contractility and vessel lumen integrity via regulation of HDAC7. <i>EMBO Journal</i> , 2013, 32, 2491-2503.	7.8	43
248	Role of Endothelial Cell Metabolism in Vessel Sprouting. <i>Cell Metabolism</i> , 2013, 18, 634-647.	16.2	320
249	Role of hypoxia inducible factor-1 α in remote limb ischemic preconditioning. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 65, 98-104.	1.9	55
250	Peroxisomal multifunctional protein-2 deficiency causes neuroinflammation and degeneration of Purkinje cells independent of very long chain fatty acid accumulation. <i>Neurobiology of Disease</i> , 2013, 58, 258-269.	4.4	44
251	Aldosterone Increases Early Atherosclerosis and Promotes Plaque Inflammation Through a Placental Growth Factor-Dependent Mechanism. <i>Journal of the American Heart Association</i> , 2013, 2, e000018.	3.7	102
252	Markers of Response for the Antiangiogenic Agent Bevacizumab. <i>Journal of Clinical Oncology</i> , 2013, 31, 1219-1230.	1.6	309

#	ARTICLE	IF	CITATIONS
253	Prominin-1 Allows Prospective Isolation of Neural Stem Cells from the Adult Murine Hippocampus. <i>Journal of Neuroscience</i> , 2013, 33, 3010-3024.	3.6	63
254	High t-PA release by neonate brain microvascular endothelial cells under glutamate exposure affects neuronal fate. <i>Neurobiology of Disease</i> , 2013, 50, 201-208.	4.4	22
255	Axl, a prognostic and therapeutic target in acute myeloid leukemia mediates paracrine crosstalk of leukemia cells with bone marrow stroma. <i>Blood</i> , 2013, 122, 2443-2452.	1.4	178
256	HIF-1 α stabilization in Phd1/3-/- mice results in increase in hematopoietic stem cell number and enhanced HSC maintenance in BM niche. <i>Experimental Hematology</i> , 2013, 41, S36.	0.4	1
257	CD133 is a modifier of hematopoietic progenitor frequencies but is dispensable for the maintenance of mouse hematopoietic stem cells. <i>Experimental Hematology</i> , 2013, 41, S32.	0.4	0
258	Control of vessel sprouting by genetic and metabolic determinants. <i>Trends in Endocrinology and Metabolism</i> , 2013, 24, 589-596.	7.1	54
259	VEGF ligands and receptors: implications in neurodevelopment and neurodegeneration. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 1763-1778.	5.4	139
260	Tanycytic VEGF-A Boosts Blood-Hypothalamus Barrier Plasticity and Access of Metabolic Signals to the Arcuate Nucleus in Response to Fasting. <i>Cell Metabolism</i> , 2013, 17, 607-617.	16.2	285
261	Targeting Placental Growth Factor/Neuropilin 1 Pathway Inhibits Growth and Spread of Medulloblastoma. <i>Cell</i> , 2013, 152, 1065-1076.	28.9	209
262	Inhibition of Tumor Angiogenesis and Growth by a Small-Molecule Multi-FGF Receptor Blocker with Allosteric Properties. <i>Cancer Cell</i> , 2013, 23, 477-488.	16.8	138
263	Molecular Mechanism of SSR128129E, an Extracellularly Acting, Small-Molecule, Allosteric Inhibitor of FGF Receptor Signaling. <i>Cancer Cell</i> , 2013, 23, 489-501.	16.8	125
264	Safe TNF-based antitumor therapy following p55TNFR reduction in intestinal epithelium. <i>Journal of Clinical Investigation</i> , 2013, 123, 2590-2603.	8.2	64
265	Emerging novel functions of the oxygen-sensing prolyl hydroxylase domain enzymes. <i>Trends in Biochemical Sciences</i> , 2013, 38, 3-11.	7.5	123
266	A transgenic <i>Xenopus laevis</i> reporter model to study lymphangiogenesis. <i>Biology Open</i> , 2013, 2, 882-890.	1.2	12
267	Plasminogen Controls Inflammation and Pathogenesis of Influenza Virus Infections via Fibrinolysis. <i>PLoS Pathogens</i> , 2013, 9, e1003229.	4.7	74
268	CD133 is a modifier of hematopoietic progenitor frequencies but is dispensable for the maintenance of mouse hematopoietic stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 5582-5587.	7.1	43
269	The NADPH oxidase Nox2 regulates VEGFR1/CSF β -mediated microglial chemotaxis and promotes early postnatal infiltration of phagocytes in the subventricular zone of the mouse cerebral cortex. <i>Glia</i> , 2013, 61, 1542-1555.	4.9	41
270	The Fragile X Protein binds mRNAs involved in cancer progression and modulates metastasis formation. <i>EMBO Molecular Medicine</i> , 2013, 5, 1523-1536.	6.9	106

#	ARTICLE	IF	CITATIONS
271	Role of vascular endothelial growth factor in the pathophysiology of nonalcoholic steatohepatitis in two rodent models. <i>Hepatology</i> , 2013, 57, 1793-1805.	7.3	74
272	Recent molecular discoveries in angiogenesis and antiangiogenic therapies in cancer. <i>Journal of Clinical Investigation</i> , 2013, 123, 3190-3200.	8.2	527
273	Hypoxia-Ischemia or Excitotoxin-Induced Tissue Plasminogen Activator- Dependent Gelatinase Activation in Mice Neonate Brain Microvessels. <i>PLoS ONE</i> , 2013, 8, e71263.	2.5	16
274	PAR1 contributes to influenza A virus pathogenicity in mice. <i>Journal of Clinical Investigation</i> , 2013, 123, 206-214.	8.2	73
275	Mice Deficient in the Respiratory Chain Gene Cox6a2 Are Protected against High-Fat Diet-Induced Obesity and Insulin Resistance. <i>PLoS ONE</i> , 2013, 8, e56719.	2.5	58
276	Axl Represents a Therapeutic Target In T315I-Mutated and WT Chronic Myeloid Leukemia. <i>Blood</i> , 2013, 122, 1469-1469.	1.4	0
277	Brp3 and AIF cooperate to induce apoptosis and cavitation during epithelial morphogenesis. <i>Journal of Cell Biology</i> , 2012, 198, 103-114.	5.2	32
278	MicroRNA Profiling Identifies MicroRNA-155 as an Adverse Mediator of Cardiac Injury and Dysfunction During Acute Viral Myocarditis. <i>Circulation Research</i> , 2012, 111, 415-425.	4.5	184
279	Phase II trial of erlotinib and bevacizumab in patients with advanced upper gastrointestinal cancers. <i>Acta Oncol</i> , 2012, 51, 234-242.	1.8	12
280	PIGF Knockout Delays Brain Vessel Growth and Maturation upon Systemic Hypoxic Challenge. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 663-675.	4.3	34
281	MOSAIC: A Multiscale Model of Osteogenesis and Sprouting Angiogenesis with Lateral Inhibition of Endothelial Cells. <i>PLoS Computational Biology</i> , 2012, 8, e1002724.	3.2	76
282	Cripto regulates skeletal muscle regeneration and modulates satellite cell determination by antagonizing myostatin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E3231-40.	7.1	48
283	Placental Growth Factor Contributes to Bronchial Neutrophilic Inflammation and Edema in Allergic Asthma. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2012, 46, 781-789.	2.9	20
284	Engineering Vascularized Bone: Osteogenic and Proangiogenic Potential of Murine Periosteal Cells. <i>Stem Cells</i> , 2012, 30, 2460-2471.	3.2	110
285	Inhibition of the placental growth factor decreases burden of cholangiocarcinoma and hepatocellular carcinoma in a transgenic mouse model. <i>European Journal of Gastroenterology and Hepatology</i> , 2012, 24, 1020-1032.	1.6	15
286	Matrix metalloproteinase-2 governs lymphatic vessel formation as an interstitial collagenase. <i>Blood</i> , 2012, 119, 5048-5056.	1.4	86
287	Treating Diabetes by Blocking a Vascular Growth Factor. <i>Cell Metabolism</i> , 2012, 16, 553-555.	16.2	11
288	A breach in the blood-brain barrier. <i>Nature</i> , 2012, 485, 451-452.	27.8	25

#	ARTICLE	IF	CITATIONS
289	VEGF pathway genetic variants as biomarkers of treatment outcome with bevacizumab: an analysis of data from the AVITA and AVOREN randomised trials. <i>Lancet Oncology</i> , The, 2012, 13, 724-733.	10.7	174
290	328 Role of the Fragile X Mental Retardation Protein in Tumor Progression and Metastasis Formation. <i>European Journal of Cancer</i> , 2012, 48, S80.	2.8	0
291	Thrombospondin-2 prevents cardiac injury and dysfunction in viral myocarditis through the activation of regulatory T-cells. <i>Cardiovascular Research</i> , 2012, 94, 115-124.	3.8	64
292	Peroxisome deficient aP2â€Pex5 knockout mice display impaired white adipocyte and muscle function concomitant with reduced adrenergic tone. <i>Molecular Genetics and Metabolism</i> , 2012, 107, 735-747.	1.1	19
293	Loss of the Oxygen Sensor PHD3 Enhances the Innate Immune Response to Abdominal Sepsis. <i>Journal of Immunology</i> , 2012, 189, 1955-1965.	0.8	70
294	Systemic anti-vascular endothelial growth factor therapies induce a painful sensory neuropathy. <i>Brain</i> , 2012, 135, 2629-2641.	7.6	53
295	Effect of prolyl hydroxylase domain-2 haplodeficiency on the hepatocarcinogenesis in mice. <i>Journal of Hepatology</i> , 2012, 57, 61-68.	3.7	21
296	SnapShot: Tumor Angiogenesis. <i>Cell</i> , 2012, 149, 1408-1408.e1.	28.9	115
297	Gene-Targeting of Phd2 Improves Tumor Response to Chemotherapy and Prevents Side-Toxicity. <i>Cancer Cell</i> , 2012, 22, 263-277.	16.8	117
298	Prevalence of Prostate Cancer Metastases after Intravenous Inoculation Provides Clues into the Molecular Basis of Dormancy in the Bone Marrow Microenvironment. <i>Neoplasia</i> , 2012, 14, 429-439.	5.3	51
299	PLGF: A Multitasking Cytokine with Disease-Restricted Activity. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2012, 2, a011056-a011056.	6.2	178
300	VEGF Receptor-2 (Flk-1) Overexpression in Mice Counteracts Focal Epileptic Seizures. <i>PLoS ONE</i> , 2012, 7, e40535.	2.5	20
301	Neuroprotection by urokinase plasminogen activator in the hippocampus. <i>Neurobiology of Disease</i> , 2012, 46, 215-224.	4.4	33
302	Angiogenesis and the neurovascular link. <i>Vascular Pharmacology</i> , 2012, 56, 306.	2.1	0
303	Abstract P3-06-34: Plasma (p) VEGF-A and VEGFR-2 biomarker (BM) results from the BEATRICE phase III trial of bevacizumab (BEV) in triple-negative early breast cancer (BC)., 2012, , .		2
304	Abstract LB-447: Functional validation of a genetic locus in the VEGFR-1 tyrosine kinase (TK) domain as a predictive marker for bevacizumab. , 2012, , .		1
305	Absence of microRNAâ€155 protects against pressure overloadâ€induced cardiac inflammation and failure. <i>FASEB Journal</i> , 2012, 26, 137.5.	0.5	0
306	Placental Growth Factor Regulates Cardiac Adaptation and Hypertrophy Through a Paracrine Mechanism. <i>Circulation Research</i> , 2011, 109, 272-280.	4.5	84

#	ARTICLE	IF	CITATIONS
307	TRPA1 underlies a sensing mechanism for O ₂ . <i>Nature Chemical Biology</i> , 2011, 7, 701-711.	8.0	235
308	A vascular niche and a VEGF-Notch1 loop regulate the initiation and stemness of skin tumours. <i>Nature</i> , 2011, 478, 399-403.	27.8	410
309	Basic and Therapeutic Aspects of Angiogenesis. <i>Cell</i> , 2011, 146, 873-887.	28.9	2,263
310	Vessel abnormalization: another hallmark of cancer? Molecular mechanisms and therapeutic implications. <i>Current Opinion in Genetics and Development</i> , 2011, 21, 73-79.	3.3	175
311	Transcription factor COUP-TFII is indispensable for venous and lymphatic development in zebrafish and <i>Xenopus laevis</i> . <i>Biochemical and Biophysical Research Communications</i> , 2011, 410, 121-126.	2.1	46
312	Absence of thrombospondin-2 increases cardiomyocyte damage and matrix disruption in doxorubicin-induced cardiomyopathy. <i>Journal of Molecular and Cellular Cardiology</i> , 2011, 51, 318-328.	1.9	43
313	VEGF Mediates Commissural Axon Chemoattraction through Its Receptor Flk1. <i>Neuron</i> , 2011, 70, 966-978.	8.1	130
314	The Neurovascular Link in Health and Disease: Molecular Mechanisms and Therapeutic Implications. <i>Neuron</i> , 2011, 71, 406-424.	8.1	230
315	804 ORAL Evaluation of Plasma VEGFA as a Potential Predictive Pan-tumour Biomarker for Bevacizumab. <i>European Journal of Cancer</i> , 2011, 47, S96.	2.8	29
316	1412 POSTER Genetic Markers in Relation to Bevacizumab-induced Hypertension. <i>European Journal of Cancer</i> , 2011, 47, S172-S173.	2.8	1
317	1414 POSTER Single Nucleotide Polymorphism Analysis and Outcome in Advanced-stage Cancer Patients Treated With Bevacizumab. <i>European Journal of Cancer</i> , 2011, 47, S173.	2.8	9
318	Hypoxia and Inflammation. <i>New England Journal of Medicine</i> , 2011, 364, 656-665.	27.0	1,692
319	Prolyl Hydroxylase Phd3 Is Essential For Hypoxic Regulation Of Neutrophilic Inflammation. , 2011, , .		0
320	Reduced Retinal Neovascularization, Vascular Permeability, and Apoptosis in Ischemic Retinopathy in the Absence of Prolyl Hydroxylase-1 Due to the Prevention of Hyperoxia-Induced Vascular Obliteration. , 2011, 52, 7565.		39
321	Hypoxic induction of vascular endothelial growth factor regulates murine hematopoietic stem cell function in the low-oxygenic niche. <i>Blood</i> , 2011, 118, 1534-1543.	1.4	70
322	Principles and mechanisms of vessel normalization for cancer and other angiogenic diseases. <i>Nature Reviews Drug Discovery</i> , 2011, 10, 417-427.	46.4	1,345
323	Molecular mechanisms and clinical applications of angiogenesis. <i>Nature</i> , 2011, 473, 298-307.	27.8	4,403
324	Design of novel artemisinin-like derivatives with cytotoxic and anti-angiogenic properties. <i>Journal of Cellular and Molecular Medicine</i> , 2011, 15, 1122-1135.	3.6	49

#	ARTICLE	IF	CITATIONS
325	3D systems delivering VEGF to promote angiogenesis for tissue engineering. Journal of Controlled Release, 2011, 150, 272-278.	9.9	128
326	HRG Inhibits Tumor Growth and Metastasis by Inducing Macrophage Polarization and Vessel Normalization through Downregulation of PlGF. Cancer Cell, 2011, 19, 31-44.	16.8	628
327	Loss or Inhibition of Stromal-Derived PlGF Prolongs Survival of Mice with Imatinib-Resistant Bcr-Abl1+ Leukemia. Cancer Cell, 2011, 19, 740-753.	16.8	124
328	Renal Cyst Formation in Fh1-Deficient Mice Is Independent of the Hif/Phd Pathway: Roles for Fumarate in KEAP1 Succination and Nrf2 Signaling. Cancer Cell, 2011, 20, 524-537.	16.8	494
329	Cerebrovascular disorders: molecular insights and therapeutic opportunities. Nature Neuroscience, 2011, 14, 1390-1397.	14.8	82
330	FAF1, a Gene that Is Disrupted in Cleft Palate and Has Conserved Function in Zebrafish. American Journal of Human Genetics, 2011, 88, 150-161.	6.2	57
331	Involvement of placental growth factor in Wallerian degeneration. Glia, 2011, 59, 379-396.	4.9	31
332	Inhibition of placental growth factor activity reduces the severity of fibrosis, inflammation, and portal hypertension in cirrhotic mice. Hepatology, 2011, 53, 1629-1640.	7.3	78
333	Stem cell marker prominin-1 regulates branching morphogenesis, but not regenerative capacity, in the mammary gland. Developmental Dynamics, 2011, 240, 674-681.	1.8	25
334	Neuronal FLT1 receptor and its selective ligand VEGF- β protect against retrograde degeneration of sensory neurons. FASEB Journal, 2011, 25, 1461-1473.	0.5	45
335	Systemic and Targeted Delivery of Semaphorin 3A Inhibits Tumor Angiogenesis and Progression in Mouse Tumor Models. Arteriosclerosis, Thrombosis, and Vascular Biology, 2011, 31, 741-749.	2.4	105
336	Lessons From the Adjuvant Bevacizumab Trial on Colon Cancer: What Next?. Journal of Clinical Oncology, 2011, 29, 1-4.	1.6	148
337	Differential Endothelial Transcriptomics Identifies Semaphorin 3G as a Vascular Class 3 Semaphorin. Arteriosclerosis, Thrombosis, and Vascular Biology, 2011, 31, 151-159.	2.4	60
338	Notch3 Arg170Cys Knock-In Mice Display Pathologic and Clinical Features of the Neurovascular Disorder Cerebral Autosomal Dominant Arteriopathy With Subcortical Infarcts and Leukoencephalopathy. Arteriosclerosis, Thrombosis, and Vascular Biology, 2011, 31, 2881-2888.	2.4	35
339	VEGF modulates NMDA receptors activity in cerebellar granule cells through Src-family kinases before synapse formation. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 13782-13787.	7.1	41
340	Antiangiogenic therapy, hypoxia, and metastasis: risky liaisons, or not?. Nature Reviews Clinical Oncology, 2011, 8, 393-404.	27.6	252
341	Carbohydrate Metabolism Is Perturbed in Peroxisome-deficient Hepatocytes Due to Mitochondrial Dysfunction, AMP-activated Protein Kinase (AMPK) Activation, and Peroxisome Proliferator-activated Receptor β Coactivator 1 α (PGC-1 α) Suppression*. Journal of Biological Chemistry, 2011, 286, 42162-42179.	3.4	44
342	Angiogenesis: A Target in Solid Tumors, Also in Leukemia?. Hematology American Society of Hematology Education Program, 2011, 2011, 1-8.	2.5	67

#	ARTICLE	IF	CITATIONS
343	Transient reduction of placental angiogenesis in PAI-1-deficient mice. <i>Physiological Genomics</i> , 2011, 43, 188-198.	2.3	16
344	Prolyl hydroxylase 3 (PHD3) is essential for hypoxic regulation of neutrophilic inflammation in humans and mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 1053-1063.	8.2	147
345	PLGF Repairs Myocardial Ischemia through Mechanisms of Angiogenesis, Cardioprotection and Recruitment of Myo-Angiogenic Competent Marrow Progenitors. <i>PLoS ONE</i> , 2011, 6, e24872.	2.5	55
346	Gas6 deficiency in recipient mice of allogeneic transplantation alleviates hepatic graft-versus-host disease. <i>Blood</i> , 2010, 115, 3390-3397.	1.4	9
347	Malignant cells fuel tumor growth by educating infiltrating leukocytes to produce the mitogen Gas6. <i>Blood</i> , 2010, 115, 2264-2273.	1.4	157
348	Role of synectin in lymphatic development in zebrafish and frogs. <i>Blood</i> , 2010, 116, 3356-3366.	1.4	36
349	Downregulation of genes with a function in axon outgrowth and synapse formation in motor neurones of the VEGF β mouse model of amyotrophic lateral sclerosis. <i>BMC Genomics</i> , 2010, 11, 203.	2.8	38
350	Increased skeletal VEGF enhances β -catenin activity and results in excessively ossified bones. <i>EMBO Journal</i> , 2010, 29, 424-441.	7.8	184
351	Absence of placental growth factor blocks dextran sodium sulfate-induced colonic mucosal angiogenesis, increases mucosal hypoxia and aggravates acute colonic injury. <i>Laboratory Investigation</i> , 2010, 90, 566-576.	3.7	37
352	Bridges that guide and unite. <i>Nature</i> , 2010, 465, 697-699.	27.8	95
353	Role of Delta-like-4/Notch in the Formation and Wiring of the Lymphatic Network in Zebrafish. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 1695-1702.	2.4	118
354	Fumarase tumor suppressor gene and MET oncogene cooperate in upholding transformation and tumorigenesis. <i>FASEB Journal</i> , 2010, 24, 2680-2688.	0.5	12
355	Matrix-Binding Vascular Endothelial Growth Factor (VEGF) Isoforms Guide Granule Cell Migration in the Cerebellum via VEGF Receptor Flk1. <i>Journal of Neuroscience</i> , 2010, 30, 15052-15066.	3.6	75
356	Impaired Autonomic Regulation of Resistance Arteries in Mice With Low Vascular Endothelial Growth Factor or Upon Vascular Endothelial Growth Factor Trap Delivery. <i>Circulation</i> , 2010, 122, 273-281.	1.6	37
357	Claudin-like protein 24 interacts with the VEGFR-2 and VEGFR-3 pathways and regulates lymphatic vessel development. <i>Genes and Development</i> , 2010, 24, 875-880.	5.9	36
358	Protein kinase D2 is a crucial regulator of tumour cell-endothelial cell communication in gastrointestinal tumours. <i>Gut</i> , 2010, 59, 1316-1330.	12.1	68
359	From Vessel Sprouting to Normalization. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 2331-2336.	2.4	60
360	NuSAP is essential for chromatin-induced spindle formation during early embryogenesis. <i>Journal of Cell Science</i> , 2010, 123, 3244-3255.	2.0	64

#	ARTICLE	IF	CITATIONS
361	Vascular Endothelial Growth Factor-B Acts as a Coronary Growth Factor in Transgenic Rats Without Inducing Angiogenesis, Vascular Leak, or Inflammation. <i>Circulation</i> , 2010, 122, 1725-1733.	1.6	129
362	Autonomic modulation and antiarrhythmic therapy in a model of long QT syndrome type 3. <i>Cardiovascular Research</i> , 2010, 87, 60-72.	3.8	65
363	Short-term delivery of anti-PlGF antibody delays progression of atherosclerotic plaques to vulnerable lesions. <i>Cardiovascular Research</i> , 2010, 86, 29-36.	3.8	51
364	Immaturity of microvessels in haemorrhagic plaques is associated with proteolytic degradation of angiogenic factors. <i>Cardiovascular Research</i> , 2010, 85, 184-193.	3.8	34
365	Anti-PlGF Placental Growth Factor Reduces Bone Metastasis by Blocking Tumor Cell Engraftment and Osteoclast Differentiation. <i>Cancer Research</i> , 2010, 70, 6537-6547.	0.9	47
366	Oxygen Sensing: A Common Crossroad in Cancer and Neurodegeneration. <i>Current Topics in Microbiology and Immunology</i> , 2010, 345, 71-103.	1.1	21
367	Knock-in gain-of-function sodium channel mutation prolongs atrial action potentials and alters atrial vulnerability. <i>Heart Rhythm</i> , 2010, 7, 1862-1869.	0.7	50
368	Loss or Silencing of the PHD1 Prolyl Hydroxylase Protects Livers of Mice Against Ischemia/Reperfusion Injury. <i>Gastroenterology</i> , 2010, 138, 1143-1154.e2.	1.3	108
369	Loss of Prolyl Hydroxylase-1 Protects Against Colitis Through Reduced Epithelial Cell Apoptosis and Increased Barrier Function. <i>Gastroenterology</i> , 2010, 139, 2093-2101.	1.3	175
370	Mechanisms of Resistance to Anti-Angiogenic Therapy and Development of Third-Generation Anti-Angiogenic Drug Candidates. <i>Genes and Cancer</i> , 2010, 1, 12-25.	1.9	223
371	VEGF Receptor 2 Endocytic Trafficking Regulates Arterial Morphogenesis. <i>Developmental Cell</i> , 2010, 18, 713-724.	7.0	213
372	Further Pharmacological and Genetic Evidence for the Efficacy of PlGF Inhibition in Cancer and Eye Disease. <i>Cell</i> , 2010, 141, 178-190.	28.9	243
373	Pericytes: Blood-Brain Barrier Safeguards against Neurodegeneration?. <i>Neuron</i> , 2010, 68, 321-323.	8.1	82
374	Epithelial: Endothelial cross-talk regulates exocrine differentiation in developing pancreas. <i>Developmental Biology</i> , 2010, 347, 216-227.	2.0	66
375	Placental growth factor mediates aldosterone-dependent vascular injury in mice. <i>Journal of Clinical Investigation</i> , 2010, 120, 3891-3900.	8.2	67
376	NuSAP is essential for chromatin-induced spindle formation during early embryogenesis. <i>Development (Cambridge)</i> , 2010, 137, e2006-e2006.	2.5	0
377	Variants of the elongator protein 3 (ELP3) gene are associated with motor neuron degeneration. <i>Human Molecular Genetics</i> , 2009, 18, 472-481.	2.9	512
378	Vascular Endothelial Growth Factor-B Induces Myocardium-Specific Angiogenesis and Arteriogenesis via Vascular Endothelial Growth Factor Receptor-1 and Neuropilin Receptor-1-Dependent Mechanisms. <i>Circulation</i> , 2009, 119, 845-856.	1.6	172

#	ARTICLE	IF	CITATIONS
379	Antimyoangiogenic Therapy for Cancer by Inhibiting PlGF. <i>Clinical Cancer Research</i> , 2009, 15, 3648-3653.	7.0	61
380	Growth Arrest Specific Protein 6 Participates in DOCA-Induced Target-Organ Damage. <i>Hypertension</i> , 2009, 54, 359-364.	2.7	14
381	Loss of the Cholesterol-Binding Protein Prominin-1/CD133 Causes Disk Dysmorphogenesis and Photoreceptor Degeneration. <i>Journal of Neuroscience</i> , 2009, 29, 2297-2308.	3.6	164
382	G Protein-Coupled Receptor APJ and Its Ligand Apelin Act Downstream of Cripto to Specify Embryonic Stem Cells Toward the Cardiac Lineage Through Extracellular Signal-Regulated Kinase/p70S6 Kinase Signaling Pathway. <i>Circulation Research</i> , 2009, 105, 231-238.	4.5	85
383	Plasminogen Activator Inhibitor-1 Regulates Integrin $\alpha_2\beta_3$ Expression and Autocrine Transforming Growth Factor β_2 Signaling. <i>Journal of Biological Chemistry</i> , 2009, 284, 20708-20717.	3.4	32
384	Mechanisms of Vessel Branching. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 639-649.	2.4	328
385	Oxygen-Induced Retinopathy in Mice: Amplification by Neonatal IGF-I Deficit and Attenuation by IGF-I Administration. <i>Pediatric Research</i> , 2009, 65, 307-310.	2.3	73
386	Membrane-anchored uPAR regulates the proliferation, marrow pool size, engraftment, and mobilization of mouse hematopoietic stem/progenitor cells. <i>Journal of Clinical Investigation</i> , 2009, 119, 1008-18.	8.2	55
387	Food restriction in obese dyslipidaemic diabetic mice partially restores basal contractility but not contractile reserve. <i>European Journal of Heart Failure</i> , 2009, 11, 1118-1125.	7.1	10
388	Absence of SPARC results in increased cardiac rupture and dysfunction after acute myocardial infarction. <i>Journal of Experimental Medicine</i> , 2009, 206, 113-123.	8.5	180
389	Absence of Thrombospondin-2 Causes Age-Related Dilated Cardiomyopathy. <i>Circulation</i> , 2009, 120, 1585-1597.	1.6	92
390	Fibrinolysis-independent role of plasmin and its activators in the haematopoietic recovery after myeloablation. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 4587-4595.	3.6	21
391	Silencing or Fueling Metastasis with VEGF Inhibitors: Antiangiogenesis Revisited. <i>Cancer Cell</i> , 2009, 15, 167-170.	16.8	360
392	Endothelial oxygen sensors regulate tumor vessel abnormalization by instructing pericyte endothelial cells. <i>Journal of Molecular Medicine</i> , 2009, 87, 561-569.	3.9	33
393	VEGF deficiency in mice does not affect embryonic or postnatal lymphangiogenesis but reduces lymphatic metastasis. <i>Journal of Pathology</i> , 2009, 219, 356-364.	4.5	34
394	Branching morphogenesis and antiangiogenesis candidates: tip cells lead the way. <i>Nature Reviews Clinical Oncology</i> , 2009, 6, 315-326.	27.6	195
395	Inhibition of oxygen sensors as a therapeutic strategy for ischaemic and inflammatory disease. <i>Nature Reviews Drug Discovery</i> , 2009, 8, 139-152.	46.4	302
396	Role and Therapeutic Potential of VEGF in the Nervous System. <i>Physiological Reviews</i> , 2009, 89, 607-648.	28.8	385

#	ARTICLE	IF	CITATIONS
397	Regulation of Angiogenesis by Oxygen and Metabolism. <i>Developmental Cell</i> , 2009, 16, 167-179.	7.0	361
398	Heterozygous Deficiency of PHD2 Restores Tumor Oxygenation and Inhibits Metastasis via Endothelial Normalization. <i>Cell</i> , 2009, 136, 839-851.	28.9	727
399	Oxygen Sensors at the Crossroad of Metabolism. <i>Cell Metabolism</i> , 2009, 9, 11-22.	16.2	251
400	The neurovascular link in health and disease: an update. <i>Trends in Molecular Medicine</i> , 2009, 15, 439-451.	6.7	65
401	16LBA VEGFR-1 polymorphisms as potential predictors of clinical outcome in bevacizumab-treated patients with metastatic pancreatic cancer. <i>European Journal of Cancer, Supplement</i> , 2009, 7, 10.	2.2	10
402	Role of Placental Growth Factor in Mesenteric Neoangiogenesis in a Mouse Model of Portal Hypertension. <i>Gastroenterology</i> , 2009, 137, 2112-2124.e6.	1.3	56
403	Prevention of elastase-induced emphysema in placenta growth factor knock-out mice. <i>Respiratory Research</i> , 2009, 10, 115.	3.6	28
404	Antibiotics may impair hematopoietic recovery after cytotoxic myeloablation. <i>Blood</i> , 2009, 113, 1608-1609.	1.4	2
405	The FGF system has a key role in regulating vascular integrity. <i>Journal of Clinical Investigation</i> , 2009, 119, 2113-2113.	8.2	1
406	Hypoxia Induces Dilated Cardiomyopathy in the Chick Embryo: Mechanism, Intervention, and Long-Term Consequences. <i>PLoS ONE</i> , 2009, 4, e5155.	2.5	105
407	Inhibition of Hypoxia Inducible Factor Hydroxylases Protects Against Renal Ischemia-Reperfusion Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 39-46.	6.1	246
408	439: Intra-amniotic VEGF administration in fetal rats with nitrofen induced lung hypoplasia – A placebo controlled study. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 199, S131.	1.3	0
409	A lifeline for suffocating tissues. <i>Nature</i> , 2008, 453, 1194-1195.	27.8	19
410	Neurovascular signalling defects in neurodegeneration. <i>Nature Reviews Neuroscience</i> , 2008, 9, 169-181.	10.2	316
411	Deficiency or inhibition of oxygen sensor Phd1 induces hypoxia tolerance by reprogramming basal metabolism. <i>Nature Genetics</i> , 2008, 40, 170-180.	21.4	433
412	Modification of kidney barrier function by the urokinase receptor. <i>Nature Medicine</i> , 2008, 14, 55-63.	30.7	501
413	Modeling lymphangiogenesis in a three-dimensional culture system. <i>Nature Methods</i> , 2008, 5, 431-437.	19.0	116
414	FLT1 and its ligands VEGFB and PlGF: drug targets for anti-angiogenic therapy?. <i>Nature Reviews Cancer</i> , 2008, 8, 942-956.	28.4	504

#	ARTICLE	IF	CITATIONS
415	Protective Role of Reactive Astrocytes in Brain Ischemia. Journal of Cerebral Blood Flow and Metabolism, 2008, 28, 468-481.	4.3	441
416	VEGFR α -mediated increased proliferation and survival in response to oxygen and glucose deprivation in PlGF knockout astrocytes. Journal of Neurochemistry, 2008, 107, 756-767.	3.9	27
417	Genetics, epigenetics and pharmacogenomics in angiogenesis. Journal of Cellular and Molecular Medicine, 2008, 12, 2533-2551.	3.6	51
418	Novel Role for Vascular Endothelial Growth Factor (VEGF) Receptor-1 and Its Ligand VEGF-B in Motor Neuron Degeneration. Journal of Neuroscience, 2008, 28, 10451-10459.	3.6	119
419	Heterozygous deficiency of the oxygen sensor PHD2 prevents metastasis by inducing vessel normalization. European Journal of Cancer, Supplement, 2008, 6, 16.	2.2	0
420	OC12. Specific inhibition of the VEGF homolog placental growth factor is protective against osteolytic bone metastasis in mice. Cancer Treatment Reviews, 2008, 34, 11.	7.7	0
421	Hungry for Blood Vessels: Linking Metabolism and Angiogenesis. Developmental Cell, 2008, 14, 313-314.	7.0	11
422	264 DEFICIENCY IN PLACENTAL GROWTH FACTOR CAUSES A DECREASED PORTO-SYSTEMIC COLLATERAL VESSEL FORMATION IN PORTAL HYPERTENSIVE MICE. Journal of Hepatology, 2008, 48, S106-S107.	3.7	0
423	265 DEVELOPMENT OF CIRRHOSIS IS ASSOCIATED WITH INCREASED LEVELS OF PLACENTAL GROWTH FACTOR: A DESCRIPTIVE STUDY. Journal of Hepatology, 2008, 48, S107.	3.7	0
424	Progranulin functions as a neurotrophic factor to regulate neurite outgrowth and enhance neuronal survival. Journal of Cell Biology, 2008, 181, 37-41.	5.2	376
425	Elevated levels of placental growth factor represent an adaptive host response in sepsis. Journal of Experimental Medicine, 2008, 205, 2623-2631.	8.5	40
426	The von Hippel-Lindau Tumor Suppressor Protein and Egl-9-Type Proline Hydroxylases Regulate the Large Subunit of RNA Polymerase II in Response to Oxidative Stress. Molecular and Cellular Biology, 2008, 28, 2701-2717.	2.3	115
427	Abnormal Sympathoadrenal Development and Systemic Hypotension in PHD3^{Δ} Mice. Molecular and Cellular Biology, 2008, 28, 3386-3400.	2.3	176
428	Developmental coronary maturation is disturbed by aberrant cardiac vascular endothelial growth factor expression and Notch signalling. Cardiovascular Research, 2008, 78, 366-375.	3.8	41
429	Fibrinogen drives dystrophic muscle fibrosis via a TGF β /alternative macrophage activation pathway. Genes and Development, 2008, 22, 1747-1752.	5.9	222
430	Reevaluation of the Role of VEGF-B Suggests a Restricted Role in the Revascularization of the Ischemic Myocardium. Arteriosclerosis, Thrombosis, and Vascular Biology, 2008, 28, 1614-1620.	2.4	99
431	Gas6 Deficiency Increases Oligodendrocyte Loss and Microglial Activation in Response to Cuprizone-Induced Demyelination. Journal of Neuroscience, 2008, 28, 5195-5206.	3.6	114
432	The tumor suppressor semaphorin 3B triggers a prometastatic program mediated by interleukin 8 and the tumor microenvironment. Journal of Experimental Medicine, 2008, 205, 1155-1171.	8.5	87

#	ARTICLE	IF	CITATIONS
433	Metabolism and Therapeutic Angiogenesis. New England Journal of Medicine, 2008, 358, 2511-2512.	27.0	38
434	Gas6 promotes inflammation by enhancing interactions between endothelial cells, platelets, and leukocytes. Blood, 2008, 111, 4096-4105.	1.4	137
435	Role of VEGF-D and VEGFR-3 in developmental lymphangiogenesis, a chemicogenetic study in Xenopus tadpoles. Blood, 2008, 112, 1740-1749.	1.4	47
436	Plasmin therapy enhances mobilization of HPCs after G-CSF. Blood, 2008, 112, 4048-4050.	1.4	30
437	Angiogenesis in the Central Nervous System. , 2008, , 489-504.		2
438	Role of Gas6 in erythropoiesis and anemia in mice. Journal of Clinical Investigation, 2008, 118, 583-96.	8.2	84
439	The FGF system has a key role in regulating vascular integrity. Journal of Clinical Investigation, 2008, 118, 3355-3366.	8.2	257
440	Endothelial cell O-glycan deficiency causes blood/lymphatic misconnections and consequent fatty liver disease in mice. Journal of Clinical Investigation, 2008, 118, 3725-3737.	8.2	216
441	Guidance of Vascular and Neuronal Network Formation. , 2008, , 47-65.		0
442	Disruption of GAS6-MER Pathway Leads to Defects in Physiological Clearance of Expelled Nuclei from Erythroblasts by Bone Marrow Macrophages. Blood, 2008, 112, 499-499.	1.4	0
443	Increased Expression of Syndecan-1 Protects Against Cardiac Dilatation and Dysfunction After Myocardial Infarction. Circulation, 2007, 115, 475-482.	1.6	123
444	Hepatocyte Growth Factor Acts as a Motogen and Guidance Signal for Gonadotropin Hormone-Releasing Hormone-1 Neuronal Migration. Journal of Neuroscience, 2007, 27, 431-445.	3.6	71
445	Genetic Deletion of Placenta Growth Factor in Mice Alters Uterine NK Cells. Journal of Immunology, 2007, 178, 4267-4275.	0.8	109
446	Ttrap is an essential modulator of Smad3-dependent Nodal signaling during zebrafish gastrulation and left-right axis determination. Development (Cambridge), 2007, 134, 4381-4393.	2.5	37
447	uPA deficiency exacerbates muscular dystrophy in MDX mice. Journal of Cell Biology, 2007, 179, 165-165.	5.2	1
448	Tetralogy of Fallot and Alterations in Vascular Endothelial Growth Factor-A Signaling and Notch Signaling in Mouse Embryos Solely Expressing the VEGF120 Isoform. Circulation Research, 2007, 100, 842-849.	4.5	63
449	Overexpression of mutant superoxide dismutase 1 causes a motor axonopathy in the zebrafish. Human Molecular Genetics, 2007, 16, 2359-2365.	2.9	134
450	uPA deficiency exacerbates muscular dystrophy in MDX mice. Journal of Cell Biology, 2007, 178, 1039-1051.	5.2	66

#	ARTICLE	IF	CITATIONS
451	Astrocytes regulate GluR2 expression in motor neurons and their vulnerability to excitotoxicity. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 14825-14830.	7.1	193
452	NKT Cell-Derived Urokinase-Type Plasminogen Activator Promotes Peripheral Tolerance Associated with Eye. Journal of Immunology, 2007, 179, 2215-2222.	0.8	21
453	Activation of the UNC5B receptor by Netrin-1 inhibits sprouting angiogenesis. Genes and Development, 2007, 21, 2433-2447.	5.9	195
454	Plasminogen activator inhibitor type 1 is protective during severe Gram-negative pneumonia. Blood, 2007, 109, 1593-1601.	1.4	113
455	Heterogeneity in motoneuron disease. Trends in Neurosciences, 2007, 30, 536-544.	8.6	17
456	Anti-PlGF Inhibits Growth of VEGF(R)-Inhibitor-Resistant Tumors without Affecting Healthy Vessels. Cell, 2007, 131, 463-475.	28.9	722
457	Tumoral and Choroidal Vascularization. American Journal of Pathology, 2007, 171, 1369-1380.	3.8	20
458	Building in resistance to endothelial cell death. Nature Genetics, 2007, 39, 1308-1309.	21.4	3
459	Similarities Between Angiogenesis and Neural Development: What Small Animal Models Can Tell Us. Current Topics in Developmental Biology, 2007, 80, 1-55.	2.2	54
460	Antiangiogenic treatment with Sunitinib ameliorates inflammatory infiltrate, fibrosis, and portal pressure in cirrhotic rats. Hepatology, 2007, 46, 1919-1926.	7.3	236
461	Neonatal hypoxic preconditioning involves vascular endothelial growth factor. Neurobiology of Disease, 2007, 26, 243-252.	4.4	55
462	Ageing and amyloid-beta peptide deposition contribute to an impaired brain tissue plasminogen activator activity by different mechanisms. Neurobiology of Disease, 2007, 27, 164-173.	4.4	54
463	Myocardial hypertrophy in the absence of external stimuli is induced by angiogenesis in mice. Journal of Clinical Investigation, 2007, 117, 3188-3197.	8.2	129
464	Vascular and Neuronal Development: Intersecting Parallelisms and crossroads. , 2007, , 159-189.		0
465	Retinal Angiogenesis and Growth Factors. , 2007, , 38-77.		0
466	Gas6 and Its Receptors Are Implicated in Sepsis as Modulators of Innate Immunity.. Blood, 2007, 110, 2409-2409.	1.4	0
467	Zebrafish and Xenopus tadpoles: Small animal models to study angiogenesis and lymphangiogenesis. Experimental Cell Research, 2006, 312, 684-693.	2.6	62
468	An SDF-1 Trap for Myeloid Cells Stimulates Angiogenesis. Cell, 2006, 124, 18-21.	28.9	70

#	ARTICLE	IF	CITATIONS
469	VEGF at the neurovascular interface: Therapeutic implications for motor neuron disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2006, 1762, 1109-1121.	3.8	91
470	Selective Regulation of Arterial Branching Morphogenesis by Synectin. <i>Developmental Cell</i> , 2006, 10, 783-795.	7.0	125
471	Another angiogenic gene linked to amyotrophic lateral sclerosis. <i>Trends in Molecular Medicine</i> , 2006, 12, 345-347.	6.7	30
472	A SERCA2 pump with an increased Ca ²⁺ affinity can lead to severe cardiac hypertrophy, stress intolerance and reduced life span. <i>Journal of Molecular and Cellular Cardiology</i> , 2006, 41, 308-317.	1.9	54
473	Gene prioritization through genomic data fusion. <i>Nature Biotechnology</i> , 2006, 24, 537-544.	17.5	787
474	Fishing and frogging for anti-angiogenic drugs. , 2006, 2, 228-229.		14
475	VEGF inhibitors make blood. <i>Nature Medicine</i> , 2006, 12, 732-734.	30.7	18
476	VEGF-C is a trophic factor for neural progenitors in the vertebrate embryonic brain. <i>Nature Neuroscience</i> , 2006, 9, 340-348.	14.8	164
477	Pulmonary effects of antenatal intratracheal VEGF administration in preterm fetal rabbits. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, S168.	1.3	0
478	Evolution of Oxygen and Glucose Concentration Profiles in a Tissue-Mimetic Culture System of Embryonic Stem Cells. <i>Annals of Biomedical Engineering</i> , 2006, 34, 1247-1258.	2.5	38
479	Altered VEGF-A isoform expression during embryogenesis affects arterial, venous and lymphatic differentiation. <i>Vascular Pharmacology</i> , 2006, 45, 193-194.	2.1	0
480	VE-Cadherin-Cre-recombinase transgenic mouse: A tool for lineage analysis and gene deletion in endothelial cells. <i>Developmental Dynamics</i> , 2006, 235, 759-767.	1.8	391
481	Implication of the hypoxia response element of the vegf promoter in mouse models of retinal and choroidal neovascularization, but not retinal vascular development. <i>Journal of Cellular Physiology</i> , 2006, 206, 749-758.	4.1	92
482	Overlap Syndrome of Cardiac Sodium Channel Disease in Mice Carrying the Equivalent Mutation of Human SCN5A -1795insD. <i>Circulation</i> , 2006, 114, 2584-2594.	1.6	174
483	Novel Transgenic Rabbit Model Sheds Light on the Puzzling Role of Matrix Metalloproteinase-12 in Atherosclerosis. <i>Circulation</i> , 2006, 113, 1929-1932.	1.6	9
484	Impaired Adipose Tissue Development in Mice With Inactivation of Placental Growth Factor Function. <i>Diabetes</i> , 2006, 55, 2698-2704.	0.6	91
485	Altered Na ⁺ Channels Promote Pause-Induced Spontaneous Diastolic Activity in Long QT Syndrome Type 3 Myocytes. <i>Circulation Research</i> , 2006, 99, 1225-1232.	4.5	63
486	Vascular endothelial growth factor is an important determinant of sepsis morbidity and mortality. <i>Journal of Experimental Medicine</i> , 2006, 203, 1447-1458.	8.5	249

#	ARTICLE	IF	CITATIONS
487	Endogenous Tissue-Type Plasminogen Activator Is Protective during <i>Escherichia coli</i> -Induced Abdominal Sepsis in Mice. <i>Journal of Immunology</i> , 2006, 177, 1189-1196.	0.8	51
488	VEGF and PlGF promote adult vasculogenesis by enhancing EPC recruitment and vessel formation at the site of tumor neovascularization. <i>FASEB Journal</i> , 2006, 20, 1495-1497.	0.5	309
489	Inhibition of Urokinase-Type Plasminogen Activator or Matrix Metalloproteinases Prevents Cardiac Injury and Dysfunction During Viral Myocarditis. <i>Circulation</i> , 2006, 114, 565-573.	1.6	100
490	Placental growth factor mediates mesenchymal cell development, cartilage turnover, and bone remodeling during fracture repair. <i>Journal of Clinical Investigation</i> , 2006, 116, 1230-1242.	8.2	148
491	Critical function of Bmx/Etk in ischemia-mediated arteriogenesis and angiogenesis. <i>Journal of Clinical Investigation</i> , 2006, 116, 2344-55.	8.2	73
492	Vitamin D receptor in chondrocytes promotes osteoclastogenesis and regulates FGF23 production in osteoblasts. <i>Journal of Clinical Investigation</i> , 2006, 116, 3150-3159.	8.2	287
493	A New Mouse Model to Study Acquired Lymphedema. <i>PLoS Medicine</i> , 2006, 3, e264.	8.4	27
494	VEGF, an Angiogenic Factor with Neurotrophic Activity, Useful for Treatment of ALS?. , 2006, , 239-252.		0
495	Role of Growth Arrest-Specific Gene 6 Product (Gas6) in Severe Sepsis.. <i>Blood</i> , 2006, 108, 1640-1640.	1.4	0
496	Vascular and Neuronal Effects of VEGF in the Nervous System. , 2006, , 245-264.		0
497	Plasminogen activator inhibitor-1 gene deficiency attenuates TGF- β 1-induced kidney disease. <i>Kidney International</i> , 2005, 68, 2651-2666.	5.2	63
498	Lymph makes you fat. <i>Nature Genetics</i> , 2005, 37, 1023-1024.	21.4	63
499	A genetic <i>Xenopus laevis</i> tadpole model to study lymphangiogenesis. <i>Nature Medicine</i> , 2005, 11, 998-1004.	30.7	212
500	Treatment of motoneuron degeneration by intracerebroventricular delivery of VEGF in a rat model of ALS. <i>Nature Neuroscience</i> , 2005, 8, 85-92.	14.8	464
501	Common mechanisms of nerve and blood vessel wiring. <i>Nature</i> , 2005, 436, 193-200.	27.8	954
502	Angiogenesis in life, disease and medicine. <i>Nature</i> , 2005, 438, 932-936.	27.8	3,097
503	A surrogate marker to monitor angiogenesis at last. <i>Cancer Cell</i> , 2005, 7, 3-4.	16.8	34
504	Genetic evidence for a tumor suppressor role of HIF-2 β . <i>Cancer Cell</i> , 2005, 8, 131-141.	16.8	174

#	ARTICLE	IF	CITATIONS
505	Guidance of vascular and neural network formation. <i>Current Opinion in Neurobiology</i> , 2005, 15, 108-115.	4.2	170
506	Downregulation of vascular endothelial-cadherin expression is associated with an increase in vascular tumor growth and hemorrhagic complications. <i>Thrombosis and Haemostasis</i> , 2005, 93, 1041-1046.	3.4	27
507	Role of neural guidance signals in blood vessel navigation. <i>Cardiovascular Research</i> , 2005, 65, 629-638.	3.8	85
508	Testosterone Suppresses Protective Responses of the Liver to Blood-Stage Malaria. <i>Infection and Immunity</i> , 2005, 73, 436-443.	2.2	55
509	The Zebrafish pob Gene Encodes a Novel Protein Required for Survival of Red Cone Photoreceptor Cells. Sequence data from this article have been deposited with the EMBL/GenBank Data Libraries under accession no. AY745978.. <i>Genetics</i> , 2005, 170, 263-273.	2.9	41
510	Placental Growth Factor Promotes Atherosclerotic Intimal Thickening and Macrophage Accumulation. <i>Circulation</i> , 2005, 111, 2828-2836.	1.6	142
511	Adenovirus-Mediated Gene Transfer of Placental Growth Factor to Perivascular Tissue Induces Angiogenesis via Upregulation of the Expression of Endogenous Vascular Endothelial Growth Factor-A. <i>Human Gene Therapy</i> , 2005, 16, 1422-1428.	2.7	57
512	A Novel Role for Vascular Endothelial Growth Factor as an Autocrine Survival Factor for Embryonic Stem Cells during Hypoxia. <i>Journal of Biological Chemistry</i> , 2005, 280, 3493-3499.	3.4	92
513	Gene targeting of VEGF-A in thymus epithelium disrupts thymus blood vessel architecture. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 10587-10592.	7.1	68
514	Hypoxia-Inducible Factors 1 β and 2 β Regulate Trophoblast Differentiation. <i>Molecular and Cellular Biology</i> , 2005, 25, 10479-10491.	2.3	202
515	Novel Mutation in the Per-Arnt-Sim Domain of KCNH2 Causes a Malignant Form of Long-QT Syndrome. <i>Circulation</i> , 2005, 111, 961-968.	1.6	40
516	Role of Gas-6 in Adipogenesis and Nutritionally Induced Adipose Tissue Development in Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 1002-1007.	2.4	38
517	Increased Cardiac Expression of Tissue Inhibitor of Metalloproteinase-1 and Tissue Inhibitor of Metalloproteinase-2 Is Related to Cardiac Fibrosis and Dysfunction in the Chronic Pressure-Overloaded Human Heart. <i>Circulation</i> , 2005, 112, 1136-1144.	1.6	267
518	Vascular Remodeling in Mice Lacking the Cytoplasmic Domain of Tissue Factor. <i>Circulation Research</i> , 2005, 97, 293-298.	4.5	24
519	Host Plasminogen Activator Inhibitor-1 Promotes Human Skin Carcinoma Progression in a Stage-Dependent Manner. <i>Neoplasia</i> , 2005, 7, 57-66.	5.3	37
520	Thrombophilia in mice expressing a tissue factor variant lacking its transmembrane and cytosolic domain. <i>Biochemical and Biophysical Research Communications</i> , 2005, 333, 488-495.	2.1	2
521	Fibrin-Induced Skin Fibrosis in Mice Deficient in Tissue Plasminogen Activator. <i>American Journal of Pathology</i> , 2005, 167, 721-732.	3.8	38
522	Loss or Inhibition of uPA or MMP-9 Attenuates LV Remodeling and Dysfunction after Acute Pressure Overload in Mice. <i>American Journal of Pathology</i> , 2005, 166, 15-25.	3.8	150

#	ARTICLE	IF	CITATIONS
523	VEGF as a Key Mediator of Angiogenesis in Cancer. <i>Oncology</i> , 2005, 69, 4-10.	1.9	1,363
524	Revascularization of ischemic tissues by PDGF-CC via effects on endothelial cells and their progenitors. <i>Journal of Clinical Investigation</i> , 2005, 115, 118-127.	8.2	148
525	Role of Gas6 receptors in platelet signaling during thrombus stabilization and implications for antithrombotic therapy. <i>Journal of Clinical Investigation</i> , 2005, 115, 237-246.	8.2	210
526	Role of Plasmin and uPAR in Bone Marrow HSC/HPC Retention and Mobilization.. <i>Blood</i> , 2005, 106, 472-472.	1.4	2
527	Adenovirus-Mediated Gene Transfer of Placental Growth Factor to Perivascular Tissue Induces Angiogenesis via Upregulation of the Expression of Endogenous Vascular Endothelial Growth Factor-A. <i>Human Gene Therapy</i> , 2005, .	2.7	0
528	CXCL12 and vascular endothelial growth factor synergistically induce neoangiogenesis in human ovarian cancers. <i>Cancer Research</i> , 2005, 65, 465-72.	0.9	295
529	The Nuclear Scaffold Protein NIP1 Is Essential for Early Embryonic Development and Cell Proliferation. <i>Molecular and Cellular Biology</i> , 2004, 24, 5863-5874.	2.3	30
530	Dendritic Cell Subsets Differentially Regulate Angiogenesis in Human Ovarian Cancer. <i>Cancer Research</i> , 2004, 64, 5535-5538.	0.9	270
531	The Interferon Inducer Ampligen [Poly(I)-Poly(C 12 U)] Markedly Protects Mice against Coxsackie B3 Virus-Induced Myocarditis. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 267-274.	3.2	55
532	Under stress, the absence of intermediate filaments from Muÿller cells in the retina has structural and functional consequences. <i>Journal of Cell Science</i> , 2004, 117, 3481-3488.	2.0	131
533	Loss of Matrix Metalloproteinase-9 or Matrix Metalloproteinase-12 Protects Apolipoprotein Eâ€œDeficient Mice Against Atherosclerotic Media Destruction but Differentially Affects Plaque Growth. <i>Circulation</i> , 2004, 109, 1408-1414.	1.6	273
534	Genetics in Zebrafish, Mice, and Humans to Dissect Congenital Heart Disease: Insights in the Role of VEGF. <i>Current Topics in Developmental Biology</i> , 2004, 62, 189-224.	2.2	34
535	Role of Tissue-Derived Plasminogen Activator (t-PA) in an Excitotoxic Mouse Model of Neonatal White Matter Lesions. <i>Journal of Neuropathology and Experimental Neurology</i> , 2004, 63, 53-63.	1.7	15
536	Manipulating angiogenesis in medicine. <i>Journal of Internal Medicine</i> , 2004, 255, 538-561.	6.0	178
537	Plasmin is not protective in experimental renal interstitial fibrosis1. <i>Kidney International</i> , 2004, 66, 68-76.	5.2	67
538	The European dimension for the mouse genome mutagenesis program. <i>Nature Genetics</i> , 2004, 36, 925-927.	21.4	195
539	Regulation of angiogenesis by tissue factor cytoplasmic domain signaling. <i>Nature Medicine</i> , 2004, 10, 502-509.	30.7	326
540	Host-derived plasminogen activator inhibitor-1 (PAI-1) concentration is critical for in vivo tumoral angiogenesis and growth. <i>Oncogene</i> , 2004, 23, 6986-6990.	5.9	151

#	ARTICLE	IF	CITATIONS
541	VEGF delivery with retrogradely transported lentivector prolongs survival in a mouse ALS model. <i>Nature</i> , 2004, 429, 413-417.	27.8	569
542	The netrin receptor UNC5B mediates guidance events controlling morphogenesis of the vascular system. <i>Nature</i> , 2004, 432, 179-186.	27.8	486
543	Genetic spotlight on a blood defect. <i>Nature</i> , 2004, 427, 592-593.	27.8	9
544	Genetic dissection of tumor angiogenesis: are PlGF and VEGFR-1 novel anti-cancer targets?. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2004, 1654, 79-94.	7.4	40
545	VEGF: once regarded as a specific angiogenic factor, now implicated in neuroprotection. <i>BioEssays</i> , 2004, 26, 943-954.	2.5	476
546	A Sertoli cell-selective knockout of the androgen receptor causes spermatogenic arrest in meiosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 1327-1332.	7.1	703
547	Novel pore mutation in SCN5A manifests as a spectrum of phenotypes ranging from atrial flutter, conduction disease, and Brugada syndrome to sudden cardiac death. <i>Heart Rhythm</i> , 2004, 1, 610-615.	0.7	71
548	The diversity of endothelial cells: a challenge for therapeutic angiogenesis. <i>Genome Biology</i> , 2004, 5, 207.	9.6	48
549	Sculpting Heart Valves with NFATc and VEGF. <i>Cell</i> , 2004, 118, 532-534.	28.9	27
550	Heterodimerization with vascular endothelial growth factor receptor-2 (VEGFR-2) is necessary for VEGFR-3 activity. <i>Biochemical and Biophysical Research Communications</i> , 2004, 324, 909-915.	2.1	55
551	Reduction in Arthritis Severity and Modulation of Immune Function in Tissue Factor Cytoplasmic Domain Mutant Mice. <i>American Journal of Pathology</i> , 2004, 164, 109-117.	3.8	32
552	The Cytoplasmic Domain of Tissue Factor Contributes to Leukocyte Recruitment and Death in Endotoxemia. <i>American Journal of Pathology</i> , 2004, 165, 331-340.	3.8	44
553	VEGF: necessary to prevent motoneuron degeneration, sufficient to treat ALS?. <i>Trends in Molecular Medicine</i> , 2004, 10, 275-282.	6.7	45
554	Effects of vascular endothelial growth factor (VEGF) on motor neuron degeneration. <i>Neurobiology of Disease</i> , 2004, 17, 21-28.	4.4	111
555	Role of vascular endothelial growth factor receptor 1 in basal adhesion formation and in carbon dioxide pneumoperitoneum-enhanced adhesion formation after laparoscopic surgery in mice. <i>Fertility and Sterility</i> , 2004, 82, 1149-1153.	1.0	21
556	Angiogenesis and lymphangiogenesis: highlights of the past year. <i>Current Opinion in Hematology</i> , 2004, 11, 262-271.	2.5	20
557	A CLEVER molecule that regulates lymphocyte trafficking. <i>Blood</i> , 2004, 104, 3840-3841.	1.4	0
558	Soluble VEGF isoforms are essential for establishing epiphyseal vascularization and regulating chondrocyte development and survival. <i>Journal of Clinical Investigation</i> , 2004, 113, 188-199.	8.2	108

#	ARTICLE	IF	CITATIONS
559	Soluble VEGF isoforms are essential for establishing epiphyseal vascularization and regulating chondrocyte development and survival. Journal of Clinical Investigation, 2004, 113, 188-199.	8.2	220
560	VEGF: a critical player in neurodegeneration. Journal of Clinical Investigation, 2004, 113, 14-18.	8.2	87
561	VEGF: a critical player in neurodegeneration. Journal of Clinical Investigation, 2004, 113, 14-18.	8.2	198
562	Mouse Models to Study Pro-and Antiangiogenic Potential: Novel Roles for PLGF and FLT1. Basic Science for the Cardiologist, 2004, , 329-347.	0.1	0
563	Formation of Blood and Lymphatic Vessels: Role of Progenitors. , 2004, , 455-474.		0
564	VASCULAR SMOOTH MUSCLE CELL APOPTOSIS IN ATHEROSCLEROTIC PLAQUES IS MEDIATED BY PLASMINOGEN ACTIVATION. Journal of Hypertension, 2004, 22, S13.	0.5	0
565	Critical Amplification by Gas6 of the Epo-Dependent Erythropoietic Response to Anemia: Novel Opportunities for Anemia Treatment.. Blood, 2004, 104, 459-459.	1.4	0
566	Novel Role of Plasmin in Mobilization and of uPAR in Retention of Hematopoietic Stem/Progenitor Cells in the Bone Marrow Niche: Therapeutic Implications.. Blood, 2004, 104, 117-117.	1.4	0
567	VEGF and PlGF: two pleiotropic growth factors with distinct roles in development and homeostasis. Cell and Tissue Research, 2003, 314, 5-14.	2.9	136
568	Stroma Formation and Angiogenesis by Overexpression of Growth Factors, Cytokines, and Proteolytic Enzymes in Human Skin Grafted to SCID Mice. Journal of Investigative Dermatology, 2003, 120, 683-692.	0.7	44
569	Placental growth factor and its receptor, vascular endothelial growth factor receptor-1: novel targets for stimulation of ischemic tissue revascularization and inhibition of angiogenic and inflammatory disorders. Journal of Thrombosis and Haemostasis, 2003, 1, 1356-1370.	3.8	312
570	Signalling silenced. Nature, 2003, 425, 139-140.	27.8	7
571	VEGF is a modifier of amyotrophic lateral sclerosis in mice and humans and protects motoneurons against ischemic death. Nature Genetics, 2003, 34, 383-394.	21.4	794
572	Angiogenesis in health and disease. Nature Medicine, 2003, 9, 653-660.	30.7	3,726
573	VEGF: A modifier of the del22q11 (DiGeorge) syndrome?. Nature Medicine, 2003, 9, 173-182.	30.7	288
574	Role of PlGF in the intra- and intermolecular cross talk between the VEGF receptors Flt1 and Flk1. Nature Medicine, 2003, 9, 936-943.	30.7	699
575	Blood vessels and nerves: common signals, pathways and diseases. Nature Reviews Genetics, 2003, 4, 710-720.	16.3	456
576	Role of the plasminogen system in basal adhesion formation and carbon dioxide pneumoperitoneum-enhanced adhesion formation after laparoscopic surgery in transgenic mice. Fertility and Sterility, 2003, 80, 184-192.	1.0	45

#	ARTICLE	IF	CITATIONS
577	Role of vascular endothelial growth factor and placental growth factor in basal adhesion formation and in carbon dioxide pneumoperitoneum-enhanced adhesion formation after laparoscopic surgery in transgenic mice. <i>Fertility and Sterility</i> , 2003, 80, 803-811.	1.0	51
578	Role of hypoxia inducible factors 1 β and 2 β in basal adhesion formation and in carbon dioxide pneumoperitoneum-enhanced adhesion formation after laparoscopic surgery in transgenic mice. <i>Fertility and Sterility</i> , 2003, 80, 795-802.	1.0	57
579	Bone marrow transplantation abolishes inhibition of arteriogenesis in placenta growth factor (PlGF) α mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2003, 35, 177-184.	1.9	50
580	Urokinase, a constitutive component of the inflamed synovial fluid, induces arthritis. <i>Arthritis Research</i> , 2003, 5, R9.	2.0	38
581	Cardia bifida, defective heart development and abnormal neural crest migration in embryos lacking hypoxia-inducible factor-1 β . <i>Cardiovascular Research</i> , 2003, 60, 569-579.	3.8	164
582	Urokinase Receptor Modulates Cellular and Angiogenic Responses in Obstructive Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 1234-1253.	6.1	57
583	VEGFR-1 Selective VEGF Homologue PlGF Is Arteriogenic. <i>Circulation Research</i> , 2003, 92, 378-385.	4.5	284
584	Urokinase Receptor Deficiency Accelerates Renal Fibrosis in Obstructive Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 1254-1271.	6.1	111
585	Type 1 plasminogen activator inhibitor deficiency aggravates the course of experimental glomerulonephritis through overactivation of transforming growth factor β . <i>FASEB Journal</i> , 2003, 17, 1-24.	0.5	51
586	Plasminogen Activator Inhibitor-1 Is a Significant Determinant of Renal Injury in Experimental Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 1487-1495.	6.1	74
587	Life-Threatening Thrombosis in Mice With Targeted Arg48-to-Cys Mutation of the Heparin-Binding Domain of Antithrombin. <i>Circulation Research</i> , 2003, 93, 1120-1126.	4.5	28
588	Urokinase-Type Plasminogen Activator Plays a Critical Role in Angiotensin II-Induced Abdominal Aortic Aneurysm. <i>Circulation Research</i> , 2003, 92, 510-517.	4.5	159
589	Impaired neuronal migration and endochondral ossification in Pex7 knockout mice: a model for rhizomelic chondrodysplasia punctata. <i>Human Molecular Genetics</i> , 2003, 12, 2255-2267.	2.9	97
590	Effect of pacing and mexiletine on dispersion of repolarisation and arrhythmias in β -KPC SCN5A (long) Tj ETQq0 0 0 rgBT /Overlock 10 T	3.8	77
591	De novo vasculogenesis in the heart. <i>Cardiovascular Research</i> , 2003, 58, 378-389.	3.8	85
592	A critical role of placental growth factor in the induction of inflammation and edema formation. <i>Blood</i> , 2003, 101, 560-567.	1.4	150
593	Plasminogen activator inhibitor type-1 deficiency does not influence the outcome of murine pneumococcal pneumonia. <i>Blood</i> , 2003, 102, 934-939.	1.4	113
594	Aggravation of endotoxin-induced disseminated intravascular coagulation and cytokine activation in heterozygous protein-C deficient mice. <i>Blood</i> , 2003, 101, 4823-4827.	1.4	154

#	ARTICLE	IF	CITATIONS
595	Mice without uPA, tPA, or Plasminogen Genes Are Resistant to Experimental Choroidal Neovascularization. , 2003, 44, 1732.		46
596	Placental Growth Factor, a Member of the VEGF Family, Contributes to the Development of Choroidal Neovascularization. , 2003, 44, 3186.		296
597	Dose-Dependent Modulation of Choroidal Neovascularization by Plasminogen Activator Inhibitor Type I: Implications for Clinical Trials. , 2003, 44, 2791.		45
598	Neuronal Migration Depends on Intact Peroxisomal Function in Brain and in Extraneuronal Tissues. Journal of Neuroscience, 2003, 23, 9732-9741.	3.6	60
599	Heterozygous deficiency of hypoxia-inducible factor α 2 ⁺ protects mice against pulmonary hypertension and right ventricular dysfunction during prolonged hypoxia. Journal of Clinical Investigation, 2003, 111, 1519-1527.	8.2	267
600	Soluble VEGF receptor Flt1: the elusive preeclampsia factor discovered?. Journal of Clinical Investigation, 2003, 111, 600-602.	8.2	122
601	P1062 Dilated cardiomyopathy caused by lamin A/C mutation: need for a prospective study to prevent sudden death in lamin A/C mutation carriers. European Heart Journal, 2003, 24, 188.	2.2	0
602	Hyperthermia inhibits angiogenesis by a plasminogen activator inhibitor 1-dependent mechanism. Cancer Research, 2003, 63, 1500-7.	0.9	58
603	Amyloid endostatin induces endothelial cell detachment by stimulation of the plasminogen activation system. Molecular Cancer Research, 2003, 1, 561-8.	3.4	30
604	Urokinase Receptor Is Necessary for Adequate Host Defense Against Pneumococcal Pneumonia. Journal of Immunology, 2002, 168, 3507-3511.	0.8	165
605	Plasminogen Activator Inhibitor 1 and Vitronectin Protect Against Stenosis in a Murine Carotid Artery Ligation Model. Arteriosclerosis, Thrombosis, and Vascular Biology, 2002, 22, 1978-1983.	2.4	68
606	Cell Type-Specific Expression of Neuropilins in an MCA-Occlusion Model in Mice Suggests a Potential Role in Post-Ischemic Brain Remodeling. Journal of Neuropathology and Experimental Neurology, 2002, 61, 339-350.	1.7	95
607	Abnormal B lymphocyte development and autoimmunity in hypoxia-inducible factor 1α -deficient chimeric mice. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 2170-2174.	7.1	200
608	The pro- or antiangiogenic effect of plasminogen activator inhibitor 1 is dose dependent. FASEB Journal, 2002, 16, 147-154.	0.5	260
609	Lack of Plasminogen Activator Inhibitor-1 Promotes Growth and Abnormal Matrix Remodeling of Advanced Atherosclerotic Plaques in Apolipoprotein E α -Deficient Mice. Arteriosclerosis, Thrombosis, and Vascular Biology, 2002, 22, 499-505.	2.4	123
610	Loss of the VEGF164 and VEGF188 Isoforms Impairs Postnatal Glomerular Angiogenesis and Renal Arteriogenesis in Mice. Journal of the American Society of Nephrology: JASN, 2002, 13, 1548-1560.	6.1	95
611	Plasmin activity is required for myogenesis in vitro and skeletal muscle regeneration in vivo. Blood, 2002, 99, 2835-2844.	1.4	100
612	Smad3-Dependent Induction of Plasminogen Activator Inhibitor-1 in Astrocytes Mediates Neuroprotective Activity of Transforming Growth Factor- β 21 against NMDA-Induced Necrosis. Molecular and Cellular Neurosciences, 2002, 21, 634-644.	2.2	77

#	ARTICLE	IF	CITATIONS
613	Vascular and neuronal effects of VEGF in the nervous system: implications for neurological disorders. <i>Seminars in Cell and Developmental Biology</i> , 2002, 13, 39-53.	5.0	234
614	Loss of placental growth factor protects mice against vascular permeability in pathological conditions. <i>Biochemical and Biophysical Research Communications</i> , 2002, 295, 428-434.	2.1	81
615	Impaired angiogenesis and endochondral bone formation in mice lacking the vascular endothelial growth factor isoforms VEGF164 and VEGF188. <i>Mechanisms of Development</i> , 2002, 111, 61-73.	1.7	390
616	Vascular Progenitors From Biology to Treatment. <i>Trends in Cardiovascular Medicine</i> , 2002, 12, 88-96.	4.9	168
617	Integrin indecision. <i>Nature Medicine</i> , 2002, 8, 14-16.	30.7	65
618	Loss of HIF-2 α and inhibition of VEGF impair fetal lung maturation, whereas treatment with VEGF prevents fatal respiratory distress in premature mice. <i>Nature Medicine</i> , 2002, 8, 702-710.	30.7	680
619	Revascularization of ischemic tissues by PlGF treatment, and inhibition of tumor angiogenesis, arthritis and atherosclerosis by anti-Flt1. <i>Nature Medicine</i> , 2002, 8, 831-840.	30.7	1,008
620	uPAR: a versatile signalling orchestrator. <i>Nature Reviews Molecular Cell Biology</i> , 2002, 3, 932-943.	37.0	1,140
621	Placental Growth Factor (PlGF) and Its Receptor Flt1 (VEGFR1). <i>Annals of the New York Academy of Sciences</i> , 2002, 979, 80-93.	3.8	195
622	Molecular mechanisms of lymphangiogenesis in health and disease. <i>Cancer Cell</i> , 2002, 1, 219-227.	16.8	638
623	Mouse aortic ring assay: A new approach of the molecular genetics of angiogenesis. <i>Biological Procedures Online</i> , 2002, 4, 24-31.	2.9	123
624	Conditional switching of VEGF provides new insights into adult neovascularization and pro-angiogenic therapy. <i>EMBO Journal</i> , 2002, 21, 1939-1947.	7.8	355
625	The Development of Blood Vessels: Cellular and Molecular Mechanisms. , 2002, , 1-20.		4
626	Arteriolar and venular patterning in retinas of mice selectively expressing VEGF isoforms. <i>Journal of Clinical Investigation</i> , 2002, 109, 327-336.	8.2	340
627	Arteriolar and venular patterning in retinas of mice selectively expressing VEGF isoforms. <i>Journal of Clinical Investigation</i> , 2002, 109, 327-336.	8.2	229
628	Molecular and Cellular Angiogenesis. , 2002, , 273-287.		0
629	Molecular mechanisms of blood vessel growth. <i>Cardiovascular Research</i> , 2001, 49, 507-521.	3.8	813
630	Targeted Deletion of the Cytosolic Domain of Tissue Factor in Mice Does Not Affect Development. <i>Biochemical and Biophysical Research Communications</i> , 2001, 286, 580-586.	2.1	46

#	ARTICLE	IF	CITATIONS
631	Heterogeneous Vascular Dependence of Tumor Cell Populations. American Journal of Pathology, 2001, 158, 1325-1334.	3.8	121
632	Urokinase but not tissue-type plasminogen activator is involved in collateral artery growth. Journal of Molecular and Cellular Cardiology, 2001, 33, A139.	1.9	0
633	Impaired liver regeneration after partial hepatectomy in plasminogen deficient mice. Fibrinolysis and Proteolysis, 2001, 15, 2-8.	1.1	9
634	Urokinase-dependent plasminogen activation is required for efficient skeletal muscle regeneration in vivo. Blood, 2001, 97, 1703-1711.	1.4	114
635	Influence of plasminogen activator inhibitor type 1 on choroidal neovascularization. FASEB Journal, 2001, 15, 1021-1027.	0.5	98
636	The Emerging Role of the Bone Marrow-Derived Stem Cells in (Therapeutic) Angiogenesis. Thrombosis and Haemostasis, 2001, 86, 289-297.	3.4	107
637	The pathophysiology of pelvic floor disorders: evidence from a histomorphologic study of the perineum and a mouse model of rectal prolapse. Journal of Anatomy, 2001, 199, 599-607.	1.5	34
638	Increased stromal expression of murine urokinase plasminogen activator in a human breast cancer xenograft model following treatment with the matrix metalloprotease inhibitor, batimastat. Breast Cancer Research and Treatment, 2001, 68, 225-237.	2.5	10
639	The proteolytic activity of tissue-plasminogen activator enhances NMDA receptor-mediated signaling. Nature Medicine, 2001, 7, 59-64.	30.7	678
640	Deficiency or inhibition of Gas6 causes platelet dysfunction and protects mice against thrombosis. Nature Medicine, 2001, 7, 215-221.	30.7	396
641	Synergism between vascular endothelial growth factor and placental growth factor contributes to angiogenesis and plasma extravasation in pathological conditions. Nature Medicine, 2001, 7, 575-583.	30.7	1,484
642	Deletion of the hypoxia-response element in the vascular endothelial growth factor promoter causes motor neuron degeneration. Nature Genetics, 2001, 28, 131-138.	21.4	967
643	In vivo measurement of gene expression, angiogenesis and physiological function in tumors using multiphoton laser scanning microscopy. Nature Medicine, 2001, 7, 864-868.	30.7	600
644	Growing better blood vessels. Nature Biotechnology, 2001, 19, 1019-1020.	17.5	71
645	Abrupt rate accelerations or premature beats cause life-threatening arrhythmias in mice with long-QT3 syndrome. Nature Medicine, 2001, 7, 1021-1027.	30.7	240
646	Creating unique blood vessels. Nature, 2001, 412, 868-869.	27.8	28
647	Duodenal calcium absorption in vitamin D receptor-knockout mice: Functional and molecular aspects. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 13324-13329.	7.1	531
648	Deficiency of Urokinase-Type Plasminogen Activator–Mediated Plasmin Generation Impairs Vascular Remodeling During Hypoxia-Induced Pulmonary Hypertension in Mice. Circulation, 2001, 103, 2014-2020.	1.6	58

#	ARTICLE	IF	CITATIONS
649	Bmx Tyrosine Kinase Has a Redundant Function Downstream of Angiopoietin and Vascular Endothelial Growth Factor Receptors in Arterial Endothelium. <i>Molecular and Cellular Biology</i> , 2001, 21, 4647-4655.	2.3	72
650	Tissue-Type Plasminogen Activator Deficiency Exacerbates Arthritis. <i>Journal of Immunology</i> , 2001, 167, 1047-1052.	0.8	57
651	Replacement of the Muscle-Specific Sarcoplasmic Reticulum Ca ²⁺ -ATPase Isoform SERCA2a by the Nonmuscle SERCA2b Homologue Causes Mild Concentric Hypertrophy and Impairs Contraction-Relaxation of the Heart. <i>Circulation Research</i> , 2001, 89, 838-846.	4.5	93
652	Hypoxia-inducible Factor-2Î± (HIF-2Î±) Is Involved in the Apoptotic Response to Hypoglycemia but Not to Hypoxia. <i>Journal of Biological Chemistry</i> , 2001, 276, 39192-39196.	3.4	96
653	The Plasminogen Activator Inhibitor PAI-1 Controls in Vivo Tumor Vascularization by Interaction with Proteases, Not Vitronectin. <i>Journal of Cell Biology</i> , 2001, 152, 777-784.	5.2	307
654	Influence of plasminogen activator inhibitor type 1 on choroidal neovascularization. <i>FASEB Journal</i> , 2001, 15, 1021-1027.	0.5	26
655	Blood Coagulation Factor X Deficiency Causes Partial Embryonic Lethality and Fatal Neonatal Bleeding in Mice. <i>Thrombosis and Haemostasis</i> , 2000, 83, 185-190.	3.4	162
656	Transgenic mouse models in angiogenesis and cardiovascular disease. , 2000, 190, 387-405.		116
657	PR39, a peptide regulator of angiogenesis. <i>Nature Medicine</i> , 2000, 6, 49-55.	30.7	359
658	Mechanisms of angiogenesis and arteriogenesis. <i>Nature Medicine</i> , 2000, 6, 389-395.	30.7	3,709
659	VEGF gene therapy: stimulating angiogenesis or angioma-genesis?. <i>Nature Medicine</i> , 2000, 6, 1102-1103.	30.7	340
660	Angiogenesis in cancer and other diseases. <i>Nature</i> , 2000, 407, 249-257.	27.8	7,977
661	One cell, two fates. <i>Nature</i> , 2000, 408, 43-45.	27.8	64
662	Roles of urokinase type plasminogen activator in a brain stab wound. <i>Brain Research</i> , 2000, 887, 187-190.	2.2	21
663	The role of proteinases in angiogenesis, heart development, restenosis, atherosclerosis, myocardial ischemia, and stroke: Insights from genetic studies. <i>Current Atherosclerosis Reports</i> , 2000, 2, 407-416.	4.8	65
664	Characterization of the vasculogenic block in the absence of vascular endothelial growth factor-A. <i>Blood</i> , 2000, 95, 1979-1987.	1.4	51
665	Inactivation of the Peroxisomal Multifunctional Protein-2 in Mice Impedes the Degradation of Not Only 2-Methyl-branched Fatty Acids and Bile Acid Intermediates but Also of Very Long Chain Fatty Acids. <i>Journal of Biological Chemistry</i> , 2000, 275, 16329-16336.	3.4	180
666	Transcription Factor Hepatocyte Nuclear Factor 6 Regulates Pancreatic Endocrine Cell Differentiation and Controls Expression of the Proendocrine Gene <i>ngn3</i> . <i>Molecular and Cellular Biology</i> , 2000, 20, 4445-4454.	2.3	306

#	ARTICLE	IF	CITATIONS
667	Disruption of the Plasminogen Gene in Mice Abolishes Wound Healing after Myocardial Infarction. American Journal of Pathology, 2000, 156, 1865-1873.	3.8	134
668	Molecular Basis of Angiogenesis: Role of VEGF and VE-cadherin. Annals of the New York Academy of Sciences, 2000, 902, 249-264.	3.8	233
669	Proteinases in cardiovascular aneurysms and rupture: targets for therapy?. Journal of Clinical Investigation, 2000, 105, 1519-1520.	8.2	36
670	Disruption of the protein C inhibitor gene results in impaired spermatogenesis and male infertility. Journal of Clinical Investigation, 2000, 106, 1531-1539.	8.2	132
671	Vascular endothelial growth factor (VEGF) modulation by targeting hypoxia-inducible factor-1alpha-> hypoxia response element-> VEGF cascade differentially regulates vascular response and growth rate in tumors. Cancer Research, 2000, 60, 6248-52.	0.9	196
672	A Role of Plasminogen in Atherosclerosis and Restenosis Models in Mice. Thrombosis and Haemostasis, 1999, 82, 4-7.	3.4	48
673	Structure-Function Analyses of Thrombomodulin by Gene-Targeting in Mice: The Cytoplasmic Domain Is Not Required for Normal Fetal Development. Blood, 1999, 93, 3442-3450.	1.4	39
674	Ovulation in Plasminogen-Deficient Mice. Endocrinology, 1999, 140, 5030-5035.	2.8	50
675	Plasminogen Activator Inhibitor-1 Is a Major Determinant of Arterial Thrombolysis Resistance. Circulation, 1999, 99, 3050-3055.	1.6	182
676	Tribute to Werner Risau. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 829-829.	2.4	1
677	Plasminogen Is Not Required for Neointima Formation in a Mouse Model of Vein Graft Stenosis. Circulation Research, 1999, 84, 883-890.	4.5	37
678	Tissue Plasminogen Activator (tPA) Deficiency Exacerbates Cerebrovascular Fibrin Deposition and Brain Injury in a Murine Stroke Model. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 2801-2806.	2.4	127
679	Inhibition of plasminogen activators or matrix metalloproteinases prevents cardiac rupture but impairs therapeutic angiogenesis and causes cardiac failure. Nature Medicine, 1999, 5, 1135-1142.	30.7	745
680	Controlling the cellular brakes. Nature, 1999, 401, 657-658.	27.8	54
681	Impaired myocardial angiogenesis and ischemic cardiomyopathy in mice lacking the vascular endothelial growth factor isoforms VEGF164 and VEGF188. Nature Medicine, 1999, 5, 495-502.	30.7	618
682	Regulation of cancer invasion and vascularization by plasminogen activator inhibitor-1. Fibrinolysis and Proteolysis, 1999, 13, 220-225.	1.1	16
683	Nigral degeneration following striato-pallidal lesion in tissue type plasminogen activator deficient mice. Neuroscience Letters, 1999, 266, 220-222.	2.1	4
684	Plasminogen and cell migration in vivo. Fibrinolysis and Proteolysis, 1999, 13, 49-53.	1.1	28

#	ARTICLE	IF	CITATIONS
685	Targeted Deficiency or Cytosolic Truncation of the VE-cadherin Gene in Mice Impairs VEGF-Mediated Endothelial Survival and Angiogenesis. <i>Cell</i> , 1999, 98, 147-157.	28.9	1,167
686	Role of proteinases in atherosclerosis. <i>Atherosclerosis</i> , 1999, 144, 15.	0.8	0
687	Animal models of cardiovascular disease. <i>Atherosclerosis</i> , 1999, 144, 163.	0.8	0
688	Factor VII deficiency rescues the intrauterine lethality in mice associated with a tissue factor pathway inhibitor deficit. <i>Journal of Clinical Investigation</i> , 1999, 103, 475-482.	8.2	49
689	Ovulation in Plasminogen-Deficient Mice. <i>Endocrinology</i> , 1999, 140, 5030-5035.	2.8	13
690	Molecular Analysis of Vascular Development and Disorders. <i>Developments in Cardiovascular Medicine</i> , 1999, , 193-225.	0.1	0
691	Role of HIF-1 \pm in hypoxia-mediated apoptosis, cell proliferation and tumour angiogenesis. <i>Nature</i> , 1998, 394, 485-490.	27.8	2,565
692	Absence of host plasminogen activator inhibitor 1 prevents cancer invasion and vascularization. <i>Nature Medicine</i> , 1998, 4, 923-928.	30.7	635
693	Vascular development and disorders: Molecular analysis and pathogenic insights. <i>Kidney International</i> , 1998, 53, 1519-1549.	5.2	98
694	Urokinase mediates bFGF-induced vascular smooth muscle cell migration under the control of TGF β 2. <i>Fibrinolysis and Proteolysis</i> , 1998, 12, 89-96.	1.1	1
695	Molecules in focus Tissue factor. <i>International Journal of Biochemistry and Cell Biology</i> , 1998, 30, 661-667.	2.8	56
696	Development and Disease in Proteinase-Deficient Mice. <i>Thrombosis Research</i> , 1998, 91, 255-285.	1.7	172
697	Function of the Plasminogen/Plasmin and Matrix Metalloproteinase Systems After Vascular Injury in Mice With Targeted Inactivation of Fibrinolytic System Genes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 1035-1045.	2.4	223
698	Regulation of Arterial Thrombolysis by Plasminogen Activator Inhibitor-1 in Mice. <i>Circulation</i> , 1998, 97, 1002-1008.	1.6	193
699	Receptor-independent Role of Urokinase-Type Plasminogen Activator in Pericellular Plasmin and Matrix Metalloproteinase Proteolysis during Vascular Wound Healing in Mice. <i>Journal of Cell Biology</i> , 1998, 140, 233-245.	5.2	131
700	Plasminogen Deficiency Differentially Affects Recruitment of Inflammatory Cell Populations in Mice. <i>Blood</i> , 1998, 91, 2005-2009.	1.4	216
701	Cloning and Characterization of a cDNA Encoding Murine Coagulation Factor X. <i>Thrombosis and Haemostasis</i> , 1998, 80, 87-91.	3.4	11
702	Nucleotide Structure and Characterization of the Murine Gene Encoding Anticoagulant Protein C. <i>Thrombosis and Haemostasis</i> , 1998, 79, 310-316.	3.4	6

#	ARTICLE	IF	CITATIONS
703	Plasminogen Deficiency Differentially Affects Recruitment of Inflammatory Cell Populations in Mice. Blood, 1998, 91, 2005-2009.	1.4	8
704	Role of Endothelial versus Smooth Muscle Cells in Blood Vessel Formation. , 1998, , 287-303.		0
705	Role of the Fibrinolytic and the Coagulation System in the Formation and Disorders of Blood Vessels. Medical Science Symposia Series, 1998, , 35-44.	0.0	0
706	Plasminogen and Plasminogen Activators Protect against Renal Injury in Crescentic Glomerulonephritis. Journal of Experimental Medicine, 1997, 185, 963-968.	8.5	190
707	Urokinase and Tissue-type Plasminogen Activator Are Required for the Mitogenic and Chemotactic Effects of Bovine Fibroblast Growth Factor and Platelet-derived Growth Factor-BB for Vascular Smooth Muscle Cells. Journal of Biological Chemistry, 1997, 272, 23585-23591.	3.4	64
708	Molecular genetics of the fibrinolytic and coagulation systems in haemostasis, thrombogenesis, restenosis and atherosclerosis. Current Opinion in Lipidology, 1997, 8, 118-125.	2.7	32
709	Insights from gene-inactivation studies of the coagulation and plasminogen. Fibrinolysis and Proteolysis, 1997, 11, 181-191.	1.1	7
710	Molecular analysis of blood vessel formation and disease. American Journal of Physiology - Heart and Circulatory Physiology, 1997, 273, H2091-H2104.	3.2	82
711	Adenovirus-Mediated Transfer of Tissue-Type Plasminogen Activator Augments Thrombolysis in Tissue-Type Plasminogen Activator-Deficient and Plasminogen Activator Inhibitor-1 Overexpressing Mice. Blood, 1997, 90, 1527-1534.	1.4	41
712	Insights in Vessel Development and Vascular Disorders Using Targeted Inactivation and Transfer of Vascular Endothelial Growth Factor, the Tissue Factor Receptor, and the Plasminogen System. Annals of the New York Academy of Sciences, 1997, 811, 191-206.	3.8	119
713	A mouse model for Zellweger syndrome. Nature Genetics, 1997, 17, 49-57.	21.4	267
714	Urokinase-generated plasmin activates matrix metalloproteinases during aneurysm formation. Nature Genetics, 1997, 17, 439-444.	21.4	621
715	Mice lacking factor VII develop normally but suffer fatal perinatal bleeding. Nature, 1997, 390, 290-294.	27.8	230
716	Genetic Analysis of Blood Vessel Formation. Trends in Cardiovascular Medicine, 1997, 7, 271-281.	4.9	38
717	Studies of Mice Lacking Plasminogen Activator Gene Function Suggest that Plasmin Production Prior to Ovulation Exceeds the Amount Needed for Optimal Ovulation Efficiency. FEBS Journal, 1997, 244, 487-493.	0.2	20
718	Polyoma Middle T-induced Vascular Tumor Formation: The Role of the Plasminogen Activator/Plasmin System. Journal of Cell Biology, 1997, 137, 953-963.	5.2	65
719	Inhibitory Role of Plasminogen Activator Inhibitor-1 in Arterial Wound Healing and Neointima Formation. Circulation, 1997, 96, 3180-3191.	1.6	200
720	Urokinase but Not Tissue Plasminogen Activator Mediates Arterial Neointima Formation in Mice. Circulation Research, 1997, 81, 829-839.	4.5	167

#	ARTICLE	IF	CITATIONS
721	Adenovirus-Mediated Transfer of Tissue-Type Plasminogen Activator Augments Thrombolysis in Tissue-Type Plasminogen Activator-Deficient and Plasminogen Activator Inhibitor-1 Overexpressing Mice. <i>Blood</i> , 1997, 90, 1527-1534.	1.4	1
722	Biological Effects of Targeted Gene Inactivation and Gene Transfer of the Coagulation and Fibrinolytic Systems in Mice. , 1997, , 79-99.		0
723	Nucleotide Structure and Characterization of the Murine Blood Coagulation Factor VII Gene. <i>Thrombosis and Haemostasis</i> , 1996, 76, 0957-0964.	3.4	12
724	Mice lacking the gene encoding tissue-type plasminogen activator show a selective interference with late-phase long-term potentiation in both Schaffer collateral and mossy fiber pathways.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 8699-8704.	7.1	323
725	Genetic Analysis Of The Plasminogen And Coagulation System In Mice. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 1996, 26, 132-153.	0.3	9
726	Targeted gene manipulation and transfer of the plasminogen and coagulation systems in mice. <i>Fibrinolysis</i> , 1996, 10, 195-213.	0.5	40
727	Abnormal blood vessel development and lethality in embryos lacking a single VEGF allele. <i>Nature</i> , 1996, 380, 435-439.	27.8	3,776
728	Role of tissue factor in embryonic blood vessel development. <i>Nature</i> , 1996, 383, 73-75.	27.8	646
729	Gene Manipulation and Transfer of the Plasminogen and Coagulation System in Mice. <i>Seminars in Thrombosis and Hemostasis</i> , 1996, 22, 525-542.	2.7	51
730	Bone resorption and response to calcium-regulating hormones in the absence of tissue or urokinase plasminogen activator or of their type 1 inhibitor. <i>Journal of Bone and Mineral Research</i> , 1996, 11, 1146-1157.	2.8	10
731	Characterization of a cDNA Encoding Murine Coagulation Factor VII. <i>Thrombosis and Haemostasis</i> , 1996, 75, 481-487.	3.4	20
732	Role of the plasminogen/plasmin system in thrombosis, hemostasis, restenosis and atherosclerosis evaluation in transgenic animals. <i>Trends in Cardiovascular Medicine</i> , 1995, 5, 117-122.	4.9	28
733	Gene targeting and gene transfer studies of the plasminogen/plasmin system: implications in thrombosis, hemostasis, neointima formation, and atherosclerosis. <i>FASEB Journal</i> , 1995, 9, 934-938.	0.5	80
734	Generation of Monoclonal Antibodies against Autologous Proteins in Gene-inactivated Mice. <i>Journal of Biological Chemistry</i> , 1995, 270, 8397-8400.	3.4	46
735	Gene Targeting and Gene Transfer Studies of the Biological Role of the Plasminogen/Plasmin System. <i>Thrombosis and Haemostasis</i> , 1995, 74, 429-436.	3.4	53
736	Biological Effects of Combined Inactivation of Plasminogen Activator and Plasminogen Activator Inhibitor-1 Gene Function in Mice. <i>Thrombosis and Haemostasis</i> , 1995, 74, 1126-1131.	3.4	22
737	Effects of Disruption of The Plasminogen Gene on Thrombosis, Growth, and Health in Mice. <i>Circulation</i> , 1995, 92, 2585-2593.	1.6	339
738	Physiological consequences of loss of plasminogen activator gene function in mice. <i>Nature</i> , 1994, 368, 419-424.	27.8	1,030

#	ARTICLE	IF	CITATIONS
739	Evaluation of the plasminogen/plasmin system in transgenic mice. Fibrinolysis, 1994, 8, 269-276.	0.5	33
740	Biological effects of inactivation of the genes for tissue-type plasminogen activator, urokinase-type plasminogen activator and plasminogen activator inhibitor-1 in mice. Fibrinolysis, 1993, 7, 27-28.	0.5	2
741	Plasminogen activator inhibitor-1 gene-deficient mice. I. Generation by homologous recombination and characterization.. Journal of Clinical Investigation, 1993, 92, 2746-2755.	8.2	322
742	Plasminogen activator inhibitor-1 gene-deficient mice. II. Effects on hemostasis, thrombosis, and thrombolysis.. Journal of Clinical Investigation, 1993, 92, 2756-2760.	8.2	354
743	Release of Interleukin-6 from Anterior Pituitary Cell Aggregates: Developmental Pattern and Modulation by Glucocorticoids and Forskolin. Neuroendocrinology, 1991, 53, 29-34.	2.5	50
744	Interferon-7 Inhibits Stimulated Adrenocorticotropin, Prolactin, and Growth Hormone Secretion in Normal Rat Anterior Pituitary Cell Cultures*. Endocrinology, 1990, 126, 2919-2926.	2.8	97
745	Regulation and Cellular Localization of the Membrane Bound Thyrotropin-Releasing Hormone-Degrading Enzyme in Primary Cultures of Neuronal, Glial and Adenohypophyseal Cells*. Endocrinology, 1990, 127, 1224-1233.	2.8	63
746	Production of Interleukin-6 by Folliculo-Stellate Cells of the Anterior Pituitary Gland in a Histiotypic Cell Aggregate Culture System. Neuroendocrinology, 1989, 49, 102-106.	2.5	276
747	Interleukin-1 β inhibits acetylcholine synthesis in the pituitary corticotropic cell line AtT20. Brain Research, 1989, 491, 199-203.	2.2	17
748	Synthesis and Release of Acetylcholine by Normal and Tumoral Pituitary Corticotrophs*. Endocrinology, 1989, 124, 2218-2227.	2.8	48
749	Cell-to-cell communication in peptide target cells of anterior pituitary. Methods in Enzymology, 1989, 168, 47-72.	1.0	76
750	Immunocytochemical and Pharmacological Evidence for an Intrinsic Cholinomimetic System Modulating Prolactin and Growth Hormone Release in Rat Pituitary*. Endocrinology, 1988, 123, 1128-1139.	2.8	48
751	The Receptor Tyrosine Kinase AXL Is Required at Multiple Steps of the Metastatic Cascade During HER2-Positive Breast Cancer Progression. SSRN Electronic Journal, 0, , .	0.4	0