

Marta Giralt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1421981/publications.pdf>

Version: 2024-02-01

181
papers

10,762
citations

28274

55
h-index

36028

97
g-index

182
all docs

182
docs citations

182
times ranked

12148
citing authors

#	ARTICLE	IF	CITATIONS
1	Thermogenic Activation Induces FGF21 Expression and Release in Brown Adipose Tissue. <i>Journal of Biological Chemistry</i> , 2011, 286, 12983-12990.	3.4	512
2	Brown adipose tissue as a secretory organ. <i>Nature Reviews Endocrinology</i> , 2017, 13, 26-35.	9.6	493
3	White, Brown, Beige/Brite: Different Adipose Cells for Different Functions?. <i>Endocrinology</i> , 2013, 154, 2992-3000.	2.8	437
4	Hepatic FGF21 Expression Is Induced at Birth via PPAR α in Response to Milk Intake and Contributes to Thermogenic Activation of Neonatal Brown Fat. <i>Cell Metabolism</i> , 2010, 11, 206-212.	16.2	326
5	Peroxisome Proliferator-activated Receptor α Activates Transcription of the Brown Fat Uncoupling Protein-1 Gene. <i>Journal of Biological Chemistry</i> , 2001, 276, 1486-1493.	3.4	302
6	Fibroblast growth factor 21 protects against cardiac hypertrophy in mice. <i>Nature Communications</i> , 2013, 4, 2019.	12.8	285
7	Sirt1 acts in association with PPAR α to protect the heart from hypertrophy, metabolic dysregulation, and inflammation. <i>Cardiovascular Research</i> , 2011, 90, 276-284.	3.8	258
8	Peroxisome Proliferator-activated Receptor α (PPAR α) Induces PPAR γ Coactivator 1 α (PGC-1 α) Gene Expression and Contributes to Thermogenic Activation of Brown Fat. <i>Journal of Biological Chemistry</i> , 2011, 286, 43112-43122.	3.4	256
9	Retinoids and adipose tissues: metabolism, cell differentiation and gene expression. <i>International Journal of Obesity</i> , 1999, 23, 1-6.	3.4	235
10	Fibroblast growth factor 21 protects the heart from oxidative stress. <i>Cardiovascular Research</i> , 2015, 106, 19-31.	3.8	209
11	Inflammation of brown/beige adipose tissues in obesity and metabolic disease. <i>Journal of Internal Medicine</i> , 2018, 284, 492-504.	6.0	189
12	SIRT1 Controls the Transcription of the Peroxisome Proliferator-activated Receptor- γ Co-activator-1 α (PGC-1 α) Gene in Skeletal Muscle through the PGC-1 α Autoregulatory Loop and Interaction with MyoD. <i>Journal of Biological Chemistry</i> , 2009, 284, 21872-21880.	3.4	184
13	Peroxisome Proliferator-activated Receptor- γ Coactivator-1 α Controls Transcription of the Sirt3 Gene, an Essential Component of the Thermogenic Brown Adipocyte Phenotype. <i>Journal of Biological Chemistry</i> , 2011, 286, 16958-16966.	3.4	181
14	The lipid sensor GPR120 promotes brown fat activation and FGF21 release from adipocytes. <i>Nature Communications</i> , 2016, 7, 13479.	12.8	180
15	A Novel Regulatory Pathway of Brown Fat Thermogenesis. <i>Journal of Biological Chemistry</i> , 1995, 270, 5666-5673.	3.4	177
16	TNF- α Represses β -Klotho Expression and Impairs FGF21 Action in Adipose Cells: Involvement of JNK1 in the FGF21 Pathway. <i>Endocrinology</i> , 2012, 153, 4238-4245.	2.8	176
17	Opposite alterations in FGF21 and FGF19 levels and disturbed expression of the receptor machinery for endocrine FGFs in obese patients. <i>International Journal of Obesity</i> , 2015, 39, 121-129.	3.4	165
18	CXCL14, a Brown Adipokine that Mediates Brown-Fat-to-Macrophage Communication in Thermogenic Adaptation. <i>Cell Metabolism</i> , 2018, 28, 750-763.e6.	16.2	164

#	ARTICLE	IF	CITATIONS
19	PPARs in the Control of Uncoupling Proteins Gene Expression. <i>PPAR Research</i> , 2007, 2007, 1-12.	2.4	163
20	Thiazolidinediones and Rexinoids Induce Peroxisome Proliferator-Activated Receptor-Coactivator (PGC)-1 β Gene Transcription: An Autoregulatory Loop Controls PGC-1 β Expression in Adipocytes via Peroxisome Proliferator-Activated Receptor- γ Coactivation. <i>Endocrinology</i> , 2006, 147, 2829-2838.	2.8	160
21	Toward an Understanding of How Immune Cells Control Brown and Beige Adipobiology. <i>Cell Metabolism</i> , 2018, 27, 954-961.	16.2	155
22	Activators of peroxisome proliferator-activated receptor-alpha induce the expression of the uncoupling protein-3 gene in skeletal muscle: a potential mechanism for the lipid intake-dependent activation of uncoupling protein-3 gene expression at birth. <i>Diabetes</i> , 1999, 48, 1217-1222.	0.6	148
23	Fibroblast growth factor-21, energy balance and obesity. <i>Molecular and Cellular Endocrinology</i> , 2015, 418, 66-73.	3.2	144
24	HIV-1 Infection Alters Gene Expression in Adipose Tissue, Which Contributes to HIV-1/Haart-Associated Lipodystrophy. <i>Antiviral Therapy</i> , 2006, 11, 729-740.	1.0	127
25	New insights into the secretory functions of brown adipose tissue. <i>Journal of Endocrinology</i> , 2019, 243, R19-R27.	2.6	126
26	FGF19 and FGF21 serum concentrations in human obesity and type 2 diabetes behave differently after diet- or surgically-induced weight loss. <i>Clinical Nutrition</i> , 2017, 36, 861-868.	5.0	123
27	Reversible Inhibition of Mitochondrial Protein Synthesis during Linezolid-Related Hyperlactatemia. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 962-967.	3.2	114
28	PPAR γ , but not PPAR δ , activates PGC-1 β gene transcription in muscle. <i>Biochemical and Biophysical Research Communications</i> , 2007, 354, 1021-1027.	2.1	110
29	A role for adipocyte-derived lipopolysaccharide-binding protein in inflammation- and obesity-associated adipose tissue dysfunction. <i>Diabetologia</i> , 2013, 56, 2524-2537.	6.3	109
30	Identification of a thyroid hormone response element in the phosphoenolpyruvate carboxykinase (GTP) gene. Evidence for synergistic interaction between thyroid hormone and cAMP cis-regulatory elements.. <i>Journal of Biological Chemistry</i> , 1991, 266, 21991-21996.	3.4	88
31	Uncoupling Protein-2 Controls Adiponectin Gene Expression in Adipose Tissue Through the Modulation of Reactive Oxygen Species Production. <i>Diabetes</i> , 2007, 56, 1042-1050.	0.6	87
32	Drug-induced lipotoxicity: Lipodystrophy associated with HIV-1 infection and antiretroviral treatment. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2010, 1801, 392-399.	2.4	86
33	Retinoids and Retinoid Receptors in the Control of Energy Balance: Novel Pharmacological Strategies in Obesity and Diabetes. <i>Current Medicinal Chemistry</i> , 2004, 11, 795-805.	2.4	81
34	Fibroblast growth factor-21 is expressed in neonatal and pheochromocytoma-induced adult human brown adipose tissue. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 312-317.	3.4	79
35	Lipodystrophy associated with highly active anti-retroviral therapy for HIV infection: the adipocyte as a target of anti-retroviral-induced mitochondrial toxicity. <i>Trends in Pharmacological Sciences</i> , 2005, 26, 88-93.	8.7	77
36	Dilated cardiomyopathy and mitochondrial dysfunction in Sirt1-deficient mice: A role for Sirt1-Mef2 in adult heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2012, 53, 521-531.	1.9	77

#	ARTICLE	IF	CITATIONS
37	Transcriptional regulation of the uncoupling protein-1 gene. <i>Biochimie</i> , 2017, 134, 86-92.	2.6	77
38	The Lives and Times of Brown Adipokines. <i>Trends in Endocrinology and Metabolism</i> , 2017, 28, 855-867.	7.1	75
39	SIRT1 Is Involved in Glucocorticoid-mediated Control of Uncoupling Protein-3 Gene Transcription. <i>Journal of Biological Chemistry</i> , 2007, 282, 34066-34076.	3.4	74
40	Alarmin high-mobility group B1 (HMGB1) is regulated in human adipocytes in insulin resistance and influences insulin secretion in β -cells. <i>International Journal of Obesity</i> , 2014, 38, 1545-1554.	3.4	74
41	Ontogeny and perinatal modulation of gene expression in rat brown adipose tissue. Unaltered iodothyronine 5'-deiodinase activity is necessary for the response to environmental temperature at birth. <i>FEBS Journal</i> , 1990, 193, 297-302.	0.2	72
42	The endocrine role of brown adipose tissue: An update on actors and actions. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2022, 23, 31-41.	5.7	70
43	Identification of a thyroid hormone response element in the phosphoenolpyruvate carboxykinase (GTP) gene. Evidence for synergistic interaction between thyroid hormone and cAMP cis-regulatory elements. <i>Journal of Biological Chemistry</i> , 1991, 266, 21991-6.	3.4	69
44	Thermogenic brown and beige/brite adipogenesis in humans. <i>Annals of Medicine</i> , 2015, 47, 169-177.	3.8	68
45	CCAAT/Enhancer Binding-Proteins β and γ Are Transcriptional Activators of the Brown Fat Uncoupling Protein Gene Promoter. <i>Biochemical and Biophysical Research Communications</i> , 1994, 198, 653-659.	2.1	67
46	Functional Relationship between MyoD and Peroxisome Proliferator-Activated Receptor-Dependent Regulatory Pathways in the Control of the Human Uncoupling Protein-3 Gene Transcription. <i>Molecular Endocrinology</i> , 2003, 17, 1944-1958.	3.7	64
47	Dominant Negative Regulation by c-Jun of Transcription of the Uncoupling Protein-1 Gene through a Proximal cAMP-Regulatory Element: A Mechanism for Repressing Basal and Norepinephrine-Induced Expression of the Gene before Brown Adipocyte Differentiation. <i>Molecular Endocrinology</i> , 1998, 12, 1023-1037.	3.7	63
48	In Vitro Cytotoxicity and Mitochondrial Toxicity of Tenofovir Alone and in Combination with Other Antiretrovirals in Human Renal Proximal Tubule Cells. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 3824-3832.	3.2	63
49	Adipose tissue biology and HIV-infection. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2011, 25, 487-499.	4.7	62
50	Brown Adipocytes Secrete GDF15 in Response to Thermogenic Activation. <i>Obesity</i> , 2019, 27, 1606-1616.	3.0	62
51	Adipokines and the Endocrine Role of Adipose Tissues. <i>Handbook of Experimental Pharmacology</i> , 2015, 233, 265-282.	1.8	61
52	Lipodystrophy in HIV 1-infected patients: lessons for obesity research. <i>International Journal of Obesity</i> , 2007, 31, 1763-1776.	3.4	60
53	HIV-1 infection alters gene expression in adipose tissue, which contributes to HIV- 1/HAART-associated lipodystrophy. <i>Antiviral Therapy</i> , 2006, 11, 729-40.	1.0	60
54	Opposite regulation of PPAR- α and - β gene expression by both their ligands and retinoic acid in brown adipocytes. <i>Molecular and Cellular Endocrinology</i> , 1999, 154, 101-109.	3.2	59

#	ARTICLE	IF	CITATIONS
55	FGF21 expression and release in muscle cells: involvement of MyoD and regulation by mitochondria-driven signalling. <i>Biochemical Journal</i> , 2014, 463, 191-199.	3.7	58
56	Both retinoic-acid-receptor- and retinoid-X-receptor-dependent signalling pathways mediate the induction of the brown-adipose-tissue-uncoupling-protein-1 gene by retinoids. <i>Biochemical Journal</i> , 2000, 345, 91-97.	3.7	56
57	Opposing actions of Fos and Jun on transcription of the phosphoenolpyruvate carboxykinase (GTP) gene. Dominant negative regulation by Fos. <i>Journal of Biological Chemistry</i> , 1992, 267, 18133-9.	3.4	56
58	Uncoupling protein-3 gene expression in skeletal muscle during development is regulated by nutritional factors that alter circulating non-esterified fatty acids. <i>FEBS Letters</i> , 1999, 453, 205-209.	2.8	55
59	The Importance of Brown Adipose Tissue. <i>New England Journal of Medicine</i> , 2009, 361, 415-421.	27.0	55
60	Differential Regulation of Uncoupling Protein-2 and Uncoupling Protein-3 Gene Expression in Brown Adipose Tissue during Development and Cold Exposure. <i>Biochemical and Biophysical Research Communications</i> , 1998, 243, 224-228.	2.1	53
61	Upregulatory Mechanisms Compensate for Mitochondrial DNA Depletion in Asymptomatic Individuals Receiving Stavudine Plus Didanosine. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2004, 37, 1550-1555.	2.1	51
62	The human uncoupling protein-3 gene promoter requires myod and is induced by retinoic acid in muscle cells. <i>FASEB Journal</i> , 2000, 14, 2141-2143.	0.5	50
63	Mitochondrial Biogenesis and Thyroid Status Maturation in Brown Fat Require CCAAT/Enhancer-binding Protein 1±. <i>Journal of Biological Chemistry</i> , 2002, 277, 21489-21498.	3.4	50
64	Defective thermoregulation, impaired lipid metabolism, but preserved adrenergic induction of gene expression in brown fat of mice lacking C/EBP1². <i>Biochemical Journal</i> , 2005, 389, 47-56.	3.7	50
65	Differential Effects of Efavirenz and Lopinavir/Ritonavir on Human Adipocyte Differentiation, Gene Expression and Release of Adipokines and Pro-Inflammatory Cytokines.. <i>Current HIV Research</i> , 2010, 8, 545-553.	0.5	48
66	Regulation of mitochondrial biogenesis in brown adipose tissue: nuclear respiratory factor-2/GA-binding protein is responsible for the transcriptional regulation of the gene for the mitochondrial ATP synthase 1² subunit. <i>Biochemical Journal</i> , 1998, 331, 121-127.	3.7	47
67	Differential gene expression indicates that "buffalo hump"™ is a distinct adipose tissue disturbance in HIV-1-associated lipodystrophy. <i>Aids</i> , 2008, 22, 575-584.	2.2	47
68	Serum FGF21 levels are elevated in association with lipodystrophy, insulin resistance and biomarkers of liver injury in HIV-1-infected patients. <i>Aids</i> , 2010, 24, 2629-2637.	2.2	47
69	Peroxisome Proliferator-Activated Receptors-1± and -1³, and cAMP-Mediated Pathways, Control Retinol-Binding Protein-4 Gene Expression in Brown Adipose Tissue. <i>Endocrinology</i> , 2012, 153, 1162-1173.	2.8	47
70	Impact of elvitegravir on human adipocytes: Alterations in differentiation, gene expression and release of adipokines and cytokines. <i>Antiviral Research</i> , 2016, 132, 59-65.	4.1	45
71	Thermogenic activation represses autophagy in brown adipose tissue. <i>International Journal of Obesity</i> , 2016, 40, 1591-1599.	3.4	45
72	Mitochondrial Uncoupling and the Regulation of Glucose Homeostasis. <i>Current Diabetes Reviews</i> , 2017, 13, 386-394.	1.3	44

#	ARTICLE	IF	CITATIONS
73	Impaired expression of the uncoupling protein-3 gene in skeletal muscle during lactation: fibrates and troglitazone reverse lactation-induced downregulation of the uncoupling protein-3 gene.. <i>Diabetes</i> , 2000, 49, 1224-1230.	0.6	43
74	Phytanic acid, a novel activator of uncoupling protein-1 gene transcription and brown adipocyte differentiation. <i>Biochemical Journal</i> , 2002, 362, 61-69.	3.7	43
75	Effects of nevirapine and efavirenz on human adipocyte differentiation, gene expression, and release of adipokines and cytokines. <i>Antiviral Research</i> , 2011, 91, 112-119.	4.1	43
76	Lipopolysaccharide-binding protein is a negative regulator of adipose tissue browning in mice and humans. <i>Diabetologia</i> , 2016, 59, 2208-2218.	6.3	41
77	CCAAT/enhancer-binding proteins $\text{C/EBP}\alpha$ and $\text{C/EBP}\beta$ in brown adipose tissue: evidence for a tissue-specific pattern of expression during development. <i>Biochemical Journal</i> , 1994, 302, 695-700.	3.7	39
78	The chlorophyll-derived metabolite phytanic acid induces white adipocyte differentiation. <i>International Journal of Obesity</i> , 2002, 26, 1277-1280.	3.4	39
79	Iodothyronine 5 α -deiodinase activity as an early event of prenatal brown-fat differentiation in bovine development. <i>Biochemical Journal</i> , 1989, 259, 555-559.	3.7	37
80	ETS transcription factors regulate the expression of the gene for the human mitochondrial ATP synthase beta-subunit.. <i>Journal of Biological Chemistry</i> , 1994, 269, 32649-32654.	3.4	37
81	ETS transcription factors regulate the expression of the gene for the human mitochondrial ATP synthase beta-subunit. <i>Journal of Biological Chemistry</i> , 1994, 269, 32649-54.	3.4	37
82	Autophagic control of cardiac steatosis through FGF21 in obesity-associated cardiomyopathy. <i>International Journal of Cardiology</i> , 2018, 260, 163-170.	1.7	35
83	Mitochondrial DNA: An Upcoming Actor in White Adipose Tissue Pathophysiology. <i>Obesity</i> , 2009, 17, 1814-1820.	3.0	33
84	Differentially Altered Molecular Signature of Visceral Adipose Tissue in HIV-1 Associated Lipodystrophy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 64, 142-148.	2.1	33
85	Enhanced Glutathione S-transferase Activity and Glutathione Content in Human Bladder Cancer. Followup Study: Influence of Smoking. <i>Journal of Urology</i> , 1993, 149, 1452-1454.	0.4	32
86	The Beneficial Effects of Brown Fat Transplantation: Further Evidence of an Endocrine Role of Brown Adipose Tissue. <i>Endocrinology</i> , 2015, 156, 2368-2370.	2.8	32
87	Fgf21 is required for cardiac remodeling in pregnancy. <i>Cardiovascular Research</i> , 2017, 113, 1574-1584.	3.8	32
88	Fibroblast growth factor 21 in breast milk controls neonatal intestine function. <i>Scientific Reports</i> , 2015, 5, 13717.	3.3	31
89	Differential regulation of expression of genes encoding uncoupling proteins 2 and 3 in brown adipose tissue during lactation in mice. <i>Biochemical Journal</i> , 2001, 355, 105-111.	3.7	30
90	Effects of Rilpivirine on Human Adipocyte Differentiation, Gene Expression, and Release of Adipokines and Cytokines. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 3369-3375.	3.2	30

#	ARTICLE	IF	CITATIONS
91	Quality assessment of human mitochondrial DNA quantification: MITONAUTS, an international multicentre survey. <i>Mitochondrion</i> , 2011, 11, 520-527.	3.4	29
92	Parkin controls brown adipose tissue plasticity in response to adaptive thermogenesis. <i>EMBO Reports</i> , 2019, 20, .	4.5	29
93	Adaptative decrease in expression of the mRNA for uncoupling protein and subunit II of cytochrome c oxidase in rat brown adipose tissue during pregnancy and lactation. <i>Biochemical Journal</i> , 1989, 263, 965-968.	3.7	28
94	Hiv-1 Tat Protein Impairs Adipogenesis and Induces the Expression and Secretion of Proinflammatory Cytokines in Human Sgbs Adipocytes. <i>Antiviral Therapy</i> , 2012, 17, 529-540.	1.0	28
95	Pref-1 in brown adipose tissue: specific involvement in brown adipocyte differentiation and regulatory role of C/EBP β . <i>Biochemical Journal</i> , 2012, 443, 799-810.	3.7	28
96	Aging is associated with increased FGF21 levels but unaltered FGF21 responsiveness in adipose tissue. <i>Aging Cell</i> , 2018, 17, e12822.	6.7	28
97	9-cisRetinoic acid induces the expression of the uncoupling protein-2 gene in brown adipocytes. <i>FEBS Letters</i> , 1998, 441, 447-450.	2.8	27
98	Reverse Transcriptase Inhibitors Alter Uncoupling Protein-1 and Mitochondrial Biogenesis in Brown Adipocytes. <i>Antiviral Therapy</i> , 2005, 10, 515-526.	1.0	27
99	Genetic and Functional Mitochondrial Assessment of HIV-Infected Patients Developing HAART-Related Hyperlactatemia. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009, 52, 443-451.	2.1	26
100	HIV-1-Infected Long-Term Non-Progressors have Milder Mitochondrial Impairment and Lower Mitochondrially-Driven Apoptosis in Peripheral Blood Mononuclear Cells than Typical Progressors. <i>Current HIV Research</i> , 2007, 5, 467-473.	0.5	25
101	Uncoupling protein 1 gene expression implicates brown adipocytes in highly active antiretroviral therapy-associated lipomatosis. <i>Aids</i> , 2004, 18, 959-960.	2.2	24
102	Adipogenic/Lipid, Inflammatory, and Mitochondrial Parameters in Subcutaneous Adipose Tissue of Untreated HIV-1-Infected Long-Term Nonprogressors. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 61, 131-137.	2.1	24
103	Maraviroc reduces cytokine expression and secretion in human adipose cells without altering adipogenic differentiation. <i>Cytokine</i> , 2013, 61, 808-815.	3.2	24
104	Mitochondrial biogenesis in brown adipose tissue is associated with differential expression of transcription regulatory factors. <i>Cellular and Molecular Life Sciences</i> , 2002, 59, 1934-1944.	5.4	23
105	The Developmental Regulation of Peroxisome Proliferator-Activated Receptor- β Coactivator-1 α Expression in the Liver Is Partially Dissociated from the Control of Gluconeogenesis and Lipid Catabolism. <i>Endocrinology</i> , 2004, 145, 4268-4277.	2.8	23
106	Effects of Switching from Stavudine to Raltegravir on Subcutaneous Adipose Tissue in HIV-Infected Patients with HIV/HAART-Associated Lipodystrophy Syndrome (HALS). A Clinical and Molecular Study. <i>PLoS ONE</i> , 2014, 9, e89088.	2.5	23
107	Lipoprotein lipase mRNA expression in brown adipose tissue: translational and/or posttranslational events are involved in the modulation of enzyme activity. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1990, 1048, 270-273.	2.4	22
108	Ontogeny of thyroid hormone receptors and c-erbA expression during brown adipose tissue development: evidence of fetal acquisition of the mature thyroid status.. <i>Endocrinology</i> , 1993, 132, 1913-1920.	2.8	22

#	ARTICLE	IF	CITATIONS
109	Phytanic acid, a novel activator of uncoupling protein-1 gene transcription and brown adipocyte differentiation. <i>Biochemical Journal</i> , 2002, 362, 61.	3.7	22
110	Fibroblast Growth Factor-21 and the Beneficial Effects of Long-Chain Polyunsaturated Fatty Acids. <i>Lipids</i> , 2014, 49, 1081-1089.	1.7	22
111	Co-ordinate decrease in the expression of the mitochondrial genome and nuclear genes for mitochondrial proteins in the lactation-induced mitochondrial hypotrophy of rat brown fat. <i>Biochemical Journal</i> , 1995, 308, 749-752.	3.7	21
112	Altered expression of master regulatory genes of adipogenesis in lipomas from patients bearing tRNA ^{Lys} point mutations in mitochondrial DNA. <i>Molecular Genetics and Metabolism</i> , 2006, 89, 283-285.	1.1	21
113	Both retinoic-acid-receptor- and retinoid-X-receptor-dependent signalling pathways mediate the induction of the brown-adipose-tissue-uncoupling-protein-1 gene by retinoids. <i>Biochemical Journal</i> , 2000, 345 Pt 1, 91-7.	3.7	21
114	Altered Expression of Nucleoside Transporter Genes (SLC28 and SLC29) in Adipose Tissue from HIV-1-Infected Patients. <i>Antiviral Therapy</i> , 2007, 12, 853-864.	1.0	21
115	Impaired basal and noradrenaline-induced iodothyronine 5 α -deiodinase activity in brown adipose tissue from pregnant and lactating rats. <i>Biochemical and Biophysical Research Communications</i> , 1986, 138, 1315-1321.	2.1	19
116	Phytanic acid, but not pristanic acid, mediates the positive effects of phytol derivatives on brown adipocyte differentiation. <i>FEBS Letters</i> , 2002, 517, 83-86.	2.8	19
117	Potential role of the melanocortin signaling system interference in the excess weight gain associated to some antiretroviral drugs in people living with HIV. <i>International Journal of Obesity</i> , 2020, 44, 1970-1973.	3.4	19
118	Reduced Levels of Serum FGF19 and Impaired Expression of Receptors for Endocrine FGFs in Adipose Tissue From HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 61, 527-534.	2.1	18
119	The kallikrein-kinin pathway as a mechanism for auto-control of brown adipose tissue activity. <i>Nature Communications</i> , 2020, 11, 2132.	12.8	18
120	FGF15/19 is required for adipose tissue plasticity in response to thermogenic adaptations. <i>Molecular Metabolism</i> , 2021, 43, 101113.	6.5	18
121	Thymidine Kinase 2 Deficiency-Induced Mitochondrial DNA Depletion Causes Abnormal Development of Adipose Tissues and Adipokine Levels in Mice. <i>PLoS ONE</i> , 2011, 6, e29691.	2.5	17
122	The chemokine CXCL14 is negatively associated with obesity and concomitant type-2 diabetes in humans. <i>International Journal of Obesity</i> , 2021, 45, 706-710.	3.4	17
123	Differential regulation of expression of genes encoding uncoupling proteins 2 and 3 in brown adipose tissue during lactation in mice. <i>Biochemical Journal</i> , 2001, 355, 105.	3.7	17
124	Lipotoxicity on the Basis of Metabolic Syndrome and Lipodystrophy in HIV-1-Infected Patients Under Antiretroviral Treatment. <i>Current Pharmaceutical Design</i> , 2010, 16, 3372-3378.	1.9	17
125	Evidence for a differential physiological modulation of brown fat iodothyronine 5 α -deiodinase activity in the perinatal period. <i>Biochemical and Biophysical Research Communications</i> , 1988, 156, 493-499.	2.1	16
126	A study of fatty acid binding protein 4 in HIV-1 infection and in combination antiretroviral therapy-related metabolic disturbances and lipodystrophy. <i>HIV Medicine</i> , 2011, 12, 428-437.	2.2	15

#	ARTICLE	IF	CITATIONS
127	C/EBP β is required in pregnancy-induced cardiac hypertrophy. <i>International Journal of Cardiology</i> , 2016, 202, 819-828.	1.7	15
128	High FGF21 levels are associated with altered bone homeostasis in HIV-1-infected patients. <i>Metabolism: Clinical and Experimental</i> , 2017, 71, 163-170.	3.4	15
129	Secretory Proteome of Brown Adipocytes in Response to cAMP-Mediated Thermogenic Activation. <i>Frontiers in Physiology</i> , 2019, 10, 67.	2.8	15
130	Impaired expression of mitochondrial and adipogenic genes in adipose tissue from a patient with acquired partial lipodystrophy (Barraquer-Simons syndrome): a case report. <i>Journal of Medical Case Reports</i> , 2008, 2, 284.	0.8	14
131	HIV-1 Infection and the PPAR α -Dependent Control of Adipose Tissue Physiology. <i>PPAR Research</i> , 2009, 2009, 1-8.	2.4	14
132	Levels of β -klotho determine the thermogenic responsiveness of adipose tissues: involvement of the autocrine action of FGF21. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021, 320, E822-E834.	3.5	14
133	The Molecular Signature of HIV-1-Associated Lipomatosis Reveals Differential Involvement of Brown and Beige/Brite Adipocyte Cell Lineages. <i>PLoS ONE</i> , 2015, 10, e0136571.	2.5	14
134	Sirt1 mediates the effects of a short-term high-fat diet on the heart. <i>Journal of Nutritional Biochemistry</i> , 2015, 26, 1328-1337.	4.2	13
135	Hormonal and nutritional signalling in the control of brown and beige adipose tissue activation and recruitment. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2016, 30, 515-525.	4.7	13
136	Effects of docosahexanoic acid supplementation on inflammatory and subcutaneous adipose tissue gene expression in HIV-infected patients on combination antiretroviral therapy (cART). A sub-study of a randomized, double-blind, placebo-controlled study. <i>Cytokine</i> , 2018, 105, 73-79.	3.2	13
137	Brown Adipokines. <i>Handbook of Experimental Pharmacology</i> , 2018, 251, 239-256.	1.8	13
138	Identification of Tissue-Specific Protein Binding Domains in the 5' Proximal Regulatory Region of the Rat Mitochondrial Brown Fat Uncoupling Protein Gene. <i>Biochemical and Biophysical Research Communications</i> , 1994, 204, 867-873.	2.1	12
139	Both retinoic-acid-receptor- and retinoid-X-receptor-dependent signalling pathways mediate the induction of the brown-adipose-tissue-uncoupling-protein-1 gene by retinoids. <i>Biochemical Journal</i> , 2000, 345, 91.	3.7	12
140	Lithium inhibits brown adipocyte differentiation. <i>FEBS Letters</i> , 2005, 579, 1670-1674.	2.8	12
141	A 48-Week Study of Fat Molecular Alterations in HIV Naive Patients Starting Tenofovir/Emtricitabine With Lopinavir/Ritonavir or Efavirenz. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, 457-465.	2.1	12
142	Circulating fibroblast growth factor 23 (FGF23) levels are associated with metabolic disturbances and fat distribution but not cardiovascular risk in HIV-infected patients. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 1825-1832.	3.0	12
143	GPR120 controls neonatal brown adipose tissue thermogenic induction. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 317, E742-E750.	3.5	12
144	Adipose tissue knockdown of lysozyme reduces local inflammation and improves adipogenesis in high-fat diet-fed mice. <i>Pharmacological Research</i> , 2021, 166, 105486.	7.1	12

#	ARTICLE	IF	CITATIONS
145	Altered expression of nucleoside transporter genes (SLC28 and SLC29) in adipose tissue from HIV-1-infected patients. <i>Antiviral Therapy</i> , 2007, 12, 853-63.	1.0	12
146	Metabolic Regulation of Gene Transcription, <i>Journal of Nutrition</i> , 1994, 124, 1533S-1539S.	2.9	11
147	Reciprocal Effects of Antiretroviral Drugs Used To Treat HIV Infection on the Fibroblast Growth Factor 21/ β -Klotho System. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	11
148	Dominant Negative Regulation by c-Jun of Transcription of the Uncoupling Protein-1 Gene through a Proximal cAMP-Regulatory Element: A Mechanism for Repressing Basal and Norepinephrine-Induced Expression of the Gene before Brown Adipocyte Differentiation. <i>Molecular Endocrinology</i> , 1998, 12, 1023-1037.	3.7	11
149	Uridine Metabolism in HIV-1-Infected Patients: Effect of Infection, of Antiretroviral Therapy and of HIV-1/ART-Associated Lipodystrophy Syndrome. <i>PLoS ONE</i> , 2010, 5, e13896.	2.5	11
150	Changes in Liver Iodothyronine 5 α -Deiodinase Activity During Pregnancy and Lactation in the Rat. <i>Hormone and Metabolic Research</i> , 1987, 19, 510-511.	1.5	10
151	Influence of thyroid hormones on the human ATP synthase β -subunit gene promoter. <i>Molecular and Cellular Biochemistry</i> , 1996, 154, 107-111.	3.1	10
152	Gene expression of leptin and uncoupling proteins: molecular end-points of fetal development. <i>Biochemical Society Transactions</i> , 2001, 29, 76-80.	3.4	10
153	Iodothyronine 5 α -deiodinase activity and thyroid hormone content in brown adipose tissue during the breeding cycle of the rat. <i>Biochemical Journal</i> , 1988, 255, 457-461.	3.7	9
154	HIV Type-1 Transgene Expression in Mice Alters Adipose Tissue and Adipokine Levels: Towards a Rodent Model of HIV Type-1 Lipodystrophy. <i>Antiviral Therapy</i> , 2010, 15, 1021-1028.	1.0	9
155	FGF21 serum levels are related to insulin resistance, metabolic changes and obesity in Mexican people living with HIV (PLWH). <i>PLoS ONE</i> , 2021, 16, e0252144.	2.5	9
156	Muscle/heart isoform of mitochondrial adenine nucleotide translocase (ANT1) is transiently expressed during perinatal development in rat liver. <i>FEBS Letters</i> , 1998, 421, 213-216.	2.8	7
157	Mechanisms of antiretroviral-induced mitochondrial dysfunction in adipocytes and adipose tissue: in-vitro, animal and human adipose tissue studies. <i>Current Opinion in HIV and AIDS</i> , 2007, 2, 261-267.	3.8	7
158	A Differential Pattern of Batokine Expression in Perivascular Adipose Tissue Depots From Mice. <i>Frontiers in Physiology</i> , 2021, 12, 714530.	2.8	7
159	Ontogeny of thyroid hormone receptors and c-erbA expression during brown adipose tissue development: evidence of fetal acquisition of the mature thyroid status. <i>Endocrinology</i> , 1993, 132, 1913-1920.	2.8	7
160	Reverse transcriptase inhibitors alter uncoupling protein-1 and mitochondrial biogenesis in brown adipocytes. <i>Antiviral Therapy</i> , 2005, 10, 515-26.	1.0	7
161	Epitope Mapping of Mitochondrial Adenine Nucleotide Translocase-1 in Idiopathic Dilated Cardiomyopathy. <i>Journal of Molecular and Cellular Cardiology</i> , 2002, 34, 571-582.	1.9	6
162	Lactate induces expression and secretion of fibroblast growth factor-21 by muscle cells. <i>Endocrine</i> , 2018, 61, 165-168.	2.3	6

#	ARTICLE	IF	CITATIONS
163	Effects of docosahexanoic acid on metabolic and fat parameters in HIV-infected patients on cART: A randomized, double-blind, placebo-controlled study. <i>Clinical Nutrition</i> , 2018, 37, 1340-1347.	5.0	5
164	Pharmacological and Gene Modification-Based Models for Studying the Impact of Perinatal Metabolic Disturbances in Adult Life. <i>Advances in Experimental Medicine and Biology</i> , 2009, 646, 141-148.	1.6	4
165	Specific adipose tissue Lbp gene knockdown prevents diet-induced body weight gain, impacting fat accretion-related gene and protein expression. <i>Molecular Therapy - Nucleic Acids</i> , 2022, 27, 870-879.	5.1	4
166	Inhibition of Iodothyronine 5 α -Deiodinase by Iopanoic Acid Does Not Block Nuclear T3 Accumulation During Rat Fetal Development. <i>Pediatric Research</i> , 1994, 35, 91-95.	2.3	3
167	Improved adipose tissue function with initiation of protease inhibitor-only ART. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 3212-3221.	3.0	3
168	Lipodystrophy. , 2019, , 482-495.		3
169	Gene expression of leptin and uncoupling proteins: molecular end-points of fetal development. <i>Biochemical Society Transactions</i> , 2001, 29, 76.	3.4	3
170	Hypertrophied Facial Fat in An HIV-1-Infected Patient after Autologous Transplantation from α -Buffalo Hump α ™ Retains a Partial Brown-Fat-Like Molecular Signature. <i>Antiviral Therapy</i> , 2013, 18, 1-5.	1.0	2
171	Increased Circulating Levels of Growth Differentiation Factor 15 in Association with Metabolic Disorders in People Living with HIV Receiving Combined Antiretroviral Therapy. <i>Journal of Clinical Medicine</i> , 2022, 11, 549.	2.4	2
172	P612Involvement of the cardiomyokine FGF21 in protection against oxidative stress damage in the heart. <i>Cardiovascular Research</i> , 2014, 103, S110.5-S111.	3.8	1
173	Cardiotrophin α 1 contributes to metabolic adaptations through the regulation of lipid metabolism and to the fasting α -induced fatty acid mobilization. <i>FASEB Journal</i> , 2020, 34, 15875-15887.	0.5	1
174	Adipose tissue aging partially accounts for fat alterations in HIV lipodystrophy. <i>Adipocyte</i> , 2022, 11, 143-152.	2.8	1
175	Downregulation of peripheral lipopolysaccharide binding protein impacts on perigonadal adipose tissue only in female mice. <i>Biomedicine and Pharmacotherapy</i> , 2022, 151, 113156.	5.6	1
176	P754Involvement of the transcription factor C/EBP β in pregnancy-induced cardiac hypertrophy. <i>Cardiovascular Research</i> , 2014, 103, S138.2-S138.	3.8	0
177	Obesity and Cardiac Microvascular Function496Roux-en-y gastric bypass surgery reverses obesity-induced vascular dysfunction by blunting jnk2-endothelial activation497Involvement of the Fgf21 system in obesity-associated cardiomyopathy498Is low ATM protein responsible for myocardial insulin resistance associated with obesity?. <i>Cardiovascular Research</i> . 2016. 111. S88-S89.	3.8	0
178	P119Cardiac remodeling in response to cold and deacclimation: role of autophagy. <i>Cardiovascular Research</i> , 2018, 114, S30-S31.	3.8	0
179	Uncoupling Protein mRNA Expression during the Perinatal Period of the Rat. , 1990, , 137-140.		0
180	FGF21, irisin and other novel players in endocrine metabolic regulation. <i>Endocrine Abstracts</i> , 0, , .	0.0	0

#	ARTICLE	IF	CITATIONS
181	The armadillo-repeat containing X-linked protein 3, ARM CX3, is a negative regulator of the browning of adipose tissue associated with obesity. International Journal of Obesity, 0, , .	3.4	0