

John F M Gleeson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1422484/publications.pdf>

Version: 2024-02-01

134
papers

6,368
citations

71102

41
h-index

82547

72
g-index

152
all docs

152
docs citations

152
times ranked

5866
citing authors

#	ARTICLE	IF	CITATIONS
1	A Comparison of Adolescent versus Young Adult Outpatients with First-Presentation Borderline Personality Disorder: Findings from the MOBY Randomized Controlled Trial. <i>Canadian Journal of Psychiatry</i> , 2022, 67, 26-38.	1.9	14
2	Young people's experience of online therapy for first-episode psychosis: A qualitative study. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 155-172.	2.5	8
3	A protocol for the first episode psychosis outcome study (<sc>FEPOS</sc>): a 15-year follow-up after treatment at the <sc>Early Psychosis Prevention and Intervention Centre, Melbourne, Australia</sc>. <i>Microbial Biotechnology</i> , 2022, 16, 715-723.	1.7	3
4	Psychometric properties of the Mindful Attention Awareness Scale (MAAS) in a first-episode psychosis sample. <i>Psychological Assessment</i> , 2022, 34, 188-196.	1.5	6
5	The impact of persistent social anxiety on social functioning and health-related quality of life in young people with remitted first-episode psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 868-874.	1.7	2
6	Characterizing Use of a Multicomponent Digital Intervention to Predict Treatment Outcomes in First-Episode Psychosis: Cluster Analysis. <i>JMIR Mental Health</i> , 2022, 9, e29211.	3.3	13
7	Effect of 3 Forms of Early Intervention for Young People With Borderline Personality Disorder. <i>JAMA Psychiatry</i> , 2022, 79, 109.	11.0	20
8	The experience of young people receiving cognitive behavioural therapy for major depression: A qualitative study. <i>Microbial Biotechnology</i> , 2022, . .	1.7	2
9	The EMPOWER blended digital intervention for relapse prevention in schizophrenia: a feasibility cluster randomised controlled trial in Scotland and Australia. <i>Lancet Psychiatry</i> , the, 2022, 9, 477-486.	7.4	13
10	Digital smartphone intervention to recognise and manage early warning signs in schizophrenia to prevent relapse: the EMPOWER feasibility cluster RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-174.	2.8	16
11	Positive and meaningful lives: Systematic review and meta-analysis of eudaimonic well-being in first-episode psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 1072-1091.	1.7	6
12	A pilot trial of moderated online social therapy for family and friends of young people with borderline personality disorder features. <i>Microbial Biotechnology</i> , 2021, 15, 1564-1574.	1.7	6
13	Horizons USA: A moderated online social intervention for first episode psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 335-343.	1.7	23
14	Social anxiety in young people with first-episode psychosis: Pilot study of the EMBRACE moderated online social intervention. <i>Microbial Biotechnology</i> , 2021, 15, 76-86.	1.7	23
15	The youth online training and employment system: Study protocol for a randomized controlled trial of an online vocational intervention for young people with mental ill health. <i>Microbial Biotechnology</i> , 2021, 15, 1602-1611.	1.7	4
16	Perspectives of Trial Staff on the Barriers to Recruitment in a Digital Intervention for Psychosis and How to Work Around Them: Qualitative Study Within a Trial. <i>JMIR Human Factors</i> , 2021, 8, e24055.	2.0	6
17	Online Indicated Preventive Mental Health Interventions for Youth: A Scoping Review. <i>Frontiers in Psychiatry</i> , 2021, 12, 580843.	2.6	18
18	Development of a graphic medicine-enabled social media-based intervention for youth social anxiety. <i>Clinical Psychologist</i> , 2021, 25, 140-152.	0.8	4

#	ARTICLE	IF	CITATIONS
19	The Horyzons project: a randomized controlled trial of a novel online social therapy to maintain treatment effects from specialist first-episode psychosis services. <i>World Psychiatry</i> , 2021, 20, 233-243.	10.4	62
20	A comparison of experiences of care and expressed emotion among caregivers of young people with first-episode psychosis or borderline personality disorder features. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, , 000486742110502.	2.3	6
21	A Digital Health Innovation to Prevent Relapse and Support Recovery in Youth Receiving Specialized Services for First-Episode Psychosis: Protocol for a Pilot Pre-Post, Mixed Methods Study of Horyzons-Canada (Phase 2). <i>JMIR Research Protocols</i> , 2021, 10, e28141.	1.0	3
22	A pilot digital intervention targeting loneliness in young people with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 877-889.	3.1	61
23	Acceptance- and mindfulness-based interventions for persons with psychosis: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2020, 215, 25-37.	2.0	90
24	Acceptance- and mindfulness-based interventions for persons with psychosis: Authors reply. <i>Schizophrenia Research</i> , 2020, 230, 115.	2.0	0
25	Editorial: Transforming Youth Mental Health Treatment Through Digital Technology. <i>Frontiers in Psychiatry</i> , 2020, 11, 606433.	2.6	5
26	The role of social relatedness and self-beliefs in social functioning in first-episode psychosis: Are we overestimating the contribution of illness-related factors?. <i>European Psychiatry</i> , 2020, 63, e92.	0.2	5
27	Development of a graphic medicine-enabled social media-based intervention for youth social anxiety. <i>Clinical Psychologist</i> , 2020, , .	0.8	4
28	Leveraging the social network for treatment of social anxiety: Pilot study of a youth-specific digital intervention with a focus on engagement of young men. <i>Internet Interventions</i> , 2020, 20, 100323.	2.7	41
29	Perspectives of patients, carers and mental health staff on early warning signs of relapse in psychosis: a qualitative investigation. <i>BJPsych Open</i> , 2020, 6, e3.	0.7	11
30	Neuroticism may not reflect emotional variability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 9270-9276.	7.1	53
31	Modeling individual differences in emotion regulation repertoire in daily life with multilevel latent profile analysis.. <i>Emotion</i> , 2020, 20, 1462-1474.	1.8	43
32	Early Signs Monitoring to Prevent Relapse in Psychosis and Promote Well-Being, Engagement, and Recovery: Protocol for a Feasibility Cluster Randomized Controlled Trial Harnessing Mobile Phone Technology Blended With Peer Support. <i>JMIR Research Protocols</i> , 2020, 9, e15058.	1.0	24
33	A Novel Multimodal Digital Service (Moderated Online Social Therapy+) for Help-Seeking Young People Experiencing Mental Ill-Health: Pilot Evaluation Within a National Youth E-Mental Health Service. <i>Journal of Medical Internet Research</i> , 2020, 22, e17155.	4.3	56
34	Young People's Experience of a Long-Term Social Media-Based Intervention for First-Episode Psychosis: Qualitative Analysis. <i>Journal of Medical Internet Research</i> , 2020, 22, e17570.	4.3	27
35	Blended Digital and Face-to-Face Care for First-Episode Psychosis Treatment in Young People: Qualitative Study. <i>JMIR Mental Health</i> , 2020, 7, e18990.	3.3	25
36	Adaptation of a Digital Health Innovation to Prevent Relapse and Support Recovery in Youth Receiving Services for First-Episode Psychosis: Results From the Horyzons-Canada Phase 1 Study. <i>JMIR Formative Research</i> , 2020, 4, e19887.	1.4	21

#	ARTICLE	IF	CITATIONS
37	A Pilot Digital Intervention Targeting Loneliness in Youth Mental Health. <i>Frontiers in Psychiatry</i> , 2019, 10, 604.	2.6	65
38	Development of a Moderated Online Intervention to Treat Social Anxiety in First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 581.	2.6	19
39	The "online brain": how the Internet may be changing our cognition. <i>World Psychiatry</i> , 2019, 18, 119-129.	10.4	248
40	HORIZONS trial: protocol for a randomised controlled trial of a moderated online social therapy to maintain treatment effects from first-episode psychosis services. <i>BMJ Open</i> , 2019, 9, e024104.	1.9	65
41	O5.7. THE FIRST EPISODE PSYCHOSIS OUTCOME STUDY: PRELIMINARY 15 YEAR PHYSICAL HEALTH OUTCOMES OF FIRST EPISODE PSYCHOSIS PATIENTS WHO WERE TREATED AT THE EARLY PSYCHOSIS PREVENTION AND INTERVENTION CENTRE BETWEEN 1998-2000. <i>Schizophrenia Bulletin</i> , 2019, 45, S175-S175.	4.3	0
42	Support for Carers of Young People with Mental Illness. <i>ACM Transactions on Computer-Human Interaction</i> , 2019, 26, 1-33.	5.7	25
43	Meta-analysis of the effects of third-wave behavioural interventions on disordered eating and body image concerns: implications for eating disorder prevention. <i>Cognitive Behaviour Therapy</i> , 2019, 48, 15-38.	3.5	79
44	Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled trial of antipsychotic dose reduction. The reduce trial: Study protocol. <i>Microbial Biotechnology</i> , 2019, 13, 1345-1356.	1.7	19
45	Developing a Hypothetical Implementation Framework of Expectations for Monitoring Early Signs of Psychosis Relapse Using a Mobile App: Qualitative Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e14366.	4.3	33
46	Moderated Online Social Therapy: Viewpoint on the Ethics and Design Principles of a Web-Based Therapy System. <i>JMIR Mental Health</i> , 2019, 6, e14866.	3.3	13
47	Understanding Implementation of a Digital Self-Monitoring Intervention for Relapse Prevention in Psychosis: Protocol for a Mixed Method Process Evaluation. <i>JMIR Research Protocols</i> , 2019, 8, e15634.	1.0	12
48	Social Media Interventions for Adolescents and Young People with Depression and Psychosis. , 2018, , 187-205.		9
49	Loneliness in psychosis: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 221-238.	3.1	149
50	Should we be using digital technologies in the treatment of psychotic disorders?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 225-226.	2.3	6
51	Moderated online social therapy for depression relapse prevention in young people: pilot study of a "next generation" online intervention. <i>Microbial Biotechnology</i> , 2018, 12, 613-625.	1.7	102
52	4.3 ENHANCING SOCIAL FUNCTIONING AND LONG-TERM RECOVERY IN YOUNG PEOPLE WITH FIRST EPISODE PSYCHOSIS (FEP) AND YOUNG PEOPLE AT ULTRA HIGH RISK (UHR) FOR PSYCHOSIS: A NOVEL ONLINE SOCIAL THERAPY APPROACH. <i>Schizophrenia Bulletin</i> , 2018, 44, S4-S5.	4.3	4
53	Cultural and Contextual Adaptation of an eHealth Intervention for Youth Receiving Services for First-Episode Psychosis: Adaptation Framework and Protocol for HORIZONS-Canada Phase 1. <i>JMIR Research Protocols</i> , 2018, 7, e100.	1.0	21
54	Implementation of the Enhanced Moderated Online Social Therapy (MOST+) Model Within a National Youth E-Mental Health Service (eheadsapce): Protocol for a Single Group Pilot Study for Help-Seeking Young People. <i>JMIR Research Protocols</i> , 2018, 7, e48.	1.0	14

#	ARTICLE	IF	CITATIONS
55	Expressed emotion and the course of schizophrenia in Pakistan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 587-593.	3.1	8
56	Moderated online social therapy for carers of young people recovering from first-episode psychosis: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 27.	1.6	26
57	Predictors of functional recovery in first-episode psychosis: A systematic review and meta-analysis of longitudinal studies. <i>Clinical Psychology Review</i> , 2017, 58, 59-75.	11.4	192
58	A next-generation social media-based relapse prevention intervention for youth depression: Qualitative data on user experience outcomes for social networking, safety, and clinical benefit. <i>Internet Interventions</i> , 2017, 9, 65-73.	2.7	34
59	Moderated Online Social Therapy: A Model for Reducing Stress in Carers of Young People Diagnosed with Mental Health Disorders. <i>Frontiers in Psychology</i> , 2017, 8, 485.	2.1	46
60	Artificial Intelligence-Assisted Online Social Therapy for Youth Mental Health. <i>Frontiers in Psychology</i> , 2017, 8, 796.	2.1	102
61	Online peer-to-peer support in youth mental health: seizing the opportunity. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 123-126.	3.9	37
62	Beyond Clinical Remission in First Episode Psychosis: Thoughts on Antipsychotic Maintenance vs. Guided Discontinuation in the Functional Recovery Era. <i>CNS Drugs</i> , 2016, 30, 357-368.	5.9	67
63	Loneliness over time: The crucial role of social anxiety.. <i>Journal of Abnormal Psychology</i> , 2016, 125, 620-630.	1.9	232
64	The Wisdom to Know the Difference. <i>Psychological Science</i> , 2016, 27, 1651-1659.	3.3	145
65	Online and Social Media Suicide Prevention Interventions for Young People: A Focus on Implementation and Moderation. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2016, 25, 80-6.	0.6	33
66	Comparing three forms of early intervention for youth with borderline personality disorder (the Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30	1.6	22
67	Therapy Contamination as a Measure of Therapist Treatment Adherence in a Trial of Cognitive Behaviour Therapy versus Befriending for Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 314-327.	1.2	9
68	Longitudinal relationship between expressed emotion and cannabis misuse in young people with first-episode psychosis. <i>European Psychiatry</i> , 2015, 30, 20-25.	0.2	7
69	Multielement psychosocial interventions for first-episode psychosis are feasible and show promise in generic mental health services. <i>Evidence-Based Mental Health</i> , 2015, 18, 127-127.	4.5	1
70	The Development and Validation of the Social Networking Experiences Questionnaire: A Measure of Adolescent Cyberbullying and Its Impact. <i>Violence and Victims</i> , 2015, 30, 798-812.	0.7	6
71	Online social media: New data, new horizons in psychosis treatment. <i>Schizophrenia Research</i> , 2015, 166, 345-346.	2.0	10
72	Towards a better understanding of caregiver distress in early psychosis: A systematic review of the psychological factors involved. <i>Clinical Psychology Review</i> , 2015, 35, 56-66.	11.4	93

#	ARTICLE	IF	CITATIONS
73	Social Functioning Trajectories of Young First-Episode Psychosis Patients with and without Cannabis Misuse: A 30-Month Follow-Up Study. PLoS ONE, 2015, 10, e0122404.	2.5	20
74	Social Connectedness Across the Psychosis Spectrum: Current Issues and Future Directions for Interventions in Loneliness. Frontiers in Psychiatry, 2014, 5, 154.	2.6	31
75	Moderated online social therapy. ACM Transactions on Computer-Human Interaction, 2014, 21, 1-26.	5.7	126
76	Safety and Privacy Outcomes From a Moderated Online Social Therapy for Young People With First-Episode Psychosis. Psychiatric Services, 2014, 65, 546-550.	2.0	51
77	Online, social media and mobile technologies for psychosis treatment: A systematic review on novel user-led interventions. Schizophrenia Research, 2014, 156, 96-106.	2.0	311
78	Social relationships and quality of life moderate distress associated with delusional ideation. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 97-107.	3.1	13
79	An investigation of gender differences in semantic processing in individuals with high schizotypy. Psychiatry Research, 2014, 215, 491-493.	3.3	6
80	Cyberbullying in social networking sites: An adolescent victim's perspective. Computers in Human Behavior, 2014, 36, 13-20.	8.5	88
81	Risk Factors Associated with Impact Severity of Cyberbullying Victimization: A Qualitative Study of Adolescent Online Social Networking. Cyberpsychology, Behavior, and Social Networking, 2014, 17, 287-291.	3.9	65
82	Presentation on Facebook and risk of cyberbullying victimisation. Computers in Human Behavior, 2014, 40, 16-22.	8.5	61
83	Online and Social Networking Interventions for the Treatment of Depression in Young People: A Systematic Review. Journal of Medical Internet Research, 2014, 16, e206.	4.3	154
84	Coping strategies in carers of young people with a first episode of psychosis. Schizophrenia Research, 2013, 146, 118-124.	2.0	45
85	On the HORIZON: Moderated online social therapy for long-term recovery in first episode psychosis. Schizophrenia Research, 2013, 143, 143-149.	2.0	206
86	Differences between first episode schizophrenia and schizoaffective disorder. Schizophrenia Research, 2013, 147, 169-174.	2.0	18
87	Participatory design of an online therapy for youth mental health. , 2013, , .		46
88	A Randomized Controlled Trial of Bibliotherapy for Carers of Young People With First-Episode Psychosis. Schizophrenia Bulletin, 2013, 39, 1307-1317.	4.3	42
89	A Randomized Controlled Trial of Relapse Prevention Therapy for First-Episode Psychosis Patients: Outcome at 30-Month Follow-Up. Schizophrenia Bulletin, 2013, 39, 436-448.	4.3	52
90	A clinician's quick guide of evidence-based approaches: Psychotic disorders. Clinical Psychologist, 2013, 17, 131-132.	0.8	0

#	ARTICLE	IF	CITATIONS
91	Connecting the dots: Twenty-first century technologies to tackle twenty-first century challenges in early intervention. Australian and New Zealand Journal of Psychiatry, 2012, 46, 1194-1196.	2.3	9
92	Moderated Online Social Therapy for Recovery From Early Psychosis. Psychiatric Services, 2012, 63, 719-719.	2.0	30
93	Road to full recovery: longitudinal relationship between symptomatic remission and psychosocial recovery in first-episode psychosis over 7.5 years. Psychological Medicine, 2012, 42, 595-606.	4.5	169
94	The Jumping-to-Conclusions Bias in New Religious Movements. Journal of Nervous and Mental Disease, 2012, 200, 868-875.	1.0	14
95	Internet-Based Interventions for Psychosis. Psychiatric Clinics of North America, 2012, 35, 735-747.	1.3	61
96	Depressive symptoms in first episode schizophrenia spectrum disorder. Schizophrenia Research, 2012, 134, 20-26.	2.0	71
97	Risk factors for relapse following treatment for first episode psychosis: A systematic review and meta-analysis of longitudinal studies. Schizophrenia Research, 2012, 139, 116-128.	2.0	384
98	Treating co-occurring first-episode psychosis and borderline personality: a pilot randomized controlled trial. Microbial Biotechnology, 2012, 6, 21-29.	1.7	36
99	Prediction of a single psychotic episode: A 7.5-year, prospective study in first-episode psychosis. Schizophrenia Research, 2011, 125, 236-246.	2.0	65
100	Selective Attention to Threat Bias in Delusion-Prone Individuals. Journal of Nervous and Mental Disease, 2011, 199, 765-772.	1.0	11
101	The relationship between impulsivity and vocational outcome in outpatient youth with borderline personality features. Microbial Biotechnology, 2011, 5, 249-253.	1.7	19
102	Group programmes in early intervention services. Microbial Biotechnology, 2011, 5, 259-266.	1.7	21
103	Preventing the Second Episode: A Systematic Review and Meta-analysis of Psychosocial and Pharmacological Trials in First-Episode psychosis. Schizophrenia Bulletin, 2011, 37, 619-630.	4.3	196
104	Differential predictors of critical comments and emotional over-involvement in first-episode psychosis. Psychological Medicine, 2010, 40, 63-72.	4.5	54
105	A systematic review of relapse measurement in randomized controlled trials of relapse prevention in first-episode psychosis. Schizophrenia Research, 2010, 119, 79-88.	2.0	61
106	Quality of life in patients who have remitted from their first episode of psychosis. Schizophrenia Research, 2010, 121, 259-265.	2.0	55
107	Family Outcomes From a Randomized Control Trial of Relapse Prevention Therapy in First-Episode Psychosis. Journal of Clinical Psychiatry, 2010, 71, 475-483.	2.2	61
108	Relapse prevention in early psychosis. , 2009, , 349-364.		1

#	ARTICLE	IF	CITATIONS
109	Emotional and personality dysfunctions in early psychosis. , 2009, , 283-302.		3
110	The reliability and validity of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in first-episode psychosis. Addictive Behaviors, 2009, 34, 821-825.	3.0	59
111	Predictors of Adherence to Cognitive-Behavioural Therapy in First-Episode Psychosis. Canadian Journal of Psychiatry, 2009, 54, 710-718.	1.9	42
112	A Randomized Controlled Trial of Relapse Prevention Therapy for First-Episode Psychosis Patients. Journal of Clinical Psychiatry, 2009, 70, 477-486.	2.2	80
113	Small shifts in diurnal rhythms are associated with an increase in suicide: The effect of daylight saving. Sleep and Biological Rhythms, 2008, 6, 22-25.	1.0	43
114	Non-pharmacological management of antipsychotic-induced weight gain: Systematic review and meta-analysis of randomised controlled trials. British Journal of Psychiatry, 2008, 193, 101-107.	2.8	272
115	Enhancing Treatment Fidelity in Psychotherapy Research: Novel Approach to Measure the Components of Cognitive Behavioural Therapy for Relapse Prevention in First-Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 2008, 42, 1013-1020.	2.3	14
116	Acute-phase and 1-year follow-up results of a randomized controlled trial of CBT <i>versus</i> Befriending for first-episode psychosis: the ACE project. Psychological Medicine, 2008, 38, 725-735.	4.5	120
117	The EPISODE II trial of cognitive and family therapy for relapse prevention in early psychosis: Rationale and sample characteristics. Journal of Mental Health, 2008, 17, 19-32.	1.9	21
118	Evidence of Semantic Processing Abnormalities in Schizotypy Using an Indirect Semantic Priming Task. Journal of Nervous and Mental Disease, 2008, 196, 694-701.	1.0	23
119	The Need for the Development and Evaluation of Preventive Psychosocial Forensic Interventions in Mainstream Adult Community Mental Health Services. Australasian Psychiatry, 2006, 14, 180-185.	0.7	0
120	Exciting Career Opportunity Beckons! Early Intervention and Vocational Rehabilitation in First-Episode Psychosis: Employing Cautious Optimism. Australian and New Zealand Journal of Psychiatry, 2006, 40, 951-962.	2.3	123
121	The Credibility and Acceptability of Befriending as a Control Therapy in a Randomized Controlled Trial of Cognitive Behaviour Therapy for Acute First Episode Psychosis. Behavioural and Cognitive Psychotherapy, 2006, 34, 277-291.	1.2	37
122	Exciting career opportunity beckons! Early intervention and vocational rehabilitation in first-episode psychosis: employing cautious optimism. Australian and New Zealand Journal of Psychiatry, 2006, 40, 951-962.	2.3	39
123	The need for the development and evaluation of preventive psychosocial forensic interventions in mainstream adult community mental health services. Australasian Psychiatry, 2006, 14, 180-185.	0.7	0
124	Agreeableness and Neuroticism as Predictors of Relapse After First-Episode Psychosis. Journal of Nervous and Mental Disease, 2005, 193, 160-169.	1.0	47
125	Implementing cognitive-behavioural therapy for first-episode psychosis. British Journal of Psychiatry, 2005, 187, s72-s76.	2.8	33
126	Preventing Episode II: Relapse Prevention in First-Episode Psychosis. Australasian Psychiatry, 2005, 13, 384-387.	0.7	10

#	ARTICLE	IF	CITATIONS
127	Early warning signs of relapse following a first episode of psychosis. Schizophrenia Research, 2005, 80, 107-111.	2.0	32
128	Preventing EPISODE II: relapse prevention in first-episode psychosis. Australasian Psychiatry, 2005, 13, 384-387.	0.7	2
129	Psychological Treatment in Pre- and Early Psychosis. Journal of the American Academy of Psychoanalysis and Dynamic Psychiatry, 2003, 31, 229-245.	0.3	23
130	The Horyzons Project: A Randomised Controlled Trial of a Novel Moderated Online Social Therapy to Maintain Treatment Effects From Specialist First Episode Psychosis Services. SSRN Electronic Journal, 0, , .	0.4	3
131	Psychotherapies for the Psychoses. , 0, , .		3
132	Using Broadband to Support Youth Mental Health. SSRN Electronic Journal, 0, , .	0.4	0
133	Using On-Line Technologies to Identify and Track Early Warning Signs of Psychosis. SSRN Electronic Journal, 0, , .	0.4	2
134	Safety and Privacy Outcomes from a Moderated Online Social Therapy for Young People with First-Episode Psychosis. SSRN Electronic Journal, 0, , .	0.4	0