

Fd Richard Hobbs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1425924/publications.pdf>

Version: 2024-02-01

403
papers

62,521
citations

8732

75
h-index

890

242
g-index

427
all docs

427
docs citations

427
times ranked

57381
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical and demographic correlates of accelerometer-measured physical activity in participants enrolled in the OPTIMISE HFpEF study. <i>European Journal of Cardiovascular Nursing</i> , 2022, 21, 67-75.	0.4	2
2	A Systematic Review of Economic Aspects of Service Interventions to Increase Anticoagulation Use in Atrial Fibrillation. <i>Thrombosis and Haemostasis</i> , 2022, 122, 394-405.	1.8	11
3	Natriuretic peptide level at heart failure diagnosis and risk of hospitalisation and death in England 2004–2018. <i>Heart</i> , 2022, 108, 543-549.	1.2	11
4	Development and evaluation of rapid data-enabled access to routine clinical information to enhance early recruitment to the national clinical platform trial of COVID-19 community treatments. <i>Trials</i> , 2022, 23, 62.	0.7	8
5	Feasibility of the cardiac output response to stress test in suspected heart failure patients. <i>Family Practice</i> , 2022, , .	0.8	1
6	Sales of Over-the-Counter Products Containing Codeine in 31 Countries, 2013–2019: A Retrospective Observational Study. <i>Drug Safety</i> , 2022, 45, 237-247.	1.4	14
7	Investigating the uptake, effectiveness and safety of COVID-19 vaccines: protocol for an observational study using linked UK national data. <i>BMJ Open</i> , 2022, 12, e050062.	0.8	6
8	Recruitment to a large scale randomised controlled clinical trial in primary care: the Helicobacter Eradication Aspirin Trial (HEAT). <i>Trials</i> , 2022, 23, 140.	0.7	2
9	Two-year outcomes of UK patients newly diagnosed with atrial fibrillation: findings from the prospective observational cohort study GARFIELD-AF. <i>British Journal of General Practice</i> , 2022, 72, e693-e701.	0.7	3
10	Point-of-care NT-proBNP monitoring for heart failure: observational feasibility study in primary care. <i>BJGP Open</i> , 2022, , BJGPO.2022.0005.	0.9	2
11	National rates and disparities in childhood vaccination and vaccine-preventable disease during the COVID-19 pandemic: English sentinel network retrospective database study. <i>Archives of Disease in Childhood</i> , 2022, 107, 733-739.	1.0	12
12	Cost-Effectiveness of Antihypertensive Deprescribing in Primary Care: a Markov Modelling Study Using Data From the OPTIMISE Trial. <i>Hypertension</i> , 2022, 79, 1122-1131.	1.3	5
13	Variations in COVID-19 vaccination uptake among people in receipt of psychotropic drugs: cross-sectional analysis of a national population-based prospective cohort. <i>British Journal of Psychiatry</i> , 2022, 221, 417-424.	1.7	3
14	Colchicine for COVID-19 in the community (PRINCIPLE): a randomised, controlled, adaptive platform trial. <i>British Journal of General Practice</i> , 2022, 72, e446-e455.	0.7	19
15	Sociodemographic disparities in COVID-19 seroprevalence across England in the Oxford RCGP primary care sentinel network. <i>Journal of Infection</i> , 2022, 84, 814-824.	1.7	8
16	Risks of infection, hospital and ICU admission, and death from COVID-19 in people with asthma: systematic review and meta-analyses. <i>BMJ Evidence-Based Medicine</i> , 2022, 27, 263-273.	1.7	7
17	Consultations for clinical features of possible cancer and associated urgent referrals before and during the COVID-19 pandemic: an observational cohort study from English primary care. <i>British Journal of Cancer</i> , 2022, 126, 948-956.	2.9	19
18	Change in glomerular filtration rate over time in the Oxford Renal Cohort Study: observational study. <i>British Journal of General Practice</i> , 2022, 72, e261-e268.	0.7	6

#	ARTICLE	IF	CITATIONS
19	Measuring adherence to antihypertensive medication using an objective test in older adults attending primary care: cross-sectional study. <i>Journal of Human Hypertension</i> , 2022, 36, 1106-1112.	1.0	3
20	First dose ChAdOx1 and BNT162b2 COVID-19 vaccinations and cerebral venous sinus thrombosis: A pooled self-controlled case series study of 11.6 million individuals in England, Scotland, and Wales. <i>PLoS Medicine</i> , 2022, 19, e1003927.	3.9	37
21	MO369: A Systematic Review to Evaluate the Drivers of Non-Adherence to Albuminuria Testing Guidelines and the Clinical and Economic Impact of Not Identifying CKD Over the Course of Progressive Kidney Function Loss. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, .	0.4	0
22	MO375: The Health Economic Impact of Accurately Diagnosing CKD With and Without a UACR Test at Different Points in the Pathway of Disease Progression. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, .	0.4	0
23	Methodological Issues in Using a Common Data Model of COVID-19 Vaccine Uptake and Important Adverse Events of Interest: Feasibility Study of Data and Connectivity COVID-19 Vaccines Pharmacovigilance in the United Kingdom. <i>JMIR Formative Research</i> , 2022, 6, e37821.	0.7	4
24	Future reporting of vaccine uptake needs to include any change in ethnic or socioeconomic disparities. <i>BMJ, The</i> , 2022, 377, o1233.	3.0	0
25	Optimal loading dose of warfarin for the initiation of oral anticoagulation. <i>The Cochrane Library</i> , 2021, 2021, CD008685.	1.5	20
26	Asthma and COVID-19: review of evidence on risks and management considerations. <i>BMJ Evidence-Based Medicine</i> , 2021, 26, 195-195.	1.7	50
27	Excess mortality from COVID-19 in an English sentinel network population. <i>Lancet Infectious Diseases, The</i> , 2021, 21, e74.	4.6	17
28	National trends in heart failure mortality in men and women, <sc>United Kingdom</sc>, 2000â€“2017. <i>European Journal of Heart Failure</i> , 2021, 23, 3-12.	2.9	25
29	A systematic review and thematic synthesis of qualitative studies exploring GPs' and nurses' perspectives on discussing weight with patients with overweight and obesity in primary care. <i>Obesity Reviews</i> , 2021, 22, e13151.	3.1	32
30	Association Between Blood Pressure Control and Coronavirus Disease 2019 Outcomes in 45â€‰%418 Symptomatic Patients With Hypertension. <i>Hypertension</i> , 2021, 77, 846-855.	1.3	41
31	World Heart Federation Roadmap on Atrial Fibrillation â€“ A 2020 Update. <i>Global Heart</i> , 2021, 16, 41.	0.9	39
32	Prevalence and factors associated with multimorbidity among primary care patients with decreased renal function. <i>PLoS ONE</i> , 2021, 16, e0245131.	1.1	7
33	Influenza and Respiratory Virus Surveillance, Vaccine Uptake, and Effectiveness at a Time of Cocirculating COVID-19: Protocol for the English Primary Care Sentinel System for 2020-2021. <i>JMIR Public Health and Surveillance</i> , 2021, 7, e24341.	1.2	22
34	Association between antihypertensive treatment and adverse events: systematic review and meta-analysis. <i>BMJ, The</i> , 2021, 372, n189.	3.0	58
35	Rapid community point-of-care testing for COVID-19 (RAPTOR-C19): protocol for a platform diagnostic study. <i>Diagnostic and Prognostic Research</i> , 2021, 5, 4.	0.8	7
36	Policies and New Reforms to Address the Sustainability of the National Health Service and Adult Social Care in England. <i>Contributions To Economic Analysis</i> , 2021, , 43-60.	0.1	0

#	ARTICLE	IF	CITATIONS
37	Azithromycin for community treatment of suspected COVID-19 in people at increased risk of an adverse clinical course in the UK (PRINCIPLE): a randomised, controlled, open-label, adaptive platform trial. <i>Lancet, The</i> , 2021, 397, 1063-1074.	6.3	220
38	Combination of the Probiotics <i>Lactocaseibacillus rhamnosus</i> GG and <i>Bifidobacterium animalis</i> subsp. <i>lactis</i> , BB-12 Has Limited Effect on Biomarkers of Immunity and Inflammation in Older People Resident in Care Homes: Results From the Probiotics to Reduce Infections in Care Home Residents Randomized, Controlled Trial. <i>Frontiers in Immunology</i> , 2021, 12, 643321.	2.2	15
39	Diagnosing heart failure in primary care: individual patient data meta-analysis of two European prospective studies. <i>ESC Heart Failure</i> , 2021, 8, 2193-2201.	1.4	9
40	Adverse events of interest following influenza vaccination, a comparison of cell culture-based with egg-based alternatives: English sentinel network annual report paper 2019/20. <i>Lancet Regional Health - Europe, The</i> , 2021, 2, 100029.	3.0	7
41	Probiotics to reduce antibiotic administration in care home residents aged 65 years and older: the PRINCESS RCT. Efficacy and Mechanism Evaluation, 2021, 8, 1-128.	0.9	1
42	Blood Pressure Changes Following Antihypertensive Medication Reduction, by Drug Class and Dose Chosen for Withdrawal: Exploratory Analysis of Data From the OPTIMISE Trial. <i>Frontiers in Pharmacology</i> , 2021, 12, 619088.	1.6	8
43	FASTer diagnosis: Time to BEAT heart failure. <i>BJGP Open</i> , 2021, 5, BJGPO.2021.0006.	0.9	7
44	Clinical prediction tools to identify patients at highest risk of myeloma in primary care: a retrospective open cohort study. <i>British Journal of General Practice</i> , 2021, 71, e347-e355.	0.7	11
45	Interim findings from first-dose mass COVID-19 vaccination roll-out and COVID-19 hospital admissions in Scotland: a national prospective cohort study. <i>Lancet, The</i> , 2021, 397, 1646-1657.	6.3	479
46	Survival of people with valvular heart disease in a large, English community-based cohort study. <i>Heart</i> , 2021, 107, 1336-1343.	1.2	12
47	Long covid: coding is caring. <i>BMJ, The</i> , 2021, 373, n1262.	3.0	14
48	Frequency of Renal Monitoring $\hat{=}$ Creatinine and Cystatin C (FORM-2C): an observational cohort study of patients with reduced eGFR in primary care. <i>British Journal of General Practice</i> , 2021, 71, e677-e684.	0.7	3
49	Platform Randomised trial of Interventions against COVID-19 In older people (PRINCIPLE): protocol for a randomised, controlled, open-label, adaptive platform, trial of community treatment of COVID-19 syndromic illness in people at higher risk. <i>BMJ Open</i> , 2021, 11, e046799.	0.8	16
50	Inclusion and diversity in the PRINCIPLE trial. <i>Lancet, The</i> , 2021, 397, 2251-2252.	6.3	7
51	PRINCIPLE trial demonstrates scope for in-pandemic improvement in primary care antibiotic stewardship: a retrospective sentinel network cohort study. <i>BJGP Open</i> , 2021, 5, BJGPO.2021.0087.	0.9	14
52	Beyond COVID-19: respiratory infection and cardiovascular events. <i>British Journal of General Practice</i> , 2021, 71, 342-343.	0.7	1
53	Associations between statins and adverse events in primary prevention of cardiovascular disease: systematic review with pairwise, network, and dose-response meta-analyses. <i>BMJ, The</i> , 2021, 374, n1537.	3.0	88
54	Combining simple blood tests to identify primary care patients with unexpected weight loss for cancer investigation: Clinical risk score development, internal validation, and net benefit analysis. <i>PLoS Medicine</i> , 2021, 18, e1003728.	3.9	15

#	ARTICLE	IF	CITATIONS
55	Characteristics of patients with heart failure with preserved ejection fraction in primary care: a cross-sectional analysis. <i>BJGP Open</i> , 2021, 5, BJGPO.2021.0094.	0.9	7
56	The impact of primary care supported shielding on the risk of mortality in people vulnerable to COVID-19: English sentinel network matched cohort study. <i>Journal of Infection</i> , 2021, 83, 228-236.	1.7	7
57	Long-term monitoring in primary care for chronic kidney disease and chronic heart failure: a multi-method research programme. <i>Programme Grants for Applied Research</i> , 2021, 9, 1-218.	0.4	1
58	Association between characteristics of behavioural weight loss programmes and weight change after programme end: systematic review and meta-analysis. <i>BMJ</i> , The, 2021, 374, n1840.	3.0	21
59	Inhaled budesonide for COVID-19 in people at high risk of complications in the community in the UK (PRINCIPLE): a randomised, controlled, open-label, adaptive platform trial. <i>Lancet</i> , The, 2021, 398, 843-855.	6.3	204
60	Diagnosis of patients with heart failure with preserved ejection fraction in primary care: cohort study. <i>ESC Heart Failure</i> , 2021, 8, 4562-4571.	1.4	2
61	Doxycycline for community treatment of suspected COVID-19 in people at high risk of adverse outcomes in the UK (PRINCIPLE): a randomised, controlled, open-label, adaptive platform trial. <i>Lancet Respiratory Medicine</i> , the, 2021, 9, 1010-1020.	5.2	54
62	COVID-19 hospital admissions and deaths after BNT162b2 and ChAdOx1 nCoV-19 vaccinations in 2.57 million people in Scotland (EAVE II): a prospective cohort study. <i>Lancet Respiratory Medicine</i> , the, 2021, 9, 1439-1449.	5.2	119
63	Measuring the complexity of general practice consultations: a Delphi and cross-sectional study in English primary care. <i>British Journal of General Practice</i> , 2021, 71, e423-e431.	0.7	12
64	GPs' use of gut feelings when assessing cancer risk: a qualitative study in UK primary care. <i>British Journal of General Practice</i> , 2021, 71, e356-e363.	0.7	12
65	Preventing the Next Pandemic: The Case for Investing in Circulatory Health – A Global Coalition for Circulatory Health Position Paper. <i>Global Heart</i> , 2021, 16, 66.	0.9	6
66	Feasibility and Acceptability of Community Coronavirus Disease 2019 Testing Strategies (FACTS) in a University Setting. <i>Open Forum Infectious Diseases</i> , 2021, 8, .	0.4	13
67	Impact of changes to national guidelines on hypertension-related workload: an interrupted time series analysis in English primary care. <i>British Journal of General Practice</i> , 2021, 71, e296-e302.	0.7	1
68	Are more GPs associated with a reduction in emergency hospital admissions? A quantitative study on GP referral in England. <i>British Journal of General Practice</i> , 2021, 71, e287-e295.	0.7	4
69	Long term trends in natriuretic peptide testing for heart failure in UK primary care: a cohort study. <i>European Heart Journal</i> , 2021, , .	1.0	9
70	Perceptions on undertaking regular asymptomatic self-testing for COVID-19 using lateral flow tests: a qualitative study of university students and staff. <i>BMJ Open</i> , 2021, 11, e053850.	0.8	5
71	Prospective Evaluation of natriuretic peptide-based referral of patients with chronic heart failure in primary care (PREFER): a real-world study. <i>Open Heart</i> , 2021, 8, e001630.	0.9	0
72	High-dose budesonide for early COVID-19 – Authors' reply. <i>Lancet</i> , The, 2021, 398, 2147-2148.	6.3	0

#	ARTICLE	IF	CITATIONS
73	Natriuretic peptide-guided treatment for heart failure: a systematic review and meta-analysis. <i>BMJ Evidence-Based Medicine</i> , 2020, 25, 33-37.	1.7	19
74	A randomised controlled trial of extended anticoagulation treatment <i>versus</i> standard treatment for the prevention of recurrent venous thromboembolism (VTE) and post-thrombotic syndrome in patients being treated for a first episode of unprovoked VTE (the ExACT study). <i>British Journal of Haematology</i> , 2020, 188, 962-975.	1.2	22
75	Screening for atrial fibrillation: a call for evidence. <i>European Heart Journal</i> , 2020, 41, 1075-1085.	1.0	116
76	Impact of Changes to National Hypertension Guidelines on Hypertension Management and Outcomes in the United Kingdom. <i>Hypertension</i> , 2020, 75, 356-364.	1.3	10
77	Generalizability of Blood Pressure Lowering Trials to Older Patients: Cross-sectional Analysis. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 2508-2515.	1.3	38
78	Reorganisation of primary care for older adults during COVID-19: a cross-sectional database study in the UK. <i>British Journal of General Practice</i> , 2020, 70, e540-e547.	0.7	103
79	Effect of Probiotic Use on Antibiotic Administration Among Care Home Residents. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 47.	3.8	22
80	We should no longer play lip service to lifestyle interventions in the prevention of CVD. <i>European Journal of Internal Medicine</i> , 2020, 78, 6-7.	1.0	0
81	Prioritising primary care patients with unexpected weight loss for cancer investigation: diagnostic accuracy study. <i>BMJ</i> , 2020, 370, m2651.	3.0	13
82	Excess mortality in the first COVID pandemic peak: cross-sectional analyses of the impact of age, sex, ethnicity, household size, and long-term conditions in people of known SARS-CoV-2 status in England. <i>British Journal of General Practice</i> , 2020, 70, e890-e898.	0.7	51
83	CASNET2: evaluation of an electronic safety netting cancer toolkit for the primary care electronic health record: protocol for a pragmatic stepped-wedge RCT. <i>BMJ Open</i> , 2020, 10, e038562.	0.8	9
84	Disparities in the excess risk of mortality in the first wave of COVID-19: Cross sectional study of the English sentinel network. <i>Journal of Infection</i> , 2020, 81, 785-792.	1.7	36
85	Risk factors for SARS-CoV-2 among patients in the Oxford Royal College of General Practitioners Research and Surveillance Centre primary care network: a cross-sectional study. <i>Lancet Infectious Diseases</i> , 2020, 20, 1034-1042.	4.6	493
86	Accuracy of blood-pressure monitors owned by patients with hypertension (ACCU-RATE study): a cross-sectional, observational study in central England. <i>British Journal of General Practice</i> , 2020, 70, e548-e554.	0.7	26
87	Survival rates in elderly patients with heart failure: reply. <i>European Journal of Heart Failure</i> , 2020, 22, 566-567.	2.9	0
88	Treatment of cancer-associated venous thromboembolism: 12-month outcomes of the placebo versus rivaroxaban randomization of the SELECT Trial (SELECT: 12m). <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 905-915.	1.9	56
89	Prevalence of chronic kidney disease in the community using data from OxRen: a UK population-based cohort study. <i>British Journal of General Practice</i> , 2020, 70, e285-e293.	0.7	37
90	Subclinical thyroid dysfunction symptoms in older adults: cross-sectional study in UK primary care. <i>British Journal of General Practice</i> , 2020, 70, e208-e214.	0.7	6

#	ARTICLE	IF	CITATIONS
91	The association between unexpected weight loss and cancer diagnosis in primary care: a matched cohort analysis of 65,000 presentations. <i>British Journal of Cancer</i> , 2020, 122, 1848-1856.	2.9	33
92	Effect of Antihypertensive Medication Reduction vs Usual Care on Short-term Blood Pressure Control in Patients With Hypertension Aged 80 Years and Older. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2039.	3.8	99
93	Development of an international standard set of outcome measures for patients with atrial fibrillation: a report of the International Consortium for Health Outcomes Measurement (ICHOM) atrial fibrillation working group. <i>European Heart Journal</i> , 2020, 41, 1132-1140.	1.0	50
94	Atrial fibrillation dashboard evaluation using the think aloud protocol. <i>BMJ Health and Care Informatics</i> , 2020, 27, e100191.	1.4	4
95	Long-term health outcomes of people with reduced kidney function in the UK: A modelling study using population health data. <i>PLoS Medicine</i> , 2020, 17, e1003478.	3.9	7
96	Emergence of a Novel Coronavirus (COVID-19): Protocol for Extending Surveillance Used by the Royal College of General Practitioners Research and Surveillance Centre and Public Health England. <i>JMIR Public Health and Surveillance</i> , 2020, 6, e18606.	1.2	66
97	The Oxford Royal College of General Practitioners Clinical Informatics Digital Hub: Protocol to Develop Extended COVID-19 Surveillance and Trial Platforms. <i>JMIR Public Health and Surveillance</i> , 2020, 6, e19773.	1.2	44
98	COVID-19 Surveillance in a Primary Care Sentinel Network: In-Pandemic Development of an Application Ontology. <i>JMIR Public Health and Surveillance</i> , 2020, 6, e21434.	1.2	39
99	Prevention and treatment of venous thromboembolism in hospital and the community: a research programme including the ExACT RCT. <i>Programme Grants for Applied Research</i> , 2020, 8, 1-104.	0.4	1
100	Improving the Management of Atrial Fibrillation in General Practice: Protocol for a Mixed Methods Study. <i>JMIR Research Protocols</i> , 2020, 9, e21259.	0.5	2
101	Title is missing!. , 2020, 17, e1003478.		0
102	Title is missing!. , 2020, 17, e1003478.		0
103	Title is missing!. , 2020, 17, e1003478.		0
104	Title is missing!. , 2020, 17, e1003478.		0
105	Title is missing!. , 2020, 17, e1003478.		0
106	Antibiotic Review Kit for Hospitals (ARK-Hospital): study protocol for a stepped-wedge cluster-randomised controlled trial. <i>Trials</i> , 2019, 20, 421.	0.7	7
107	Survival of patients with chronic heart failure in the community: a systematic review and meta-analysis. <i>European Journal of Heart Failure</i> , 2019, 21, 1306-1325.	2.9	301
108	Is primary care research important and relevant to GPs?. <i>British Journal of General Practice</i> , 2019, 69, 424-425.	0.7	13

#	ARTICLE	IF	CITATIONS
109	Estimated stroke risk, yield, and number needed to screen for atrial fibrillation detected through single time screening: a multicountry patient-level meta-analysis of 141,220 screened individuals. <i>PLoS Medicine</i> , 2019, 16, e1002903.	3.9	90
110	When should unexpected weight loss warrant further investigation to exclude cancer?. <i>BMJ: British Medical Journal</i> , 2019, 366, l5271.	2.4	11
111	Effects of antihypertensives, lipid-modifying drugs, glycaemic control drugs and sodium bicarbonate on the progression of stages 3 and 4 chronic kidney disease in adults: a systematic review and meta-analysis. <i>BMJ Open</i> , 2019, 9, e030596.	0.8	12
112	Schedules for Self-monitoring Blood Pressure: A Systematic Review. <i>American Journal of Hypertension</i> , 2019, 32, 350-364.	1.0	19
113	Protocol for a double-blind placebo-controlled trial to evaluate the efficacy of probiotics in reducing antibiotics for infection in care home residents: the Probiotics to Reduce Infections iN CarE home reSidentS (PRINCESS) trial. <i>BMJ Open</i> , 2019, 9, e027513.	0.8	12
114	Mixed-methods feasibility study of blood pressure self-screening for hypertension detection. <i>BMJ Open</i> , 2019, 9, e027986.	0.8	10
115	Diagnostic tests, drug prescriptions, and follow-up patterns after incident heart failure: A cohort study of 93,000 UK patients. <i>PLoS Medicine</i> , 2019, 16, e1002805.	3.9	32
116	The role of informal carers in the diagnostic process of heart failure: a secondary qualitative analysis. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 92.	0.7	7
117	Cost-Effectiveness of Telemonitoring and Self-Monitoring of Blood Pressure for Antihypertensive Titration in Primary Care (TASMINH4). <i>Hypertension</i> , 2019, 73, 1231-1239.	1.3	73
118	Patient consultation rate and clinical and NHS outcomes: a cross-sectional analysis of English primary care data from 2.7 million patients in 238 practices. <i>BMC Health Services Research</i> , 2019, 19, 219.	0.9	9
119	<p>The internal validation of weight and weight change coding using weight measurement data within the UK primary care Electronic Health Record<p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 145-155.	1.5	12
120	Trends in survival after a diagnosis of heart failure in the United Kingdom 2000-2017: population based cohort study. <i>BMJ: British Medical Journal</i> , 2019, 364, l223.	2.4	291
121	Using mHealth for the management of hypertension in UK primary care: an embedded qualitative study of the TASMINH4 randomised controlled trial. <i>British Journal of General Practice</i> , 2019, 69, e612-e620.	0.7	33
122	Optimising Management of Patients with Heart Failure with Preserved Ejection Fraction in Primary Care (OPTIMISE-HFpEF): rationale and protocol for a multi-method study. <i>BJGP Open</i> , 2019, 3, bjgpopen19X101675.	0.9	9
123	Efficacy of self-monitored blood pressure, with or without telemonitoring, for titration of antihypertensive medication (TASMINH4): an unmasked randomised controlled trial. <i>Lancet, The</i> , 2018, 391, 949-959.	6.3	289
124	Weight loss as a predictor of cancer in primary care: a systematic review and meta-analysis. <i>British Journal of General Practice</i> , 2018, 68, e311-e322.	0.7	43
125	Temporal trends in antithrombotic treatment of real-world UK patients with newly diagnosed atrial fibrillation: findings from the GARFIELD-AF registry. <i>BMJ Open</i> , 2018, 8, e018905.	0.8	47
126	Systematic Review and Metaanalysis Comparing the Bias and Accuracy of the Modification of Diet in Renal Disease and Chronic Kidney Disease Epidemiology Collaboration Equations in Community-Based Populations. <i>Clinical Chemistry</i> , 2018, 64, 475-485.	1.5	25

#	ARTICLE	IF	CITATIONS
127	Main messages for primary care from the 2016 European Guidelines on cardiovascular disease prevention in clinical practice. <i>European Journal of General Practice</i> , 2018, 24, 51-56.	0.9	36
128	Predicting Out-of-Office Blood Pressure in the Clinic for the Diagnosis of Hypertension in Primary Care. <i>Hypertension</i> , 2018, 71, 250-261.	1.3	14
129	Advanced heart failure: setting the research agenda. <i>British Journal of Cardiac Nursing</i> , 2018, 13, 243-243.	0.0	0
130	Practice variation in the use of tests in UK primary care: a retrospective analysis of 16 million tests performed over 3.3 million patient years in 2015/16. <i>BMC Medicine</i> , 2018, 16, 229.	2.3	21
131	Barriers to a software reminder system for risk assessment of stroke in atrial fibrillation: a process evaluation of a cluster randomised trial in general practice. <i>British Journal of General Practice</i> , 2018, 68, e844-e851.	0.7	6
132	Temporal trends in use of tests in UK primary care, 2000-15: retrospective analysis of 250 million tests. <i>BMJ: British Medical Journal</i> , 2018, 363, k4666.	2.4	91
133	OPTimising Treatment for Mild Systolic hypertension in the Elderly (OPTiMISE): protocol for a randomised controlled non-inferiority trial. <i>BMJ Open</i> , 2018, 8, e022930.	0.8	12
134	Survival of patients with chronic heart failure in the community: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2018, 7, 151.	2.5	7
135	Patient experience of home and waiting room blood pressure measurement: a qualitative study of patients with recently diagnosed hypertension. <i>British Journal of General Practice</i> , 2018, 68, e835-e843.	0.7	5
136	Reduced Salt Intake for Heart Failure. <i>JAMA Internal Medicine</i> , 2018, 178, 1693.	2.6	65
137	Benefits and Harms of Antihypertensive Treatment in Low-Risk Patients With Mild Hypertension. <i>JAMA Internal Medicine</i> , 2018, 178, 1626.	2.6	64
138	Stability of thyroid function in older adults: the Birmingham Elderly Thyroid Study. <i>British Journal of General Practice</i> , 2018, 68, e718-e726.	0.7	20
139	Atrial fibrillation and stroke prevention: where we are and where we should be. <i>British Journal of General Practice</i> , 2018, 68, 260-261.	0.7	0
140	Cardiac auscultation poorly predicts the presence of valvular heart disease in asymptomatic primary care patients. <i>Heart</i> , 2018, 104, 1832-1835.	1.2	70
141	Change in Albuminuria and Risk of Renal and Cardiovascular Outcomes: Natural Variation Should Be Taken into Account. <i>Kidney International Reports</i> , 2018, 3, 939-949.	0.4	11
142	Prospective external validation of the Predicting Out-of-Office Blood Pressure (PROOF-BP) strategy for triaging ambulatory monitoring in the diagnosis and management of hypertension: observational cohort study. <i>BMJ: British Medical Journal</i> , 2018, 361, k2478.	2.4	12
143	Impact of a single eGFR and eGFR-estimating equation on chronic kidney disease reclassification: a cohort study in primary care. <i>British Journal of General Practice</i> , 2018, 68, e524-e530.	0.7	20
144	Factors associated with consultation rates in general practice in England, 2013â€“2014: a cross-sectional study. <i>British Journal of General Practice</i> , 2018, 68, e370-e377.	0.7	34

#	ARTICLE	IF	CITATIONS
145	2018 ESC/ESH Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2018, 39, 3021-3104.	1.0	6,826
146	Direct access cancer testing in primary care: a systematic review of use and clinical outcomes. <i>British Journal of General Practice</i> , 2018, 68, e594-e603.	0.7	13
147	Do patients actually do what we ask. <i>Journal of Hypertension</i> , 2018, 36, 1753-1761.	0.3	13
148	Non-vitamin k antagonist oral anticoagulants in a European primary care physician survey. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101602.	0.9	4
149	Automated Software System to Promote Anticoagulation and Reduce Stroke Risk. <i>Stroke</i> , 2017, 48, 787-790.	1.0	33
150	Incidence of venous thromboembolism in care homes: a prospective cohort study. <i>British Journal of General Practice</i> , 2017, 67, e130-e137.	0.7	8
151	Patient use of blood pressure self-screening facilities in general practice waiting rooms: a qualitative study in the UK. <i>British Journal of General Practice</i> , 2017, 67, e467-e473.	0.7	9
152	GPs' perceptions of workload in England: a qualitative interview study. <i>British Journal of General Practice</i> , 2017, 67, e138-e147.	0.7	73
153	GP views on strategies to cope with increasing workload: a qualitative interview study. <i>British Journal of General Practice</i> , 2017, 67, e148-e156.	0.7	73
154	MICE or NICE? An economic evaluation of clinical decision rules in the diagnosis of heart failure in primary care. <i>International Journal of Cardiology</i> , 2017, 241, 255-261.	0.8	11
155	Primary care REFerral for Echocardiogram (REFER) in heart failure: a diagnostic accuracy study. <i>British Journal of General Practice</i> , 2017, 67, e94-e102.	0.7	32
156	Symptom response to antibiotic prescribing strategies in acute sore throat in adults: the DESCARTE prospective cohort study in UK general practice. <i>British Journal of General Practice</i> , 2017, 67, e634-e642.	0.7	13
157	The management of diagnosed heart failure in older people in primary care. <i>Maturitas</i> , 2017, 106, 26-30.	1.0	7
158	Influence of the duration of penicillin prescriptions on outcomes for acute sore throat in adults: the DESCARTE prospective cohort study in UK general practice. <i>British Journal of General Practice</i> , 2017, 67, e623-e633.	0.7	7
159	Patient-level and practice-level factors associated with consultation duration: a cross-sectional analysis of over one million consultations in English primary care. <i>BMJ Open</i> , 2017, 7, e018261.	0.8	24
160	Should we screen for atrial fibrillation?. <i>British Journal of General Practice</i> , 2017, 67, 296-297.	0.7	7
161	Practical guidance on heart failure diagnosis and management in primary care: recent EPCCS recommendations. <i>British Journal of General Practice</i> , 2017, 67, 326-327.	0.7	18
162	Survival following a diagnosis of heart failure in primary care. <i>Family Practice</i> , 2017, 34, cmw145.	0.8	66

#	ARTICLE	IF	CITATIONS
163	Reply to Forsyth et al., commenting on our paper "Survival following a diagnosis of heart failure in primary care". Family Practice, 2017, 34, 502-503.	0.8	33
164	Heart Failure and Multimorbidity in Australian General Practice. Journal of Comorbidity, 2017, 7, 44-49.	3.9	12
165	Cost-effectiveness analysis of use of a polypill versus usual care or best practice for primary prevention in people at high risk of cardiovascular disease. PLoS ONE, 2017, 12, e0182625.	1.1	19
166	Self-monitoring of blood pressure in hypertension: A systematic review and individual patient data meta-analysis. PLoS Medicine, 2017, 14, e1002389.	3.9	401
167	Body-mass index and risk of advanced chronic kidney disease: Prospective analyses from a primary care cohort of 1.4 million adults in England. PLoS ONE, 2017, 12, e0173515.	1.1	77
168	Randomised controlled trial and economic analysis of an internet-based weight management programme: POWeR+ (Positive Online Weight Reduction). Health Technology Assessment, 2017, 21, 1-62.	1.3	36
169	Prognosis following a diagnosis of heart failure and the role of primary care: a review of the literature. BJGP Open, 2017, 1, bjgpopen17X101013.	0.9	27
170	The REFER (REFER for Echocardiogram) study: a prospective validation and health economic analysis of a clinical decision rule, NT-proBNP or their combination in the diagnosis of heart failure in primary care. Efficacy and Mechanism Evaluation, 2017, 4, 1-56.	0.9	1
171	Grass is greener? General practice in England and Australia. British Journal of General Practice, 2016, 66, 428-429.	0.7	8
172	Should general practice be a specialty in its own right?. BMJ, The, 2016, 354, i5097.	3.0	1
173	Global Prevalence of Chronic Kidney Disease " A Systematic Review and Meta-Analysis. PLoS ONE, 2016, 11, e0158765.	1.1	2,336
174	Patients' and clinicians' views on the optimum schedules for self-monitoring of blood pressure: a qualitative focus group and interview study. British Journal of General Practice, 2016, 66, e819-e830.	0.7	28
175	Clinical workload in UK primary care: a retrospective analysis of 100 million consultations in England, 2007-14. Lancet, The, 2016, 387, 2323-2330.	6.3	453
176	2016 European Guidelines on cardiovascular disease prevention in clinical practice. European Heart Journal, 2016, 37, 2315-2381.	1.0	5,370
177	An internet-based intervention with brief nurse support to manage obesity in primary care (POWeR+): a pragmatic, parallel-group, randomised controlled trial. Lancet Diabetes and Endocrinology, the, 2016, 4, 821-828.	5.5	137
178	2016 European Guidelines on cardiovascular disease prevention in clinical practice. Atherosclerosis, 2016, 252, 207-274.	0.4	415
179	Accuracy of monitors used for blood pressure checks in English retail pharmacies: a cross-sectional observational study. British Journal of General Practice, 2016, 66, e309-e314.	0.7	9
180	Self-monitoring blood pressure in patients with hypertension: an internet-based survey of UK GPs. British Journal of General Practice, 2016, 66, e831-e837.	0.7	32

#	ARTICLE	IF	CITATIONS
181	Chronic renal disease is not chronic kidney disease: implications for use of the QRISK and Joint British Societies risk scores. <i>Family Practice</i> , 2016, 33, 57-60.	0.8	1
182	Cost-effectiveness analysis of different systolic blood pressure targets for people with a history of stroke or transient ischaemic attack: Economic analysis of the PAST-BP study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1590-1598.	0.8	8
183	Is statin-modified reduction in lipids the most important preventive therapy for cardiovascular disease? A pro/con debate. <i>BMC Medicine</i> , 2016, 14, 4.	2.3	68
184	2016 European Guidelines on cardiovascular disease prevention in clinical practice. <i>European Journal of Preventive Cardiology</i> , 2016, 23, NP1-NP96.	0.8	683
185	European Primary Care Cardiovascular Society (EPCCS) consensus guidance on stroke prevention in atrial fibrillation (SPAF) in primary care. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 460-473.	0.8	54
186	Predicting Out-of-Office Blood Pressure in the Clinic (PROOF-BP). <i>Hypertension</i> , 2016, 67, 941-950.	1.3	39
187	Different systolic blood pressure targets for people with history of stroke or transient ischaemic attack: PAST-BP (Prevention After Stroke Blood Pressure) randomised controlled trial. <i>BMJ</i> , The, 2016, 352, i708.	3.0	52
188	Cost-effectiveness of self-management of blood pressure in hypertensive patients over 70 years with suboptimal control and established cardiovascular disease or additional cardiovascular risk diseases (TASMIN-SR). <i>European Journal of Preventive Cardiology</i> , 2016, 23, 902-912.	0.8	32
189	The Stroke Prevention Programme: a programme of research to inform optimal stroke prevention in primary care. <i>Programme Grants for Applied Research</i> , 2016, 4, 1-290.	0.4	2
190	Individual patient data meta-analysis of self-monitoring of blood pressure (BP-SMART): a protocol: Table A1. <i>BMJ Open</i> , 2015, 5, e008532.	0.8	10
191	Prevention of cardiovascular diseases. <i>BMC Medicine</i> , 2015, 13, 261.	2.3	9
192	Morbidity matters: challenges for research. <i>British Journal of General Practice</i> , 2015, 65, e215-e216.	0.7	8
193	Validation of a TIA Recognition Tool in Primary and Secondary Care: Implications for Generalizability. <i>International Journal of Stroke</i> , 2015, 10, 692-696.	2.9	12
194	Performance and persistence of a blood pressure self-management intervention: telemonitoring and self-management in hypertension (TASMINH2) trial. <i>Journal of Human Hypertension</i> , 2015, 29, 436-441.	1.0	20
195	Non-vitamin K antagonist oral anticoagulants and atrial fibrillation guidelines in practice: barriers to and strategies for optimal implementation. <i>Europace</i> , 2015, 17, 1007-1017.	0.7	46
196	Stroke detection and prevention in atrial fibrillation. <i>British Journal of General Practice</i> , 2015, 65, 332-333.	0.7	0
197	The Helicobacter Eradication Aspirin Trial (HEAT): A Large Simple Randomised Controlled Trial Using Novel Methodology in Primary Care. <i>EBioMedicine</i> , 2015, 2, 1200-1204.	2.7	23
198	Academic primary care and the general practice workforce. <i>Lancet</i> , The, 2015, 386, 952-953.	6.3	3

#	ARTICLE	IF	CITATIONS
199	An internet-delivered handwashing intervention to modify influenza-like illness and respiratory infection transmission (PRIMIT): a primary care randomised trial. <i>Lancet, The</i> , 2015, 386, 1631-1639.	6.3	101
200	UK academic general practice and primary care. <i>BMJ, The</i> , 2015, 351, h4164.	3.0	9
201	Self-Screening and Non-Physician Screening for Hypertension in Communities: A Systematic Review. <i>American Journal of Hypertension</i> , 2015, 28, 1316-1324.	1.0	52
202	Interdependencies among clinical research funders. <i>BMJ, The</i> , 2014, 349, g4892-g4892.	3.0	0
203	Academic primary care: at a tipping point?. <i>British Journal of General Practice</i> , 2014, 64, 214-215.	0.7	7
204	Is screening for AF worthwhile? Stroke risk in a screened population from the SAFE study. <i>Family Practice</i> , 2014, 31, 298-302.	0.8	19
205	Telemonitoring and self-management in the control of hypertension (TASMINH2): a cost-effectiveness analysis. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1517-1530.	0.8	81
206	Self-monitoring in hypertension: a web-based survey of primary care physicians. <i>Journal of Human Hypertension</i> , 2014, 28, 123-127.	1.0	38
207	Triage tests for identifying atrial fibrillation in primary care: a diagnostic accuracy study comparing single-lead ECG and modified BP monitors. <i>BMJ Open</i> , 2014, 4, e004565.	0.8	92
208	Observational longitudinal cohort study to determine progression to heart failure in a screened community population: the Echocardiographic Heart of England Screening Extension (ECHOES-X) study. <i>BMJ Open</i> , 2014, 4, e005256-e005256.	0.8	5
209	The potential role of NT-proBNP in screening for and predicting prognosis in heart failure: a survival analysis. <i>BMJ Open</i> , 2014, 4, e004675.	0.8	43
210	Placebo use in the UK: a qualitative study exploring GPs' views on placebo effects in clinical practice. <i>Family Practice</i> , 2014, 31, 357-363.	0.8	18
211	Effect of Self-monitoring and Medication Self-titration on Systolic Blood Pressure in Hypertensive Patients at High Risk of Cardiovascular Disease. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 799.	3.8	324
212	Response to Letter Regarding Article, "Warfarin Versus Aspirin for Prevention of Cognitive Decline in Atrial Fibrillation: Randomized Controlled Trial (Birmingham Atrial Fibrillation Treatment of the Aged) Trial". <i>Stroke</i> , 2014, 45, 1381-1386.	1.0	60
213	Predicting out-of-office blood pressure level using repeated measurements in the clinic. <i>Journal of Hypertension</i> , 2014, 32, 2171-2178.	0.3	29
214	Antibiotic prescription strategies for acute sore throat: a prospective observational cohort study. <i>Lancet Infectious Diseases, The</i> , 2014, 14, 213-219.	4.6	100
215	Warfarin Versus Aspirin for Prevention of Cognitive Decline in Atrial Fibrillation. <i>Stroke</i> , 2014, 45, 1381-1386.	1.0	60
216	Benefits of Aldosterone Receptor Antagonism in Chronic Kidney Disease (BARACK D) trial: a multi-centre, prospective, randomised, open, blinded end-point, 36-month study of 2,616 patients within primary care with stage 3b chronic kidney disease to compare the efficacy of spironolactone 25Âmg once daily in addition to routine care on mortality and cardiovascular outcomes versus routine care alone: study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 160.	0.7	29

#	ARTICLE	IF	CITATIONS
217	Research into practice: management of atrial fibrillation in general practice. <i>British Journal of General Practice</i> , 2014, 64, 540-542.	0.7	4
218	Sir Michael Drury: an appreciation. <i>British Journal of General Practice</i> , 2014, 64, 410-410.	0.7	0
219	PRiMarry care Streptococcal Management (PRISM) study: in vitro study, diagnostic cohorts and a pragmatic adaptive randomised controlled trial with nested qualitative study and cost-effectiveness study. <i>Health Technology Assessment</i> , 2014, 18, 1-102.	1.3	46
220	An international longitudinal registry of patients with atrial fibrillation at risk of stroke (GARFIELD): the UK protocol. <i>BMC Cardiovascular Disorders</i> , 2013, 13, 31.	0.7	20
221	Targets and self-management for the control of blood pressure in stroke and at risk groups (TASMIN-SR): protocol for a randomised controlled trial. <i>BMC Cardiovascular Disorders</i> , 2013, 13, 21.	0.7	16
222	Trial Protocol: A randomised controlled trial of extended anticoagulation treatment versus routine anticoagulation treatment for the prevention of recurrent VTE and post thrombotic syndrome in patients being treated for a first episode of unprovoked VTE (The ExACT Study). <i>BMC Cardiovascular Disorders</i> , 2013, 13, 16.	0.7	7
223	A randomised controlled trial of a probiotic "functional food"™ in the management of irritable bowel syndrome. <i>BMC Gastroenterology</i> , 2013, 13, 45.	0.8	78
224	Heart failure therapy in patients with coronary artery disease. <i>Current Opinion in Pharmacology</i> , 2013, 13, 205-209.	1.7	16
225	Clinical score and rapid antigen detection test to guide antibiotic use for sore throats: randomised controlled trial of PRISM (primary care streptococcal management). <i>BMJ, The</i> , 2013, 347, f5806-f5806.	3.0	112
226	Predictors of suppurative complications for acute sore throat in primary care: prospective clinical cohort study. <i>BMJ, The</i> , 2013, 347, f6867-f6867.	3.0	84
227	PRiMarry care Streptococcal Management (PRISM) study: identifying clinical variables associated with Lancefield group A Î²-haemolytic streptococci and Lancefield non-Group A streptococcal throat infections from two cohorts of patients presenting with an acute sore throat. <i>BMJ Open</i> , 2013, 3, e003943.	0.8	30
228	AUtomated Risk Assessment for Stroke in Atrial Fibrillation (AURAS-AF) - an automated software system to promote anticoagulation and reduce stroke risk: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2013, 14, 385.	0.7	9
229	A qualitative study of GP, NP and patient views about the use of rapid streptococcal antigen detection tests (RADTs) in primary care: "swamped with sore throats"™. <i>BMJ Open</i> , 2013, 3, e002460.	0.8	13
230	Would primary healthcare professionals prescribe a polypill to manage cardiovascular risk? A qualitative interview study: Table A1. <i>BMJ Open</i> , 2013, 3, e002498.	0.8	25
231	The Oxford Renal (OxRen) cross-sectional study of chronic kidney disease in the UK. <i>BMJ Open</i> , 2013, 3, e004265.	0.8	7
232	Commentary: Last and Icebergs - spotting the iceberg doesn't predict its scale, even after 50 years. <i>International Journal of Epidemiology</i> , 2013, 42, 1615-1617.	0.9	0
233	Why are GPs treating subclinical hypothyroidism? Case note review and GP survey. <i>Primary Health Care Research and Development</i> , 2013, 14, 175-184.	0.5	13
234	Patient self-monitoring of blood pressure and self-titration of medication in primary care: the TASMINH2 trial qualitative study of health professionals'™ experiences. <i>British Journal of General Practice</i> , 2013, 63, e378-e385.	0.7	37

#	ARTICLE	IF	CITATIONS
235	Placebo Use in the United Kingdom: Results from a National Survey of Primary Care Practitioners. PLoS ONE, 2013, 8, e58247.	1.1	107
236	Effects of Nutritional Supplementation during Pregnancy on Early Adult Disease Risk: Follow Up of Offspring of Participants in a Randomised Controlled Trial Investigating Effects of Supplementation on Infant Birth Weight. PLoS ONE, 2013, 8, e83371.	1.1	6
237	Republished: The relationship between serum TSH and free T4 in older people. Postgraduate Medical Journal, 2012, 88, 668-670.	0.9	5
238	Envisioning a Learning Health Care System: The Electronic Primary Care Research Network, A Case Study. Annals of Family Medicine, 2012, 10, 54-59.	0.9	49
239	Development and initial validation of a simple clinical decision tool to predict the presence of heart failure in primary care: the MICE (Male, Infarction, Crepitations, Edema, MICE) rule. European Journal of Heart Failure, 2012, 14, 1000-1008.	2.9	25
240	Impact of age and gender on blood pressure and low-density lipoprotein cholesterol reduction: results of a pooled analysis. Current Medical Research and Opinion, 2012, 28, 1421-1433.	0.9	6
241	The relationship between serum TSH and free T4 in older people: Figure 1. Journal of Clinical Pathology, 2012, 65, 463-465.	1.0	35
242	A Model for the Electronic Support of Practice-Based Research Networks. Annals of Family Medicine, 2012, 10, 560-567.	0.9	8
243	Challenges of anticoagulant therapy in patients with atrial fibrillation in clinical practice. QJM - Monthly Journal of the Association of Physicians, 2012, 105, 295-296.	0.2	0
244	Incidence and clinical variables associated with streptococcal throat infections: a prospective diagnostic cohort study. British Journal of General Practice, 2012, 62, e787-e794.	0.7	29
245	Prevalence of atrial fibrillation in the general population and in high-risk groups: the ECHOES study. Europace, 2012, 14, 1553-1559.	0.7	156
246	Cost-effectiveness of diagnosis of high blood pressure in primary care – Authors' reply. Lancet, The, 2012, 379, 710.	6.3	0
247	Serum matrix metalloproteinase 9 and colorectal neoplasia: a community-based evaluation of a potential diagnostic test. British Journal of Cancer, 2012, 106, 1431-1438.	2.9	23
248	European Guidelines on cardiovascular disease prevention in clinical practice (version 2012). Atherosclerosis, 2012, 223, 1-68.	0.4	414
249	Ten-year prognosis of heart failure in the community: follow-up data from the Echocardiographic Heart of England Screening (ECHOES) study. European Journal of Heart Failure, 2012, 14, 176-184.	2.9	50
250	European Guidelines on cardiovascular disease prevention in clinical practice (version 2012): The Fifth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of nine societies and by invited experts) * Developed with the special contribution of the European Association for Cardiovascular Prevention & Rehabilitation (EACPR). European Heart Journal, 2012, 33, 1635-1701.	1.0	5,247
251	A cross-sectional study of quality of life in an elderly population (75 years and over) with atrial fibrillation: secondary analysis of data from the Birmingham Atrial Fibrillation Treatment of the Aged study. Europace, 2012, 14, 1420-1427.	0.7	24
252	European Guidelines on cardiovascular disease prevention in clinical practice (version 2012). European Journal of Preventive Cardiology, 2012, 19, 585-667.	0.8	359

#	ARTICLE	IF	CITATIONS
253	The REFER (REFer for Echocardiogram) protocol: a prospective validation of a clinical decision rule, NT-proBNP, or their combination, in the diagnosis of heart failure in primary care. Rationale and design. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 97.	0.7	14
254	European Guidelines on Cardiovascular Disease Prevention in Clinical Practice (Version 2012). <i>International Journal of Behavioral Medicine</i> , 2012, 19, 403-488.	0.8	224
255	Patients' experiences of self-monitoring blood pressure and self-titration of medication: the TASMING2 trial qualitative study. <i>British Journal of General Practice</i> , 2012, 62, e135-e142.	0.7	78
256	Treatment pathways for patients with atrial fibrillation. <i>International Journal of Clinical Practice</i> , 2012, 66, 44-52.	0.8	7
257	Evaluating the effectiveness of GP endorsement on increasing participation in the NHS Bowel Cancer Screening Programme in England: study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 18.	0.7	16
258	EPCCS: EUROPEAN PRIMARY CARE CARDIOVASCULAR SOCIETY. <i>European Journal of General Practice</i> , 2011, 17, 75-75.	0.9	0
259	ESC/EAS Guidelines for the management of dyslipidaemias: The Task Force for the management of dyslipidaemias of the European Society of Cardiology (ESC) and the European Atherosclerosis Society (EAS). <i>European Heart Journal</i> , 2011, 32, 1769-1818.	1.0	2,767
260	ESC/EAS Guidelines for the management of dyslipidaemias. <i>Atherosclerosis</i> , 2011, 217, 1-44.	0.4	180
261	ESC/EAS Guidelines for the management of dyslipidaemias. <i>Atherosclerosis</i> , 2011, 217, 3-46.	0.4	561
262	Cost-effectiveness of options for the diagnosis of high blood pressure in primary care: a modelling study. <i>Lancet, The</i> , 2011, 378, 1219-1230.	6.3	296
263	Predictors of incident atrial fibrillation and influence of medications: a retrospective case-control study. <i>British Journal of General Practice</i> , 2011, 61, e353-e361.	0.7	18
264	Diagnostic triage and the role of natriuretic peptide testing and echocardiography for suspected heart failure: an appropriateness ratings evaluation by UK GPs. <i>British Journal of General Practice</i> , 2011, 61, e427-e435.	0.7	11
265	Iron deficiency anaemia and delayed diagnosis of colorectal cancer: a retrospective cohort study. <i>Colorectal Disease</i> , 2011, 13, e53-60.	0.7	21
266	Does renin-angiotensin system blockade have a role in preventing diabetic retinopathy? A clinical review. <i>International Journal of Clinical Practice</i> , 2011, 65, 148-153.	0.8	40
267	Performance of stroke risk scores in older people with atrial fibrillation not taking warfarin: comparative cohort study from BAFTA trial. <i>BMJ: British Medical Journal</i> , 2011, 342, d3653-d3653.	2.4	48
268	Research output on primary care in Australia, Canada, Germany, the Netherlands, the United Kingdom, and the United States: bibliometric analysis. <i>BMJ: British Medical Journal</i> , 2011, 342, d1028-d1028.	2.4	102
269	Cost Effectiveness of Warfarin Versus Aspirin in Patients Older Than 75 Years With Atrial Fibrillation. <i>Stroke</i> , 2011, 42, 1717-1721.	1.0	24
270	Challenges of stroke prevention in patients with atrial fibrillation in clinical practice. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2011, 104, 739-746.	0.2	7

#	ARTICLE	IF	CITATIONS
271	Time to re-appraise the role of alpha-1 adrenoceptor antagonists in the management of hypertension?. <i>Journal of Hypertension</i> , 2010, 28, 1796-1803.	0.3	43
272	Protocol for Past BP: a randomised controlled trial of different blood pressure targets for people with a history of stroke of transient ischaemic attack (TIA) in primary care. <i>BMC Cardiovascular Disorders</i> , 2010, 10, 37.	0.7	13
273	Rhythm control agents and adverse events in patients with atrial fibrillation. <i>International Journal of Clinical Practice</i> , 2010, 64, 1069-1075.	0.8	18
274	Clinical burden and health service challenges of chronic heart failure. <i>British Journal of General Practice</i> , 2010, 60, 611-615.	0.7	11
275	Impact of study design on recruitment of patients to a primary care trial: an observational time series analysis of the Birmingham Atrial Fibrillation Treatment of the Aged (BAFTA) Study. <i>Family Practice</i> , 2010, 27, 691-697.	0.8	12
276	ESC Guidelines for the management of grown-up congenital heart disease (new version 2010): The Task Force on the Management of Grown-up Congenital Heart Disease of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2010, 31, 2915-2957.	1.0	2,134
277	2010 Focused Update of ESC Guidelines on device therapy in heart failure. <i>European Journal of Heart Failure</i> , 2010, 12, 1143-1153.	2.9	152
278	A Randomized Controlled Trial of the Effect of Thyroxine Replacement on Cognitive Function in Community-Living Elderly Subjects with Subclinical Hypothyroidism: The Birmingham Elderly Thyroid Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 3623-3632.	1.8	155
279	Barriers to cardiovascular disease risk scoring and primary prevention in Europe. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2010, 103, 727-739.	0.2	80
280	A Simple Method to Ensure Plausible Multiple Imputation for Continuous Multivariate Data. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2010, 39, 1779-1784.	0.6	4
281	Guidelines for the management of atrial fibrillation: The Task Force for the Management of Atrial Fibrillation of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2010, 31, 2369-2429.	1.0	4,635
282	Telemonitoring and self-management in the control of hypertension (TASMINH2): a randomised controlled trial. <i>Lancet, The</i> , 2010, 376, 163-172.	6.3	481
283	Telemonitoring or better follow-up? Authors' reply. <i>Lancet, The</i> , 2010, 376, 1737-1738.	6.3	0
284	Guidelines on myocardial revascularization: The Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS). <i>European Heart Journal</i> , 2010, 31, 2501-2555.	1.0	2,649
285	Guidelines for the management of atrial fibrillation. <i>Europace</i> , 2010, 12, 1360-1420.	0.7	1,360
286	How well are we doing in lipid management?. <i>Primary Care Cardiovascular Journal</i> , 2010, 3, .	0.1	0
287	Effect of Age on Stroke Prevention Therapy in Patients With Atrial Fibrillation. <i>Stroke</i> , 2009, 40, 1410-1416.	1.0	306
288	Improving Antithrombotic Management in Patients With Atrial Fibrillation: Current Status and Perspectives. <i>Seminars in Thrombosis and Hemostasis</i> , 2009, 35, 527-542.	1.5	27

#	ARTICLE	IF	CITATIONS
289	Statins in heart failure: Retrospective cohort study using routine primary care data. <i>Annals of Medicine</i> , 2009, 41, 490-496.	1.5	5
290	Anticoagulant Management in Patients with Atrial Fibrillation. <i>Seminars in Thrombosis and Hemostasis</i> , 2009, 35, 543-547.	1.5	1
291	In vitro evaluation of five rapid antigen detection tests for group A beta-haemolytic streptococcal sore throat infections. <i>Family Practice</i> , 2009, 26, 437-444.	0.8	29
292	Protocol for a randomised controlled trial of telemonitoring and self-management in the control of hypertension: Telemonitoring and self-management in hypertension. [ISRCTN17585681]. <i>BMC Cardiovascular Disorders</i> , 2009, 9, 6.	0.7	24
293	Establishing the added benefit of measuring MMP9 in FOB positive patients as a part of the Wolverhampton colorectal cancer screening programme. <i>BMC Cancer</i> , 2009, 9, 36.	1.1	6
294	Factors affecting attitudes toward colorectal cancer screening in the primary care population. <i>British Journal of Cancer</i> , 2009, 101, 250-255.	2.9	35
295	Guidelines for the diagnosis and treatment of pulmonary hypertension: The Task Force for the Diagnosis and Treatment of Pulmonary Hypertension of the European Society of Cardiology (ESC) and the European Respiratory Society (ERS), endorsed by the International Society of Heart and Lung Transplantation (ISHLT). <i>European Heart Journal</i> , 2009, 30, 2493-2537.	1.0	3,108
296	Guidelines on the prevention, diagnosis, and treatment of infective endocarditis (new version 2009): The Task Force on the Prevention, Diagnosis, and Treatment of Infective Endocarditis of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2009, 30, 2369-2413.	1.0	1,822
297	Guidelines for the diagnosis and management of syncope (version 2009): The Task Force for the Diagnosis and Management of Syncope of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2009, 30, 2631-2671.	1.0	1,784
298	Clinical review: Impact of statin substitution policies on patient outcomes. <i>Annals of Medicine</i> , 2009, 41, 242-256.	1.5	24
299	Bridging science and health policy in cardiovascular disease: focus on lipid management. <i>Atherosclerosis Supplements</i> , 2009, 10, 3-21.	1.2	10
300	Guidelines for pre-operative cardiac risk assessment and perioperative cardiac management in non-cardiac surgery. <i>European Heart Journal</i> , 2009, 30, 2769-2812.	1.0	735
301	Type 2 diabetes, thiazolidinediones, and cardiovascular risk. <i>British Journal of General Practice</i> , 2009, 59, 520-524.	0.7	16
302	Delivering quality and value in heart failure. <i>BMJ: British Medical Journal</i> , 2009, 338, b1672-b1672.	2.4	1
303	Connecting to Europe. An update on the EPCCS and how to register for Catalan CVD CPD this September. <i>Primary Care Cardiovascular Journal</i> , 2009, 2, 63.	0.1	0
304	Lipid management in cardiovascular disease prevention guidelines: Strategies and tactics for implementation. <i>Atherosclerosis</i> , 2008, 196, 532-541.	0.4	11
305	<i>Helicobacter pylori</i> test and treat versus proton pump inhibitor in initial management of dyspepsia in primary care: multicentre randomised controlled trial (MRC-CUBE trial). <i>BMJ: British Medical Journal</i> , 2008, 336, 651-654.	2.4	81
306	The From The Heart study: a global survey of patient understanding of cholesterol management and cardiovascular risk, and physicianâ€™ patient communication. <i>Current Medical Research and Opinion</i> , 2008, 24, 1267-1278.	0.9	20

#	ARTICLE	IF	CITATIONS
307	Awareness and perception of heart failure among European cardiologists, internists, geriatricians, and primary care physicians. <i>European Heart Journal</i> , 2008, 29, 1739-1752.	1.0	90
308	Cardiologists' awareness and perceptions of guidelines for chronic heart failure. The ADDRESS your Heart survey. <i>European Journal of Heart Failure</i> , 2008, 10, 1020-1025.	2.9	33
309	Identification and guided treatment of ventricular dysfunction in general practice using blood B-type natriuretic peptide. <i>British Journal of General Practice</i> , 2008, 58, 393-399.	0.7	13
310	Accuracy of diagnosing atrial fibrillation on electrocardiogram by primary care practitioners and interpretative diagnostic software: analysis of data from screening for atrial fibrillation in the elderly (SAFE) trial. <i>BMJ: British Medical Journal</i> , 2007, 335, 380.	2.4	134
311	An analysis of factors that predict patient consent to take part in a randomized controlled trial. <i>Family Practice</i> , 2007, 24, 388-394.	0.8	13
312	Should we ditch impact factors?. <i>BMJ: British Medical Journal</i> , 2007, 334, 569-569.	2.4	29
313	How representative of primary care are research active practices? Cross-sectional survey. <i>Family Practice</i> , 2007, 25, 56-62.	0.8	34
314	Prognosis of all-cause heart failure and borderline left ventricular systolic dysfunction: 5 year mortality follow-up of the Echocardiographic Heart of England Screening Study (ECHOES). <i>European Heart Journal</i> , 2007, 28, 1128-1134.	1.0	173
315	A cross-sectional study of hypertension in an elderly population (75 years and over) with atrial fibrillation: Secondary analysis of data from the Birmingham Atrial Fibrillation in the Aged (BAFTA) randomised controlled trial. <i>International Journal of Cardiology</i> , 2007, 117, 152-156.	0.8	11
316	Warfarin versus aspirin for stroke prevention in an elderly community population with atrial fibrillation (the Birmingham Atrial Fibrillation Treatment of the Aged Study, BAFTA): a randomised controlled trial. <i>Lancet, The</i> , 2007, 370, 493-503.	6.3	1,466
317	Warfarin versus aspirin for stroke prevention (BAFTA) – Authors' reply. <i>Lancet, The</i> , 2007, 370, 1606-1607.	6.3	3
318	The impact of lower urinary tract symptoms and comorbidities on quality of life: the BACH and UREPIK studies. <i>BJU International</i> , 2007, 99, 347-354.	1.3	140
319	A global survey of physicians' perceptions on cholesterol management: the From The Heart study. <i>International Journal of Clinical Practice</i> , 2007, 61, 1078-1085.	0.8	27
320	Screening versus routine practice in detection of atrial fibrillation in patients aged 65 or over: cluster randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2007, 335, 383.	2.4	326
321	A single-pill combination of amlodipine besylate and atorvastatin calcium (update). <i>Drugs of Today</i> , 2007, 43, 157.	0.7	6
322	Can combining different risk interventions into a single formulation contribute to improved cardiovascular disease risk reduction? The single pill of amlodipine/atorvastatin. <i>Vascular Health and Risk Management</i> , 2007, 3, 711-9.	1.0	3
323	The potential for CETP inhibition to reduce cardiovascular disease risk. <i>Current Medical Research and Opinion</i> , 2006, 22, 2467-2478.	0.9	10
324	Type-2 diabetes mellitus related cardiovascular risk: New options for interventions to reduce risk and treatment goals. <i>Atherosclerosis Supplements</i> , 2006, 7, 29-32.	1.2	63

#	ARTICLE	IF	CITATIONS
325	Reducing cardiovascular risk in diabetes: Beyond glyceimic and blood pressure control. International Journal of Cardiology, 2006, 110, 137-145.	0.8	16
326	Can combining different risk interventions into a single formulation contribute to improved cardiovascular disease risk reduction? Rationale and design for an international, open-label program to assess the effectiveness of a single pill (amlodipine/atorvastatin) to attain recommended target levels for blood pressure and lipids (The JEWEL Program). International Journal of Cardiology, 2006, 110, 242-250.	0.8	25
327	Patient self-management of anticoagulation therapy: a trial-based cost-effectiveness analysis. British Journal of Haematology, 2006, 134, 632-639.	1.2	49
328	Primary prevention of ischaemic heart disease. Medicine, 2006, 34, 178-180.	0.2	0
329	How should we rate research?. BMJ: British Medical Journal, 2006, 332, 983-984.	2.4	13
330	Chronic Obstructive Pulmonary Disease, Risk Factors, and Outcome Trials: Comparisons with Cardiovascular Disease. Proceedings of the American Thoracic Society, 2006, 3, 635-640.	3.5	34
331	Concordance with heart failure medications: what do patients think?. Family Practice, 2006, 23, 607-608.	0.8	1
332	Prevalence of Subclinical Thyroid Dysfunction and Its Relation to Socioeconomic Deprivation in the Elderly: A Community-Based Cross-Sectional Survey. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 4809-4816.	1.8	97
333	Achievement of English National Service Framework lipid-lowering goals: pooled data from recent comparative treatment trials of statins at starting doses. International Journal of Clinical Practice, 2005, 59, 1171-1177.	0.8	8
334	Heart failure guidelines and prescribing in primary care across Europe. BMC Health Services Research, 2005, 5, 57.	0.9	12
335	The diagnosis of heart failure in European primary care: The IMPROVEMENT Programme survey of perception and practice. European Journal of Heart Failure, 2005, 7, 768-779.	2.9	30
336	Practical recommendations for the use of ACE inhibitors, beta-blockers, aldosterone antagonists and angiotensin receptor blockers in heart failure: Putting guidelines into practice. European Journal of Heart Failure, 2005, 7, 710-721.	2.9	111
337	Availability of Inhaled Insulin Promotes Greater Perceived Acceptance of Insulin Therapy in Patients With Type 2 Diabetes. Diabetes Care, 2005, 28, 427-428.	4.3	109
338	Coverage and uptake of systematic postal screening for genital Chlamydia trachomatis and prevalence of infection in the United Kingdom general population: cross sectional study. BMJ: British Medical Journal, 2005, 330, 940.	2.4	116
339	Public awareness of heart failure in Europe: first results from SHAPE. European Heart Journal, 2005, 26, 2413-2421.	1.0	118
340	Effective management of dyslipidaemia among patients with cardiovascular risk: Updated recommendations on identification and follow-up. European Journal of General Practice, 2005, 11, 68-75.	0.9	5
341	Real-World Trials to Answer Real-World Questions. Pharmacoeconomics, 2005, 23, 747-754.	1.7	24
342	Doxazosin versus bendrofluzide: a comparison of the metabolic effects in British South Asians with hypertension. British Journal of General Practice, 2005, 55, 437-43.	0.7	8

#	ARTICLE	IF	CITATIONS
343	Fetal origins of adult disease: tracing and recruitment of offspring whose mothers participated in a trial of nutritional supplementation during pregnancy - the Sorrento experience. <i>Nutrition Bulletin</i> , 2004, 29, 310-316.	0.8	3
344	A randomised controlled trial and cost effectiveness study of systematic screening (targeted and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 65s: (SAFE) [ISRCTN19633732]. <i>BMC Cardiovascular Disorders</i> , 2004, 4, 12.	0.7	18
345	Increasing Awareness and Perception of Heart Failure in Europe and Improving Careâ€”Rationale and Design of the SHAPE Study. <i>Cardiovascular Drugs and Therapy</i> , 2004, 18, 153-159.	1.3	14
346	Risk of stroke in men is not associated with dietary fat intake. <i>Evidence-Based Healthcare and Public Health</i> , 2004, 8, 74-76.	0.0	0
347	An evolving picture. <i>BMJ: British Medical Journal</i> , 2004, 328, 946.2.	2.4	0
348	Protocol for Birmingham Atrial Fibrillation Treatment of the Aged study (BAFTA): a randomised controlled trial of warfarin versus aspirin for stroke prevention in the management of atrial fibrillation in an elderly primary care population [ISRCTN89345269]. <i>BMC Cardiovascular Disorders</i> , 2003, 3, 9.	0.7	34
349	Somatization in response to undiagnosed obsessive compulsive disorder in a family. <i>BMC Family Practice</i> , 2003, 4, 1.	2.9	15
350	The prevalence of lower urinary tract symptoms in men and women in four centres. The UrEpiK study. <i>BJU International</i> , 2003, 92, 409-414.	1.3	249
351	The relationship between lower urinary tract symptoms and health status: the UREPIK study. <i>BJU International</i> , 2003, 92, 575-580.	1.3	54
352	The association between lower urinary tract symptoms and erectile dysfunction in four centres: the UrEpiK study. <i>BJU International</i> , 2003, 92, 719-725.	1.3	131
353	The prevalence of male urinary incontinence in four centres: the UREPIK study. <i>BJU International</i> , 2003, 92, 943-947.	1.3	66
354	High density lipoproteins (HDLs) and atherosclerosis; the unanswered questions. <i>Atherosclerosis</i> , 2003, 168, 195-211.	0.4	194
355	The EuroHeart Failure Survey programmeâ€”a survey on the quality of care among patients with heart failure in Europe Part 2: treatment. <i>European Heart Journal</i> , 2003, 24, 464-474.	1.0	711
356	Cardiovascular disease and lipids. <i>European Journal of General Practice</i> , 2003, 9, 16-24.	0.9	5
357	A Comparison of Bayesian and Maximum Likelihood Methods to Determine the Performance of a Point of Care Test for <i>Helicobacter pylori</i> in the Office Setting. <i>Medical Decision Making</i> , 2003, 23, 21-30.	1.2	6
358	Acceptance of guideline recommendations and perceived implementation of coronary heart disease prevention among primary care physicians in five European countries: the Reassessing European Attitudes about Cardiovascular Treatment (REACT) survey. <i>Family Practice</i> , 2002, 19, 596-604.	0.8	210
359	Does pre-operative education of patients improve outcomes? The impact of pre-operative education on recovery following coronary artery bypass surgery: a randomized controlled clinical trial. <i>European Heart Journal</i> , 2002, 23, 600-601.	1.0	4
360	Impact of heart failure and left ventricular systolic dysfunction on quality of life. A cross-sectional study comparing common chronic cardiac and medical disorders and a representative adult population. <i>European Heart Journal</i> , 2002, 23, 1867-1876.	1.0	354

#	ARTICLE	IF	CITATIONS
361	Checks and balances. <i>Lancet, The</i> , 2002, 360, 254.	6.3	1
362	Management of heart failure in primary care (the IMPROVEMENT of Heart Failure Programme): an international survey. <i>Lancet, The</i> , 2002, 360, 1631-1639.	6.3	493
363	What is the place of β -blockade in patients who have experienced a myocardial infarction with preserved left ventricular function? Evidence and (mis)interpretation. <i>Progress in Cardiovascular Diseases</i> , 2002, 44, 243-250.	1.6	22
364	Cardiovascular risk management in primary care. <i>Diabetes, Obesity and Metabolism</i> , 2002, 4, 362-367.	2.2	1
365	Prevalence of left-ventricular systolic dysfunction and heart failure in the Echocardiographic Heart of England Screening study: a population based study. <i>Lancet, The</i> , 2001, 358, 439-444.	6.3	455
366	Practical recommendations for the use of ACE inhibitors, beta-blockers and spironolactone in heart failure: putting guidelines into practice. <i>European Journal of Heart Failure</i> , 2001, 3, 495-502.	2.9	58
367	Improving attendance for breast screening among recent non-attenders: a randomised controlled trial of two interventions in primary care. <i>Journal of Medical Screening</i> , 2001, 8, 99-105.	1.1	37
368	Cluster randomised controlled trial comparing the effectiveness and cost-effectiveness of two primary care interventions aimed at improving attendance for breast screening. <i>Journal of Medical Screening</i> , 2001, 8, 91-98.	1.1	42
369	Oral Anticoagulation Management in Primary Care With the Use of Computerized Decision Support and Near-Patient Testing. <i>Archives of Internal Medicine</i> , 2000, 160, 2343.	4.3	152
370	The new British Hypertension Society guidelines: a view from primary care. <i>Journal of Human Hypertension</i> , 2000, 14, 223-225.	1.0	2
371	Near-Patient Tests in Primary Care: Setting the Standards for Evaluation. <i>Journal of Health Services Research and Policy</i> , 2000, 5, 37-41.	0.8	15
372	Cost effectiveness of initial endoscopy for dyspepsia in patients over age 50 years: a randomised controlled trial in primary care. <i>Lancet, The</i> , 2000, 356, 1965-1969.	6.3	120
373	Increasing awareness and improving the management of heart failure in Europe: the IMPROVEMENT of HF initiative. <i>European Journal of Heart Failure</i> , 1999, 1, 139-144.	2.9	39
374	Concordancing: use of language-based research in medical communication. <i>Lancet, The</i> , 1999, 353, 108-111.	6.3	50
375	Primary care physicians: Champions of or an impediment to optimal care of the patient with heart failure?. <i>European Journal of Heart Failure</i> , 1999, 1, 11-15.	2.9	22
376	Review of computerized decision support systems for oral anticoagulation management. <i>British Journal of Haematology</i> , 1998, 102, 907-909.	1.2	43
377	Primary care anticoagulant clinic management using computerized decision support and near patient International Normalized Ratio (INR) testing: routine data from a practice nurse-led clinic. <i>Family Practice</i> , 1998, 15, 144-146.	0.8	49
378	Near patient tests for <i>Helicobacter pylori</i> in primary care. <i>European Journal of General Practice</i> , 1998, 4, 149-154.	0.9	2

#	ARTICLE	IF	CITATIONS
379	Patient and GP factors associated with emergency medical admissions to one UK district general hospital. <i>European Journal of General Practice</i> , 1997, 3, 45-51.	0.9	2
380	Is the Calcium Antagonist Debate Having an Effect on Clinical Practice?. <i>American Journal of Cardiology</i> , 1997, 79, 20-23.	0.7	16
381	The development of a training pack on the management of aggression and violence in primary care. <i>Safety Science</i> , 1997, 25, 223-230.	2.6	5
382	Undiagnosed systemic lupus erythematosus in the community. <i>Lancet, The</i> , 1996, 347, 367-369.	6.3	46
383	A randomized controlled trial of electromagnetic therapy in the primary care management of venous leg ulceration. <i>Family Practice</i> , 1996, 13, 236-241.	0.8	41
384	Aggression against Doctors: A Review. <i>Journal of the Royal Society of Medicine</i> , 1996, 89, 69-72.	1.1	53
385	A prospective controlled trial of computerized decision support for lipid management in primary care. <i>Family Practice</i> , 1996, 13, 133-137.	0.8	36
386	Effect of <i>Helicobacter pylori</i> eradication therapy on dyspeptic symptoms in primary care. <i>Family Practice</i> , 1996, 13, 225-228.	0.8	23
387	Emerging challenges for European general practice. <i>European Journal of General Practice</i> , 1995, 1, 172-175.	0.9	2
388	General Practitioners' Changes to Practice due to Aggression at Work. <i>Family Practice</i> , 1994, 11, 75-79.	0.8	21
389	Aggression towards general practitioners. , 1994, , 73-87.		3
390	High-Risk Patients: Management Recommendations. , 0, , 34-40.		0
391	Pharmacotherapy: Improving the Lipid Profile. , 0, , 57-63.		0
392	Using Guidelines as a Framework for Cardiovascular Risk Management: Comparison of International Recommendations. , 0, , 8-18.		0
393	Pharmacotherapy: Lowering Blood Pressure. , 0, , 64-70.		0
394	Managing Cardiovascular Risk in the Future. , 0, , 83-87.		0
395	Type 2 Diabetes and Metabolic Syndrome Patients: Management Recommendations for Reducing Cardiovascular Risk. , 0, , 41-49.		0
396	The Epidemiology of Cardiovascular Disease. , 0, , 1-7.		3

#	ARTICLE	IF	CITATIONS
397	Identifying High-Risk Patients. , 0, , 19-27.		0
398	Moderate- to Low-Risk Patients: Management Recommendations. , 0, , 28-33.		0
399	Long-Term Management of Cardiovascular Disease. , 0, , 78-82.		0
400	Lifestyle Changes to Reduce Cardiovascular Risk. , 0, , 50-56.		0
401	Reduced salt intake for heart failure. The Cochrane Library, 0, , .	1.5	1
402	Diagnostic accuracy and clinical impact of natriuretic peptide screening for the detection of heart failure in the community: a protocol for systematic review and meta-analysis. Wellcome Open Research, 0, 4, 169.	0.9	2
403	Pharmacotherapy: Lowering Blood Glucose. , 0, , 71-77.		0