Mara Parellada

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1426236/publications.pdf

Version: 2024-02-01

240 papers

14,440 citations

34105

h-index

52

28297

105

g-index

277 all docs

277 docs citations

277 times ranked

17667 citing authors

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 1 | An exploratory analysis of parental autism traits, age at conception and polygenic background in Autism Spectrum Disorders. Revista De Psiquiatrãa Y Salud Mental, 2024, 17, 28-34. | 1.8 | O |
| 2 | The impact of COVID-19 lockdown on child and adolescent mental health: systematic review. European Child and Adolescent Psychiatry, 2023, 32, 1151-1177. | 4.7 | 364 |
| 3 | Oxytocin Exposure in Labor and its Relationship with Cognitive Impairment and the Genetic Architecture of Autism. Journal of Autism and Developmental Disorders, 2023, 53, 66-79. | 2.7 | 2 |
| 4 | Systematic Review and Meta-analysis: Efficacy of Pharmacological Interventions for Irritability and Emotional Dysregulation in Autism Spectrum Disorder and Predictors of Response. Journal of the American Academy of Child and Adolescent Psychiatry, 2023, 62, 151-168. | 0.5 | 22 |
| 5 | A replication study of JTC bias, genetic liability for psychosis and delusional ideation. Psychological Medicine, 2022, 52, 1777-1783. | 4.5 | 10 |
| 6 | Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. Psychological Medicine, 2022, 52, 1910-1922. | 4. 5 | 14 |
| 7 | Consortium neuroscience of attention deficit/hyperactivity disorder and autism spectrum disorder: The <scp>ENIGMA</scp> adventure. Human Brain Mapping, 2022, 43, 37-55. | 3.6 | 61 |
| 8 | Migration history and risk of psychosis: results from the multinational EU-GEI study. Psychological Medicine, 2022, 52, 2972-2984. | 4.5 | 22 |
| 9 | The collaborative outcomes study on health and functioning during infection times in adults (COH-FIT-Adults): Design and methods of an international online survey targeting physical and mental health effects of the COVID-19 pandemic. Journal of Affective Disorders, 2022, 299, 393-407. | 4.1 | 22 |
| 10 | Association and epistatic analysis of white matter related genes across the continuum schizophrenia and autism spectrum disorders: The joint effect of NRG1-ErbB genes. World Journal of Biological Psychiatry, 2022, 23, 208-218. | 2.6 | 1 |
| 11 | Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 113, 110440. | 4.8 | 10 |
| 12 | Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). Journal of Affective Disorders, 2022, 299, 367-376. | 4.1 | 33 |
| 13 | Polygenic contribution to the relationship of loneliness and social isolation with schizophrenia. Nature Communications, 2022, 13, 51. | 12.8 | 16 |
| 14 | Subtly altered topological asymmetry of brain structural covariance networks in autism spectrum disorder across 43 datasets from the ENIGMA consortium. Molecular Psychiatry, 2022, 27, 2114-2125. | 7.9 | 25 |
| 15 | Cortical thinning over two years after first-episode psychosis depends on age of onset. NPJ Schizophrenia, 2022, 8, 20. | 3.6 | 3 |
| 16 | Pharmacological and dietary-supplement treatments for autism spectrum disorder: a systematic review and network meta-analysis. Molecular Autism, 2022, 13, 10. | 4.9 | 36 |
| 17 | Virtual Ontogeny of Cortical Growth Preceding Mental Illness. Biological Psychiatry, 2022, 92, 299-313. | 1.3 | 11 |
| 18 | The role of BDNF and NGF plasma levels in first-episode schizophrenia: A longitudinal study. European Neuropsychopharmacology, 2022, 57, 105-117. | 0.7 | 4 |

| # | Article | IF | CITATIONS |
|----|--|--------------------|------------------|
| 19 | Mapping genomic loci implicates genes and synaptic biology in schizophrenia. Nature, 2022, 604, 502-508. | 27.8 | 929 |
| 20 | Clinical and treatment predictors of relapse during a three-year follow-up of a cohort of first episodes of schizophrenia. Schizophrenia Research, 2022, 243, 32-42. | 2.0 | 15 |
| 21 | Four-month incidence of suicidal thoughts and behaviors among healthcare workers after the first wave of the Spain COVID-19 pandemic. Journal of Psychiatric Research, 2022, 149, 10-17. | 3.1 | 9 |
| 22 | Gene co-expression architecture in peripheral blood in a cohort of remitted first-episode schizophrenia patients. NPJ Schizophrenia, 2022, 8, . | 3.6 | 2 |
| 23 | Sex and substance use in first episode psychosis: Impact on clinical symptoms, psychosocial functioning and cognitive performance. Revista De PsiquiatrÃa Y Salud Mental, 2022, , . | 1.8 | 1 |
| 24 | The transition from adolescence to adulthood in patients with schizophrenia: Challenges, opportunities and recommendations. European Neuropsychopharmacology, 2022, 59, 45-55. | 0.7 | 7 |
| 25 | Novel genes and sex differences in COVID-19 severity. Human Molecular Genetics, 2022, 31, 3789-3806. | 2.9 | 38 |
| 26 | Prefrontal abnormalities, executive dysfunction and symptoms severity are modulated by COMT Val158Met polymorphism in first episode psychosis. Revista De PsiquiatrÃa Y Salud Mental (English) Tj ETQq0 0 | 0 r gΒវ /Ο\ | verloock 10 Tf ! |
| 27 | NRN1 Gene as a Potential Marker of Early-Onset Schizophrenia: Evidence from Genetic and Neuroimaging Approaches. International Journal of Molecular Sciences, 2022, 23, 7456. | 4.1 | 2 |
| 28 | Bumetanide Oral Liquid Formulation for the Treatment of Children and Adolescents with Autism Spectrum Disorder: Design of Two Phase III Studies (SIGN Trials). Journal of Autism and Developmental Disorders, 2021, 51, 2959-2972. | 2.7 | 16 |
| 29 | Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. Revista De PsiquiatrÃa Y Salud Mental, 2021, 14, 90-105. | 1.8 | 133 |
| 30 | Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. JAMA Psychiatry, 2021, 78, 47. | 11.0 | 136 |
| 31 | Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. European Psychiatry, 2021, 64, e25. | 0.2 | 18 |
| 32 | Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. Revista De Psiquiatrãa Y Salud Mental (English Edition), 2021, 14, 90-105. | 0.3 | 21 |
| 33 | The Role of Premorbid IQ and Age of Onset as Useful Predictors of Clinical, Functional Outcomes, and Recovery of Individuals with a First Episode of Psychosis. Journal of Clinical Medicine, 2021, 10, 2474. | 2.4 | 10 |
| 34 | Imputing the Number of Responders from the Mean and Standard Deviation of CGI-Improvement in Clinical Trials Investigating Medications for Autism Spectrum Disorder. Brain Sciences, 2021, 11, 908. | 2.3 | 4 |
| 35 | A white paper on a neurodevelopmental framework for drug discovery in autism and other neurodevelopmental disorders. European Neuropsychopharmacology, 2021, 48, 49-88. | 0.7 | 29 |
| 36 | The prevention of relapses in first episodes of schizophrenia: The 2EPs Project, background, rationale and study design. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2021, 14, 164-176. | 0.3 | 3 |

| # | Article | IF | Citations |
|----|--|-------------|-----------|
| 37 | The prevention of relapses in first episodes of schizophrenia: The 2EPs Project, background, rationale and study design. Revista De PsiquiatrÃa Y Salud Mental, 2021, 14, 164-176. | 1.8 | 13 |
| 38 | Characterisation of the clinical phenotype in Phelan-McDermid syndrome. Journal of Neurodevelopmental Disorders, 2021, 13, 26. | 3.1 | 19 |
| 39 | Fronto-Parietal Gray Matter Volume Loss Is Associated with Decreased Working Memory Performance in Adolescents with a First Episode of Psychosis. Journal of Clinical Medicine, 2021, 10, 3929. | 2.4 | 4 |
| 40 | The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. Translational Psychiatry, 2021, 11, 423. | 4.8 | 12 |
| 41 | Identification of EP300 as a Key Gene Involved in Antipsychotic-Induced Metabolic Dysregulation Based on Integrative Bioinformatics Analysis of Multi-Tissue Gene Expression Data. Frontiers in Pharmacology, 2021, 12, 729474. | 3.5 | 3 |
| 42 | A Phase II Randomized, Double-Blind, Placebo-Controlled Study of the Efficacy, Safety, and Tolerability of Arbaclofen Administered for the Treatment of Social Function in Children and Adolescents With Autism Spectrum Disorders: Study Protocol for AIMS-2-TRIALS-CT1. Frontiers in Psychiatry, 2021, 12, 701729. | 2.6 | 7 |
| 43 | Thirtyâ€day suicidal thoughts and behaviors among hospital workers during the first wave of the Spain COVIDâ€19 outbreak. Depression and Anxiety, 2021, 38, 528-544. | 4.1 | 70 |
| 44 | Exploring the biological role of postzygotic and germinal de novo mutations in ASD. Scientific Reports, $2021,11,319.$ | 3.3 | 5 |
| 45 | Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. Molecular Psychiatry, 2021, 26, 4529-4543. | 7.9 | 23 |
| 46 | A longitudinal study of gene expression in first-episode schizophrenia; exploring relapse mechanisms by co-expression analysis in peripheral blood. Translational Psychiatry, 2021, 11, 539. | 4.8 | 5 |
| 47 | Prefrontal abnormalities, executive dysfunction and symptoms severity are modulated by COMT Val158Met polymorphism in first episode psychosis. Revista De PsiquiatrÃa Y Salud Mental, 2021, , . | 1.8 | 3 |
| 48 | Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene–environment interaction. The EUGEI study. Psychological Medicine, 2020, 50, 1884-1897. | 4. 5 | 28 |
| 49 | Sensory-to-Cognitive Systems Integration Is Associated With Clinical Severity in Autism Spectrum Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2020, 59, 422-433. | 0.5 | 33 |
| 50 | Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. Schizophrenia Bulletin, 2020, 46, 517-529. | 4.3 | 14 |
| 51 | Influence of social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. Psychological Medicine, 2020, 50, 2702-2710. | 4.5 | 31 |
| 52 | Elevated Extracellular Free-Water in a Multicentric First-Episode Psychosis Sample, Decrease During the First 2 Years of Illness. Schizophrenia Bulletin, 2020, 46, 846-856. | 4.3 | 10 |
| 53 | Personalized medicine begins with the phenotype: identifying antipsychotic response phenotypes in a firstâ €e pisode psychosis cohort. Acta Psychiatrica Scandinavica, 2020, 141, 541-552. | 4.5 | 6 |
| 54 | T25. THE RELATIONSHIP BETWEEN AGE AT FIRST-EPISODE AND LONGITUDINAL CORTICAL CHANGES IN FIRST-EPISODE PSYCHOSIS: A TWO-YEAR LONGITUDINAL STUDY IN AN ADOLESCENT AND ADULT-ONSET COHORT. Schizophrenia Bulletin, 2020, 46, S240-S241. | 4.3 | 0 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | S229. THE EFFECT OF FAMILY ENVIRONMENT ON LONGITUDINAL FUNCTIONING IN FIRST PSYCHOTIC EPISODES. Schizophrenia Bulletin, 2020, 46, S125-S126. | 4.3 | 0 |
| 56 | Influence of BDNF and MTHFR polymorphisms on hippocampal volume in first-episode psychosis. Schizophrenia Research, 2020, 223, 345-352. | 2.0 | 8 |
| 57 | P.831Trajectories of suicidal ideation after a first-episode psychosis: a growth mixture modeling approach. European Neuropsychopharmacology, 2020, 40, S462-S463. | 0.7 | 0 |
| 58 | Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. Schizophrenia Research, 2020, 230, 104-107. | 2.0 | 6 |
| 59 | Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. Epidemiology and Psychiatric Sciences, 2020, 29, e182. | 3.9 | 36 |
| 60 | T117. PROMINENT AND PERSISTENT AUTISTIC TRAITS ARE ASSOCIATED WITH EARLY NON-REMISSION IN FIRST-EPISODE SCHIZOPHRENIA. Schizophrenia Bulletin, 2020, 46, S275-S275. | 4.3 | 0 |
| 61 | Psychiatric comorbidities in Asperger syndrome are related with polygenic overlap and differ from other Autism subtypes. Translational Psychiatry, 2020, 10, 258. | 4.8 | 12 |
| 62 | S18. STRUCTURAL COVARIANCE PREDICTORS OF CLINICAL IMPROVEMENT AT 2-YEAR FOLLOW-UP IN FIRST-EPISODE PSYCHOSIS. Schizophrenia Bulletin, 2020, 46, S37-S37. | 4.3 | 0 |
| 63 | Placebo response in pharmacological and dietary supplement trials of autism spectrum disorder (ASD): systematic review and meta-regression analysis. Molecular Autism, 2020, 11, 66. | 4.9 | 40 |
| 64 | Episignatures Stratifying Helsmoortel-Van Der Aa Syndrome Show Modest Correlation with Phenotype. American Journal of Human Genetics, 2020, 107, 555-563. | 6.2 | 32 |
| 65 | The Positive and Negative Syndrome Scale for Schizophrenia Autism Severity Scale (PAUSS) in young people with autism and schizophrenia. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2020, 13, 118-130. | 0.3 | 0 |
| 66 | Identifying key transcription factors for pharmacogenetic studies of antipsychotics induced extrapyramidal symptoms. Psychopharmacology, 2020, 237, 2151-2159. | 3.1 | 4 |
| 67 | Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. American Journal of Psychiatry, 2020, 177, 834-843. | 7.2 | 120 |
| 68 | Social Cognition in Autism and Schizophrenia Spectrum Disorders: The Same but Different?. Journal of Autism and Developmental Disorders, 2020, 50, 3046-3059. | 2.7 | 18 |
| 69 | The role of schizotypal traits and the <i>OXTR</i> gene in theory of mind in schizophrenia: A family-based study. European Psychiatry, 2020, 63, e15. | 0.2 | 7 |
| 70 | Association study of candidate genes with obesity and metabolic traits in antipsychotic-treated patients with first-episode psychosis over a 2-year period. Journal of Psychopharmacology, 2020, 34, 514-523. | 4.0 | 12 |
| 71 | De novo mutations identified by exome sequencing implicate rare missense variants in SLC6A1 in schizophrenia. Nature Neuroscience, 2020, 23, 179-184. | 14.8 | 100 |
| 72 | Large-Scale Exome Sequencing Study Implicates Both Developmental and Functional Changes in the Neurobiology of Autism. Cell, 2020, 180, 568-584.e23. | 28.9 | 1,422 |

| # | Article | IF | Citations |
|------------|---|------|-----------|
| 73 | The EUropean Network of National Schizophrenia Networks Studying Gene–Environment Interactions (EU-GEI): Incidence and First-Episode Case–Control Programme. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 645-657. | 3.1 | 41 |
| 74 | El destino del diagnóstico de sÃndrome de Asperger. ¿Qué le depara el futuro al sÃndrome de Asperger?. Revista De PsiquiatrÃa Y Salud Mental, 2020, 13, 115-117. | 1.8 | 4 |
| 7 5 | The Positive and Negative Syndrome Scale for Schizophrenia Autism Severity Scale (PAUSS) in young people with autism and schizophrenia. Revista De PsiquiatrÃa Y Salud Mental, 2020, 13, 118-130. | 1.8 | 5 |
| 76 | Dietary Interventions for Autism Spectrum Disorder: A Meta-analysis. , 2020, , 303-316. | | 0 |
| 77 | Neutrophil Count Is Associated With Reduced Gray Matter and Enlarged Ventricles in First-Episode Psychosis. Schizophrenia Bulletin, 2019, 45, 846-858. | 4.3 | 41 |
| 78 | AMPA receptor GluA2 subunit defects are a cause of neurodevelopmental disorders. Nature Communications, 2019, 10, 3094. | 12.8 | 150 |
| 79 | Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. Schizophrenia Bulletin, 2019, 45, 960-965. | 4.3 | 46 |
| 80 | T84COMMON PREDISPOSING VARIATION TO SCHIZOPHRENIA IS SUBJECTED TO RECENT NATURAL SELECTION BY DECREASING ALLELE FREQUENCY IN EUROPEAN POPULATIONS. European Neuropsychopharmacology, 2019, 29, S260-S261. | 0.7 | 0 |
| 81 | One decade of the first episodes project (PEPs): Advancing towards a precision psychiatry. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2019, 12, 135-140. | 0.3 | 5 |
| 82 | Altered structural brain asymmetry in autism spectrum disorder in a study of 54 datasets. Nature Communications, 2019, 10, 4958. | 12.8 | 167 |
| 83 | White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. Frontiers in Psychiatry, 2019, 10, 676. | 2.6 | 5 |
| 84 | Dietary Interventions for Autism Spectrum Disorder: A Meta-analysis. Pediatrics, 2019, 144, . | 2.1 | 40 |
| 85 | BIOTYPES IN AUTISTIC SPECTRUM DISORDERS: EXOME ANALYSIS IN 250 SPANISH TRIOS AND ITS RELATION WITH BIOMARKERS, CLINICAL MANIFESTATIONS AND NEUROPSYCHOLOGICAL VARIABLES. European Neuropsychopharmacology, 2019, 29, S893-S894. | 0.7 | 0 |
| 86 | "A circle and a triangle dancing together― Alteration of social cognition in schizophrenia compared to autism spectrum disorders. Schizophrenia Research, 2019, 210, 94-100. | 2.0 | 34 |
| 87 | Auditory hallucinations in first-episode psychosis: A voxel-based morphometry study. Schizophrenia Research, 2019, 209, 148-155. | 2.0 | 9 |
| 88 | Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. World Psychiatry, 2019, 18, 173-182. | 10.4 | 127 |
| 89 | Transcriptomic metaanalyses of autistic brains reveals shared gene expression and biological pathway abnormalities with cancer. Molecular Autism, 2019, 10, 17. | 4.9 | 30 |
| 90 | Functional Gastrointestinal Disease in Autism Spectrum Disorder: A Retrospective Descriptive Study in a Clinical Sample. Frontiers in Psychiatry, 2019, 10, 179. | 2.6 | 36 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. Lancet Psychiatry, the, 2019, 6, 427-436. | 7.4 | 528 |
| 92 | Differences in the regulation of inflammatory pathways in adolescent- and adult-onset first-episode psychosis. European Child and Adolescent Psychiatry, 2019, 28, 1395-1405. | 4.7 | 10 |
| 93 | T117. FUNCTIONAL TRAJECTORY IN FIRST-EPISODE PSYCHOSIS BASED ON PREMORBID IQ AND AGE OF ONSET. Schizophrenia Bulletin, 2019, 45, S249-S249. | 4.3 | 0 |
| 94 | Neuroanatomical deficits shared by youth with autism spectrum disorders and psychotic disorders. Human Brain Mapping, 2019, 40, 1643-1653. | 3.6 | 11 |
| 95 | Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). Psychological Medicine, 2019, 49, 2600-2607. | 4.5 | 10 |
| 96 | Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. Psychological Medicine, 2019, 49, 1378-1391. | 4.5 | 69 |
| 97 | Una década del proyecto de primeros episodios psicóticos (PEPs): avanzando hacia una psiquiatrÃa de precisión. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 135-140. | 1.8 | 35 |
| 98 | Smoking does not impact social and non-social cognition in patients with first episode psychosis. Schizophrenia Research, 2018, 199, 64-74. | 2.0 | 13 |
| 99 | Is cognitive impairment associated with antipsychotic dose and anticholinergic equivalent loads in first-episode psychosis?. Psychological Medicine, 2018, 48, 2247-2256. | 4.5 | 40 |
| 100 | Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. Schizophrenia Research, 2018, 193, 188-196. | 2.0 | 50 |
| 101 | Gray matter changes and cognitive predictors of 2-year follow-up abnormalities in early-onset first-episode psychosis. European Child and Adolescent Psychiatry, 2018, 27, 113-126. | 4.7 | 17 |
| 102 | Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. JAMA Psychiatry, 2018, 75, 36. | 11.0 | 235 |
| 103 | Cortical and Subcortical Brain Morphometry Differences Between Patients With Autism Spectrum Disorder and Healthy Individuals Across the Lifespan: Results From the ENIGMA ASD Working Group. American Journal of Psychiatry, 2018, 175, 359-369. | 7.2 | 356 |
| 104 | Genetic variability in scaffolding proteins and risk for schizophrenia and autism-spectrum disorders: a systematic review. Journal of Psychiatry and Neuroscience, 2018, 43, 223-244. | 2.4 | 34 |
| 105 | Improving pharmacogenetic prediction of extrapyramidal symptoms induced by antipsychotics. Translational Psychiatry, 2018, 8, 276. | 4.8 | 12 |
| 106 | The complex association between the antioxidant defense system and clinical status in early psychosis. PLoS ONE, 2018, 13, e0194685. | 2.5 | 8 |
| 107 | F12. INFLAMMATORY BIOMARKERS AND COGNITION IN FIRST EPISODE PSYCHOSIS: GENDER DIFFERENCES. Schizophrenia Bulletin, 2018, 44, S222-S223. | 4.3 | O |
| 108 | F245. COGNITIVE RESERVE DIFFERENCE IN AFFECTIVE AND NONAFFECTIVE PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S318-S318. | 4.3 | 0 |

7

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 109 | Impact of <i>NTRK2, DRD2</i> and <i>ACE</i> polymorphisms on prolactin levels in antipsychotic-treated patients with first-episode psychosis. Journal of Psychopharmacology, 2018, 32, 702-710. | 4.0 | 8 |
| 110 | Cardiovascular Risk in Early Psychosis: Relationship with Inflammation and Clinical Features 6 Months after Diagnosis. International Journal of Neuropsychopharmacology, 2018, 21, 410-422. | 2.1 | 13 |
| 111 | Cognitive reserve as an outcome predictor: firstâ€episode affective versus nonâ€affective psychosis. Acta Psychiatrica Scandinavica, 2018, 138, 441-455. | 4.5 | 66 |
| 112 | Ir al médico sin miedo: www.doctortea.org para la habituación al entorno médico de pacientes con autismo. Revista De PsiquiatrÃa Y Salud Mental, 2017, 10, 28-32. | 1.8 | 10 |
| 113 | Cannabis use, COMT, BDNF and age at first-episode psychosis. Psychiatry Research, 2017, 250, 38-43. | 3.3 | 26 |
| 114 | The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. Schizophrenia Research, 2017, 189, 84-90. | 2.0 | 49 |
| 115 | Gene-environment interaction as a predictor of early adjustment in first episode psychosis. Schizophrenia Research, 2017, 189, 196-203. | 2.0 | 13 |
| 116 | Modelling gene-environment interaction in first episodes of psychosis. Schizophrenia Research, 2017, 189, 181-189. | 2.0 | 43 |
| 117 | Intuitive pharmacogenetic dosing of risperidone according to CYP2D6 phenotype extrapolated from genotype in a cohort of first episode psychosis patients. European Neuropsychopharmacology, 2017, 27, 647-656. | 0.7 | 13 |
| 118 | Insular pathology in young people with high-functioning autism and first-episode psychosis. Psychological Medicine, 2017, 47, 2472-2482. | 4.5 | 29 |
| 119 | Atypical age-dependency of executive function and white matter microstructure in children and adolescents with autism spectrum disorders. European Child and Adolescent Psychiatry, 2017, 26, 1361-1376. | 4.7 | 8 |
| 120 | Evidence of an Epistatic Effect Between Dysbindin-1 and Neuritin-1 Genes on the Risk for Schizophrenia Spectrum Disorders. European Psychiatry, 2017, 40, 60-64. | 0.2 | 10 |
| 121 | Seeing the doctor without fear: www.doctortea.org for the desensitization for medical visits in Autism Spectrum Disorders. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2017, 10, 28-32. | 0.3 | 2 |
| 122 | Randomized trial of omega-3 for autism spectrum disorders: Effect on cell membrane composition and behavior. European Neuropsychopharmacology, 2017, 27, 1319-1330. | 0.7 | 46 |
| 123 | Developmental Differences Between Schizophrenia and Bipolar Disorder. Schizophrenia Bulletin, 2017, 43, 1176-1189. | 4.3 | 81 |
| 124 | Rates, distribution and implications of postzygotic mosaic mutations in autism spectrum disorder. Nature Neuroscience, 2017, 20, 1217-1224. | 14.8 | 212 |
| 125 | Persistent Negative Symptoms in First-Episode Psychosis. Journal of Clinical Psychiatry, 2017, 78, 1414-1422. | 2.2 | 28 |
| 126 | BDNF and NGF Signalling in Early Phases of Psychosis: Relationship With Inflammation and Response to Antipsychotics After 1 Year. Schizophrenia Bulletin, 2016, 42, sbv078. | 4.3 | 52 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 127 | 5.17 AGREEMENT BETWEEN DSM-IV AND DSM-5 AUTISM SPECTRUM DISORDERS CRITERIA WITH THE FINAL CLINICAL PSYCHIATRIC JUDGEMENT: HOW DO THE NEW ADOS-2 ALGORITHMS REALLY WORK?. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, S189. | 0.5 | 0 |
| 128 | 1.28 GUT–BRAIN AXIS IN AUTISM: A POSSIBLE ROLE FOR CELIAC DISEASE GENETIC MARKERS. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, S108-S109. | 0.5 | 0 |
| 129 | 5.16 SOCIAL COGNITION DEFICITS IN AUTISM SPECTRUM DISORDERS AND SCHIZOPHRENIA: SAME BUT DIFFERENT? A COMPARATIVE STUDY FOR THE ASSESSMENT OF SOCIAL COGNITION. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, S188-S189. | 0.5 | 0 |
| 130 | Executive function is affected in autism spectrum disorder, but does not correlate with intelligence. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2016, 9, 39-50. | 0.3 | 10 |
| 131 | Autism spectrum disorder and schizophrenia: boundaries and uncertainties. BJ Psych Advances, 2016, 22, 316-324. | 0.7 | 41 |
| 132 | Cognition and psychopathology in first-episode psychosis: are they related to inflammation?. Psychological Medicine, 2016, 46, 2133-2144. | 4.5 | 36 |
| 133 | Pharmacogenetic study of antipsychotic induced acute extrapyramidal symptoms in a first episode psychosis cohort: role of dopamine, serotonin and glutamate candidate genes. Pharmacogenomics Journal, 2016, 16, 439-445. | 2.0 | 30 |
| 134 | Dysregulated peripheral endocannabinoid system signaling is associated with cognitive deficits in first-episode psychosis. Journal of Psychiatric Research, 2016, 75, 14-21. | 3.1 | 18 |
| 135 | A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. International Journal of Neuropsychopharmacology, 2016, 19, pyv121. | 2.1 | 29 |
| 136 | Involvement of NRN1 gene in schizophrenia-spectrum and bipolar disorders and its impact on age at onset and cognitive functioning. World Journal of Biological Psychiatry, 2016, 17, 129-139. | 2.6 | 18 |
| 137 | Influence of DAOA and RGS4 genes on the risk for psychotic disorders and their associated executive dysfunctions: A family-based study. European Psychiatry, 2016, 32, 42-47. | 0.2 | 4 |
| 138 | La función ejecutiva está alterada en los trastornos del espectro autista, pero esta no correlaciona con la inteligencia. Revista De PsiquiatrÃa Y Salud Mental, 2016, 9, 39-50. | 1.8 | 24 |
| 139 | Age at First Episode Modulates Diagnosis-Related Structural Brain Abnormalities in Psychosis. Schizophrenia Bulletin, 2016, 42, 344-357. | 4.3 | 58 |
| 140 | Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. PLoS ONE, 2016, 11, e0160949. | 2.5 | 22 |
| 141 | Pro-/Antiinflammatory Dysregulation in Early Psychosis: Results from a 1-Year Follow-Up Study. International Journal of Neuropsychopharmacology, 2015, 18, pyu037-pyu037. | 2.1 | 26 |
| 142 | The affective dimension of earlyâ€onset psychosis and its relationship with suicide. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2015, 56, 747-755. | 5.2 | 26 |
| 143 | Unmet needs in paediatric psychopharmacology: Present scenario and future perspectives. European Neuropsychopharmacology, 2015, 25, 1513-1531. | 0.7 | 56 |
| 144 | Reduced Gyrification Is Related to Reduced Interhemispheric Connectivity in Autism Spectrum Disorders. Journal of the American Academy of Child and Adolescent Psychiatry, 2015, 54, 668-676. | 0.5 | 37 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Inflammation in schizophrenia: A question of balance. Neuroscience and Biobehavioral Reviews, 2015, 55, 612-626. | 6.1 | 155 |
| 146 | Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. Schizophrenia Research, 2015, 164, 65-73. | 2.0 | 92 |
| 147 | Functional deterioration from the premorbid period to 2 years after the first episode of psychosis in early-onset psychosis. European Child and Adolescent Psychiatry, 2015, 24, 1447-1459. | 4.7 | 19 |
| 148 | Predictors of schizophrenia spectrum disorders in early-onset first episodes of psychosis: a support vector machine model. European Child and Adolescent Psychiatry, 2015, 24, 427-440. | 4.7 | 37 |
| 149 | Predictors of outcome in early-onset psychosis: a systematic review. NPJ Schizophrenia, 2015, 1, 14005. | 3.6 | 161 |
| 150 | Predictors of Functional and Clinical Outcome in Early-Onset First-Episode Psychosis. Journal of Clinical Psychiatry, 2015, 76, e1441-e1448. | 2.2 | 19 |
| 151 | Pro-/Anti-inflammatory Dysregulation in Patients With First Episode of Psychosis: Toward an Integrative Inflammatory Hypothesis of Schizophrenia. Schizophrenia Bulletin, 2014, 40, 376-387. | 4.3 | 156 |
| 152 | Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736. | 4.3 | 229 |
| 153 | Duration of untreated psychosis predicts functional and clinical outcome in children and adolescents with first-episode psychosis: A 2-year longitudinal study. Schizophrenia Research, 2014, 152, 130-138. | 2.0 | 59 |
| 154 | Movie for the Assessment of Social Cognition (MASC): Spanish Validation. Journal of Autism and Developmental Disorders, 2014, 44, 1886-1896. | 2.7 | 51 |
| 155 | Differential Neurodevelopmental Trajectories in Patients With Early-Onset Bipolar and Schizophrenia Disorders. Schizophrenia Bulletin, 2014, 40, S138-S146. | 4.3 | 100 |
| 156 | The neurobiology of autism spectrum disorders. European Psychiatry, 2014, 29, 11-19. | 0.2 | 72 |
| 157 | Synaptic, transcriptional and chromatin genes disrupted in autism. Nature, 2014, 515, 209-215. | 27.8 | 2,254 |
| 158 | Second-Generation Antipsychotic Use in Children and Adolescents: A Six-Month Prospective Cohort Study in Drug-NaÃ-ve Patients. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 1179-1190.e4. | 0.5 | 76 |
| 159 | A longitudinal study on the relationship between duration of untreated psychosis and executive function in early-onset first-episode psychosis. Schizophrenia Research, 2014, 158, 126-133. | 2.0 | 33 |
| 160 | Cortical morphology of adolescents with bipolar disorder and with schizophrenia. Schizophrenia Research, 2014, 158, 91-99. | 2.0 | 65 |
| 161 | Poster #T205 TRAJECTORIES OF NEUROCOGNITIVE FUNCTIONING ACCORDING TO CANNABIS USE PATTERN IN CHILDREN AND ADOLESCENTS WITH FIRST EPISODE PSYCHOSIS: A 2-YEAR FOLLOW-UP STUDY. Schizophrenia Research, 2014, 153, S361-S362. | 2.0 | O |
| 162 | Basal low antioxidant capacity correlates with cognitive deficits in early onset psychosis. A 2-year follow-up study. Schizophrenia Research, 2014, 156, 23-29. | 2.0 | 42 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 163 | Polypharmacy with antidepressants in children and adolescents. International Journal of Neuropsychopharmacology, 2014, 17, 1063-1082. | 2.1 | 30 |
| 164 | Psychopathology in Children and Adolescents with ASD Without Mental Retardation. Journal of Autism and Developmental Disorders, 2013, 43, 2442-2449. | 2.7 | 39 |
| 165 | Why psychogeriatrics starts right after adolescence. European Child and Adolescent Psychiatry, 2013, 22, 391-393. | 4.7 | 9 |
| 166 | Borderline Intellectual Functioning: Consensus and good practice guidelines. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2013, 6, 109-120. | 0.3 | 31 |
| 167 | Criterios de valoración clÃnicos y de funcionamiento en un estudio de interacción gen-ambiente en primeros episodios psicóticos (PEPs). Revista De PsiquiatrÃa Y Salud Mental, 2013, 6, 4-16. | 1.8 | 99 |
| 168 | Specialty Care Programme for Autism Spectrum Disorders in an Urban Population: A Case-Management Model for Health Care Delivery in an asd Population. European Psychiatry, 2013, 28, 102-109. | 0.2 | 30 |
| 169 | Attitude and risk of substance use in adolescents diagnosed with Asperger syndrome. Drug and Alcohol Dependence, 2013, 133, 535-540. | 3.2 | 34 |
| 170 | Assessing clinical and functional outcomes in a gene–environment interaction study in first episode of psychosis (PEPs). Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2013, 6, 4-16. | 0.3 | 24 |
| 171 | Cognitive reserve as a predictor of two year neuropsychological performance in early onset first-episode schizophrenia. Schizophrenia Research, 2013, 143, 125-131. | 2.0 | 61 |
| 172 | Structural magnetic resonance imaging data do not help support DSM-5 autism spectrum disorder category. Research in Autism Spectrum Disorders, 2013, 7, 333-343. | 1.5 | 6 |
| 173 | Premorbid impairments in early-onset psychosis: Differences between patients with schizophrenia and bipolar disorder. Schizophrenia Research, 2013, 146, 103-110. | 2.0 | 33 |
| 174 | Funcionamiento intelectual lÃmite: guÃa de consenso y buenas prÃ;cticas. Revista De PsiquiatrÃa Y Salud Mental, 2013, 6, 109-120. | 1.8 | 44 |
| 175 | Social Cognition in Schizophrenia: From Evidence to Treatmentedited by RobertsDavid L. and PennDavid L New York, Oxford University Press, 2012, 448 pp., \$79.99 American Journal of Psychiatry, 2013, 170, 1216-1216. | 7.2 | 2 |
| 176 | Risperidone normalizes increased inflammatory parameters and restores anti-inflammatory pathways in a model of neuroinflammation. International Journal of Neuropsychopharmacology, 2013, 16, 121-135. | 2.1 | 87 |
| 177 | Twenty-Four Months of Antipsychotic Treatment in Children and Adolescents With First Psychotic Episode. Journal of Clinical Psychopharmacology, 2013, 33, 463-471. | 1.4 | 23 |
| 178 | Neuropsychological evidence for abnormal neurodevelopment associated with early-onset psychoses. Psychological Medicine, 2013, 43, 757-768. | 4.5 | 56 |
| 179 | The Human Cerebral Cortex Flattens during Adolescence. Journal of Neuroscience, 2013, 33, 15004-15010. | 3.6 | 108 |
| 180 | Peripheral Endocannabinoid System Dysregulation in First-Episode Psychosis. Neuropsychopharmacology, 2013, 38, 2568-2577. | 5.4 | 73 |

| # | Article | lF | CITATIONS |
|-----|--|------|-----------|
| 181 | Predictors of Suicide Attempt in Early-Onset, First-Episode Psychoses. Journal of Clinical Psychiatry, 2013, 74, 59-66. | 2.2 | 59 |
| 182 | The state of psychiatry in Spain. International Review of Psychiatry, 2012, 24, 347-355. | 2.8 | 5 |
| 183 | Progressive Brain Changes in Children and Adolescents With First-Episode Psychosis. Archives of General Psychiatry, 2012, 69, 16. | 12.3 | 135 |
| 184 | Regional specificity of thalamic volume deficits in male adolescents with early-onset psychosis. British Journal of Psychiatry, 2012, 200, 30-36. | 2.8 | 23 |
| 185 | P.7.a.009 Predictors of diagnosis of nonaffective acute remitting psychosis in patients with early-onset first episodes of psychosis. European Neuropsychopharmacology, 2012, 22, S418-S419. | 0.7 | 2 |
| 186 | Placebo effect in child and adolescent psychiatric trials. European Neuropsychopharmacology, 2012, 22, 787-799. | 0.7 | 32 |
| 187 | Poster #40 LONGITUDINAL CHANGE IN LEVELS OF N-ACETYL-ASPARTATE IN EARLY ONSET PSYCHOSIS AND HEALTHY CONTROLS. Schizophrenia Research, 2012, 136, S106. | 2.0 | 0 |
| 188 | Decreased glutathione levels predict loss of brain volume in children and adolescents with first-episode psychosis in a two-year longitudinal study. Schizophrenia Research, 2012, 137, 58-65. | 2.0 | 50 |
| 189 | Autism Spectrum Disorder: Does Neuroimaging Support the DSM-5 Proposal for a Symptom Dyad? A Systematic Review of Functional Magnetic Resonance Imaging and Diffusion Tensor Imaging Studies. Journal of Autism and Developmental Disorders, 2012, 42, 1326-1341. | 2.7 | 44 |
| 190 | Longitudinal study of neurological soft signs in firstâ€episode earlyâ€onset psychosis. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2012, 53, 323-331. | 5.2 | 39 |
| 191 | Plasma antioxidant capacity is reduced in Asperger syndrome. Journal of Psychiatric Research, 2012, 46, 394-401. | 3.1 | 54 |
| 192 | Estimation of the Intelligence Quotient Using Wechsler Intelligence Scales in Children and Adolescents with Asperger Syndrome. Journal of Autism and Developmental Disorders, 2012, 42, 116-122. | 2.7 | 18 |
| 193 | Can positive family factors be protective against the development of psychosis? Psychiatry Research, 2011, 186, 28-33. | 3.3 | 40 |
| 194 | Efficacy and safety of second-generation antipsychotics in children and adolescents with psychotic and bipolar spectrum disorders: Comprehensive review of prospective head-to-head and placebo-controlled comparisons. European Neuropsychopharmacology, 2011, 21, 621-645. | 0.7 | 168 |
| 195 | Genetic variation in dysbindin gene influences both the risk for functional psychosis and the cognitive functioning in a Spanish family based study. International Clinical Psychopharmacology, 2011, 26, e59-e60. | 1.7 | 0 |
| 196 | Two-year diagnostic stability in early-onset first-episode psychosis. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2011, 52, 1089-1098. | 5.2 | 51 |
| 197 | Influence of resting energy expenditure on weight gain in adolescents taking second-generation antipsychotics. Clinical Nutrition, 2011, 30, 616-623. | 5.0 | 32 |
| 198 | Reduced antioxidant defense in early onset first-episode psychosis: a case-control study. BMC Psychiatry, 2011, 11, 26. | 2.6 | 94 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Dysbindinâ€1 gene contributes differentially to early†and adult†onset forms of functional psychosis. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 322-333. | 1.7 | 22 |
| 200 | Textbook of Autism Spectrum Disordersedited by HollanderEric, M.D., KolevzonAlex, M.D., and CoyleJoseph T., M.D. Washington, DC, American Psychiatric Publishing, 2011, 627 pp., \$89.00 American Journal of Psychiatry, 2011, 168, 554-555. | 7.2 | 0 |
| 201 | Cognitive Efficacy of Quetiapine and Olanzapine in Early-Onset First-Episode Psychosis. Schizophrenia Bulletin, 2011, 37, 405-415. | 4.3 | 18 |
| 202 | Multicenter Study of Brain Volume Abnormalities in Children and Adolescent-Onset Psychosis. Schizophrenia Bulletin, 2011, 37, 1270-1280. | 4.3 | 28 |
| 203 | Trait and State Attributes of Insight in First Episodes of Early-Onset Schizophrenia and Other Psychoses: A 2-Year Longitudinal Study. Schizophrenia Bulletin, 2011, 37, 38-51. | 4.3 | 100 |
| 204 | Neurological soft signs in juvenile patients with Asperger syndrome, earlyâ€onset psychosis, and healthy controls. Microbial Biotechnology, 2010, 4, 283-290. | 1.7 | 22 |
| 205 | Metabolic effects of secondâ€generation antipsychotics in bipolar youth: comparison with other psychotic and nonpsychotic diagnoses. Bipolar Disorders, 2010, 12, 172-184. | 1.9 | 49 |
| 206 | GENETIC VARIABILITY IN DYSBINDIN-1 GENE (DTNBP1) CONTRIBUTES DIFFERENTIALLY TO EARLY AND ADULT ONSET FUNCTIONAL PSYCHOSES AND IT IS ASSOCIATED WITH THE FAMILIAL TRANSMISSION OF IQ AND PREFRONTAL COGNITIVE DEFICITS. Schizophrenia Research, 2010, 117, 220-221. | 2.0 | 0 |
| 207 | FRONTAL CORTICAL THICKNESS IS ASSOCIATED WITH CLINICAL IMPROVEMENT OF NEGATIVE SYMPTOMS IN MALE ADOLESCENTS WITH EARLY-ONSET FIRST-EPISODE PSYCHOSIS. Schizophrenia Research, 2010, 117, 225-226. | 2.0 | 1 |
| 208 | FRONTAL CORTICAL THICKNESS IS ASSOCIATED WITH CLINICAL IMPROVEMENT OF NEGATIVE SYMPTOMS IN MALE ADOLESCENTS WITH EARLY-ONSET FIRST-EPISODE PSYCHOSIS. Schizophrenia Research, 2010, 117, 227-228. | 2.0 | 0 |
| 209 | Quetiapine treatment in adolescents: a 6-month naturalistic study. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2010, 3, 106-110. | 0.3 | 0 |
| 210 | Predominance of Symptoms Over Time in Early-Onset Psychosis. Journal of Clinical Psychiatry, 2010, 71, 327-337. | 2.2 | 26 |
| 211 | Insight correlates in child- and adolescent-onset first episodes of psychosis: results from the CAFEPS study. Psychological Medicine, 2009, 39, 1433-1445. | 4.5 | 43 |
| 212 | Brain morphology and neurological soft signs in adolescents with first-episode psychosis. British Journal of Psychiatry, 2009, 195, 227-233. | 2.8 | 50 |
| 213 | Progression of Brain Volume Changes in Adolescent-Onset Psychosis. Schizophrenia Bulletin, 2009, 35, 233-243. | 4.3 | 48 |
| 214 | Obstetric complications as a risk factor for first psychotic episodes in childhood and adolescence. European Child and Adolescent Psychiatry, 2009, 18, 180-184. | 4.7 | 10 |
| 215 | Olanzapine compared to quetiapine in adolescents with a first psychotic episode. European Child and Adolescent Psychiatry, 2009, 18, 418-428. | 4.7 | 66 |
| 216 | Gyral and Sulcal Cortical Thinning in Adolescents with First Episode Early-Onset Psychosis. Biological Psychiatry, 2009, 66, 1047-1054. | 1.3 | 45 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 217 | Cannabis use in children and adolescents with first episode psychosis: Influence on psychopathology and short-term outcome (CAFEPS study). Schizophrenia Research, 2009, 113, 129-137. | 2.0 | 86 |
| 218 | Antipsychotics in children and adolescents: Increasing use, evidence for efficacy and safety concerns. European Neuropsychopharmacology, 2009, 19, 629-635. | 0.7 | 184 |
| 219 | Does Diagnostic Classification of Early-Onset Psychosis Change Over Follow-Up?. Child Psychiatry and Human Development, 2008, 39, 137-145. | 1.9 | 54 |
| 220 | DRD3, but not COMT or DRD2, genotype affects executive functions in healthy and firstâ€episode psychosis adolescents. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 873-879. | 1.7 | 53 |
| 221 | Actitud respecto a la medicación antipsicótica como factor predictivo de la suspensión del tratamiento antipsicótico en el perÃodo inicial de la psicosis de inicio temprano. Revista De PsiquiatrÃa Y Salud Mental, 2008, 1, 10-17. | 1.8 | 8 |
| 222 | Attitude Toward Antipsychotic Medication as a Predictor of Antipsychotic Treatment Discontinuation in First-Episode Early-Onset Psychosis. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2008, 1, 10-17. | 0.3 | 5 |
| 223 | Is attempted suicide different in adolescent and adults?. Psychiatry Research, 2008, 157, 131-137. | 3.3 | 49 |
| 224 | Neurological soft signs in adolescents with first episode psychosis: Two-year followup. Psychiatry Research, 2008, 161, 344-348. | 3.3 | 30 |
| 225 | Neuropsychological functioning in adolescents with first episode psychosis: A two-year follow-up study. European Psychiatry, 2008, 23, 375-383. | 0.2 | 40 |
| 226 | Regional Gray Matter Volume Deficits in Adolescents With First-Episode Psychosis. Journal of the American Academy of Child and Adolescent Psychiatry, 2008, 47, 1311-1320. | 0.5 | 77 |
| 227 | Antipsychotic Treatment in Child and Adolescent First-Episode Psychosis: A Longitudinal Naturalistic Approach. Journal of Child and Adolescent Psychopharmacology, 2008, 18, 327-336. | 1.3 | 58 |
| 228 | QTc Changes after 6 Months of Second-Generation Antipsychotic Treatment in Children and Adolescents. Journal of Child and Adolescent Psychopharmacology, 2008, 18, 381-383. | 1.3 | 13 |
| 229 | The genetic contribution to first psychotic episodes in children and adolescents of the child and adolescent first-episode psychosis study. Psychiatric Genetics, 2008, 18, 151-152. | 1.1 | 1 |
| 230 | Metabolic and Hormonal Side Effects in Children and Adolescents Treated With Second-Generation Antipsychotics. Journal of Clinical Psychiatry, 2008, 69, 1166-1175. | 2.2 | 89 |
| 231 | Longitudinal Brain Changes in Early-Onset Psychosis. Schizophrenia Bulletin, 2007, 34, 341-353. | 4.3 | 76 |
| 232 | Antipsychotic-Related Abnormal Involuntary Movements and Metabolic and Endocrine Side Effects in Children and Adolescents. Journal of Child and Adolescent Psychopharmacology, 2007, 17, 487-501. | 1.3 | 62 |
| 233 | The child and adolescent first-episode psychosis study (CAFEPS): Design and baseline results. Schizophrenia Research, 2007, 91, 226-237. | 2.0 | 85 |
| 234 | Antidepressants in child and adolescent depression: where are the bugs?. Acta Psychiatrica Scandinavica, 2007, 115, 184-195. | 4.5 | 39 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Findings of proton magnetic resonance spectometry in the dorsolateral prefrontal cortex in adolescents with first episodes of psychosis. Psychiatry Research - Neuroimaging, 2007, 156, 33-42. | 1.8 | 27 |
| 236 | Neurological soft signs in adolescents with first episode psychosis. European Psychiatry, 2006, 21, 283-287. | 0.2 | 30 |
| 237 | Structural Neuroimaging in Adolescents With a First Psychotic Episode. Journal of the American Academy of Child and Adolescent Psychiatry, 2005, 44, 1151-1157. | 0.5 | 37 |
| 238 | Clinical effectiveness of new generation antipsychotics in adolescent patients. European Neuropsychopharmacology, 2004, 14, S471-S479. | 0.7 | 25 |
| 239 | SIBUTRAMINE FOR COMPULSIVE EATING IN HYPOTHALAMIC DEFICIENCY. Journal of the American Academy of Child and Adolescent Psychiatry, 2002, 41, 1147-1148. | 0.5 | 7 |
| 240 | Large-Scale Exome Sequencing Study Implicates Both Developmental and Functional Changes in the Neurobiology of Autism. SSRN Electronic Journal, 0, , . | 0.4 | 12 |