## Nan Luo

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1427838/publications.pdf

Version: 2024-02-01

136950 149698 4,282 141 32 56 citations h-index g-index papers 146 146 146 4575 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	Estimating an EQ-5D-5L Value Set for China. Value in Health, 2017, 20, 662-669.	0.3	330
2	Chinese Time Trade-Off Values for EQ-5D Health States. Value in Health, 2014, 17, 597-604.	0.3	247
3	The EQ-5D-5L valuation study in Korea. Quality of Life Research, 2016, 25, 1845-1852.	3.1	228
4	Is EQ-5D-5L Better Than EQ-5D-3L? A Head-to-Head Comparison of Descriptive Systems and Value Sets from Seven Countries. Pharmacoeconomics, 2018, 36, 675-697.	3.3	215
5	EuroQol Protocols for Time Trade-Off Valuation of Health Outcomes. Pharmacoeconomics, 2016, 34, 993-1004.	3.3	170
6	Instrument-Defined Estimates of the Minimally Important Difference for EQ-5D-5L Index Scores. Value in Health, 2017, 20, 644-650.	0.3	170
7	Using Instrument-Defined Health State Transitions to Estimate Minimally Important Differences for Four Preference-Based Health-Related Quality of Life Instruments. Medical Care, 2010, 48, 365-371.	2.4	150
8	Handling Data Quality Issues to Estimate the Spanish EQ-5D-5L Value Set Using a Hybrid Interval Regression Approach. Value in Health, 2018, 21, 596-604.	0.3	129
9	EQ-5D-5L norms for the urban Chinese population in China. Health and Quality of Life Outcomes, 2018, 16, 210.	2.4	98
10	Valuation of EQ-5D-3L Health States in Singapore: Modeling of Time Trade-Off Values for 80 Empirically Observed Health States. Pharmacoeconomics, 2014, 32, 495-507.	3.3	77
11	Developing the Chinese version of the new 5-level EQ-5D descriptive system: the response scaling approach. Quality of Life Research, 2013, 22, 885-890.	3.1	66
12	The EQ-5D-5L index score is more discriminative than the EQ-5D-3L index score in diabetes patients. Quality of Life Research, 2015, 24, 1767-1774.	3.1	60
13	Do English and Chinese EQ-5D versions demonstrate measurement equivalence? An exploratory study. Health and Quality of Life Outcomes, 2003, 1, 7.	2.4	57
14	A Comparison of EQ-5D Index Scores Derived from the US and UK Population-Based Scoring Functions. Medical Decision Making, 2007, 27, 321-326.	2.4	57
15	Relative Efficiency of the EQ-5D, HUI2, and HUI3 Index Scores in Measuring Health Burden of Chronic Medical Conditions in a Population Health Survey in the United States. Medical Care, 2009, 47, 53-60.	2.4	54
16	Comparison of the preference-based EQ-5D-5L and SF-6D in patients with end-stage renal disease (ESRD). European Journal of Health Economics, 2015, 16, 1019-1026.	2.8	54
17	Valuing Health-Related Quality of Life in Type 2 Diabetes Patients in China. Medical Decision Making, 2016, 36, 234-241.	2.4	52
18	An EQ-5D-5L Value Set for Vietnam. Quality of Life Research, 2020, 29, 1923-1933.	3.1	51

#	Article	IF	Citations
19	EQ-5D-5L Valuation for the Malaysian Population. Pharmacoeconomics, 2019, 37, 715-725.	3.3	50
20	A comparison of the EuroQol-5D and the Health Utilities Index mark 3 in patients with rheumatic disease. Journal of Rheumatology, 2003, 30, 2268-74.	2.0	48
21	Web-based versus home-based postnatal psychoeducational interventions for first-time mothers: A randomised controlled trial. International Journal of Nursing Studies, 2019, 99, 103385.	5.6	45
22	The EQ-HWB: Overview of the Development of a Measure of Health and Wellbeing and Key Results. Value in Health, 2022, 25, 482-491.	0.3	45
23	Comparison of the EuroQol and short form 6D in Singapore multiethnic asian knee osteoarthritis patients scheduled for total knee replacement. Arthritis and Rheumatism, 2007, 57, 1043-1049.	6.7	43
24	The EQ-5D-5L is More Discriminative Than the EQ-5D-3L in Patients with Diabetes in Singapore. Value in Health Regional Issues, 2016, 9, 57-62.	1.2	42
25	Health-related quality of life and its predictors among patients with rheumatoid arthritis. Applied Nursing Research, 2016, 30, 176-183.	2.2	42
26	Cultural Values: Can They Explain Differences in Health Utilities between Countries?. Medical Decision Making, 2019, 39, 605-616.	2.4	42
27	Health-related quality of life among rural men and women with hypertension: assessment by the EQ-5D-5L in Jiangsu, China. Quality of Life Research, 2019, 28, 2069-2080.	3.1	42
28	Measurement Properties of the EQ VAS Around the Globe: A Systematic Review and Meta-Regression Analysis. Value in Health, 2021, 24, 1223-1233.	0.3	41
29	Costâ€effectiveness of haemodialysis and peritoneal dialysis for patients with endâ€stage renal disease in Singapore. Nephrology, 2016, 21, 669-677.	1.6	40
30	Health Burden Associated with Visual Impairment in Singapore. Ophthalmology, 2014, 121, 1837-1842.	5.2	38
31	Valuation of the EQ-5D-5L in Taiwan. PLoS ONE, 2018, 13, e0209344.	2.5	38
32	A comparison of the scaling properties of the English, Spanish, French, and Chinese EQ-5D descriptive systems. Quality of Life Research, 2013, 22, 2237-2243.	3.1	36
33	The English and Chinese versions of the five-level EuroQoL Group's five-dimension questionnaire (EQ-5D) were valid and reliable and provided comparable scores in Asian breast cancer patients. Supportive Care in Cancer, 2013, 21, 201-209.	2.2	36
34	A head-to-head comparison of five-level (EQ-5D-5L-Y) and three-level EQ-5D-Y questionnaires in paediatric patients. European Journal of Health Economics, 2019, 20, 647-656.	2.8	34
35	Hemodialysis versus Peritoneal Dialysis: A Comparison of Survival Outcomes in South-East Asian Patients with End-Stage Renal Disease. PLoS ONE, 2015, 10, e0140195.	2.5	34
36	Comparison of the measurement properties between a short and generic instrument, the 5-level EuroQoL Group's 5-dimension (EQ-5D-5L) questionnaire, and a longer and disease-specific instrument, the Functional Assessment of Cancer Therapyâ€"Breast (FACT-B), in Asian breast cancer patients. Quality of Life Research, 2013, 22, 1745-1751.	3.1	32

#	Article	IF	CITATIONS
37	Cost-Utility Analysis Using EQ-5D-5L Data: Does How the Utilities Are Derived Matter?. Value in Health, 2019, 22, 45-49.	0.3	31
38	Healthâ€related quality of life of older Asian patients with multimorbidity in primary care in a developed nation. Geriatrics and Gerontology International, 2017, 17, 1429-1437.	1.5	30
39	Are English- and Chinese-language versions of the SF-6D equivalent? A comparison from a population-based study. Clinical Therapeutics, 2004, 26, 1137-1148.	2.5	28
40	Less Is More: Cross-Validation Testing of Simplified Nonlinear Regression Model Specifications for EQ-5D-5L Health State Values. Value in Health, 2017, 20, 945-952.	0.3	28
41	Long-term outcomes after out-of-hospital cardiac arrest: A systematic review and meta-analysis. Resuscitation, 2022, 171, 15-29.	3.0	27
42	Preference-based SF-6D Scores Derived From the SF-36 and SF-12 Have Different Discriminative Power in a Population Health Survey. Medical Care, 2012, 50, 627-632.	2.4	26
43	Developing a New Generic Health and Wellbeing Measure: Psychometric Survey Results for the EQ-HWB. Value in Health, 2022, 25, 525-533.	0.3	25
44	Factors influencing health-related quality of life of Asians with anxiety disorders in Singapore. Quality of Life Research, 2004, 13, 557-565.	3.1	24
45	Responsiveness of the EQ-5D and 8-item Parkinson's Disease Questionnaire (PDQ-8) in a 4-year follow-up study. Quality of Life Research, 2010, 19, 565-569.	3.1	24
46	The effects of lead time and visual aids in TTO valuation: a study of the EQ-VT framework. European Journal of Health Economics, 2013, 14, 15-24.	2.8	24
47	Detecting Predeath Grief in Family Caregivers of Persons With Dementia: Validity and Utility of the Marwit-Meuser Caregiver Grief Inventory in a Multiethnic Asian Population. Gerontologist, The, 2018, 58, e150-e159.	3.9	24
48	Health-related quality of life loss associated with first-time stroke. PLoS ONE, 2019, 14, e0211493.	2.5	24
49	Responsiveness of EQ-5D Youth version 5-level (EQ-5D-5L-Y) and 3-level (EQ-5D-3L-Y) in Patients With Idiopathic Scoliosis. Spine, 2019, 44, 1507-1514.	2.0	24
50	Psychometric performance assessment of Malay and Malaysian English version of EQ-5D-5L in the Malaysian population. Quality of Life Research, 2019, 28, 153-162.	3.1	24
51	Measurement Properties of Commonly Used Generic Preference-Based Measures in East and South-East Asia: A Systematic Review. Pharmacoeconomics, 2020, 38, 159-170.	3.3	24
52	Measurement Properties of the EQ-5D-5L and EQ-5D-3L in Six Commonly Diagnosed Cancers. Patient, 2021, 14, 209-222.	2.7	24
53	Logical inconsistencies in time trade-off valuation of EQ-5D-5L health states: Whose fault is it?. PLoS ONE, 2017, 12, e0184883.	2.5	24
54	Cross-cultural measurement equivalence of the 5-level EQ-5D (EQ-5D-5L) in patients with type 2 diabetes mellitus in Singapore. Health and Quality of Life Outcomes, 2015, 13, 103.	2.4	23

#	Article	IF	CITATIONS
55	Valuation of Health States Considered to Be Worse Than Deathâ€"An Analysis of Composite Time Trade-Off Data From 5 EQ-5D-5L Valuation Studies. Value in Health, 2019, 22, 370-376.	0.3	23
56	Valuation of EQ-5D-5L health states: a comparison of seven Asian populations. Expert Review of Pharmacoeconomics and Outcomes Research, 2019, 19, 445-451.	1.4	23
57	Mapping the kidney disease quality of life 36-item short form survey (KDQOL-36) to the EQ-5D-3L and the EQ-5D-5L in patients undergoing dialysis. European Journal of Health Economics, 2019, 20, 1195-1206.	2.8	22
58	Is bad living better than good death? Impact of demographic and cultural factors on health state preference. Quality of Life Research, 2016, 25, 979-986.	3.1	21
59	A Vision "Bolt-On―Item Could Increase the Discriminatory Power of the EQ-5D Index Score. Value in Health, 2015, 18, 1037-1042.	0.3	20
60	Impact of sleep duration, physical activity, and screen time on health-related quality of life in children and adolescents. Health and Quality of Life Outcomes, 2021, 19, 145.	2.4	20
61	Is EQ-5D a valid quality of life instrument in patients with Parkinson's disease? A study in Singapore. Annals of the Academy of Medicine, Singapore, 2009, 38, 521-8.	0.4	19
62	Psychometric evaluation of the Schizophrenia Quality of Life Scale (SQLS) in English- and Chinese-speaking Asians in Singapore. Quality of Life Research, 2008, 17, 115-122.	3.1	18
63	Interpretation and use of the 5-level EQ-5D response labels varied with survey language among Asians in Singapore. Journal of Clinical Epidemiology, 2015, 68, 1195-1204.	5.0	18
64	Getting the first degree relatives to screen for colorectal cancer is harder than it seems—patients' and their first degree relatives' perspectives. International Journal of Colorectal Disease, 2017, 32, 1065-1068.	2.2	18
65	Evaluating the psychometric properties of the EQ-5D-5L and SF-6D among patients with haemophilia. European Journal of Health Economics, 2021, 22, 547-557.	2.8	18
66	Patient-caregiver agreement and test–retest reliability of the EQ-5D-Y-3L and EQ-5D-Y-5L in paediatric patients with haematological malignancies. European Journal of Health Economics, 2021, 22, 1103-1113.	2.8	18
67	Utility of EQ-5D to Assess Patients Undergoing Cataract Surgery. Optometry and Vision Science, 2013, 90, 861-866.	1.2	17
68	Cross-cultural adaptation and validation of Singapore Malay and Tamil versions of the EQ-5D. Annals of the Academy of Medicine, Singapore, 2007, 36, 403-8.	0.4	17
69	Mapping and direct valuation: do they give equivalent EQ-5D-5L index scores?. Health and Quality of Life Outcomes, 2015, 13, 166.	2.4	16
70	Can acute clinical outcomes predict health-related quality of life after stroke: a one-year prospective study of stroke survivors. Health and Quality of Life Outcomes, 2018, 16, 221.	2.4	16
71	Toward a Smaller Design for EQ-5D-5L Valuation Studies. Value in Health, 2019, 22, 1295-1302.	0.3	16
72	EQ-5D-5L is More Responsive than EQ-5D-3L to Treatment Benefit of Cataract Surgery. Patient, 2019, 12, 383-392.	2.7	16

#	Article	IF	Citations
73	Validation of Brunei's Malay EQ-5D Questionnaire in Patients with Type 2 Diabetes. PLoS ONE, 2016, 11, e0165555.	2.5	16
74	A Study of the Construct Validity of the Health Utilities Index Mark 3 (HUI3) in Patients with Schizophrenia. Quality of Life Research, 2006, 15, 889-898.	3.1	15
75	Quality of life and related factors of nursing home residents in Singapore. Health and Quality of Life Outcomes, 2016, 14, 112.	2.4	15
76	Measuring Health Preferences for Health Utilities Index Mark 3 Health States: A Study of Feasibility and Preference Differences among Ethnic Groups in Singapore. Medical Decision Making, 2007, 27, 61-70.	2.4	14
77	The discriminative power of the EuroQol visual analog scale is sensitive to survey language in Singapore. Health and Quality of Life Outcomes, 2012, 10, 32.	2.4	14
78	Development of Conversion Functions Mapping the FACT-B Total Score to the EQ-5D-5L Utility Value by Three Linking Methods and Comparison with the Ordinary Least Square Method. Applied Health Economics and Health Policy, 2018, 16, 685-695.	2.1	14
79	Impact of mental disorders and chronic physical conditions on quality-adjusted life years in Singapore. Scientific Reports, 2020, 10, 2695.	3.3	14
80	Effects of postoperative pain management educational interventions on the outcomes of parents and their children who underwent an inpatient elective surgery: A randomized controlled trial. Journal of Advanced Nursing, 2018, 74, 1517-1530.	3.3	13
81	A vision †bolt-on†increases the responsiveness of EQ-5D: preliminary evidence from a study of cataract surgery. European Journal of Health Economics, 2020, 21, 501-511.	2.8	13
82	Cost-Effectiveness of Zoledronic Acid Versus Oral Alendronate for Postmenopausal Osteoporotic Women in China. Frontiers in Pharmacology, 2020, 11, 456.	3.5	13
83	Sensitivity to change and responsiveness of the Stroke and Aphasia Quality-of-Life Scale (SAQOL) in a Singapore stroke population. Aphasiology, 2017, 31, 427-446.	2.2	12
84	Dyadic approach to post-stroke hospitalizations: role of caregiver and patient characteristics. BMC Neurology, 2019, 19, 267.	1.8	12
85	Association Between Combined Lifestyle Factors and Healthy Ageing in Chinese Adults: The Singapore Chinese Health Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1796-1805.	3.6	12
86	Generation, Selection, and Face Validation of Items for a New Generic Measure of Quality of Life: The EQ-HWB. Value in Health, 2022, 25, 512-524.	0.3	12
87	Sample size determination for EQ-5D-5L value set studies. Quality of Life Research, 2017, 26, 3365-3376.	3.1	11
88	Detecting pre-death grief in family caregivers of persons with dementia: measurement equivalence of the Mandarin-Chinese version of Marwit-Meuser caregiver grief inventory. BMC Geriatrics, 2018, 18, 114.	2.7	11
89	Cost-Effectiveness Analysis Of EGFR Mutation Testing And Afatinib Versus Gemcitabine-Cisplatin As First-Line Therapy For Advanced Non-Small-Cell Lung Cancer In China Cancer Management and Research, 2019, Volume 11, 10239-10248.	1.9	11
90	How the EQ-5D utilities are derived matters in Chinese diabetes patients: a comparison based on different EQ-5D scoring functions for China. Quality of Life Research, 2020, 29, 3087-3094.	3.1	11

#	Article	IF	CITATIONS
91	How Do Respondents Interpret and View the EQ-VAS? A Qualitative Study of Three Asian Populations. Patient, 2021, 14, 283-293.	2.7	11
92	Social Media–Driven Routes to Positive Mental Health Among Youth: Qualitative Enquiry and Concept Mapping Study. JMIR Pediatrics and Parenting, 2022, 5, e32758.	1.6	11
93	Comparison of health state values derived from patients and individuals from the general population. Quality of Life Research, 2017, 26, 3353-3363.	3.1	10
94	Health-Related Quality of Life in a Low-Socioeconomic Status Public Rental-Flat Population in Singapore. Applied Research in Quality of Life, 2018, 13, 179-195.	2.4	10
95	Comparing the measurement properties of the EQ-5D-5L and the EQ-5D-3L in hypertensive patients living in rural China. Quality of Life Research, 2021, 30, 2045-2060.	3.1	10
96	Dyadic approach to supervised community rehabilitation participation in an Asian setting post-stroke: exploring the role of caregiver and patient characteristics in a prospective cohort study. BMJ Open, 2020, 10, e036631.	1.9	10
97	Do chronic disease patients value generic health states differently from individuals with no chronic disease? A case of a multicultural Asian population. Health and Quality of Life Outcomes, 2015, 13, 8.	2.4	9
98	Tackling the 3 Big Challenges Confronting Health Technology Assessment Development in Asia: A Commentary. Value in Health Regional Issues, 2020, 21, 66-68.	1.2	9
99	Feasibility of Proxy-Reported EQ-5D-3L-Y and Its Agreement in Self-reported EQ-5D-3L-Y for Patients With Adolescent Idiopathic Scoliosis. Spine, 2020, 45, E799-E807.	2.0	9
100	The Effectiveness and Cost-Effectiveness of Web-Based and Home-Based Postnatal Psychoeducational Interventions for First-Time Mothers: Randomized Controlled Trial Protocol. JMIR Research Protocols, 2018, 7, e35.	1.0	9
101	Impact of mapped EQ-5D utilities on cost-effectiveness analysis: in the case of dialysis treatments. European Journal of Health Economics, 2019, 20, 99-105.	2.8	8
102	Quality of life measured by EQ-5D at different treatment time points for coronary artery disease: protocol for a systematic review and meta-analysis. BMJ Open, 2020, 10, e039311.	1.9	8
103	Comparing the performance of the EQ-5D-3 L and the EQ-5D-5 L in an elderly Chinese population. Health and Quality of Life Outcomes, 2020, 18, 97.	2.4	8
104	Comparing EQ-5D-3L and EQ-5D-5L in measuring the HRQoL burden of 4 health conditions in China. European Journal of Health Economics, 2023, 24, 197-207.	2.8	8
105	Assessment of psychosocial impact of genital warts among patients in Singapore. Sexual Health, 2014, 11, 313.	0.9	7
106	Mapping the Haem-A-QoL to the EQ-5D-5L in patients with hemophilia. Quality of Life Research, 2022, 31, 1533-1544.	3.1	7
107	Psychometric performance of proxy-reported EQ-5D youth version 5-level (EQ-5D-Y-5L) in comparison with three-level (EQ-5D-Y-3L) in children and adolescents with scoliosis. European Journal of Health Economics, 2022, 23, 1383-1395.	2.8	7
108	Acceptance of information and communication technologies for healthcare delivery: a SingHealth Polyclinics study. Annals of the Academy of Medicine, Singapore, 2009, 38, 529-8.	0.4	7

#	Article	IF	CITATIONS
109	Mapping the Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory to the Health Utility Index Mark III. Quality of Life Research, 2019, 28, 131-139.	3.1	6
110	Feasibility and validity of EQ-5D-5L proxy by nurses in measuring health-related quality of life of nursing home residents. Quality of Life Research, 2021, 30, 713-720.	3.1	6
111	Culture-Related Health Disparities in Quality of Life: Assessment of Instrument Dimensions Among Chinese. Frontiers in Public Health, 2021, 9, 663904.	2.7	6
112	Behavioral impact of national health campaigns on healthy lifestyle practices among young adults in Singapore: a cross-sectional study. BMC Public Health, 2021, 21, 1601.	2.9	6
113	Assessing the Content Validity of the EQ-5D Questionnaire Among Asians in Singapore: A Qualitative Study. Annals of the Academy of Medicine, Singapore, 2020, 49, 294-305.	0.4	6
114	The association of survey language (Spanish vs. English) with Health Utilities Index and EQ-5D index scores in a United States population sample. Quality of Life Research, 2009, 18, 1377-1385.	3.1	5
115	Does Diabetes Have an Impact on Health-State Utility? A Study of Asians in Singapore. Patient, 2014, 7, 329-337.	2.7	5
116	Mapping the Shah-modified Barthel Index to the Health Utility Index Mark III by the Mean Rank Method. Quality of Life Research, 2019, 28, 3177-3185.	3.1	5
117	Epidemiology of Neck Pain and Its Impact on Quality-of-Life—A Population-Based, Cross Sectional Study in Singapore. Spine, 2021, 46, 1572-1580.	2.0	5
118	Do health preferences differ among Asian populations? A comparison of EQ-5D-5L discrete choice experiments data from 11 Asian studies. Quality of Life Research, 2022, 31, 2175-2187.	3.1	5
119	Drug utilization review of risperidone for outpatients in a tertiary referral hospital in Singapore. Human Psychopharmacology, 2004, 19, 259-264.	1.5	4
120	Testing the "Nonstopping―Time Trade-Off: Is It Better Than the Composite Time Trade-Off?. Value in Health, 2020, 23, 1489-1496.	0.3	4
121	Investigating 5-Level EQ-5D (EQ-5D-5L) Values Based on Preferences of Patients With Heart Disease. Value in Health, 2022, 25, 451-460.	0.3	4
122	Impact of self-reported smoking status on health-related quality of life in Singapore. Zeitschrift Fur Gesundheitswissenschaften, 2013, 21, 389-401.	1.6	3
123	Using peer review to distribute group work marks equitably between medical students. BMC Medical Education, 2017, 17, 172.	2.4	3
124	Can caregivers report their care recipients' post-stroke hospitalizations and outpatient visits accurately? Findings of an Asian prospective stroke cohort. BMC Health Services Research, 2018, 18, 817.	2.2	3
125	Investigating the Added Value of the EQ-5D-5L With Two Bolt-On Items in Patients With Hemophilia. Frontiers in Medicine, 2021, 8, 707998.	2.6	3
126	Seeking healthcare services post-stroke: a qualitative descriptive study exploring family caregiver and stroke survivor perspectives in an asian setting. BMC Neurology, 2021, 21, 429.	1.8	3

#	Article	IF	Citations
127	Estimating the EQ-5D-5L value set for the Philippines. Quality of Life Research, 2022, 31, 2763-2774.	3.1	3
128	Mapping the obesity problems scale to the SF-6D: results based on the Scandinavian Obesity Surgery Registry (SOReg). European Journal of Health Economics, 2023, 24, 279-292.	2.8	3
129	A hearing bolt-on item increased the measurement properties of the EQ-5D-5L in a community-based hearing loss screening program. European Journal of Health Economics, 2023, 24, 393-398.	2.8	3
130	Reducing waste in collection of quality-of-life data through better reporting: a case study. Quality of Life Research, 2022, 31, 2931-2938.	3.1	2
131	Perceptions of the General Public About Health-related Quality of Life and the EQ-5D Questionnaire: A Qualitative Study in Korea. Journal of Preventive Medicine and Public Health, 2022, 55, 213-225.	1.9	2
132	How is the most severe health state being valued by the general population?. Health and Quality of Life Outcomes, 2014, 12, 161.	2.4	1
133	Screening in spouses of colorectal cancer patients: a missed opportunity. International Journal of Colorectal Disease, 2018, 33, 419-422.	2.2	1
134	Role of caregiver factors in outpatient medical follow-up post-stroke: observational study in Singapore. BMC Family Practice, 2021, 22, 74.	2.9	1
135	Could the EQ-5D-3L predict all-cause mortality in older Chinese? Evidence from a 5-year longitudinal study in eastern China. Quality of Life Research, 2021, 30, 2887-2894.	3.1	1
136	Support system diversity among family caregivers of stroke survivors: a qualitative study exploring Asian perspectives. BMC Geriatrics, 2021, 21, 594.	2.7	1
137	Cost-effectiveness of Web-Based and Home-Based Postnatal Psychoeducational Interventions for First-time Mothers: Economic Evaluation Alongside Randomized Controlled Trial. Journal of Medical Internet Research, 2022, 24, e25821.	4.3	1
138	A head-to-head comparison of the EQ-5D-3L index scores derived from the two EQ-5D-3L value sets for China. Health and Quality of Life Outcomes, 2022, 20, 80.	2.4	1
139	Measurement properties of the Functional Assessment of Cancer Therapy-Breast may depend upon the education levels of patients. Expert Review of Quality of Life in Cancer Care, 2016, 1, 181-186.	0.6	0
140	Using the Choice Sequence in Time Trade-Off as Discrete Choices: Do the Two Stories Match?. Value in Health, 2020, 23, 487-494.	0.3	0
141	Perspectives of Adult Singaporeans toward Potential Policies to Reduce the Consumption of Sugar Sweetened Beveragesâ€"A Cross-Sectional Study. Nutrients, 2021, 13, 4231.	4.1	0